

# Nicolas Hoertel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6171264/publications.pdf>

Version: 2024-02-01

132  
papers

4,359  
citations

117453

34  
h-index

149479

56  
g-index

154  
all docs

154  
docs citations

154  
times ranked

5512  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cannabis Use and Risk of Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2016, 73, 388.	6.0	261
2	A stochastic agent-based model of the SARS-CoV-2 epidemic in France. <i>Nature Medicine</i> , 2020, 26, 1417-1421.	15.2	248
3	Ensuring mental health care during the SARS-CoV-2 epidemic in France: A narrative review. <i>L'Encephale</i> , 2020, 46, 193-201.	0.3	199
4	Association between antidepressant use and reduced risk of intubation or death in hospitalized patients with COVID-19: results from an observational study. <i>Molecular Psychiatry</i> , 2021, 26, 5199-5212.	4.1	183
5	Association of Self-reported COVID-19 Infection and SARS-CoV-2 Serology Test Results With Persistent Physical Symptoms Among French Adults During the COVID-19 Pandemic. <i>JAMA Internal Medicine</i> , 2022, 182, 19.	2.6	183
6	Mental disorders and risk of suicide attempt: a national prospective study. <i>Molecular Psychiatry</i> , 2015, 20, 718-726.	4.1	152
7	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. <i>Journal of Affective Disorders</i> , 2018, 226, 132-141.	2.0	129
8	Association between depression and anemia in otherwise healthy adults. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 150-160.	2.2	77
9	The acid sphingomyelinase/ceramide system in COVID-19. <i>Molecular Psychiatry</i> , 2022, 27, 307-314.	4.1	71
10	Poor longitudinal continuity of care is associated with an increased mortality rate among patients with mental disorders: Results from the French National Health Insurance Reimbursement Database. <i>European Psychiatry</i> , 2014, 29, 358-364.	0.1	70
11	Childhood Maltreatment and Risk of Suicide Attempt. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 916-923.	1.1	66
12	Childhood maltreatment and risk of intimate partner violence: A national study. <i>Journal of Psychiatric Research</i> , 2015, 69, 42-49.	1.5	65
13	Shared and specific associations of substance use disorders on adverse outcomes: A national prospective study. <i>Drug and Alcohol Dependence</i> , 2019, 201, 212-219.	1.6	64
14	Inhibition of acid sphingomyelinase by ambroxol prevents SARS-CoV-2 entry into epithelial cells. <i>Journal of Biological Chemistry</i> , 2021, 296, 100701.	1.6	63
15	Personality Disorders in Older Adults: Findings From the National Epidemiologic Survey on Alcohol and Related Conditions. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 757-768.	0.6	60
16	Association Between FIASMAs and Reduced Risk of Intubation or Death in Individuals Hospitalized for Severe COVID-19: An Observational Multicenter Study. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 1498-1511.	2.3	59
17	GENERALIZABILITY OF CLINICAL TRIAL RESULTS FOR GENERALIZED ANXIETY DISORDER TO COMMUNITY SAMPLES. <i>Depression and Anxiety</i> , 2012, 29, 614-620.	2.0	56
18	Subthreshold bipolar disorder in a U.S. national representative sample: Prevalence, correlates and perspectives for psychiatric nosography. <i>Journal of Affective Disorders</i> , 2013, 146, 338-347.	2.0	55

#	ARTICLE	IF	CITATIONS
19	Generalizability of Clinical Trial Results for Bipolar Disorder to Community Samples. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 265-270.	1.1	51
20	Childhood maltreatment and impulsivity as predictors of interpersonal violence, self-injury and suicide attempts: A national study. <i>Psychiatry Research</i> , 2018, 269, 386-393.	1.7	50
21	ARE SYMPTOM FEATURES OF DEPRESSION DURING PREGNANCY, THE POSTPARTUM PERIOD AND OUTSIDE THE PERIPARTUM PERIOD DISTINCT? RESULTS FROM A NATIONALLY REPRESENTATIVE SAMPLE USING ITEM RESPONSE THEORY (IRT). <i>Depression and Anxiety</i> , 2015, 32, 129-140.	2.0	49
22	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. <i>Nutrients</i> , 2018, 10, 1695.	1.7	49
23	Sleep complaints are associated with increased suicide risk independently of psychiatric disorders: results from a national 3-year prospective study. <i>Molecular Psychiatry</i> , 2021, 26, 2126-2136.	4.1	48
24	A comprehensive model of predictors of suicide attempt in heavy drinkers: Results from a national 3-year longitudinal study. <i>Drug and Alcohol Dependence</i> , 2018, 186, 44-52.	1.6	45
25	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. <i>Journal of Affective Disorders</i> , 2019, 244, 25-32.	2.0	44
26	CORRELATION IS NO CAUSATION: GYMNASIUM PROLIFERATION AND THE RISK OF OBESITY. <i>Addiction</i> , 2011, 106, 1871-1872.	1.7	41
27	A comprehensive model of predictors of persistence and recurrence in adults with major depression: Results from a national 3-year prospective study. <i>Journal of Psychiatric Research</i> , 2017, 95, 19-27.	1.5	41
28	Toward Understanding Sex Differences in the Prevalence of Posttraumatic Stress Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 16m11364.	1.1	41
29	Examining sex differences in DSM-IV borderline personality disorder symptom expression using Item Response Theory (IRT). <i>Journal of Psychiatric Research</i> , 2014, 59, 213-219.	1.5	40
30	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. <i>BMC Public Health</i> , 2019, 19, 566.	1.2	40
31	Promoting empathy among medical students: A two-site randomized controlled study. <i>Journal of Psychosomatic Research</i> , 2017, 103, 102-107.	1.2	38
32	Repurposing antidepressants inhibiting the sphingomyelinase acid/ceramide system against COVID-19: current evidence and potential mechanisms. <i>Molecular Psychiatry</i> , 2021, 26, 7098-7099.	4.1	38
33	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. <i>PLoS ONE</i> , 2019, 14, e0222361.	1.1	37
34	Contributing Factors and Mental Health Outcomes of First Suicide Attempt During Childhood and Adolescence. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e622-e630.	1.1	36
35	Observational study of haloperidol in hospitalized patients with COVID-19. <i>PLoS ONE</i> , 2021, 16, e0247122.	1.1	35
36	Do the Selective Serotonin Reuptake Inhibitor Antidepressants Fluoxetine and Fluvoxamine Reduce Mortality Among Patients With COVID-19?. <i>JAMA Network Open</i> , 2021, 4, e2136510.	2.8	35

#	ARTICLE	IF	CITATIONS
37	Parental Divorce or Death During Childhood and Adolescence and Its Association With Mental Health. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 678-685.	0.5	34
38	Metabolic syndrome among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. <i>Psychiatry Research</i> , 2019, 275, 238-246.	1.7	34
39	Observational Study of Chlorpromazine in Hospitalized Patients with COVID-19. <i>Clinical Drug Investigation</i> , 2021, 41, 221-233.	1.1	33
40	Gender differences in firesetting: Results from the national epidemiologic survey on alcohol and related conditions (NESARC). <i>Psychiatry Research</i> , 2011, 190, 352-358.	1.7	32
41	Comorbidity of Late-Life Depression in the United States: A Population-based Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1292-1306.	0.6	31
42	A dimensional liability model of age differences in mental disorder prevalence: Evidence from a national sample. <i>Journal of Psychiatric Research</i> , 2015, 64, 107-113.	1.5	31
43	Subsyndromal and syndromal depressive symptoms among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. <i>Journal of Affective Disorders</i> , 2019, 251, 60-70.	2.0	31
44	Dexamethasone use and mortality in hospitalized patients with coronavirus disease 2019: A multicentre retrospective observational study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3766-3775.	1.1	30
45	Are subjects in treatment trials of panic disorder representative of patients in routine clinical practice? Results from a national sample. <i>Journal of Affective Disorders</i> , 2013, 146, 383-389.	2.0	29
46	Differential effects of factors influencing cognitive development at the age of 5-to-6 years. <i>Cognitive Development</i> , 2016, 40, 152-162.	0.7	27
47	Work environment mediates a large part of social inequalities in the incidence of several common cardiovascular risk factors: Findings from the Gazel cohort. <i>Social Science and Medicine</i> , 2018, 216, 59-66.	1.8	24
48	Why does the lifetime prevalence of major depressive disorder in the elderly appear to be lower than in younger adults? Results from a national representative sample. <i>Journal of Affective Disorders</i> , 2013, 149, 160-165.	2.0	23
49	Medial prefrontal disengagement during self-focus in formerly depressed patients prone to rumination. <i>Journal of Affective Disorders</i> , 2019, 247, 36-44.	2.0	23
50	Do Clinical Trials of Treatment of Alcohol Dependence Adequately Enroll Participants With Co-Occurring Independent Mood and Anxiety Disorders?. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 231-237.	1.1	23
51	Association between FIASMA psychotropic medications and reduced risk of intubation or death in individuals with psychiatric disorders hospitalized for severe COVID-19: an observational multicenter study. <i>Translational Psychiatry</i> , 2022, 12, 90.	2.4	23
52	Prevalence of Subthreshold Hypomania and Impact on Internal Validity of RCTs for Major Depressive Disorder: Results from a National Epidemiological Sample. <i>PLoS ONE</i> , 2013, 8, e55448.	1.1	22
53	Are Participants in Pharmacological and Psychotherapy Treatment Trials for Social Anxiety Disorder Representative of Patients in Real-Life Settings?. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 697-703.	0.7	22
54	Sex differences in psychomotor development during the preschool period: A longitudinal study of the effects of environmental factors and of emotional, behavioral, and social functioning. <i>Journal of Experimental Child Psychology</i> , 2019, 178, 369-384.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Generalizability of pharmacological and psychotherapy clinical trial results for borderline personality disorder to community samples.. Personality Disorders: Theory, Research, and Treatment, 2015, 6, 81-87.	1.0	21
56	Generalizability of Clinical Trial Results for Adolescent Major Depressive Disorder. Pediatrics, 2017, 140, .	1.0	21
57	A Comprehensive Model of Predictors of Suicide Attempt in Depressed Individuals and Effect of Treatment-Seeking Behavior. Journal of Clinical Psychiatry, 2018, 79, .	1.1	21
58	Novel routes to bipolar disorder drug discovery. Expert Opinion on Drug Discovery, 2013, 8, 907-918.	2.5	20
59	Relationship between early language skills and the development of inattention/hyperactivity symptoms during the preschool period: Results of the EDEN mother-child cohort. BMC Psychiatry, 2016, 16, 380.	1.1	20
60	Sexual Assaulters in the United States: Prevalence and Psychiatric Correlates in a National Sample. Archives of Sexual Behavior, 2012, 41, 1379-1387.	1.2	19
61	Psychotherapeutic Treatment of Bipolar Depression. Psychiatric Clinics of North America, 2016, 39, 35-56.	0.7	19
62	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. PLoS ONE, 2018, 13, e0196330.	1.1	19
63	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. Journal of Affective Disorders, 2019, 256, 164-175.	2.0	19
64	Developmental trajectories of motor skills during the preschool period. European Child and Adolescent Psychiatry, 2019, 28, 1461-1474.	2.8	19
65	Benzodiazepine use among older adults with schizophrenia spectrum disorder: prevalence and associated factors in a multicenter study. International Psychogeriatrics, 2020, 32, 441-451.	0.6	19
66	Comorbid medical conditions are a key factor to understand the relationship between psychiatric disorders and COVID-19-related mortality: Results from 49,089 COVID-19 inpatients. Molecular Psychiatry, 2022, 27, 1278-1280.	4.1	18
67	Gender effects in bullying: Results from a national sample. Psychiatry Research, 2012, 200, 921-927.	1.7	17
68	Cardiovascular risk goes up as your mood goes down: Interaction of depression and socioeconomic status in determination of cardiovascular risk in the CONSTANCES cohort. International Journal of Cardiology, 2018, 262, 99-105.	0.8	17
69	Psychiatric disorders and risk for multiple adverse outcomes: a national prospective study. Molecular Psychiatry, 2021, 26, 907-916.	4.1	17
70	A survey on the prevalence of apathy in elderly people referred to specialized memory centers. International Journal of Geriatric Psychiatry, 2019, 34, 1369-1377.	1.3	16
71	Effects of Psychiatric Disorders on Suicide Attempt. Journal of Clinical Psychiatry, 2018, 79, .	1.1	16
72	Mental healthcare in older adults with schizophrenia: results from 118 French public psychiatric departments. International Psychogeriatrics, 2015, 27, 1749-1750.	0.6	15

#	ARTICLE	IF	CITATIONS
73	Latent class analysis of the feared situations of social anxiety disorder: A population-based study. <i>Depression and Anxiety</i> , 2016, 33, 1178-1187.	2.0	15
74	Depressive Symptom Profiles and Survival in Older Patients with Cancer: Latent Class Analysis of the ELCAPA Cohort Study. <i>Oncologist</i> , 2019, 24, e458-e466.	1.9	15
75	Impact of the timing and adherence to face mask use on the course of the COVID-19 epidemic in France. <i>Journal of Travel Medicine</i> , 2021, 28, .	1.4	15
76	Sex differences in DSM-IV posttraumatic stress disorder symptoms expression using item response theory: A population-based study. <i>Journal of Affective Disorders</i> , 2015, 187, 211-217.	2.0	14
77	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , 2019, 259, 210-217.	2.0	14
78	Psychiatric symptoms and quality of life in older adults with schizophrenia spectrum disorder: results from a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 673-688.	1.8	14
79	Estimated cost of a factitious disorder with 6-year follow-up. <i>Psychiatry Research</i> , 2012, 200, 1077-1078.	1.7	13
80	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. <i>Journal of Psychiatric Research</i> , 2016, 82, 80-90.	1.5	13
81	Combining multivariate genomic approaches to elucidate the comorbidity between autism spectrum disorder and attention deficit hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1285-1296.	3.1	13
82	Attention-Deficit/Hyperactivity Disorder Symptom Expression. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 386-392.	1.1	13
83	Family history of alcohol use disorder is associated with brain structural and functional changes in healthy first-degree relatives. <i>European Psychiatry</i> , 2019, 62, 107-115.	0.1	12
84	Balint groups and narrative medicine compared to a control condition in promoting studentsâ€™ empathy. <i>BMC Medical Education</i> , 2020, 20, 412.	1.0	12
85	Generalizability of Pharmacologic and Psychotherapy Clinical Trial Results for Posttraumatic Stress Disorder to Community Samples. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e975-e981.	1.1	12
86	Risk of Death in Individuals Hospitalized for COVID-19 With and Without Psychiatric Disorders: An Observational Multicenter Study in France. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 56-67.	1.0	12
87	Age differences in DSM-IV borderline personality disorder symptom expression: Results from a national study using item response theory (IRT). <i>Journal of Psychiatric Research</i> , 2019, 110, 16-23.	1.5	11
88	Depression, antidepressants and low hemoglobin level in the Paris Prospective Study III: A cross-sectional analysis. <i>Preventive Medicine</i> , 2020, 135, 106050.	1.6	11
89	Cerebrospinal fluid levels of monoamines among suicide attempters: A systematic review and random-effects meta-analysis. <i>Journal of Psychiatric Research</i> , 2021, 136, 224-235.	1.5	11
90	Depression, Cognitive Functions, and Impaired Functioning in Middle-Aged Adults From the CONSTANCES Cohort. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	11

#	ARTICLE	IF	CITATIONS
91	A comprehensive model of predictors of suicide attempt in individuals with panic disorder: Results from a national 3-year prospective study. <i>General Hospital Psychiatry</i> , 2020, 67, 127-135.	1.2	10
92	Melatonin does not reduce mortality in adult hospitalized patients with COVID-19: a multicenter retrospective observational study. <i>Journal of Travel Medicine</i> , 2022, 29, .	1.4	10
93	A comprehensive model of predictors of quality of life in older adults with schizophrenia: results from the CSA study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1411-1425.	1.6	9
94	Management of Cardiovascular Health in People with Severe Mental Disorders. <i>Current Cardiology Reports</i> , 2021, 23, 7.	1.3	9
95	Hydroxyzine Use and Mortality in Patients Hospitalized for COVID-19: A Multicenter Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5891.	1.0	9
96	Association between benzodiazepine receptor agonist use and mortality in patients hospitalised for COVID-19: a multicentre observational study. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e18.	1.8	9
97	Sex Differences in Shoplifting. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 728-733.	0.5	8
98	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. <i>Drug and Alcohol Dependence</i> , 2017, 177, 112-123.	1.6	8
99	Examining sex differences in DSM-IV-TR narcissistic personality disorder symptom expression using Item Response Theory (IRT). <i>Psychiatry Research</i> , 2018, 260, 500-507.	1.7	8
100	Childbirth and Alcohol Consumption Impact of Recent Childbirth on Alcohol Consumption. <i>Journal of Child and Family Studies</i> , 2018, 27, 2245-2253.	0.7	8
101	Personality traits are associated with cognitive empathy in medical students but not with its evolution and interventions to improve it. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110410.	1.2	8
102	Is a Diagnosis of Schizophrenia Spectrum Disorder Associated With Increased Mortality in Patients With COVID-19?. <i>American Journal of Psychiatry</i> , 2022, 179, 71-73.	4.0	8
103	Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). <i>Journal of Affective Disorders</i> , 2016, 204, 24-31.	2.0	7
104	Effortâ€“reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 993-1001.	2.0	6
105	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019, 109, 119-125.	1.5	6
106	The man behind Philippe Pinel: Jean-Baptiste Pussin (1746â€“1811). <i>British Journal of Psychiatry</i> , 2011, 198, 241-241.	1.7	6
107	Long-term care utilization within older adults with schizophrenia: Associated factors in a multicenter study. <i>Psychiatry Research</i> , 2022, 308, 114339.	1.7	6
108	Age at onset of major depression and adulthood cardiovascular risk. <i>Psychiatry Research</i> , 2015, 225, 736-738.	1.7	5

#	ARTICLE	IF	CITATIONS
109	One-year mirror-image study of the impact of olanzapine long-acting injection on healthcare resource utilization and costs in severe schizophrenia. <i>Psychiatry Research</i> , 2018, 270, 205-210.	1.7	5
110	Contributing Factors to Heterogeneity in the Timing of the Onset of Nonfatal Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	5
111	Depressive symptoms and non-adherence to treatable cardiovascular risk factorsâ€™ medications in the CONSTANCES cohort. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 280-286.	1.4	5
112	A Case of Chronic Peduncular Hallucinosi in a 90-Year-Old Woman Successfully Treated With Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 285-286.	0.7	4
113	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. <i>Comprehensive Psychiatry</i> , 2020, 102, 152203.	1.5	4
114	Using filled prescription sequences to rank antidepressants according to their acceptability in the general population: The Constances cohort. <i>Journal of Psychiatric Research</i> , 2020, 123, 72-80.	1.5	4
115	Late-onset and nonlate-onset schizophrenia: A comparison of clinical characteristics in a multicenter study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1204-1215.	1.3	4
116	Respective Mediating Effects of Social Position and Work Environment on the Incidence of Common Cardiovascular Risk Factors. <i>Journal of the American Heart Association</i> , 2022, 11, e021373.	1.6	4
117	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. <i>Nutrients</i> , 2020, 12, 2700.	1.7	3
118	Generalizability of pharmacologic and psychotherapy trial results for late-life unipolar depression. <i>Aging and Mental Health</i> , 2021, 25, 367-377.	1.5	3
119	Contributing factors to heterogeneity in the timing of the onset of major depressive episode: Results from a national study. <i>Journal of Affective Disorders</i> , 2022, 299, 585-595.	2.0	3
120	Retirement age does not modify the association of prior working conditions with self-rated health and mortality in retirees: results from a prospective study of retired French workers. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1921-1934.	1.1	3
121	Healthcare use for major depressive disorders among middle-aged and older adults in the community. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 953-961.	1.6	2
122	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. <i>Scientific Reports</i> , 2022, 12, 661.	1.6	2
123	Early liaison psychiatry consultations and general hospital readmission: A retrospective cohort study. <i>General Hospital Psychiatry</i> , 2022, 77, 29-36.	1.2	2
124	Telemedicine Readiness Across Medical Conditions in a US National Representative Sample of Older Adults. <i>Journal of Applied Gerontology</i> , 2022, 41, 982-992.	1.0	2
125	Age of onset of social anxiety disorder and psychiatric and mental health outcomes: Results from a nationally representative study. <i>Journal of Affective Disorders</i> , 2022, 309, 252-258.	2.0	2
126	Psychiatric symptoms and mortality in older adults with major psychiatric disorders: results from a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 627-638.	1.8	2



#	ARTICLE	IF	CITATIONS
127	Personality Disorders in Older Adults. American Journal of Geriatric Psychiatry, 2012, , 1.	0.6	1
128	Toward a generalized developmental model of psychopathological liabilities and psychiatric disorders. Psychological Medicine, 2023, 53, 3406-3415.	2.7	1
129	Comorbidity of Current Depression Among the Elderly. European Psychiatry, 2011, 26, 842-842.	0.1	0
130	Capgrasâ€™ and Cotardâ€™s Delusions Associated With a Particular Pattern of Cerebral Activity in a Severely Depressed Patient. primary care companion for CNS disorders, The, 2014, 16, .	0.2	0
131	Poststroke depression and major depressive disorder: the same or separate disorders?. International Psychogeriatrics, 2020, 32, 1279-1281.	0.6	0
132	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort. BMJ Open, 2022, 12, e052819.	0.8	0