

# Bertram Wiedenmann

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6171327/bertram-wiedenmann-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268  
papers

21,287  
citations

74  
h-index

139  
g-index

278  
ext. papers

23,809  
ext. citations

7.6  
avg, IF

6.24  
L-index

#	Paper	IF	Citations
268	Models of Gastroenteropancreatic Neuroendocrine Neoplasms: Current Status and Future Directions. <i>Neuroendocrinology</i> , <b>2021</b> , 111, 217-236	5.6	4
267	Multiple Endocrine Neoplasia Type 1 and the Pancreas: Diagnosis and Treatment of Functioning and Non-Functioning Pancreatic and Duodenal Neuroendocrine Neoplasia within the MEN1 Syndrome - An International Consensus Statement. <i>Neuroendocrinology</i> , <b>2021</b> , 111, 609-630	5.6	16
266	Immune landscape, evolution, hypoxia-mediated viral mimicry pathways and therapeutic potential in molecular subtypes of pancreatic neuroendocrine tumours. <i>Gut</i> , <b>2021</b> , 70, 1904-1913	19.2	9
265	Multicenter Analysis of Treatment Outcomes for Systemic Therapy in Well Differentiated Grade 3 Neuroendocrine Tumors (NET G3). <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
264	SPECT/CT Imaging, Biodistribution and Radiation Dosimetry of a Lu-DOTA-Integrin $\alpha_5\beta_1$ Cystine Knot Peptide in a Pancreatic Cancer Xenograft Model. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 684713	5.3	0
263	PuraStat in gastrointestinal bleeding: results of a prospective multicentre observational pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 1	5.2	5
262	ENETS standardized (synoptic) reporting for molecular imaging studies in neuroendocrine tumours. <i>Journal of Neuroendocrinology</i> , <b>2021</b> , e13040	3.8	4
261	PD-L1 - inhibitors in neuroendocrine neoplasia: Results from a real-life study. <i>Medicine (United States)</i> , <b>2021</b> , 100, e23835	1.8	3
260	Soluble Urokinase Plasminogen Activator Receptor (suPAR) Concentrations are Elevated in Patients with Neuroendocrine Malignancies. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
259	Radical intended surgery for highly selected stage IV neuroendocrine neoplasms G3. <i>American Journal of Surgery</i> , <b>2020</b> , 220, 284-289	2.7	14
258	Peritoneal Carcinomatosis in Gastro-Entero-Pancreatic Neuroendocrine Neoplasms: Clinical Impact and Effectiveness of the Available Therapeutic Options. <i>Neuroendocrinology</i> , <b>2020</b> , 110, 517-524	5.6	10
257	Surgery with Radical Intent: Is There an Indication for G3 Neuroendocrine Neoplasms?. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 1348-1355	3.1	26
256	Unmet needs in the international neuroendocrine tumor (NET) community: Assessment of major gaps from the perspective of patients, patient advocates and NET health care professionals. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 1316-1323	7.5	11
255	Efficacy and Toxicity of 5-Fluorouracil-Oxaliplatin in Gastroenteropancreatic Neuroendocrine Neoplasms. <i>Pancreas</i> , <b>2020</b> , 49, 912-917	2.6	4
254	Neuroendocrine neoplasia of the gastrointestinal tract revisited: towards precision medicine. <i>Nature Reviews Endocrinology</i> , <b>2020</b> , 16, 590-607	15.2	19
253	Analysis of miR-29 Serum Levels in Patients with Neuroendocrine Tumors-Results from an Exploratory Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
252	Advanced liver function assessment in patients with intestinal failure on long-term parenteral nutrition. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 540-547	5.9	5

251	Determinants of Quality of Life in Patients With Intestinal Failure Receiving Long-Term Parenteral Nutrition Using the SF-36 Questionnaire: A German Single-Center Prospective Observational Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 291-300	4.2	12
250	Primary Neuroendocrine Neoplasms of the Breast: Case Series and Literature Review. <i>Cancers</i> , <b>2020</b> , 12,	6.6	10
249	R-spondin-3 induces secretory, antimicrobial Lgr5 cells in the stomach. <i>Nature Cell Biology</i> , <b>2019</b> , 21, 812-823	23.4	29
248	Malnutrition predicts long-term survival in hospitalized patients with gastroenterological and hepatological diseases. <i>Clinical Nutrition ESPEN</i> , <b>2019</b> , 30, 26-34	1.3	3
247	Reply to Time for a change and to adopt a novel molecular genomic approach in NETs. <i>Nature Reviews Clinical Oncology</i> , <b>2019</b> , 16, 270	19.4	
246	Experience with teduglutide treatment for short bowel syndrome in clinical practice. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 1745-1755	5.9	22
245	Somatostatin Analogues in the Treatment of Neuroendocrine Tumors: Past, Present and Future. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	54
244	Sustained partial remission of a metastatic NEN using off-label immunotherapy with pembrolizumab. <i>Oncotarget</i> , <b>2019</b> , 10, 3302-3311	3.3	4
243	Access to diagnostics and treatment of neuroendocrine tumors (NETs): The difference between patient perception and reality.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, e13524-e13524	2.2	
242	Neuroendocrine neoplasia goes molecular - time for a change. <i>Nature Reviews Clinical Oncology</i> , <b>2019</b> , 16, 149-150	19.4	10
241	Unmet Medical Needs in Pulmonary Neuroendocrine (Carcinoid) Neoplasms. <i>Neuroendocrinology</i> , <b>2019</b> , 108, 7-17	5.6	12
240	CapsoCam SV-1 Versus PillCam SB 3 in the Detection of Obscure Gastrointestinal Bleeding: Results of a Prospective Randomized Comparative Multicenter Study. <i>Journal of Clinical Gastroenterology</i> , <b>2019</b> , 53, e101-e106	3	22
239	Extremely Long Survival under Combined Immunotherapy in a Metastatic Functional Neuroendocrine Neoplasia Patient. <i>Neuroendocrinology</i> , <b>2018</b> , 106, 381-388	5.6	12
238	Diagnostic and therapeutic single-operator cholangiopancreatography with SpyGlassDS results of a multicenter retrospective cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2018</b> , 32, 3981-3988	5.2	40
237	Octreotide Does Not Inhibit Proliferation in Five Neuroendocrine Tumor Cell Lines. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 146	5.7	15
236	A precision oncology approach to the pharmacological targeting of mechanistic dependencies in neuroendocrine tumors. <i>Nature Genetics</i> , <b>2018</b> , 50, 979-989	36.3	90
235	Expression and Molecular Regulation of the Cox2 Gene in Gastroenteropancreatic Neuroendocrine Tumors and Antiproliferation of Nonsteroidal Anti-Inflammatory Drugs (NSAIDs). <i>Medical Science Monitor</i> , <b>2018</b> , 24, 8125-8140	3.2	7
234	Successful treatment of high-grade pancreatic neuroendocrine neoplasms with everolimus. <i>Acta Oncologica</i> , <b>2018</b> , 57, 686-688	3.2	1

233	Competitive Testing of the WHO 2010 versus the WHO 2017 Grading of Pancreatic Neuroendocrine Neoplasms: Data from a Large International Cohort Study. <i>Neuroendocrinology</i> , <b>2018</b> , 107, 375-386	5.6	52
232	Malnutrition Predicts Clinical Outcome in Patients with Neuroendocrine Neoplasia. <i>Neuroendocrinology</i> , <b>2017</b> , 104, 11-25	5.6	59
231	Stage IV Gastro-Entero-Pancreatic Neuroendocrine Neoplasms: A Risk Score to Predict Clinical Outcome. <i>Oncologist</i> , <b>2017</b> , 22, 409-415	5.7	25
230	ENETS Consensus Guidelines for Standard of Care in Neuroendocrine Tumours: Biochemical Markers. <i>Neuroendocrinology</i> , <b>2017</b> , 105, 201-211	5.6	80
229	Functional Imaging in the Follow-Up of Enteropancreatic Neuroendocrine Tumors: Clinical Usefulness and Indications. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 1486-1494	5.6	22
228	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: Radiological, Nuclear Medicine & Hybrid Imaging. <i>Neuroendocrinology</i> , <b>2017</b> , 105, 212-244	5.6	196
227	Stromal R-spondin orchestrates gastric epithelial stem cells and gland homeostasis. <i>Nature</i> , <b>2017</b> , 548, 451-455	50.4	103
226	Increased Activity of the Immunoregulatory Enzyme Indoleamine-2,3-Dioxygenase with Consecutive Tryptophan Depletion Predicts Death in Patients with Neuroendocrine Neoplasia. <i>Neuroendocrinology</i> , <b>2017</b> , 104, 135-144	5.6	2
225	Malignome endokriner Organe <b>2017</b> , 909-960		
224	Staged Catheter-Based Valve Treatment of Severe Carcinoid Heart Disease. <i>Neuroendocrinology</i> , <b>2016</b> , 103, 259-62	5.6	11
223	EndoClot Polysaccharide Hemostatic System in Nonvariceal Gastrointestinal Bleeding: Results of a Prospective Multicenter Observational Pilot Study. <i>Journal of Clinical Gastroenterology</i> , <b>2016</b> , 50, e95-e100	7.0	31
222	Syndromic versus non-syndromic sporadic gastrin-producing neuroendocrine tumors of the duodenum: comparison of pathological features and biological behavior. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2016</b> , 468, 277-87	5.1	16
221	Management of follow-up of neuroendocrine neoplasias. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 30, 129-40	6.5	6
220	Near-Infrared Confocal Laser Endomicroscopy Detects Colorectal Cancer via an Integrin $\alpha 5 \beta 1$ Optical Probe. <i>Molecular Imaging and Biology</i> , <b>2015</b> , 17, 450-60	3.8	7
219	An outbreak of carbapenem-resistant OXA-48 - producing Klebsiella pneumonia associated to duodenoscopy. <i>Antimicrobial Resistance and Infection Control</i> , <b>2015</b> , 4, 8	6.2	93
218	Streptozocin/5-fluorouracil chemotherapy is associated with durable response in patients with advanced pancreatic neuroendocrine tumours. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1253-62	7.5	69
217	A Cross-Species Analysis in Pancreatic Neuroendocrine Tumors Reveals Molecular Subtypes with Distinctive Clinical, Metastatic, Developmental, and Metabolic Characteristics. <i>Cancer Discovery</i> , <b>2015</b> , 5, 1296-313	24.4	100
216	Telotristat etiprate for carcinoid syndrome: a single-arm, multicenter trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1511-9	5.6	84

215	Mutation profiling of tumor DNA from plasma and tumor tissue of colorectal cancer patients with a novel, high-sensitivity multiplexed mutation detection platform. <i>Oncotarget</i> , <b>2015</b> , 6, 2549-61	3.3	75
214	Pulmonary neuroendocrine (carcinoid) tumors: European Neuroendocrine Tumor Society expert consensus and recommendations for best practice for typical and atypical pulmonary carcinoids. <i>Annals of Oncology</i> , <b>2015</b> , 26, 1604-20	10.3	363
213	Glucagon regulates orexin A secretion in humans and rodents. <i>Diabetologia</i> , <b>2014</b> , 57, 2108-16	10.3	11
212	The impact of elevated serum IgG4 levels in patients with primary sclerosing cholangitis. <i>Digestive and Liver Disease</i> , <b>2014</b> , 46, 903-8	3.3	31
211	Glucocorticoids regulate barrier function and claudin expression in intestinal epithelial cells via MKP-1. <i>American Journal of Physiology - Renal Physiology</i> , <b>2014</b> , 306, G218-28	5.1	47
210	Improving compliance to colorectal cancer screening using blood and stool based tests in patients refusing screening colonoscopy in Germany. <i>BMC Gastroenterology</i> , <b>2014</b> , 14, 183	3	107
209	MRI-guided percutaneous transhepatic cholangiodrainage: feasibility study in a porcine model. <i>Scandinavian Journal of Gastroenterology</i> , <b>2014</b> , 49, 722-6	2.4	1
208	Axon guidance factor SLIT2 inhibits neural invasion and metastasis in pancreatic cancer. <i>Cancer Research</i> , <b>2014</b> , 74, 1529-40	10.1	67
207	Streptozocin-based chemotherapy in patients with advanced pancreatic neuroendocrine tumors.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 295-295	2.2	
206	The CCKB antagonist CI988 reduces food intake in fasted rats via a dopamine mediated pathway. <i>Peptides</i> , <b>2013</b> , 39, 111-8	3.8	6
205	Increased T-helper 2 cytokines in bile from patients with IgG4-related cholangitis disrupt the tight junction-associated biliary epithelial cell barrier. <i>Gastroenterology</i> , <b>2013</b> , 144, 1116-28	13.3	41
204	Variants in CPA1 are strongly associated with early onset chronic pancreatitis. <i>Nature Genetics</i> , <b>2013</b> , 45, 1216-20	36.3	192
203	Molecular pathogenesis of neuroendocrine tumors: implications for current and future therapeutic approaches. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 2842-9	12.9	69
202	A colorectal cancer classification system that associates cellular phenotype and responses to therapy. <i>Nature Medicine</i> , <b>2013</b> , 19, 619-25	50.5	670
201	Evaluation of radiological prognostic factors of hepatic metastases in patients with non-functional pancreatic neuroendocrine tumors. <i>European Journal of Radiology</i> , <b>2013</b> , 82, e550-5	4.7	20
200	Factors determining the quality of screening colonoscopy: a prospective study on adenoma detection rates, from 12,134 examinations (Berlin colonoscopy project 3, BECOP-3). <i>Gut</i> , <b>2013</b> , 62, 236-41	19.2	146
199	Foreword. <i>Neuroendocrinology</i> , <b>2013</b> , 97, 5-6	5.6	
198	Data quality of the German screening colonoscopy registry. <i>Endoscopy</i> , <b>2013</b> , 45, 813-8	3.4	24

197	Placental growth factor supports neuroendocrine tumor growth and predicts disease prognosis in patients. <i>Endocrine-Related Cancer</i> , <b>2013</b> , 20, 305-19	5.7	26
196	Adalimumab prevents barrier dysfunction and antagonizes distinct effects of TNF- $\alpha$ on tight junction proteins and signaling pathways in intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 304, G970-9	5.1	78
195	Quantification in (68)Ga-DOTA(0)-Phe(1)-Tyr(3)-octreotide positron emission tomography/computed tomography: can we be impartial about partial volume effects?. <i>Neuroendocrinology</i> , <b>2013</b> , 97, 369-74	5.6	11
194	Poorly differentiated neuroendocrine carcinoma (NEC G3): Prognostic factors and potential novel targets.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, e15071-e15071	2.2	2
193	Omega-3 fatty acids and their lipid mediators: towards an understanding of resolvin and protectin formation. <i>Prostaglandins and Other Lipid Mediators</i> , <b>2012</b> , 97, 73-82	3.7	182
192	Tumor suppressor p16INK4a controls oncogenic K-Ras function in human pancreatic cancer cells. <i>Cancer Science</i> , <b>2012</b> , 103, 169-75	6.9	10
191	Latest generation, wide-angle, high-definition colonoscopes increase adenoma detection rate. <i>Clinical Gastroenterology and Hepatology</i> , <b>2012</b> , 10, 155-9	6.9	50
190	ENETS 2011 Consensus Guidelines for the Management of Patients with Digestive Neuroendocrine Tumors: an update. <i>Neuroendocrinology</i> , <b>2012</b> , 95, 71-3	5.6	62
189	Common biostructure of the colonic microbiota in neuroendocrine tumors and Crohn's disease and the effect of therapy. <i>Inflammatory Bowel Diseases</i> , <b>2012</b> , 18, 1663-71	4.5	26
188	Thermo-sensitive transient receptor potential vanilloid channel-1 regulates intracellular calcium and triggers chromogranin A secretion in pancreatic neuroendocrine BON-1 tumor cells. <i>Cellular Signalling</i> , <b>2012</b> , 24, 233-46	4.9	33
187	Pasireotide (SOM230) shows efficacy and tolerability in the treatment of patients with advanced neuroendocrine tumors refractory or resistant to octreotide LAR: results from a phase II study. <i>Endocrine-Related Cancer</i> , <b>2012</b> , 19, 657-66	5.7	145
186	ENETS Consensus Guidelines for the management of patients with liver and other distant metastases from neuroendocrine neoplasms of foregut, midgut, hindgut, and unknown primary. <i>Neuroendocrinology</i> , <b>2012</b> , 95, 157-76	5.6	638
185	Neuroendocrine neoplasms of the gut and pancreas: new insights. <i>Nature Reviews Endocrinology</i> , <b>2011</b> , 8, 54-64	15.2	131
184	Percutaneous transhepatic cholangiodrainage under real-time MRI guidance: initial experience in an animal model. <i>Digestive and Liver Disease</i> , <b>2011</b> , 43, 642-6	3.3	2
183	Sulfated cholecystokinin-8 activates phospho-mTOR immunoreactive neurons of the paraventricular nucleus in rats. <i>Peptides</i> , <b>2011</b> , 32, 65-70	3.8	12
182	Sunitinib malate for the treatment of pancreatic neuroendocrine tumors. <i>New England Journal of Medicine</i> , <b>2011</b> , 364, 501-13	59.2	1817
181	Enhanced innate immune responsiveness and intolerance to intestinal endotoxins in human biliary epithelial cells contributes to chronic cholangitis. <i>Liver International</i> , <b>2011</b> , 31, 1574-88	7.9	55
180	Galectins distinctively regulate central monocyte and macrophage function. <i>Cellular Immunology</i> , <b>2011</b> , 271, 97-103	4.4	35

179	Cardiac surgery for carcinoid heart disease in 12 cases. <i>General Thoracic and Cardiovascular Surgery</i> , <b>2011</b> , 59, 780-5	1.6	11
178	Neuroendocrine tumors of midgut and hindgut origin: tumor-node-metastasis classification determines clinical outcome. <i>Cancer</i> , <b>2011</b> , 117, 3332-41	6.4	204
177	mTOR expression and activity patterns in gastroenteropancreatic neuroendocrine tumours. <i>Endocrine-Related Cancer</i> , <b>2011</b> , 18, 181-92	5.7	78
176	From targets to treatments: a review of molecular targets in pancreatic neuroendocrine tumors. <i>Neuroendocrinology</i> , <b>2011</b> , 94, 177-90	5.6	30
175	68Ga-DOTATOC PET/CT of neuroendocrine tumors: spotlight on the CT phases of a triple-phase protocol. <i>Journal of Nuclear Medicine</i> , <b>2011</b> , 52, 697-704	8.9	74
174	Angiopoietin-2 drives lymphatic metastasis of pancreatic cancer. <i>FASEB Journal</i> , <b>2011</b> , 25, 3325-35	0.9	56
173	The majority of intestinal IgA+ and IgG+ plasmablasts in the human gut are antigen-specific. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 1946-55	15.9	178
172	Failure of CD4 T-cells to respond to liver-derived antigen and to provide help to CD8 T-cells. <i>PLoS ONE</i> , <b>2011</b> , 6, e21847	3.7	8
171	Hypoxia-inducible factor 1alpha determines gastric cancer chemosensitivity via modulation of p53 and NF-kappaB. <i>PLoS ONE</i> , <b>2010</b> , 5, e12038	3.7	94
170	8. Multidisciplinary Approach for the Treatment of Neuroendocrine Tumors. <i>Tumori</i> , <b>2010</b> , 96, 833-846	1.7	18
169	Impact of pain on health-related quality of life in patients with inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , <b>2010</b> , 16, 3168-77	5.6	91
168	Angiopoietin-2 promotes disease progression of neuroendocrine tumors. <i>Clinical Cancer Research</i> , <b>2010</b> , 16, 420-9	12.9	66
167	Daily oral everolimus activity in patients with metastatic pancreatic neuroendocrine tumors after failure of cytotoxic chemotherapy: a phase II trial. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 69-76	2.2	543
166	Interactions of gastrointestinal peptides: ghrelin and its anorexigenic antagonists. <i>International Journal of Peptides</i> , <b>2010</b> , 2010,		7
165	Tumor-associated angiogenesis and lymphangiogenesis correlate with progression of intrahepatic cholangiocarcinoma. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 1123-32	0.7	67
164	ENETS consensus guidelines for the management of bone and lung metastases from neuroendocrine tumors. <i>Neuroendocrinology</i> , <b>2010</b> , 91, 341-50	5.6	51
163	ENETS consensus guidelines for the management of patients with rare metastases from digestive neuroendocrine tumors: rationale and working framework. Introduction. <i>Neuroendocrinology</i> , <b>2010</b> , 91, 324-5	5.6	6
162	Impact of Multiphase 68Ga-DOTATOC-PET/CT on therapy management in patients with neuroendocrine tumors. <i>Neuroendocrinology</i> , <b>2010</b> , 91, 101-9	5.6	94



161	Novel insight in distribution of nesfatin-1 and phospho-mTOR in the arcuate nucleus of the hypothalamus of rats. <i>Peptides</i> , <b>2010</b> , 31, 257-62	3.8	55
160	Peripherally injected CCK-8S activates CART positive neurons of the paraventricular nucleus in rats. <i>Peptides</i> , <b>2010</b> , 31, 1118-1123	3.8	16
159	Sodium butyrate increases expression of the coxsackie and adenovirus receptor in colon cancer cells. <i>Cancer Investigation</i> , <b>2010</b> , 28, 268-74	2.1	6
158	ERCP in the sitting position--an alternative technique with potential benefits (with video). <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2010</b> , 20, 247-9	1.3	1
157	Role of hypoxia-inducible transcription factor 1alpha for progression and chemosensitivity of murine hepatocellular carcinoma. <i>Journal of Molecular Medicine</i> , <b>2010</b> , 88, 817-27	5.5	31
156	Epidemiological study of gastroenteropancreatic neuroendocrine tumors in Japan. <i>Journal of Gastroenterology</i> , <b>2010</b> , 45, 234-43	6.9	292
155	Long-term efficacy of tenofovir monotherapy for hepatitis B virus-monoinfected patients after failure of nucleoside/nucleotide analogues. <i>Hepatology</i> , <b>2010</b> , 51, 73-80	11.2	275
154	Karzinoid, neuroendokrine Tumoren und Karzinoid-Syndrom <b>2010</b> , 493-502		
153	Evaluation of angiotensinogen c.1-44G>A and p.M268T variants as risk factors for fibrosis progression in chronic hepatitis C and liver diseases of various etiologies. <i>Genetic Testing and Molecular Biomarkers</i> , <b>2009</b> , 13, 407-14	1.6	2
152	The German NET-registry: an audit on the diagnosis and therapy of neuroendocrine tumors. <i>Neuroendocrinology</i> , <b>2009</b> , 90, 349-63	5.6	73
151	ENETS Consensus Guidelines for the Standard of Care in Neuroendocrine Tumors. <i>Neuroendocrinology</i> , <b>2009</b> , 90, 159-61	5.6	18
150	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: towards a standardized approach to the diagnosis of gastroenteropancreatic neuroendocrine tumors and their prognostic stratification. <i>Neuroendocrinology</i> , <b>2009</b> , 90, 162-6	5.6	263
149	Prospective, randomized comparison of mechanical and electronic radial endoscopic ultrasound systems: assessment of performance parameters and image quality. <i>Scandinavian Journal of Gastroenterology</i> , <b>2009</b> , 44, 93-9	2.4	15
148	Distinct temporospatial expression patterns of glycolysis-related proteins in human hepatocellular carcinoma. <i>Histochemistry and Cell Biology</i> , <b>2009</b> , 132, 21-31	2.4	28
147	Enteral and parenteral nutrition distinctively modulate intestinal permeability and T cell function in vitro. <i>European Journal of Nutrition</i> , <b>2009</b> , 48, 12-21	5.2	30
146	Obestatin in human neuroendocrine tissues and tumours: expression and effect on tumour growth. <i>Journal of Pathology</i> , <b>2009</b> , 218, 458-66	9.4	35
145	Tumor-associated lymphangiogenesis correlates with prognosis after resection of human hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 1222-30	3.1	25
144	Insulinostatic activity of cerebellin--evidence from in vivo and in vitro studies in rats. <i>Regulatory Peptides</i> , <b>2009</b> , 157, 19-24		10



143	CCK-8S activates c-Fos in a dose-dependent manner in nesfatin-1 immunoreactive neurons in the paraventricular nucleus of the hypothalamus and in the nucleus of the solitary tract of the brainstem. <i>Regulatory Peptides</i> , <b>2009</b> , 157, 84-91		51
142	Is desacyl ghrelin a modulator of food intake?. <i>Peptides</i> , <b>2009</b> , 30, 991-4	3.8	44
141	EUS-guided FNA of solid pancreatic masses: high yield of 2 passes with combined histologic-cytologic analysis. <i>Gastrointestinal Endoscopy</i> , <b>2009</b> , 70, 60-9	5.2	104
140	Narrow-band versus white-light high definition television endoscopic imaging for screening colonoscopy: a prospective randomized trial. <i>Gastroenterology</i> , <b>2009</b> , 136, 410-6.e1; quiz 715	13.3	168
139	Identification of novel cyclooxygenase-2-dependent genes in Helicobacter pylori infection in vivo. <i>Molecular Cancer</i> , <b>2009</b> , 8, 22	42.1	6
138	Probiotic carbohydrates reduce intestinal permeability and inflammation in metabolic diseases. <i>Gut</i> , <b>2009</b> , 58, 1044-5	19.2	27
137	Antireflux barriers: problems with patient recruitment for a new endoscopic antireflux procedure. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2009</b> , 21, 1110-8	2.2	6
136	Peripheral injection of ghrelin induces Fos expression in the dorsomedial hypothalamic nucleus in rats. <i>Brain Research</i> , <b>2008</b> , 1204, 77-86	3.7	36
135	Characterization of voltage operated R-type Ca <sup>2+</sup> channels in modulating somatostatin receptor subtype 2- and 3-dependent inhibition of insulin secretion from INS-1 cells. <i>Cellular Signalling</i> , <b>2008</b> , 20, 2286-95	4.9	24
134	Relevance of endotoxin receptor CD14 and TLR4 gene variants in chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>2008</b> , 43, 584-92	2.4	12
133	A motor-driven single-use colonoscope controlled with a hand-held device: a feasibility study in volunteers. <i>Gastrointestinal Endoscopy</i> , <b>2008</b> , 67, 1139-46	5.2	72
132	Evaluation of complement factor 5 variants as genetic risk factors for the development of advanced fibrosis in chronic hepatitis C infection. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 339-45	13.4	9
131	Peripheral obestatin has no effect on feeding behavior and brain Fos expression in rodents. <i>Peptides</i> , <b>2008</b> , 29, 1018-27	3.8	34
130	Desacyl ghrelin inhibits the orexigenic effect of peripherally injected ghrelin in rats. <i>Peptides</i> , <b>2008</b> , 29, 2159-68	3.8	145
129	Open-label, non-randomised, inter-individual dose escalation of ZK 304709 with the evaluation of safety, tolerability, pharmacokinetics, oral bioavailability and orientating efficacy after daily administration in patients with advanced cancer (7 d treatment and 14 d recovery). <i>European Journal of Cancer</i> , <b>2008</b> , 44, 2162-8	7.5	16
128	Chymotrypsin C (CTRC) variants that diminish activity or secretion are associated with chronic pancreatitis. <i>Nature Genetics</i> , <b>2008</b> , 40, 78-82	36.3	291
127	The probiotic Escherichia coli strain Nissle 1917 induces gammadelta T cell apoptosis via caspase- and FasL-dependent pathways. <i>International Immunology</i> , <b>2008</b> , 20, 829-40	4.9	39
126	Autoregulation of Th1-mediated inflammation by twist1. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 1889-901	16.6	75

125	Consensus guidelines for the management of patients with digestive neuroendocrine tumors--well-differentiated jejunal-ileal tumor/carcinoma. <i>Neuroendocrinology</i> , <b>2008</b> , 87, 8-19	5.6	198
124	Hypoxia-inducible factor 1alpha mediates anoikis resistance via suppression of alpha5 integrin. <i>Cancer Research</i> , <b>2008</b> , 68, 10113-20	10.1	74
123	An orthotopic model of pancreatic somatostatin receptor (SSTR)-positive tumors allows bimodal imaging studies using 3T MRI and animal PET-based molecular imaging of SSTR expression. <i>Neuroendocrinology</i> , <b>2008</b> , 87, 233-42	5.6	8
122	Consensus guidelines for the management of patients with digestive neuroendocrine tumors: the second event and some final considerations. <i>Neuroendocrinology</i> , <b>2008</b> , 87, 5-7	5.6	26
121	Prognostic factors of long-term outcome in gastroenteropancreatic neuroendocrine tumours. <i>Endocrine-Related Cancer</i> , <b>2008</b> , 15, 1083-97	5.7	263
120	The targeted immunocytokine L19-IL2 efficiently inhibits the growth of orthotopic pancreatic cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 4951-60	12.9	66
119	Somatostatin-producing neuroendocrine tumors of the duodenum and pancreas: incidence, types, biological behavior, association with inherited syndromes, and functional activity. <i>Endocrine-Related Cancer</i> , <b>2008</b> , 15, 229-41	5.7	127
118	Systematic high-content proteomic analysis reveals substantial immunologic changes in colorectal cancer. <i>Cancer Research</i> , <b>2008</b> , 68, 880-8	10.1	18
117	Atu027, a liposomal small interfering RNA formulation targeting protein kinase N3, inhibits cancer progression. <i>Cancer Research</i> , <b>2008</b> , 68, 9788-98	10.1	250
116	Orexin-A inhibits glucagon secretion and gene expression through a Foxo1-dependent pathway. <i>Endocrinology</i> , <b>2008</b> , 149, 1618-26	4.8	42
115	Prospective pilot evaluation of a new needle prototype for endoscopic ultrasonography-guided fine-needle aspiration: comparison of cytology and histology yield. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 342-8	2.2	16
114	Galectin-4 controls intestinal inflammation by selective regulation of peripheral and mucosal T cell apoptosis and cell cycle. <i>PLoS ONE</i> , <b>2008</b> , 3, e2629	3.7	80
113	Galectin-2 induces apoptosis of lamina propria T lymphocytes and ameliorates acute and chronic experimental colitis in mice. <i>Journal of Molecular Medicine</i> , <b>2008</b> , 86, 1395-406	5.5	73
112	Microvessel density correlates with lymph node metastases and prognosis in hilar cholangiocarcinoma. <i>Journal of Gastroenterology</i> , <b>2008</b> , 43, 959-66	6.9	35
111	Prognostic relevance of a novel TNM classification system for upper gastroenteropancreatic neuroendocrine tumors. <i>Cancer</i> , <b>2008</b> , 113, 256-65	6.4	335
110	Galectin-2 and -4, but not galectin-1, promote intestinal epithelial wound healing in vitro through a TGF-beta-independent mechanism. <i>Inflammatory Bowel Diseases</i> , <b>2008</b> , 14, 1366-72	4.5	58
109	VEGF-D promotes tumor growth and lymphatic spread in a mouse model of hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 2471-81	7.5	47
108	Tumor-associated lymphangiogenesis correlates with lymph node metastases and prognosis in hilar cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 791-9	3.1	33

107	A multicenter, phase II study of infliximab plus gemcitabine in pancreatic cancer cachexia. <i>The Journal of Supportive Oncology</i> , <b>2008</b> , 6, 18-25		72
106	Lipoxins and resolvins in inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , <b>2007</b> , 13, 797-9	4.5	40
105	Differential priming of CD8 and CD4 T-cells in animal models of autoimmune hepatitis and cholangitis. <i>Hepatology</i> , <b>2007</b> , 46, 1155-65	11.2	57
104	Tumor suppressor p16INK4a--modulator of glycomic profile and galectin-1 expression to increase susceptibility to carbohydrate-dependent induction of anoikis in pancreatic carcinoma cells. <i>FEBS Journal</i> , <b>2007</b> , 274, 3233-56	5.7	127
103	Appropriateness of colonoscopy in the era of colorectal cancer screening: a prospective, multicenter study in a private-practice setting (Berlin Colonoscopy Project 1, BECOP 1). <i>Diseases of the Colon and Rectum</i> , <b>2007</b> , 50, 1628-38	3.1	25
102	Angiopietin-2 serum levels are elevated in patients with liver cirrhosis and hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 2471-81	0.7	43
101	Hepatitis-C patients have reduced growth hormone (GH) secretion which improves during long-term therapy with pegylated interferon-alpha. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 2724-31	0.7	14
100	Characterization of somatostatin receptor subtype-specific regulation of insulin and glucagon secretion: an in vitro study on isolated human pancreatic islets. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 673-80	5.6	91
99	Somatostatin receptor subtype-2-deficient mice with diet-induced obesity have hyperglycemia, nonfasting hyperglucagonemia, and decreased hepatic glycogen deposition. <i>Endocrinology</i> , <b>2007</b> , 148, 3887-99	4.8	31
98	CLC-3 expression enhances etoposide resistance by increasing acidification of the late endocytic compartment. <i>Molecular Cancer Therapeutics</i> , <b>2007</b> , 6, 979-86	6.1	45
97	Proteomic analysis of the inflamed intestinal mucosa reveals distinctive immune response profiles in Crohn's disease and ulcerative colitis. <i>Journal of Immunology</i> , <b>2007</b> , 179, 295-304	5.3	35
96	Association of CTLA4 single nucleotide polymorphisms with viral but not autoimmune liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2007</b> , 19, 947-51	2.2	41
95	Gender-dependent association of CTLA4 polymorphisms with resolution of hepatitis C virus infection. <i>Journal of Hepatology</i> , <b>2007</b> , 46, 372-80	13.4	41
94	A Toll-like receptor 7 single nucleotide polymorphism protects from advanced inflammation and fibrosis in male patients with chronic HCV-infection. <i>Journal of Hepatology</i> , <b>2007</b> , 47, 203-11	13.4	72
93	Transient receptor potential channel TRPM8 agonists stimulate calcium influx and neurotensin secretion in neuroendocrine tumor cells. <i>Neuroendocrinology</i> , <b>2007</b> , 85, 81-92	5.6	36
92	The c.1-260C>T promoter variant of CD14 but not the c.896A>G (p.D299G) variant of toll-like receptor 4 (TLR4) genes is associated with inflammatory bowel disease. <i>Digestion</i> , <b>2007</b> , 76, 196-202	3.6	27
91	Neuroendokrine Tumoren des Pankreas und des Gastrointestinaltrakts <b>2007</b> , 984-989		
90	Development of ulcerative colitis in a patient with multiple sclerosis following treatment with interferon beta 1a. <i>World Journal of Gastroenterology</i> , <b>2007</b> , 13, 3638-40	5.6	25

89 Malignome endokriner Organe **2007**, 885-936

88	Peripheral injection of CCK-8S induces Fos expression in the dorsomedial hypothalamic nucleus in rats. <i>Brain Research</i> , <b>2006</b> , 1117, 109-17	3.7	32
87	Tenofovir for patients with lamivudine-resistant hepatitis B virus (HBV) infection and high HBV DNA level during adefovir therapy. <i>Hepatology</i> , <b>2006</b> , 44, 318-25	11.2	244
86	Well-differentiated pancreatic tumor/carcinoma: insulinoma. <i>Neuroendocrinology</i> , <b>2006</b> , 84, 183-8	5.6	191
85	Bombesin, but not amylin, blocks the orexigenic effect of peripheral ghrelin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 291, R903-13	3.2	17
84	Tacrolimus is safe and effective in patients with severe steroid-refractory or steroid-dependent inflammatory bowel disease--a long-term follow-up. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 1048-56	0.7	141
83	Secretin receptors in the human liver: expression in biliary tract and cholangiocarcinoma, but not in hepatocytes or hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2006</b> , 45, 825-35	13.4	35
82	A degradation-sensitive anionic trypsinogen (PRSS2) variant protects against chronic pancreatitis. <i>Nature Genetics</i> , <b>2006</b> , 38, 668-73	36.3	181
81	Consensus guidelines for the management of patients with digestive neuroendocrine tumors: why such guidelines and how we went about it. <i>Neuroendocrinology</i> , <b>2006</b> , 84, 155-7	5.6	32
80	Cerebral processing of auditory stimuli in patients with irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 1723-9	5.6	7
79	Insulin-like growth factor-1 increases intracellular calcium concentration in human primary neuroendocrine pancreatic tumor cells and a pancreatic neuroendocrine tumor cell line (BON-1) via R-type Ca <sup>2+</sup> channels and regulates chromogranin A secretion in BON-1 cells. <i>Neuroendocrinology</i> , <b>2005</b> , 82, 87-102	5.6	11
78	CXCL8 modulates human intestinal epithelial cells through a CXCR1 dependent pathway. <i>Cytokine</i> , <b>2005</b> , 29, 42-8	4	37
77	CCK inhibits the orexigenic effect of peripheral ghrelin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2005</b> , 288, R751-8	3.2	56
76	Galectin-1 interacts with the $\alpha_5\beta_1$ fibronectin receptor to restrict carcinoma cell growth via induction of p21 and p27. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 37266-77	5.4	137
75	Escherichia coli Nissle 1917 distinctively modulates T-cell cycling and expansion via toll-like receptor 2 signaling. <i>Infection and Immunity</i> , <b>2005</b> , 73, 1452-65	3.7	100
74	Mesalazine promotes intestinal epithelial wound healing in vitro through a TGF-beta-independent mechanism. <i>Scandinavian Journal of Gastroenterology</i> , <b>2005</b> , 40, 958-64	2.4	26
73	Gastric perception thresholds are low and sensory neuropeptide levels high in helicobacter pylori-positive functional dyspepsia. <i>Digestion</i> , <b>2005</b> , 71, 111-23	3.6	30
72	Management of severe refractory adult autoimmune enteropathy with infliximab and tacrolimus. <i>Digestion</i> , <b>2005</b> , 71, 141-4	3.6	16

71	Neuroendokrine Tumoren des Pankreas und des Gastrointestinaltrakts <b>2005</b> , 891-896		
70	Megacolon in adulthood after surgical treatment of Hirschsprung® disease in early childhood. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 5742-5	5.6	1
69	Human galectin-2: novel inducer of T cell apoptosis with distinct profile of caspase activation. <i>Journal of Immunology</i> , <b>2004</b> , 173, 3825-37	5.3	170
68	From basic to clinical research in gastroenteropancreatic neuroendocrine tumor disease -- the clinician-scientist perspective. <i>Neuroendocrinology</i> , <b>2004</b> , 80 Suppl 1, 94-8	5.6	7
67	Rapid and sustained relief from the symptoms of carcinoid syndrome: results from an open 6-month study of the 28-day prolonged-release formulation of lanreotide. <i>Neuroendocrinology</i> , <b>2004</b> , 80, 244-51	5.6	130
66	Successful therapy of refractory pyoderma gangrenosum and periorbital phlegmona with tacrolimus (FK506) in ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , <b>2004</b> , 10, 421-4	4.5	18
65	Ca(2+) channel properties in neuroendocrine tumor cell cultures investigated by whole-cell patch-clamp technique. <i>Annals of the New York Academy of Sciences</i> , <b>2004</b> , 1014, 137-9	6.5	8
64	Survival and clinical outcome of patients with neuroendocrine tumors of the gastroenteropancreatic tract in a german referral center. <i>Annals of the New York Academy of Sciences</i> , <b>2004</b> , 1014, 222-33	6.5	110
63	Somatostatin receptor targeting for tumor imaging and therapy. <i>Annals of the New York Academy of Sciences</i> , <b>2004</b> , 1014, 258-64	6.5	13
62	Pre-therapeutic dosimetry and biodistribution of 86Y-DOTA-Phe1-Tyr3-octreotide versus 111In-pentetreotide in patients with advanced neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 1386-92	8.8	97
61	Comparison of adefovir and tenofovir in the treatment of lamivudine-resistant hepatitis B virus infection. <i>Hepatology</i> , <b>2004</b> , 40, 1421-5	11.2	289
60	Activin A stimulates vascular endothelial growth factor gene transcription in human hepatocellular carcinoma cells. <i>Gastroenterology</i> , <b>2004</b> , 126, 1828-43	13.3	39
59	Helicobacter pylori stimulates host vascular endothelial growth factor-A (vegf-A) gene expression via MEK/ERK-dependent activation of Sp1 and Sp3. <i>FASEB Journal</i> , <b>2004</b> , 18, 218-20	0.9	55
58	Two immunocytochemical protocols for immunofluorescent detection of c-Fos positive neurons in the rat brain. <i>Brain Research Protocols</i> , <b>2004</b> , 13, 45-52		29
57	Influence of interleukin 12B (IL12B) polymorphisms on spontaneous and treatment-induced recovery from hepatitis C virus infection. <i>Journal of Hepatology</i> , <b>2004</b> , 41, 652-8	13.4	50
56	Oxidative stress regulates vascular endothelial growth factor-A gene transcription through Sp1- and Sp3-dependent activation of two proximal GC-rich promoter elements. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 8190-8	5.4	149
55	Prediction of treatment outcome in patients with chronic hepatitis C: significance of baseline parameters and viral dynamics during therapy. <i>Hepatology</i> , <b>2003</b> , 37, 600-9	11.2	223
54	Apolipoprotein E4 allele is associated with poor treatment response in hepatitis C virus (HCV) genotype 1. <i>Hepatology</i> , <b>2003</b> , 38, 1592; author reply 1592-3	11.2	27

53	Nonsteroidal anti-inflammatory drugs inhibit growth of human neuroendocrine tumor cells via G1 cell-cycle arrest. <i>International Journal of Cancer</i> , <b>2003</b> , 107, 844-53	7.5	21
52	Helicobacter pylori stimulates host cyclooxygenase-2 gene transcription: critical importance of MEK/ERK-dependent activation of USF1/-2 and CREB transcription factors. <i>Cellular Microbiology</i> , <b>2003</b> , 5, 821-34	3.9	84
51	Activated signal transducer and activator of transcription 3 (STAT3) supports the malignant phenotype of human pancreatic cancer. <i>Gastroenterology</i> , <b>2003</b> , 125, 891-905	13.3	205
50	Adding interferon-alpha to octreotide slows tumour progression compared with octreotide alone but evidence is lacking for improved survival in people with disseminated midgut carcinoid tumours. <i>Cancer Treatment Reviews</i> , <b>2003</b> , 29, 565-9	14.4	14
49	Downregulation of p21(waf/cip-1) mediates apoptosis of human hepatocellular carcinoma cells in response to interferon-gamma. <i>Experimental Cell Research</i> , <b>2003</b> , 282, 78-89	4.2	30
48	Intraperitoneal injection of ghrelin induces Fos expression in the paraventricular nucleus of the hypothalamus in rats. <i>Brain Research</i> , <b>2003</b> , 991, 26-33	3.7	79
47	Prospective, randomized, multicenter trial on the antiproliferative effect of lanreotide, interferon alfa, and their combination for therapy of metastatic neuroendocrine gastroenteropancreatic tumors--the International Lanreotide and Interferon Alfa Study Group. <i>Journal of Clinical Oncology</i> , <b>2003</b> , 21, 2689-96	2.2	419
46	Effects of interferon alpha on vascular endothelial growth factor gene transcription and tumor angiogenesis. <i>Journal of the National Cancer Institute</i> , <b>2003</b> , 95, 437-48	9.7	265
45	Transforming growth factor beta 1 stimulates vascular endothelial growth factor gene transcription in human cholangiocellular carcinoma cells. <i>Cancer Research</i> , <b>2003</b> , 63, 1083-92	10.1	123
44	A complete substitutional analysis of VIP for better tumor imaging properties. <i>Journal of Molecular Recognition</i> , <b>2002</b> , 15, 145-53	2.6	42
43	Prospective evaluation of pancreatic tumors: accuracy of MR imaging with MR cholangiopancreatography and MR angiography. <i>Radiology</i> , <b>2002</b> , 224, 34-41	20.5	122
42	B-Raf/Rap1 signaling, but not c-Raf-1/Ras, induces the histidine decarboxylase promoter in Helicobacter pylori infection. <i>FASEB Journal</i> , <b>2002</b> , 16, 417-9	0.9	39
41	Interaction of early growth response protein 1 (Egr-1), specificity protein 1 (Sp1), and cyclic adenosine 3'5'-monophosphate response element binding protein (CREB) at a proximal response element is critical for gastrin-dependent activation of the chromogranin A promoter. <i>Molecular Endocrinology</i> , <b>2002</b> , 16, 2802-18		50
40	Overexpression of pRB in human pancreatic carcinoma cells: function in chemotherapy-induced apoptosis. <i>Journal of the National Cancer Institute</i> , <b>2002</b> , 94, 129-42	9.7	31
39	Distinct enzyme profiles in patients with cryptogenic cirrhosis reflect heterogeneous causes with different outcomes after liver transplantation (OLT): a long-term documentation before and after OLT. <i>Transplantation</i> , <b>2002</b> , 74, 792-8	1.8	14
38	Dominant negative action of an abnormal secretin receptor arising from mRNA missplicing in a gastrinoma. <i>Gastroenterology</i> , <b>2002</b> , 122, 500-11	13.3	32
37	Gastric hyperplasia in mice with targeted disruption of the carbonic anhydrase gene Car9. <i>Gastroenterology</i> , <b>2002</b> , 123, 1889-903	13.3	104
36	Interferon-alpha delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases. <i>Hepatology</i> , <b>2001</b> , 33, 346-56	11.2	65



35	Receptor-targeted optical imaging of tumors with near-infrared fluorescent ligands. <i>Nature Biotechnology</i> , <b>2001</b> , 19, 327-31	44.5	448
34	Neuroendocrine-specific and gastrin-dependent expression of a chromogranin A-luciferase fusion gene in transgenic mice. <i>Gastroenterology</i> , <b>2001</b> , 121, 43-55	13.3	13
33	Magnetic resonance cholangiopancreatography-guided unilateral endoscopic stent placement for Klatskin tumors. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 53, 40-6	5.2	148
32	Response:. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 54, 805	5.2	
31	Synthesis, characterization, and biological properties of cyanine-labeled somatostatin analogues as receptor-targeted fluorescent probes. <i>Bioconjugate Chemistry</i> , <b>2001</b> , 12, 44-50	6.3	100
30	Vasoactive intestinal peptide receptor scintigraphy in patients with pancreatic adenocarcinomas or neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2000</b> , 27, 1684-93	8.8	41
29	Helicobacter pylori activates the histidine decarboxylase promoter through a mitogen-activated protein kinase pathway independent of pathogenicity island-encoded virulence factors. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 3629-36	5.4	56
28	A novel function for the tumor suppressor p16(INK4a): induction of anoikis via upregulation of the alpha(5)beta(1) fibronectin receptor. <i>Journal of Cell Biology</i> , <b>2000</b> , 150, 1467-78	7.3	102
27	Refractory sprue syndrome with clonal intraepithelial lymphocytes evolving into overt enteropathy-type intestinal T-cell lymphoma. <i>Digestion</i> , <b>2000</b> , 62, 60-5	3.6	34
26	Mutations in the E2-PePHD and NS5A region of hepatitis C virus type 1 and the dynamics of hepatitis C viremia decline during interferon alfa treatment. <i>Hepatology</i> , <b>2000</b> , 32, 1386-95	11.2	52
25	A novel function for the tumor suppressor p16INK4a: Induction of anoikis via upregulation of the A5B1 fibronectin receptor. <i>Gastroenterology</i> , <b>2000</b> , 118, A664	13.3	4
24	Molecular mechanism of interferon alfa-mediated growth inhibition in human neuroendocrine tumor cells. <i>Gastroenterology</i> , <b>2000</b> , 118, 735-48	13.3	63
23	All-trans-retinoic acid-mediated growth inhibition involves inhibition of human kinesin-related protein HsEg5. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 18925-31	5.4	12
22	Dynamics of GB virus C viremia early after orthotopic liver transplantation indicates extrahepatic tissues as the predominant site of GB virus C replication. <i>Hepatology</i> , <b>1999</b> , 29, 245-9	11.2	36
21	Occurrence of a novel DNA virus (TTV) infection in patients with liver diseases and its frequency in blood donors. <i>Journal of Medical Virology</i> , <b>1999</b> , 59, 117-21	19.7	20
20	Fra-1: a novel target for retinoid action. <i>FEBS Letters</i> , <b>1999</b> , 448, 45-8	3.8	8
19	Interferon-alpha inhibits chromogranin A promoter activity in neuroendocrine pancreatic cancer cells. <i>FEBS Letters</i> , <b>1999</b> , 458, 378-82	3.8	2
18	Oxidative stress activates the human histidine decarboxylase promoter in AGS gastric cancer cells. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 23046-54	5.4	54

17	Sp1 and CREB mediate gastrin-dependent regulation of chromogranin A promoter activity in gastric carcinoma cells. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 34000-7	5.4	54
16	Mutations in the MEN I gene in sporadic neuroendocrine tumours of gastroenteropancreatic system. <i>Lancet, The</i> , <b>1997</b> , 350, 1223	4.0	48
15	Pancreatic carcinoma. <i>Lancet, The</i> , <b>1997</b> , 349, 485-9	4.0	230
14	Brief report: a duodenal gastrinoma in a patient with diarrhea and normal serum gastrin concentrations. <i>New England Journal of Medicine</i> , <b>1995</b> , 333, 634-6	59.2	30
13	Retinoids: effects on growth, differentiation, and nuclear receptor expression in human pancreatic carcinoma cell lines. <i>Gastroenterology</i> , <b>1995</b> , 109, 1646-60	13.3	58
12	Electrical activity and calcium channels in neuroendocrine cells. <i>Annals of the New York Academy of Sciences</i> , <b>1994</b> , 733, 335-9	6.5	13
11	Endosonography of neuroendocrine tumors of the stomach, duodenum, and pancreas. <i>Annals of the New York Academy of Sciences</i> , <b>1994</b> , 733, 425-36	6.5	27
10	New molecular aspects for the diagnosis and treatment of neuroendocrine gastroenteropancreatic tumors. <i>Annals of the New York Academy of Sciences</i> , <b>1994</b> , 733, 515-25	6.5	12
9	Synaptophysin and chromogranins/secretogranins--widespread constituents of distinct types of neuroendocrine vesicles and new tools in tumor diagnosis. <i>Vigiliae Christianae</i> , <b>1989</b> , 58, 95-121	0.2	259
8	Fractionation of synaptophysin-containing vesicles from rat brain and cultured PC12 pheochromocytoma cells. <i>FEBS Letters</i> , <b>1988</b> , 240, 71-7	3.8	63
7	Identification of gastroenteropancreatic neuroendocrine cells in normal and neoplastic human tissue with antibodies against synaptophysin, chromogranin A, secretogranin I (chromogranin B), and secretogranin II. <i>Gastroenterology</i> , <b>1988</b> , 95, 1364-74	13.3	81
6	Synaptophysin: A Major Cell Type-Specific Vesicle Protein of Neuroendocrine Cells <b>1988</b> , 351-356		1
5	Synaptophysin identified in metastases of neuroendocrine tumors by immunocytochemistry and immunoblotting. <i>American Journal of Clinical Pathology</i> , <b>1987</b> , 88, 560-9	1.9	36
4	Synaptophysin expressed in the bronchopulmonary tract: neuroendocrine cells, neuroepithelial bodies, and neuroendocrine neoplasms. <i>Differentiation</i> , <b>1987</b> , 34, 115-25	3.5	57
3	Synaptophysin: a novel marker for neurons, certain neuroendocrine cells, and their neoplasms. <i>Human Pathology</i> , <b>1986</b> , 17, 979-83	3.7	173
2	Identification and localization of synaptophysin, an integral membrane glycoprotein of Mr 38,000 characteristic of presynaptic vesicles. <i>Cell</i> , <b>1985</b> , 41, 1017-28	56.2	1281
1	Spatial organisation and homeostasis of epithelial lineages at the gastroesophageal junction is regulated by the divergent Wnt mucosal microenvironment		1