
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6171389/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Categories of Intimate Partner Violence and Abuse Among Young Women and Men: Latent Class Analysis of Psychological, Physical, and Sexual Victimization and Perpetration in a UK Birth Cohort. Journal of Interpersonal Violence, 2023, 38, 931-954.	1.3	1
2	Domestic violence and self-poisoning in Sri Lanka. Psychological Medicine, 2022, 52, 1183-1191.	2.7	12
3	â€ĩt felt like there was always someone there for us': Supporting children affected by domestic violence and abuse who are identified by general practice. Health and Social Care in the Community, 2022, 30, 165-174.	0.7	8
4	Exploring the causal role of intimate partner violence and abuse on depressive symptoms in young adults: a population-based cohort study. BMC Medicine, 2022, 20, 1.	2.3	65
5	Challenges of safeguarding via remote consulting during the COVID-19 pandemic: a qualitative interview study. British Journal of General Practice, 2022, 72, e199-e208.	0.7	20
6	Access to healthcare for street sex workers in the UK: perspectives and best practice guidance fromÂa national cross-sectional survey of frontline workers. BMC Health Services Research, 2022, 22, 178.	0.9	12
7	Interventions in sexual and reproductive health services addressing violence against women in low-income and middle-income countries: a mixed-methods systematic review. BMJ Open, 2022, 12, e051924.	0.8	6
8	Impact of the first national COVID-19 lockdown on referral of women experiencing domestic violence and abuse in England and Wales. BMC Public Health, 2022, 22, 504.	1.2	12
9	Identifying adverse childhood experiences with electronic health records of linked mothers and children in England: a multistage development and validation study. The Lancet Digital Health, 2022, 4, e482-e496.	5.9	8
10	Multi-disciplinary Evaluation of Sexual Assault Referral Centres (SARCs) for better Health (MESARCH): protocol for a 1-year cohort study examining health, well-being and cost outcomes in adult survivors of sexual assault attending SARCs in England. BMJ Open, 2022, 12, e057449.	0.8	0
11	Sharing information about domestic violence and abuse in healthcare: an analysis of English guidance and recommendations for good practice. BMJ Open, 2022, 12, e057022.	0.8	1
12	Interventions to Reduce Intimate Partner Violence Perpetration by Men Who Use Substances: A Systematic Review and Meta-Analysis of Efficacy. Trauma, Violence, and Abuse, 2021, 22, 1262-1278.	3.9	43
13	Categories and health impacts of intimate partner violence in the World Health Organization multi-country study on women's health and domestic violence. International Journal of Epidemiology, 2021, 50, 652-662.	0.9	68
14	Hope, Agency, and the Lived Experience of Violence: A Qualitative Systematic Review of Children's Perspectives on Domestic Violence and Abuse. Trauma, Violence, and Abuse, 2021, 22, 427-438.	3.9	42
15	Adaptive work in the primary health care response to domestic violence in occupied Palestinian territory: a qualitative evaluation using Extended Normalisation Process Theory. BMC Family Practice, 2021, 22, 3.	2.9	9
16	Reaching everyone in general practice? Feasibility of an integrated domestic violence training and support intervention in primary care. BMC Family Practice, 2021, 22, 19.	2.9	10
17	Trauma-informed approaches to primary and community mental health care: protocol for a mixed-methods systematic review. BMJ Open, 2021, 11, e042112.	0.8	8
18	Boundary-Work and the Distribution of Care for Survivors of Domestic Violence and Abuse in Primary Care Settings: Perspectives From U.K. Clinicians. Qualitative Health Research, 2021, 31, 1697-1709.	1.0	6

#	Article	IF	CITATIONS
19	Domestic violence during the pandemic. BMJ, The, 2021, 372, n722.	3.0	17
20	Shared decision making in consultations for hypertension: Qualitative study in general practice. Health Expectations, 2021, 24, 917-929.	1.1	6
21	ADVANCE integrated group intervention to address both substance use and intimate partner abuse perpetration by men in substance use treatment: a feasibility randomised controlled trial. BMC Public Health, 2021, 21, 980.	1.2	11
22	PRimary care rEsponse to domestic violence and abuse in the COvid-19 panDEmic (PRECODE): protocol of a rapid mixed-methods study in the UK. BMC Family Practice, 2021, 22, 91.	2.9	11
23	HARMONY: a pragmatic cluster randomised controlled trial of a culturally competent systems intervention to prevent and reduce domestic violence among migrant and refugee families in general practice: study protocol. BMJ Open, 2021, 11, e046431.	0.8	3
24	Protocol for developing core outcome sets for evaluation of psychosocial interventions for children and families with experience or at risk of child maltreatment or domestic abuse. BMJ Open, 2021, 11, e044431.	0.8	6
25	713Domestic violence and self-poisoning in Sri Lanka. International Journal of Epidemiology, 2021, 50, .	0.9	1
26	Interventions in Health Settings for Male Perpetrators or Victims of Intimate Partner Violence. Trauma, Violence, and Abuse, 2020, 21, 123-137.	3.9	55
27	Boundary spanners: Negotiating connections across primary care and domestic violence and abuse services. Social Science and Medicine, 2020, 245, 112687.	1.8	13
28	Exploring health system readiness for adopting interventions to address intimate partner violence: a case study from the occupied Palestinian Territory. Health Policy and Planning, 2020, 35, 245-256.	1.0	22
29	Long-term Exposure to Neighborhood Deprivation and Intimate Partner Violence Among Women: A UK Birth Cohort Study. Epidemiology, 2020, 31, 272-281.	1.2	18
30	Barriers to women's disclosure of domestic violence in health services in Palestine: qualitative interview-based study. BMC Public Health, 2020, 20, 1795.	1.2	19
31	Help seeking by male victims of domestic violence and abuse: an example of an integrated mixed methods synthesis of systematic review evidence defining methodological terms. BMC Health Services Research, 2020, 20, 1085.	0.9	8
32	Women's experiences and expectations after disclosure of intimate partner abuse to a healthcare provider: A qualitative meta-synthesis. BMJ Open, 2020, 10, e041339.	0.8	47
33	Research priorities in advanced heart failure: James Lind alliance priority setting partnership. Open Heart, 2020, 7, e001258.	0.9	12
34	A study protocol to assess the feasibility of conducting an evaluation trial of the ADVANCE integrated intervention to address both substance use and intimate partner abuse perpetration to men in substance use treatment. Pilot and Feasibility Studies, 2020, 6, 62.	0.5	3
35	Health practitioners' readiness to address domestic violence and abuse: A qualitative meta-synthesis. PLoS ONE, 2020, 15, e0234067.	1.1	82
36	Improving the healthcare response to domestic violence and abuse in UK primary care: interrupted time series evaluation of a system-level training and support programme. BMC Medicine, 2020, 18, 48.	2.3	24

#	Article	IF	CITATIONS
37	Disruption of a primary health care domestic violence and abuse service in two London boroughs: interrupted time series evaluation. BMC Health Services Research, 2020, 20, 569.	0.9	2
38	Sharing reports about domestic violence and abuse with general practitioners: a qualitative interview study. BMC Family Practice, 2020, 21, 117.	2.9	11
39	Psychological therapies for women who experience intimate partner violence. The Cochrane Library, 2020, 2020, CD013017.	1.5	46
40	"From taboo to routine†a qualitative evaluation of a hospital-based advocacy intervention for domestic violence and abuse. BMC Health Services Research, 2020, 20, 129.	0.9	19
41	Risk factors for intimate partner violence and abuse among adolescents and young adults: findings from a UK population-based cohort. Wellcome Open Research, 2020, 5, 176.	0.9	14
42	Risk factors for intimate partner violence and abuse among adolescents and young adults: findings from a UK population-based cohort. Wellcome Open Research, 2020, 5, 176.	0.9	17
43	Are We Asking Too Much of the Health Sector? Exploring the Readiness of Brazilian Primary Healthcare to Respond to Domestic Violence Against Women. International Journal of Health Policy and Management, 2020, , .	0.5	11
44	Towards an ecological understanding of readiness to engage with interventions for children exposed to domestic violence and abuse: Systematic review and qualitative synthesis of perspectives of children, parents and practitioners. Health and Social Care in the Community, 2019, 27, 271-292.	0.7	18
45	â€~You certainly don't go back to the doctor once you've been told, "I'll never understand women like you.â€â€™ Seeking candidacy and structural competency in the dynamics of domestic abuse disclosure. Sociology of Health and Illness, 2019, 41, 1159-1174.	1.1	19
46	Cry for health: a quantitative evaluation of a hospital-based advocacy intervention for domestic violence and abuse. BMC Health Services Research, 2019, 19, 718.	0.9	14
47	â€~We're all wounded healers': A qualitative study to explore the wellâ€being and needs of helpline workers supporting survivors of domestic violence and abuse. Health and Social Care in the Community, 2019, 27, 856-862.	0.7	19
48	Help-seeking by male victims of domestic violence and abuse (DVA): a systematic review and qualitative evidence synthesis. BMJ Open, 2019, 9, e021960.	0.8	86
49	What might Normalisation Process Theory bring to policy implementation studies? Learning lessons and uncovering questions through a case study of the profound implementation failure of a new policing policy. Social Policy and Administration, 2019, 53, 449-463.	2.1	11
50	Intimate partner violence victimisation in early adulthood: psychometric properties of a new measure and gender differences in the Avon Longitudinal Study of Parents and Children. BMJ Open, 2019, 9, e025621.	0.8	21
51	Prevalence and health outcomes of domestic violence amongst clinical populations in Arab countries: a systematic review and meta-analysis. BMC Public Health, 2019, 19, 315.	1.2	61
52	Palestinian health care is a global responsibility. Lancet, The, 2019, 393, 1204.	6.3	2
53	Implementation of the Identification and Referral to Improve Safety programme for patients with experience of domestic violence and abuse: A theoryâ€based mixedâ€method process evaluation. Health and Social Care in the Community, 2019, 27, e298-e312.	0.7	17
54	Family Violence Curricula in Europe (FAVICUE): a cross-sectional descriptive study protocol. BMJ Open, 2019. 9. e024519.	0.8	2

#	Article	IF	CITATIONS
55	Disrupted breath, songlines of breathlessness: an interdisciplinary response. Medical Humanities, 2019, 45, 294-303.	0.6	9
56	Prevalence and correlates of domestic violence among people seeking treatment for self-harm: data from a regional self-harm register. Emergency Medicine Journal, 2019, 36, emermed-2018-207561.	0.4	7
57	". . . The Forgotten Heroes†A Qualitative Study Exploring How Friends and Family Members of DV Survivors Use Domestic Violence Helplines. Journal of Interpersonal Violence, 2019, 36, 088626051988819.	1.3	3
58	Digital Education of Health Professionals on the Management of Domestic Violence: Systematic Review and Meta-Analysis by the Digital Health Education Collaboration. Journal of Medical Internet Research, 2019, 21, e13868.	2.1	14
59	Discrimination, harassment and non-reporting in UK medical education. Medical Education, 2018, 52, 414-426.	1.1	39
60	Improving the healthcare response to domestic violence and abuse in sexual health clinics: feasibility study of a training, support and referral intervention. Sexually Transmitted Infections, 2018, 94, 83-87.	0.8	10
61	"lt's Always Good to Ask†A Mixed Methods Study on the Perceived Role of Sexual Health Practitioners Asking Gay and Bisexual Men About Experiences of Domestic Violence and Abuse. Journal of Mixed Methods Research, 2018, 12, 221-243.	1.8	19
62	Domestic violence teaching in UK medical schools: a cross-sectional study. Clinical Teacher, 2018, 15, 382-386.	0.4	16
63	Assessing for domestic violence in sexual health environments: a qualitative study. Sexually Transmitted Infections, 2018, 94, 88-92.	0.8	10
64	Complementary medicine use, views, and experiences: a national survey in England. BJGP Open, 2018, 2, bjgpopen18X101614.	0.9	22
65	Women's experiences of a randomised controlled trial of a specialist psychological advocacy intervention following domestic violence: A nested qualitative study. PLoS ONE, 2018, 13, e0193077.	1.1	10
66	Psychological advocacy towards healing (PATH): A randomized controlled trial of a psychological intervention in a domestic violence service setting. PLoS ONE, 2018, 13, e0205485.	1.1	17
67	Cost-effectiveness of a domestic violence and abuse training and support programme in primary care in the real world: updated modelling based on an MRC phase IV observational pragmatic implementation study. BMJ Open, 2018, 8, e021256.	0.8	17
68	†Trying to put a square peg into a round hole': a qualitative study of healthcare professionals' views of integrating complementary medicine into primary care for musculoskeletal and mental health comorbidity. BMC Complementary and Alternative Medicine, 2018, 18, 290.	3.7	15
69	Scoping review of systematic reviews of complementary medicine for musculoskeletal and mental health conditions. BMJ Open, 2018, 8, e020222.	0.8	51
70	Complementary medicine and the NHS: Experiences of integration with UK primary care. European Journal of Integrative Medicine, 2018, 24, 8-16.	0.8	8
71	Interventions to support shared decision making for hypertension: A systematic review of controlled studies. Health Expectations, 2018, 21, 1191-1207.	1.1	29
72	Improving the healthcare response to domestic violence and abuse in primary care: protocol for a mixed method evaluation of the implementation of a complex intervention. BMC Public Health, 2018, 18, 971.	1.2	11

#	Article	lF	CITATIONS
73	Using Baseline Data to Predict Chronic PTSD 48-months After Mothers Report Intimate Partner Violence: Outcomes for Mothers and the Intergenerational Impact on Child Behavioral Functioning. Archives of Psychiatric Nursing, 2018, 32, 475-482.	0.7	6
74	Understanding changes in dyspnoea perception in obstructive lung disease after mindfulness training. BMJ Open Respiratory Research, 2018, 5, e000309.	1.2	15
75	Validation of the English Version of the 14-Item Mediterranean Diet Adherence Screener of the PREDIMED Study, in People at High Cardiovascular Risk in the UK. Nutrients, 2018, 10, 138.	1.7	106
76	â€~Who does this patient belong to?' boundary work and the re/making of (<scp>NSTEMI</scp>) heart attack patients. Sociology of Health and Illness, 2018, 40, 1404-1429.	1.1	12
77	Domestic violence: Safe and compassionate consultations. InnovAiT, 2018, 11, 218-225.	0.0	0
78	Young people, partner abuse and sexual health: indicators of increased risk. Journal of Gender-Based Violence, 2018, 2, 311-338.	0.7	2
79	The Impact on Informal Supporters of Domestic Violence Survivors: A Systematic Literature Review. Trauma, Violence, and Abuse, 2017, 18, 562-580.	3.9	28
80	Qualitative study to explore the health and well-being impacts on adults providing informal support to female domestic violence survivors. BMJ Open, 2017, 7, e014511.	0.8	15
81	Juggling confidentiality and safety: a qualitative study of how general practice clinicians document domestic violence in families with children. British Journal of General Practice, 2017, 67, e437-e444.	0.7	27
82	Making the links between domestic violence and child safeguarding: an evidence-based pilot training for general practice. Health and Social Care in the Community, 2017, 25, 1722-1732.	0.7	17
83	Interventions to Improve the Response of Professionals to Children Exposed to Domestic Violence and Abuse: A Systematic Review. Child Abuse Review, 2017, 26, 19-39.	0.4	55
84	Aligning the planets: The role of nurses in the care of patients with nonâ€ <scp>ST</scp> elevation myocardial infarction. Nursing Open, 2017, 4, 49-56.	1.1	4
85	Is it coercive controlling violence? A cross-sectional domestic violence and abuse survey of men attending general practice in England Psychology of Violence, 2017, 7, 417-427.	1.0	36
86	Screening strategies for atrial fibrillation: a systematic review and cost-effectiveness analysis. Health Technology Assessment, 2017, 21, 1-236.	1.3	103
87	Effect of an Education Programme for South Asians with Asthma and Their Clinicians: A Cluster Randomised Controlled Trial (OEDIPUS). PLoS ONE, 2016, 11, e0158783.	1.1	15
88	Advocacy Interventions to Reduce or Eliminate Violence and Promote the Physical and Psychosocial Wellâ€Being of Women who Experience Intimate Partner Abuse: A Systematic Review. Campbell Systematic Reviews, 2016, 12, 1-202.	1.2	21
89	Understanding tensions and identifying clinician agreement on improvements to early-stage chronic kidney disease monitoring in primary care: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010337.	0.8	14
90	Reducing symbolicâ€violence in the research encounter: collaborating with a survivor of domestic abuse in a qualitative study in <scp>UK</scp> primary care. Sociology of Health and Illness, 2016, 38, 442-458.	1.1	8

#	Article	IF	CITATIONS
91	"Even â€~Daily' is Not Enough― How Well Do We Measure Domestic Violence and Abuse?—A Think-Alc Study of a Commonly Used Self-Report Scale. Violence and Victims, 2016, 31, 3-26.	oud 0.4	26
92	Cancer Patients' Experiences of Using Mistletoe (<i>Viscum album</i>): A Qualitative Systematic Review and Synthesis. Journal of Alternative and Complementary Medicine, 2016, 22, 134-144.	2.1	23
93	IMPRoving Outcomes for children exposed to domestic ViolencE (IMPROVE): an evidence synthesis. Public Health Research, 2016, 4, 1-342.	0.5	49
94	Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial well-being of women who experience intimate partner abuse. The Cochrane Library, 2015, 2015, CD005043.	1.5	158
95	General practice clinicians' perspectives on involving and supporting children and adult perpetrators in families experiencing domestic violence and abuse. Family Practice, 2015, 32, cmv070.	0.8	12
96	The provision of NHS health checks in a community setting: an ethnographic account. BMC Health Services Research, 2015, 15, 546.	0.9	17
97	Online access to medical records: finding ways to minimise harms. British Journal of General Practice, 2015, 65, 280-281.	0.7	15
98	Possible harms in sharing patients' clinical notes. BMJ, The, 2015, 350, h1276-h1276.	3.0	0
99	Feasibility and impact of a computerised clinical decision support system on investigation and initial management of new onset chest pain: a mixed methods study. BMC Medical Informatics and Decision Making, 2015, 15, 71.	1.5	9
100	Interventions for intimate partner violence. Lancet, The, 2015, 385, 111-112.	6.3	4
101	Association Among Posttraumatic Stress Disorder, Adverse Birth Outcomes, and Domestic Violence. JAMA Psychiatry, 2015, 72, 94.	6.0	3
102	Health professionals responding to men for safety (HERMES): feasibility of a general practice training intervention to improve the response to male patients who have experienced or perpetrated domestic violence and abuse. Primary Health Care Research and Development, 2015, 16, 281-288.	0.5	35
103	Screening women for intimate partner violence in healthcare settings. The Cochrane Library, 2015, 2015, CD007007.	1.5	201
104	The health-systems response to violence against women. Lancet, The, 2015, 385, 1567-1579.	6.3	443
105	Socioeconomic Deprivation and the Incidence of 12 Cardiovascular Diseases in 1.9 Million Women and Men: Implications for Risk Prediction and Prevention. PLoS ONE, 2014, 9, e104671.	1.1	106
106	Authors' reply to Whitehouse and Fabre. BMJ, The, 2014, 348, g3943-g3943.	3.0	0
107	Mistletoe: From Basic Research to Clinical Outcomes in Cancer and Other Indications. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-2.	0.5	5
108	Screening women for intimate partner violence in healthcare settings: abridged Cochrane systematic review and meta-analysis. BMJ, The, 2014, 348, g2913-g2913.	3.0	143

#	Article	IF	CITATIONS
109	Disclosure of domestic violence in mental health settings: A qualitative meta-synthesis. International Review of Psychiatry, 2014, 26, 430-444.	1.4	63
110	Selecting outcomes for intimate partner violence intervention trials: Overview and recommendations. Aggression and Violent Behavior, 2014, 19, 663-672.	1.2	20
111	Attitudes towards domestic violence in Lebanon: a qualitative study of primary care practitioners. British Journal of General Practice, 2014, 64, e313-e320.	0.7	22
112	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial–a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25Âmg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care	0.7	29
113	alone: study protocol for a randomized controlled trial. Trials, 2014, 15, 160. Domestic violence and mental health: a cross-sectional survey of women seeking help from domestic violence support services. Global Health Action, 2014, 7, 25519.	0.7	40
114	Women's experiences of referral to a domestic violence advocate in UK primary care settings: a service-user collaborative study. British Journal of General Practice, 2014, 64, e151-e158.	0.7	40
115	An Evidence-Based Response to Intimate Partner Violence. JAMA - Journal of the American Medical Association, 2013, 310, 479.	3.8	36
116	Screening women for intimate partner violence in healthcare settings. , 2013, , CD007007.		83
117	Longitudinal measurement of cortisol in association with mental health and experience of domestic violence and abuse: study protocol. BMC Psychiatry, 2013, 13, 188.	1.1	9
118	Prevalence and risk of experiences of intimate partner violence among people with eating disorders: A systematic review. Journal of Psychiatric Research, 2013, 47, 1134-1142.	1.5	48
119	Screening and counselling in the primary care setting for women who have experienced intimate partner violence (WEAVE): a cluster randomised controlled trial. Lancet, The, 2013, 382, 249-258.	6.3	177
120	Drawing the Line. Violence Against Women, 2013, 19, 1104-1132.	1.1	9
121	Domestic Violence and Perinatal Mental Disorders: A Systematic Review and Meta-Analysis. PLoS Medicine, 2013, 10, e1001452.	3.9	356
122	A survey of mental health professionals' knowledge, attitudes and preparedness to respond to domestic violence. Journal of Mental Health, 2013, 22, 536-543.	1.0	59
123	Act now against new NHS competition regulations. BMJ, The, 2013, 346, f1819-f1819.	3.0	6
124	English to Arabic Translation of the Composite Abuse Scale (CAS): A Multi-Method Approach. PLoS ONE, 2013, 8, e75244.	1.1	10
125	Cost-effectiveness of Identification and Referral to Improve Safety (IRIS), a domestic violence training and support programme for primary care: a modelling study based on a randomised controlled trial. BMJ Open, 2012, 2, e001008.	0.8	37
126	The Response of Mental Health Services to Domestic Violence. Journal of the American Psychiatric Nurses Association, 2012, 18, 326-336.	0.4	43

#	Article	IF	CITATIONS
127	Domestic Violence and Abuse. InnovAiT, 2012, 5, 750-758.	0.0	3
128	Treading carefully: a qualitative ethnographic study of the clinical, social and educational uses of exercise ECG in evaluating stable chest pain: Table 1. BMJ Open, 2012, 2, e000508.	0.8	3
129	Screening Women for Intimate Partner Violence. Annals of Internal Medicine, 2012, 157, 676.	2.0	7
130	Is access to specialist assessment of chest pain equitable by age, gender, ethnicity and socioeconomic status? An enhanced ecological analysis. BMJ Open, 2012, 2, e001025.	0.8	12
131	Domestic violence: knowledge, attitudes, and clinical practice of selected UK primary healthcare clinicians. British Journal of General Practice, 2012, 62, e647-e655.	0.7	116
132	The Global Rating Scale complements the AGREE II in advancing the quality of practice guidelines. Journal of Clinical Epidemiology, 2012, 65, 526-534.	2.4	90
133	Experiences of Domestic Violence and Mental Disorders: A Systematic Review and Meta-Analysis. PLoS ONE, 2012, 7, e51740.	1.1	479
134	Impact of Asthma on Educational Attainment in a Socioeconomically Deprived Population: A Study Linking Health, Education and Social Care Datasets. PLoS ONE, 2012, 7, e43977.	1.1	11
135	Identification and Referral to Improve Safety (IRIS) of women experiencing domestic violence with a primary care training and support programme: a cluster randomised controlled trial. Lancet, The, 2011, 378, 1788-1795.	6.3	288
136	Barriers and facilitators of disclosures of domestic violence by mental health service users: qualitative study. British Journal of Psychiatry, 2011, 198, 189-194.	1.7	173
137	Does self-regulation and autonomic regulation have an influence on survival in breast and colon carcinoma patients? results of a prospective outcome study. Health and Quality of Life Outcomes, 2011, 9, 85.	1.0	15
138	Cost-Effectiveness of Health Care Interventions to Address Intimate Partner Violence: What Do We Know and What Else Should We Look for?. Violence Against Women, 2011, 17, 389-403.	1.1	13
139	The role of group decision making processes in the creation of clinical guidelines. International Review of Psychiatry, 2011, 23, 358-364.	1.4	11
140	Threshold Haemoglobin Levels and the Prognosis of Stable Coronary Disease: Two New Cohorts and a Systematic Review and Meta-Analysis. PLoS Medicine, 2011, 8, e1000439.	3.9	28
141	Women's evaluation of abuse and violence care in general practice: a cluster randomised controlled trial (weave). BMC Public Health, 2010, 10, 2.	1.2	62
142	Primary care Identification and Referral to Improve Safety of women experiencing domestic violence (IRIS): protocol for a pragmatic cluster randomised controlled trial. BMC Public Health, 2010, 10, 54.	1.2	23
143	Patients' descriptions of angina symptoms: a qualitative study of primary care patients. British Journal of General Practice, 2010, 60, 735-741.	0.7	6
144	AGREE II: advancing guideline development, reporting and evaluation in health care. Cmaj, 2010, 182, E839-E842.	0.9	2,389

#	Article	IF	CITATIONS
145	Cost-effectiveness of a programme to detect and provide better care for female victims of intimate partner violence. Journal of Health Services Research and Policy, 2010, 15, 143-149.	0.8	14
146	Ethnic Differences in Blood Pressure Response to First and Second-Line Antihypertensive Therapies in Patients Randomized in the ASCOT Trial. American Journal of Hypertension, 2010, 23, 1023-1030.	1.0	72
147	Development of the AGREE II, part 1: performance, usefulness and areas for improvement. Cmaj, 2010, 182, 1045-1052.	0.9	390
148	Development of the AGREE II, part 2: assessment of validity of items and tools to support application. Cmaj, 2010, 182, E472-E478.	0.9	394
149	Assessing the cost effectiveness of using prognostic biomarkers with decision models: case study in prioritising patients waiting for coronary artery surgery. BMJ: British Medical Journal, 2010, 340, b5606-b5606.	2.4	36
150	AGREE II: Advancing guideline development, reporting and evaluation in health care. Journal of Clinical Epidemiology, 2010, 63, 1308-1311.	2.4	334
151	AGREE II: Advancing guideline development, reporting, and evaluation in health care. Preventive Medicine, 2010, 51, 421-424.	1.6	254
152	Chronic chest pain, myocardial ischaemia, and coronary artery disease phenotypes. , 2010, , 249-270.		0
153	Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial wellâ€being of women who experience intimate partner abuse. Campbell Systematic Reviews, 2009, 5, 1-121.	1.2	2
154	PROTOCOL: Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial wellâ€being of women who experience intimate partner abuse. Campbell Systematic Reviews, 2009, 5, 1-31.	1.2	1
155	Ethnic differences in long-term improvement of angina following revascularization or medical management: a comparison between south Asians and white Europeans. Journal of Public Health, 2009, 31, 168-174.	1.0	16
156	"Medication career―or "Moral careerâ€? The two sides of managingÂantidepressants: A meta-ethnography of patients' experienceÂof antidepressants. Social Science and Medicine, 2009, 68, 154-168.	1.8	308
157	Reliability and validity of a new scale on internal coherence (ICS) of cancer patients. Health and Quality of Life Outcomes, 2009, 7, 59.	1.0	19
158	Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial well-being of women who experience intimate partner abuse. , 2009, , CD005043.		136
159	Performing stable angina pectoris: An ethnographic study. Social Science and Medicine, 2008, 66, 1497-1508.	1.8	14
160	Mandatory reporting of domestic violence. Lancet, The, 2008, 371, 986.	6.3	1
161	Internal and external validity of cluster randomised trials: systematic review of recent trials. BMJ: British Medical Journal, 2008, 336, 876-880.	2.4	179
162	Inequity of access to investigation and effect on clinical outcomes: prognostic study of coronary angiography for suspected stable angina pectoris. BMJ: British Medical Journal, 2008, 336, 1058-1061.	2.4	56

#	Article	IF	CITATIONS
163	Appropriateness Criteria for Coronary Angiography in Angina: Reliability and Validity. Annals of Internal Medicine, 2008, 149, 221.	2.0	41
164	Violence between intimate partners: working with the whole family. BMJ: British Medical Journal, 2008, 337, a839-a839.	2.4	47
165	Prognosis of stable angina pectoris: why we need larger population studies with higher endpoint resolution. Heart, 2007, 93, 786-791.	1.2	42
166	Cardiothoracic ratio within the "normal" range independently predicts mortality in patients undergoing coronary angiography. Heart, 2007, 93, 491-494.	1.2	40
167	Educational outreach to promote screening for tuberculosis in primary care: a cluster randomised controlled trial. Lancet, The, 2007, 369, 1528-1534.	6.3	62
168	Effect of Patient-Specific Ratings vs Conventional Guidelines on Investigation Decisions in Angina. Archives of Internal Medicine, 2007, 167, 195.	4.3	18
169	The sensitivity and specificity of four questions (HARK) to identify intimate partner violence: a diagnostic accuracy study in general practice. BMC Family Practice, 2007, 8, 49.	2.9	179
170	Turning evidence into recommendations: Protocol of a study guideline development groups. Implementation Science, 2007, 2, 29.	2.5	20
171	Comparison of the Relation Between Renal Impairment, Angiographic Coronary Artery Disease, and Long-Term Mortality in Women Versus Men. American Journal of Cardiology, 2006, 97, 630-632.	0.7	24
172	Systematic review: prognosis of angina in primary care. Family Practice, 2006, 23, 520-528.	0.8	22
173	Responding to intimate partner violence: what role for general practice?. British Journal of General Practice, 2006, 56, 243-4.	0.7	23
174	Why modelling a complex intervention is an important precursor to trial design: lessons from studying an intervention to reduce falls-related injuries in older people. Journal of Health Services Research and Policy, 2005, 10, 133-142.	0.8	39
175	Recruiting patients to medical research: double blind randomised trial of "opt-in―versus "opt-out― strategies. BMJ: British Medical Journal, 2005, 331, 940.	2.4	214
176	Zero tolerance for domestic violence. Lancet, The, 2005, 365, 120.	6.3	5
177	Reed Elsevier and the international arms trade. Lancet, The, 2005, 366, 889.	6.3	10
178	How do clinical nurse specialists influence primary care management of asthma? A qualitative study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2005, 14, 154-160.	2.5	6
179	Ethical principles and the rationing of health care: a qualitative study in general practice. British Journal of General Practice, 2005, 55, 620-5.	0.7	18
180	Randomised controlled trial of a lay-led self-management programme for Bangladeshi patients with chronic disease. British Journal of General Practice, 2005, 55, 831-7.	0.7	133

#	Article	IF	CITATIONS
181	Is patient involvement possible when decisions involve scarce resources? A qualitative study of decision-making in primary care. Social Science and Medicine, 2004, 59, 93-102.	1.8	73
182	Development and preliminary examination of the predictive validity of the Falls Risk Assessment Tool (FRAT) for use in primary care. Journal of Public Health, 2004, 26, 138-143.	1.0	113
183	Nutritional management in MND/ALS patients: an evidence based review. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases, 2004, 5, 72-83.	1.4	97
184	Influence of practices' ethnicity and deprivation on access to angiography: an ecological study. British Journal of General Practice, 2004, 54, 423-8.	0.7	10
185	Routinely asking women about domestic violence in health settings. BMJ: British Medical Journal, 2003, 327, 673-676.	2.4	103
186	Ethnic variations in pathways to and use of specialist mental health services in the UK. British Journal of Psychiatry, 2003, 182, 105-116.	1.7	343
187	Abusive experiences and psychiatric morbidity in women primary care attenders. British Journal of Psychiatry, 2003, 183, 332-339.	1.7	126
188	Inside Guidelines: Comparative analysis of recommendations and evidence in diabetes guidelines from 13 countries. Diabetes Care, 2002, 25, 1933-1939.	4.3	184
189	Should health professionals screen women for domestic violence? Systematic review. BMJ: British Medical Journal, 2002, 325, 314-314.	2.4	403
190	Ethnic differences in invasive management of coronary disease: prospective cohort study of patients undergoing angiography. BMJ: British Medical Journal, 2002, 324, 511-516.	2.4	97
191	Identifying domestic violence: cross sectional study in primary care. BMJ: British Medical Journal, 2002, 324, 274-274.	2.4	282
192	Appropriateness ratings. Lancet, The, 2002, 359, 1434-1435.	6.3	1
193	Relation between childhood sexual and physical abuse and risk of revictimisation in women: a cross-sectional survey. Lancet, The, 2001, 358, 450-454.	6.3	343
194	Improved management of asthma. Lancet, The, 2001, 358, 1817-1818.	6.3	1
195	Influences on hospital admission for asthma in south Asian and white adults: qualitative interview study. BMJ: British Medical Journal, 2001, 323, 962-962.	2.4	81
196	Sample size calculations for intervention trials in primary care randomizing by primary care group: an empirical illustration from one proposed intervention trial. Statistics in Medicine, 2001, 20, 367-376.	0.8	23
197	Gender differences in descriptions of angina symptoms and health problems immediately prior to angiography: the ACRE study. Social Science and Medicine, 2001, 52, 1565-1575.	1.8	88
198	Underuse of Coronary Revascularization Procedures in Patients Considered Appropriate Candidates for Revascularization. New England Journal of Medicine, 2001, 344, 645-654.	13.9	239

#	Article	IF	CITATIONS
199	Patient empowerment and coronary heart disease. Lancet, The, 2000, 356, 1278.	6.3	4
200	Waiting for coronary angiography: is there a clinically ordered queue?. Lancet, The, 2000, 355, 985-986.	6.3	12
201	Clinical guidelines: Using clinical guidelines. BMJ: British Medical Journal, 1999, 318, 728-730.	2.4	298
202	Effect of postal prompts to patients and general practitioners on the quality of primary care after a coronary event (POST): randomised controlled trial. BMJ: British Medical Journal, 1999, 318, 1522-1526.	2.4	166
203	Letter to the Editor: Barriers to effective asthma care in inner city general practice: Reply by the Authors. European Journal of General Practice, 1999, 5, 120-121.	0.9	0
204	(1996) Low Back Pain Evidence Review London: Royal College of General Practitioners. Journal of Manual and Manipulative Therapy, 1998, 6, 151-153.	0.7	48
205	Clinical Guidelines: Where Next?. International Journal for Quality in Health Care, 1997, 9, 399-404.	0.9	25
206	National survey of UK clinical guidelines for the management of coronary heart disease, lung and breast cancer, asthma and depression. Journal of Clinical Effectiveness, 1997, 2, 120-123.	0.2	8
207	Do clinical guidelines introduced with practice based education improve care of asthmatic and diabetic patients? A randomised controlled trial in general practices in east London. BMJ: British Medical Journal, 1995, 311, 1473-1478.	2.4	184
208	Unconventional or physical?. Complementary Therapies in Medicine, 1994, 2, 220.	1.3	0
209	The politics of traveller health research. Critical Public Health, 1990, 1, 10-14.	1.4	4
210	PSYCHOLOGICAL SUPPORT FOR CANCER PATIENTS. Lancet, The, 1989, 334, 1209-1210.	6.3	2
211	INHALED SOLVENT VAPOURS. Lancet, The, 1980, 316, 1371-1372.	6.3	0
212	Psychological therapies for women who experience intimate partner violence. The Cochrane Library, 0, , .	1.5	5
213	Psychosocial interventions for survivors of rape and sexual assault experienced during adulthood. The Cochrane Library, 0, , .	1.5	7

214 Understanding variation in patient care: A qualitative study of hospital (non-ST elevation myocardial) Tj ETQq0 0 0 rgBT /Overlock 10 Tf