

Christina Botrous

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/617184/publications.pdf>

Version: 2024-02-01

130
papers

3,520
citations

236833

25
h-index

149623

56
g-index

131
all docs

131
docs citations

131
times ranked

4899
citing authors

#	ARTICLE	IF	CITATIONS
1	Recommendations on the Use of Echocardiography in Adult Hypertension: A Report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE)â€. Journal of the American Society of Echocardiography, 2015, 28, 727-754.	1.2	298
2	Contrast echocardiography: evidence-based recommendations by European Association of Echocardiography. European Journal of Echocardiography, 2008, 10, 194-212.	2.3	286
3	Clinical Applications of Ultrasonic Enhancing Agents in Echocardiography: 2018 American Society of Echocardiography Guidelines Update. Journal of the American Society of Echocardiography, 2018, 31, 241-274.	1.2	282
4	EACVI/EHRA Expert Consensus Document on the role of multi-modality imaging for the evaluation of patients with atrial fibrillation. European Heart Journal Cardiovascular Imaging, 2016, 17, 355-383.	0.5	233
5	Recommendations on the use of echocardiography in adult hypertension: a report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE)<sup><xref ref-type="fn" rid="AN1">â€</sup>. European Heart Journal Cardiovascular Imaging, 2015, 16, 577-605.	0.5	190
6	Clinical practice of contrast echocardiography: recommendation by the European Association of Cardiovascular Imaging (EACVI) 2017. European Heart Journal Cardiovascular Imaging, 2017, 18, 1205-1205af.	0.5	177
7	Comparative Definitions for Moderate-Severe Ischemia in Stress Nuclear, Echocardiography, and Magnetic Resonance Imaging. JACC: Cardiovascular Imaging, 2014, 7, 593-604.	2.3	168
8	Radiation-induced carotid artery atherosclerosis. Radiotherapy and Oncology, 2014, 110, 31-38.	0.3	115
9	Association of Sex With Severity of Coronary Artery Disease, Ischemia, and Symptom Burden in Patients With Moderate or Severe Ischemia. JAMA Cardiology, 2020, 5, 773.	3.0	101
10	Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019, 4, 273.	3.0	100
11	Comparison of Sulfur Hexafluoride Microbubble (SonoVue)-Enhanced Myocardial Contrast Echocardiography With Gated Single-Photon Emission Computed Tomography for Detection of Significant Coronary Artery Disease. Journal of the American College of Cardiology, 2013, 62, 1353-1361.	1.2	97
12	Clinical quantitative cardiac imaging for the assessment of myocardial ischaemia. Nature Reviews Cardiology, 2020, 17, 427-450.	6.1	94
13	Right ventricular dysfunction in critically ill COVID-19 ARDS. International Journal of Cardiology, 2021, 327, 251-258.	0.8	85
14	Myocardial perfusion assessment in patients with medium probability of coronary artery disease and no prior myocardial infarction: comparison of myocardial contrast echocardiography with 99mTc single-photon emission computed tomography. American Heart Journal, 2004, 147, 1100-1105.	1.2	82
15	Detection of coronary artery disease with perfusion stress echocardiography using a novel ultrasound imaging agent: two Phase 3 international trials in comparison with radionuclide perfusion imaging. European Journal of Echocardiography, 2009, 10, 26-35.	2.3	67
16	Natural History of Patients With Ischemia and No Obstructive Coronary Artery Disease. Circulation, 2021, 144, 1008-1023.	1.6	56
17	Resting Aortic Valve Area at Normal Transaortic Flow Rate Reflects True Valve Area in Suspected Low-Gradient Severe Aortic Stenosis. JACC: Cardiovascular Imaging, 2015, 8, 1133-1139.	2.3	55
18	Myocardial Contrast Echocardiography for Distinguishing Ischemic From Nonischemic First-Onset Acute Heart Failure. Circulation, 2005, 112, 1587-1593.	1.6	53

#	ARTICLE	IF	CITATIONS
19	Lower Transaortic Flow Rate Is Associated With Increased Mortality in Aortic Valve Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 912-920.	2.3	45
20	Community screening for left ventricular hypertrophy in patients with hypertension using hand-held echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 56-61.	1.2	37
21	Relative clinical and economic impact of exercise echocardiography vs. exercise electrocardiography, as first line investigation in patients without known coronary artery disease and new stable angina: a randomized prospective study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 195-202.	0.5	36
22	Low Transvalvular Flow Rate Predicts Mortality in Patients With Low-Gradient Aortic Stenosis Following Aortic Valve Intervention. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1715-1724.	2.3	34
23	The impact of aortic valve replacement on survival in patients with normal flow low gradient severe aortic stenosis: a propensity-matched comparison. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1094-1101.	0.5	32
24	The Feasibility and Clinical Utility of Myocardial Contrast Echocardiography in Clinical Practice: Results from the Incorporation of Myocardial Perfusion Assessment into Clinical Testing with Stress Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 520-530.	1.2	31
25	Cardiac remodelling amongst adults with various aetiologies of pulmonary arterial hypertension including Eisenmenger syndrome—implications on survival and the role of right ventricular transverse strain. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 1262-1270.	0.5	31
26	Use of troponin assay 99th percentile as the decision level for myocardial infarction diagnosis. <i>American Heart Journal</i> , 2017, 190, 135-139.	1.2	26
27	Baseline Predictors of Low-Density Lipoprotein Cholesterol and Systolic Blood Pressure Goal Attainment After 1 Year in the ISCHEMIA Trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019, 12, e006002.	0.9	26
28	Outcomes of Participants With Diabetes in the ISCHEMIA Trials. <i>Circulation</i> , 2021, 144, 1380-1395.	1.6	24
29	The Incremental Prognostic Value of the Incorporation of Myocardial Perfusion Assessment into Clinical Testing with Stress Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 1358-1365.	1.2	21
30	Arterial Stiffness as a Biomarker of Radiation-Induced Carotid Atherosclerosis. <i>Angiology</i> , 2016, 67, 266-271.	0.8	21
31	Stress echocardiography in coronary artery disease: a practical guideline from the British Society of Echocardiography. <i>Echo Research and Practice</i> , 2019, 6, G17-G33.	0.6	21
32	Clinical benefits of contrast-enhanced echocardiography during rest and stress examinations. <i>European Journal of Echocardiography</i> , 2005, 6, S6-S13.	2.3	19
33	First experience with edoxaban and atrial fibrillation ablation—Insights from the ENGAGE AF-TIMI 48 trial. <i>International Journal of Cardiology</i> , 2017, 244, 192-195.	0.8	19
34	Correction of Non-Linear Propagation Artifact in Contrast-Enhanced Ultrasound Imaging of Carotid Arteries: Methods and in Vitro Evaluation. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1938-1947.	0.7	18
35	Carotid intima-medial thickness as a marker of radiation-induced carotid atherosclerosis. <i>Radiotherapy and Oncology</i> , 2016, 118, 323-329.	0.3	18
36	Systolic dysfunction of the subpulmonary left ventricle is associated with the severity of heart failure in patients with a systemic right ventricle. <i>International Journal of Cardiology</i> , 2021, 324, 66-71.	0.8	18

#	ARTICLE	IF	CITATIONS
37	The clinical impact of contemporary stress echocardiography in morbid obesity for the assessment of coronary artery disease. <i>Heart</i> , 2016, 102, 370-375.	1.2	17
38	Incremental Prognostic Value of Stress Echocardiography With Carotid Ultrasound for Suspected CAD. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 173-180.	2.3	17
39	Technetium 99m-labeled sestamibi imaging reliably identifies retained contractile reserve in dyssynergic myocardial segments. <i>Journal of Nuclear Cardiology</i> , 1995, 2, 296-302.	1.4	16
40	Stress Echocardiography in Stable Coronary Artery Disease. <i>Current Cardiology Reports</i> , 2017, 19, 121.	1.3	16
41	Cost-effectiveness of a management strategy based on exercise echocardiography versus exercise electrocardiography in patients presenting with suspected angina during long term follow up: A randomized study. <i>International Journal of Cardiology</i> , 2018, 259, 1-7.	0.8	16
42	Role of Contrast Echocardiography for the Assessment of Left Ventricular Function. <i>Echocardiography</i> , 1999, 16, 747-752.	0.3	15
43	Stress echocardiography in patients with morbid obesity. <i>Journal of Animal Science and Technology</i> , 2016, 3, R18-R18.	0.8	15
44	Diagnostic accuracy of handheld cardiac ultrasound device for assessment of left ventricular structure and function: systematic review and meta-analysis. <i>Heart</i> , 2021, 107, 1826-1834.	1.2	15
45	Plaque Neovascularization Is Increased in Human Carotid Atherosclerosis Related to Prior Neck Radiotherapy. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 668-675.	2.3	14
46	Noninvasive cardiac imaging in suspected acute coronary syndrome. <i>Nature Reviews Cardiology</i> , 2016, 13, 266-275.	6.1	14
47	Ramipril and left ventricular diastolic function in stable patients with pulmonary regurgitation after repair of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2018, 272, 64-69.	0.8	14
48	Predictors of Left Main Coronary Artery Disease in the ISCHEMIA Trial. <i>Journal of the American College of Cardiology</i> , 2022, 79, 651-661.	1.2	14
49	Role of simultaneous carotid ultrasound in patients undergoing stress echocardiography for assessment of chest pain with no previous history of coronary artery disease. <i>American Heart Journal</i> , 2014, 168, 229-236.	1.2	13
50	Assessment of Complex Multi-Valve Disease and Prosthetic Valves. <i>Heart Lung and Circulation</i> , 2019, 28, 1436-1446.	0.2	13
51	Haemodynamic effects of the nitroxyl donor cimlanod (BMS-986231) in chronic heart failure: a randomized trial. <i>European Journal of Heart Failure</i> , 2021, 23, 1147-1155.	2.9	13
52	The value of core lab stress echocardiography interpretations: observations from the ISCHEMIA Trial. <i>Cardiovascular Ultrasound</i> , 2015, 13, 47.	0.5	12
53	Imagify, (perflubutane polymer microspheres) injectable suspension for the assessment of coronary artery disease. <i>Expert Review of Cardiovascular Therapy</i> , 2007, 5, 413-421.	0.6	9
54	Usefulness of Q waves on ECG for the prediction of contractile reserve after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 145, 265-266.	0.8	9

#	ARTICLE	IF	CITATIONS
55	Simultaneous Assessment of Myocardial Perfusion, Wall Motion, and Deformation during Myocardial Contrast Echocardiography: A Feasibility Study. <i>Echocardiography</i> , 2016, 33, 889-895.	0.3	9
56	Ultrasound contrast agent hypersensitivity in patients allergic to polyethylene glycol: position statement by the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 959-960.	0.5	9
57	Contraction patterns of the systemic right ventricle: a three-dimensional echocardiography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 1654-1662.	0.5	9
58	Relative diagnostic, prognostic and economic value of stress echocardiography versus exercise electrocardiography as initial investigation for the detection of coronary artery disease in patients with new onset suspected angina. <i>IJC Heart and Vasculature</i> , 2015, 7, 124-130.	0.6	8
59	Transient Ischemic Dilatation during Stress Echocardiography: An Additional Marker of Significant Myocardial Ischemia. <i>Echocardiography</i> , 2016, 33, 1202-1208.	0.3	8
60	The clinical efficacy and long-term prognostic value of stress echocardiography in octogenarians. <i>Heart</i> , 2017, 103, 517-523.	1.2	8
61	Assessment of myocardial viability by myocardial contrast echocardiography. <i>Current Opinion in Cardiology</i> , 2019, 34, 495-501.	0.8	8
62	Sex differences in transaortic flow rate and association with all-cause mortality in patients with severe aortic stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 977-982.	0.5	8
63	Catastrophic stroke in a patient with left ventricular non-compaction. <i>Echo Research and Practice</i> , 2018, 5, K59-K62.	0.6	8
64	Prevalence of cardiac pathology and relation to mortality in a multiethnic population hospitalised with COVID-19. <i>Open Heart</i> , 2021, 8, e001833.	0.9	8
65	Left ventricular contrast echocardiography: role for evaluation of function and structure. <i>Echocardiography</i> , 2002, 19, 615-20.	0.3	8
66	Prognostic usefulness of contemporary stress echocardiography in patients with left bundle branch block and impact of contrast use in improving prediction of outcome. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, jew211.	0.5	7
67	Contrast enhancement of carotid adventitial vasa vasorum as a biomarker of radiation-induced atherosclerosis. <i>Radiotherapy and Oncology</i> , 2016, 120, 63-68.	0.3	7
68	Diagnostic Concordance and Clinical Outcomes in Patients Undergoing Fractional Flow Reserve and Stress Echocardiography for the Assessment of Coronary Stenosis of Intermediate Severity. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 180-186.	1.2	7
69	Evolving therapeutic concepts and imaging in ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 598-608.	1.4	6
70	Unsuspected large left ventricular pseudoaneurysm: rapid bedside diagnosis by contrast-enhanced echocardiography: Figure A1. <i>Oxford Medical Case Reports</i> , 2015, 2015, 358-359.	0.2	6
71	Contemporary Imaging of Aortic Stenosis. <i>Heart Lung and Circulation</i> , 2019, 28, 1310-1319.	0.2	6
72	Prognostic usefulness of planar 123I-MIBG scintigraphic images of myocardial sympathetic innervation in congestive heart failure: Follow-Up data from ADMIRE-HF. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1490-1503.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Coronary flow velocity reserve and inflammatory markers in living kidney donors. <i>International Journal of Cardiology</i> , 2020, 320, 141-147.	0.8	6
74	Long-Term Prognostic Value of Simultaneous Assessment of Atherosclerosis and Ischemia in Patients with Suspected Angina: Implications for Routine Use of Carotid Ultrasound during Stress Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 559-569.	1.2	6
75	Postcardiac Injury Syndrome: A Rare Complication of Elective Coronary Angioplasty. <i>American Journal of Medicine</i> , 2016, 129, e13-e14.	0.6	5
76	Novel techniques in stress echocardiography: a focus on the advantages and disadvantages. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 477-494.	0.6	5
77	Differential Intensity Projection for Visualisation and Quantification of Plaque Neovascularisation in Contrast-Enhanced Ultrasound Images of Carotid Arteries. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 831-837.	0.7	5
78	Relative clinical value of coronary computed tomography and stress echocardiography-guided management of stable chest pain patients: a propensity-matched analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , .	0.5	5
79	Clinical Value of Stress Transaortic Flow Rate During Dobutamine Echocardiography in Reduced Left Ventricular Ejection Fraction, Low-Gradient Aortic Stenosis: A Multicenter Study. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012809.	1.3	5
80	How to perform an ultrasound contrast myocardial perfusion examination?. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 727-729.	0.5	5
81	Comparison of arbutamine stress 99mTc-labeled sestamibi single-photon emission computed tomographic imaging and echocardiography for detection of the extent and severity of coronary artery disease and inducible ischemia ¹ . <i>Journal of Nuclear Cardiology</i> , 1997, 4, 211-216.	1.4	4
82	Myocardial contrast echocardiography in acute coronary syndromes. <i>Cardiology Clinics</i> , 2004, 22, 253-267.	0.9	4
83	Diagnostic and imaging considerations: Role of viability. <i>Heart Failure Reviews</i> , 2006, 11, 125-134.	1.7	4
84	Mass Confusion. <i>Circulation</i> , 2015, 132, 1433-1434.	1.6	4
85	Reproducible Computer-Assisted Quantification of Myocardial Perfusion with Contrast-Enhanced Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2235-2246.	0.7	4
86	Incidental finding of a double orifice mitral valve in an elderly patient: value of 3D imaging. <i>Journal of Animal Science and Technology</i> , 2017, 4, K21-K24.	0.8	4
87	Outcomes With Intermediate Left Main Disease: Analysis From the ISCHEMIA Trial. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, CIRCINTERVENTIONS121010925.	1.4	4
88	Contrast-enhanced ultrasound to assess plaque neovascularization in irradiated carotid arteries. <i>International Journal of Cardiology</i> , 2016, 202, 3-4.	0.8	3
89	Myocardial blood flow reserve is impaired in patients with aortic valve calcification and unobstructed epicardial coronary arteries. <i>International Journal of Cardiology</i> , 2017, 248, 427-432.	0.8	3
90	Stress echocardiography in the assessment of native valve disease. <i>Heart</i> , 2019, 105, 1034-1043.	1.2	3

#	ARTICLE	IF	CITATIONS
91	Assessment of Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1770-1771.	1.2	3
92	Coronary microvascular dysfunction is associated with degree of anaemia in end-stage renal disease. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 211.	0.7	3
93	Left atrial enlargement causing dysphagia and weight loss: A rare contraindication for catheter ablation therapy in a patient with complex atrial arrhythmia. <i>International Journal of Cardiology</i> , 2014, 177, e111-e112.	0.8	2
94	143â€¦Carotid Intraplaque Neovascularization is Increased in Patients with Prior Ipsilateral Neck Irradiation - A Contrast Enhanced Ultrasound Study. <i>Heart</i> , 2014, 100, A84.1-A84.	1.2	2
95	Serial Changes in High-Sensitivity Cardiac Troponin, N-terminal Pro-B-Type Natriuretic Peptide, and Heart Fatty Acid Binding Protein during Exercise Echocardiography in Patients with Suspected Angina Pectoris and Normal Resting Left Ventricular Function. <i>Clinical Chemistry</i> , 2015, 61, 554-556.	1.5	2
96	Anomalous origin of Left Coronary Artery from the Pulmonary Artery (ALCAPA): A rare presentation in late adulthood. <i>International Journal of Cardiology</i> , 2015, 182, 179-180.	0.8	2
97	Added value of three-dimensional transthoracic echocardiography in assessment of an adult patient with atrioventricular septal defect. <i>Echocardiography</i> , 2019, 36, 809-812.	0.3	2
98	Contrast echocardiography facilitates appropriate management of hospitalized patients with coronavirus disease 2019 (COVID-19) and suspected right ventricular masses: case series. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytaa575.	0.3	2
99	Stress Echocardiography and Carotid Ultrasound: Combined Use for the Assessment of Coronary Artery Disease?. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 625-628.	1.2	2
100	Stress echocardiography: the quest for risk stratification beyond myocardial ischaemia. <i>European Heart Journal</i> , 2021, 42, 3879-3881.	1.0	2
101	Feasibility, efficacy and safety of exercise stress echocardiography during the COVID-19 pandemic. <i>Open Heart</i> , 2022, 9, e001894.	0.9	2
102	96â€¦Resting Aortic Valve Area at Normal Transaortic Flow Rate but not at Normal Stroke Volume Reflects the True Valve Area in PTS with Low Gradient Severe Aortic Stenosis: Implications for Obviating the Need for Stress Echocardiography in such PTS. <i>Heart</i> , 2015, 101, A55.1-A55.	1.2	1
103	Giant lymphomatous cardiac mass: In vivo imaging and histological findings. <i>International Journal of Cardiology</i> , 2016, 202, 81-83.	0.8	1
104	Can severity of aortic stenosis be determined despite absent contractile reserve in low-flow low-gradient aortic stenosis?. <i>Echocardiography</i> , 2016, 33, 1602-1604.	0.3	1
105	Cardiac investigation for prognosis in coronary artery disease: where negative is positive. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 988-989.	0.5	1
106	Long-Term Association of Dipyridamole Stress Myocardial Contrast Echocardiography versus Single-Photon Emission Computed Tomography with Clinical Outcomes in Patients with Known or Suspected Coronary Artery Disease. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 860-869.	1.2	1
107	Clinical effectiveness of a sonographer-led, cardiologist-interpreted stress echocardiography service in the rapid access stable chest pain clinic. <i>International Journal of Cardiology</i> , 2019, 281, 107-112.	0.8	1
108	Unexpected mechanism of mitral regurgitation in a patient post ALCAPA repair: Added value of three-dimensional echocardiography. <i>Echocardiography</i> , 2020, 37, 1315-1317.	0.3	1

#	ARTICLE	IF	CITATIONS
109	Assessing systolic function in aortic stenosis: the earlier the better?. Heart, 2020, 106, 1200-1201.	1.2	1
110	Stress Echocardiography in the Era of Fractional Flow Reserve. Current Cardiovascular Imaging Reports, 2020, 13, 1.	0.4	1
111	Severe Patient-Prosthesis Mismatch: Compelling Entity or an Epiphenomenon of Low Flow?. Circulation: Cardiovascular Imaging, 2021, 14, e012836.	1.3	1
112	Reply. JACC: Cardiovascular Imaging, 2013, 6, 530-531.	2.3	0
113	144â€¦The Incremental Prognostic Value of Myocardial Contrast Echocardiography in Clinical Practice: Follow-up Results from the Impact of Myocardial Perfusion Assessment in Clinical Tests of Stress Echocardiography (IMPACT-SE) Study. Heart, 2014, 100, A84.2-A84.	1.2	0
114	128â€¦Increased Carotid Plaque Neovascularization, a Marker of Plaque Vulnerability, is Independently Associated with South Asian Ethnicity: A Possible Mechanism Underlying the Greater Burden of Cardiovascular Events in South Asians vs Northern Europeans. Heart, 2015, 101, A74.1-A74.	1.2	0
115	Right ventricular lead perforation complicating late pacemaker infection. International Journal of Cardiology, 2015, 190, 47-48.	0.8	0
116	Insulin-induced hypoglycaemia and the detection of myocardial injury using an ultrasensitive troponin assay. International Journal of Cardiology, 2016, 215, 446-448.	0.8	0
117	A slowly growing mass in the left chest wall: additive value of real time myocardial contrast echocardiography. European Heart Journal Cardiovascular Imaging, 2018, 19, 956-956.	0.5	0
118	Making complex pathology simple: added value of 3D transthoracic echocardiography in an adult patient with congenitally corrected transposition of great arteries and severe tricuspid regurgitation. European Heart Journal Cardiovascular Imaging, 2018, 19, 1311-1311.	0.5	0
119	Paving the way for improving no-reflow phenomenon. International Journal of Cardiology, 2019, 277, 20-21.	0.8	0
120	2â€¦Reversible exercise-induced left ventricular dysfunction in symptomatic patients with previous takotsubo syndrome â€œ insights from exercise echocardiography. , 2019, , .		0
121	128â€¦The impact of aortic valve replacement on survival in patients with normal flow low gradient severe aortic stenosis: a propensity-matched comparison. , 2019, , .		0
122	1â€¦Long-term prognostic value of simultaneous assessment of atherosclerosis and ischemia in patients with suspected angina: implications for routine use of carotid ultrasound during stress echocardiography. , 2019, , .		0
123	Restrictive ventricular septal defect resulting in systemic outflow obstruction in adults with Fontan circulation. Journal of Cardiovascular Medicine, 2020, 21, 276-279.	0.6	0
124	Severe regurgitation of a double-orifice left atrioventricular valve in a patient with repaired atrioventricular septal defect: added value of 3D echocardiography. European Heart Journal Cardiovascular Imaging, 2020, 21, 814-814.	0.5	0
125	159â€¦Myocardial fibrosis is associated with reduced coronary flow velocity reserve in end-stage renal disease. , 2021, , .		0
126	Discordant moderate aortic stenosis: is it clinically important?. Open Heart, 2021, 8, e001749.	0.9	0

#	ARTICLE	IF	CITATIONS
127	<p>Report from the Annual Conference of the British Society of Echocardiography, November 2016, Queen Elizabeth II Conference Centre, London</p> <p>Foreword National Invited Lecture 2016 Echo Research and Practice session</p> <p>Abstract 1: Left ventricular mechano-temporal alterations during the apparent recovery of acute stress-induced (Tako-tsubo) cardiomyopathy</p> <p>Abstract 2: Right ventricular structure and function in veteran ultrarunners: is there evidence for chronic maladaptation?</p> <p>Abstract 3: Feasibility, efficacy and safety. <i>Journal of Animal Science and Technology</i>, 2017, 4, M1-M18.</p>	0.8	0
128	<p>Reply to "Management of noncompaction requires optimisation". <i>Echo Research and Practice</i>, 2019, 6, L3-L4.</p>	0.6	0
129	<p>Sex-based impact of carotid plaque in patients with chest pain undergoing stress echocardiography. <i>Heart</i>, 2020, 106, 1819-1823.</p>	1.2	0
130	<p>An Experimental Series Investigating the Effects of Hyperinsulinemic Euglycemia on Myocardial Blood Flow Reserve in Healthy Individuals and on Myocardial Perfusion Defect Size following ST-Segment Elevation Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i>, 2020, 33, 868-877.e6.</p>	1.2	0