Jun Luo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6172191/publications.pdf

Version: 2024-02-01

189 papers	3,316 citations	172207 29 h-index	301761 39 g-index
211 all docs	211 docs citations	211 times ranked	2711 citing authors

#	Article	IF	Citations
1	Near-Infrared Fluorescent Probe with Remarkable Large Stokes Shift and Favorable Water Solubility for Real-Time Tracking Leucine Aminopeptidase in Living Cells and In Vivo. Analytical Chemistry, 2017, 89, 12319-12326.	3.2	82
2	Sophoraflavanone G from Sophora alopecuroides inhibits lipopolysaccharide-induced inflammation in RAW264.7 cells by targeting PI3K/Akt, JAK/STAT and Nrf2/HO-1 pathways. International Immunopharmacology, 2016, 38, 349-356.	1.7	56
3	Rhodomyrtials A and B, Two Meroterpenoids with a Triketone-Sesquiterpene-Triketone Skeleton from Rhodomyrtus tomentosa: Structural Elucidation and Biomimetic Synthesis. Organic Letters, 2016, 18, 4068-4071.	2.4	52
4	A [2 + 2] Cycloaddition Dimer and a Dielsâ€“Alder Adduct fromAlpinia katsumadai. Organic Letters, 2011, 13, 3380-3383.	2.4	48
5	The Anti-inflammatory Activities of Two Major Withanolides from Physalis minima Via Acting on NF-ÎºB, STAT3, and HO-1 in LPS-Stimulated RAW264.7 Cells. Inflammation, 2017, 40, 401-413.	1.7	48
6	Anti-inflammatory lindenane sesquiterpeniods and dimers from Sarcandra glabra and its upregulating AKT/Nrf2/HO-1 signaling mechanism. Industrial Crops and Products, 2019, 137, 367-376.	2.5	48
7	Chukvelutilides Aâ€“F, phragmalin limonoids from the stem barks of Chukrasia tabularis var. velutina. Tetrahedron, 2009, 65, 3425-3431.	1.0	47
8	Anti-inflammatory activity of Khayandirobilide A from Khaya senegalensis via NF-ÎºB, AP-1 and p38 MAPK/Nrf2/HO-1 signaling pathways in lipopolysaccharide-stimulated RAW 264.7 and BV-2 cells. Phytomedicine, 2018, 42, 152-163.	2.3	47
9	Sarglaperoxides A and B, Sesquiterpeneâ€“Normonoterpene Conjugates with a Peroxide Bridge from the Seeds of Sarcandra glabra. Organic Letters, 2016, 18, 832-835.	2.4	46
10	Chlotrichenes A and B, Two Lindenane Sesquiterpene Dimers with Highly Fused Carbon Skeletons from Chloranthus holostegius. Organic Letters, 2019, 21, 789-792.	2.4	46
11	Chukvelutins Aâ^'C, 16-Norphragmalin Limonoids with Unprecedented Skeletons from Chukrasia tabularis var. velutina. Organic Letters, 2009, 11, 2281-2284.	2.4	45
12	Chuktabularins Eâ^'T, 16-Norphragmalin Limonoids from Chukrasia tabularis var. velutina. Journal of Natural Products, 2010, 73, 835-843.	1.5	43
13	Tabercarpamines Aâ€“J, Apoptosis-Inducing Indole Alkaloids from the Leaves of Tabernaemontana corymbosa. Journal of Natural Products, 2014, 77, 1156-1163.	1.5	43
14	Cytotoxic tirucallane C26 triterpenoids from the stem barks of Aphanamixis grandifolia. Phytochemistry, 2010, 71, 2199-2204.	1.4	42
15	Hypermongones Aâ€“J, Rare Methylated Polycyclic Polyprenylated Acylphloroglucinols from the Flowers of Hypericum monogynum. Journal of Natural Products, 2015, 78, 1093-1100.	1.5	42
16	A novel aporphine alkaloid from Magnolia officinalis. FÃ¬toterapÃ¬Ã¢, 2011, 82, 637-641.	1.1	41
17	Polyprenylated Tetraoxygenated Xanthones from the Roots ofHypericum monogynumand Their Neuroprotective Activities. Journal of Natural Products, 2016, 79, 1971-1981.	1.5	40
18	Integration of a Decrescent Transcriptome and Metabolomics Dataset of Peucedanum praeruptorum to Investigate the CYP450 and MDR Genes Involved in Coumarins Biosynthesis and Transport. Frontiers in Plant Science, 2015, 6, 996.	1.7	39

#	Article	IF	Citations
19	Sesquiterpene dimers esterified with diverse small organic acids from the seeds of Sarcandra glabra. Tetrahedron, 2015, 71, 5362-5370.	1.0	37
20	Spirotrichilins A and B: Two Rearranged Spirocyclic Limonoids from Trichilia connaroides. Organic Letters, 2016, 18, 1924-1927.	2.4	37
21	Selection of Reference Genes for Gene Expression Normalization in Peucedanum praeruptorum Dunn under Abiotic Stresses, Hormone Treatments and Different Tissues. PLoS ONE, 2016, 11, e0152356.	1.1	37
22	Involucratustones Aâ€“C: Unprecedented Sesquiterpene Dimers Containing Multiple Contiguous Quaternary Carbons from Stahlianthus involucratus. Chemistry - A European Journal, 2015, 21, 13206-13209.	1.7	36
23	Research progress of meliaceous limonoids from 2011 to 2021. Natural Product Reports, 2022, 39, 1325-1365.	5.2	35
24	Isolation and biomimetic synthesis of (Â±)-calliviminones A and B, two novel Dielsâ€“Alder adducts, from Callistemon viminalis. Tetrahedron Letters, 2015, 56, 229-232.	0.7	34
25	Amomaxins A and B, Two Unprecedented Rearranged Labdane Norditerpenoids with a Nine-Membered Ring from Amomum maximum. Organic Letters, 2013, 15, 1572-1575.	2.4	32
26	Four new steroid saponins with highly oxidized side chains from the leaves of Vernonia amygdalina. Phytochemistry Letters, 2016, 15, 16-20.	0.6	32
27	Hyperberins A and B, Type B Polycyclic Polyprenylated Acylphloroglucinols with Bicyclo[5.3.1]hendecane Core from Hypericum beanii. Organic Letters, 2019, 21, 8558-8562.	2.4	32
28	Î±-Glucosidase inhibitory triterpenoids from the stem barks of Uncaria laevigata. FÃ¬toterapÃ¬Ã¢, 2013, 90, 30-37.	1.1	31
29	(Â±)-Melicolones A and B, Rearranged Prenylated Acetophenone Stereoisomers with an Unusual 9-Oxatricyclo[3.2.1.1^{3,8}]nonane Core from the Leaves of Melicope ptelefolia. Organic Letters, 2015, 17, 146-149.	2.4	31
30	GRP78 inhibition enhances ATF4-induced cell death by the deubiquitination and stabilization of CHOP in human osteosarcoma. Cancer Letters, 2017, 410, 112-123.	3.2	31
31	Diverse Chemosensitizing 8,9-Secolindenane-Type Sesquiterpenoid Oligomers and Monomers from Sarcandra glabra. Journal of Organic Chemistry, 2019, 84, 9117-9126.	1.7	31
32	Velutabularins Aâ€“J, phragmalin-type limonoids with novel cyclic moiety from Chukrasia tabularis var. velutina. Tetrahedron, 2011, 67, 2942-2948.	1.0	30
33	Aphapolynins A and B, two new limonoids from the fruits of Aphanamixis polystachya. Tetrahedron Letters, 2011, 52, 2590-2593.	0.7	30
34	Furanmonogones A and B: two rearranged acylphloroglucinols with a 4,5-seco-3(2H)-furanone core from the flowers of Hypericum monogynum. Organic Chemistry Frontiers, 2017, 4, 313-317.	2.3	30
35	Identification and functional characterization of a p-coumaroyl CoA 2â€²-hydroxylase involved in the biosynthesis of coumarin skeleton from Peucedanum praeruptorum Dunn. Plant Molecular Biology, 2017, 95, 199-213.	2.0	30
36	Phragmalin-Type Limonoid Orthoesters from Chukrasia tabularis var. velutina. Chemical and Pharmaceutical Bulletin, 2011, 59, 225-230.	0.6	29

#	Article	IF	Citations
37	Sesquiterpenes from the aerial part of Chloranthus japonicus and their cytotoxicities. FÃ¬toterapÃ¬Ã¢, 2012, 83, 1604-1609.	1.1	29
38	Xylopiana A, a Dimeric Guaiane with a Case-Shaped Core from Xylopia vielana: Structural Elucidation and Biomimetic Conversion. Organic Letters, 2017, 19, 3013-3016.	2.4	29
39	Isolation, Structure Elucidation, and Absolute Configuration of Syncarpic Acid-Conjugated Terpenoids from Rhodomyrtus tomentosa. Journal of Natural Products, 2017, 80, 989-998.	1.5	28
40	Antimicrobial metabolites from the plant endophytic fungus Penicillium sp.. FÃ¬toterapÃ¬Ã¢, 2017, 116, 72-76.	1.1	28
41	Elucidation of the biosynthesis pathway and heterologous construction of a sustainable route for producing umbelliferone. Journal of Biological Engineering, 2019, 13, 44.	2.0	28
42	Cloning, Functional Characterization and Site-Directed Mutagenesis of 4-Coumarate: Coenzyme A Ligase (4CL) Involved in Coumarin Biosynthesis in Peucedanum praeruptorum Dunn. Frontiers in Plant Science, 2017, 8, 4.	1.7	27
43	Monoterpene indole alkaloids from the stem bark of Mitragyna diversifolia and their acetylcholine esterase inhibitory effects. Phytochemistry, 2013, 96, 389-396.	1.4	26
44	Hyperbeanols F-Q, diverse monoterpenoid polyprenylated acylphloroglucinols from the flowers of Hypericum beanii. Phytochemistry, 2019, 159, 56-64.	1.4	26
45	Cloning, Functional Characterization, and Catalytic Mechanism of a Bergaptol O-Methyltransferase from Peucedanum praeruptorum Dunn. Frontiers in Plant Science, 2016, 7, 722.	1.7	25
46	Callistiviminenes A-O: Diverse adducts of Î²-triketone and sesqui- or monoterpene from the fruits of Callistemon viminalis. Phytochemistry, 2016, 131, 140-149.	1.4	25
47	Chemical Constituents from Trichilia connaroides and Their Nitric Oxide Production and Î±-Glucosidase Inhibitory Activities. Planta Medica, 2013, 79, 1767-1774.	0.7	24
48	Cassane-type diterpenoids from the seed kernels of Caesalpinia bonduc. FÃ¬toterapÃ¬Ã¢, 2014, 93, 201-208.	1.1	24
49	Unusual dimeric tetrahydroxanthone derivatives from Aspergillus lentulus and the determination of their axial chiralities. Scientific Reports, 2016, 6, 38958.	1.6	23
50	Cytotoxic Rocaglate Derivatives from Leaves of Aglaia perviridis. Scientific Reports, 2016, 6, 20045.	1.6	23
51	Hypoxia-Protective Azaphilone Adducts from Peyronellaea glomerata. Journal of Natural Products, 2018, 81, 1148-1153.	1.5	23
52	Two CYP71AJ enzymes function as psoralen synthase and angelicin synthase in the biosynthesis of furanocoumarins in Peucedanum praeruptorum Dunn. Plant Molecular Biology, 2020, 104, 327-337.	2.0	23
53	Four New Sesquiterpenoids from the Fruits of Alpinia oxyphylla. Chemical and Pharmaceutical Bulletin, 2011, 59, 402-406.	0.6	22
54	Novel Nortriterpenoids from Aphanamixis grandifolia. Chemical and Pharmaceutical Bulletin, 2011, 59, 282-286.	0.6	22

#	Article	IF	Citations
55	Twelve Novel and Diverse 16-Norphragmalin-Type Limonoids from Chukrasia tabularis var. velutina. Chemical and Pharmaceutical Bulletin, 2012, 60, 195-204.	0.6	22
56	Aphanamenes A and B, Two New Acyclic Diterpene [4 + 2]-Cycloaddition Adducts from Aphanamixis grandifolia. Organic Letters, 2013, 15, 5512-5515.	2.4	22
57	Mexicanolide limonoids with in vitro neuroprotective activities from seeds of Khaya senegalensis. RSC Advances, 2015, 5, 40465-40474.	1.7	22
58	Calliviminones Câ€“H: six new hetero- and carbon-Dielsâ€“Alder adducts with unusual skeletons from the fruits of Callistemon viminalis. RSC Advances, 2015, 5, 93900-93906.	1.7	22
59	Sarcaglarols Aâ€”D, Lindenaneâ€“Monoterpene Heterodimers from Sarcandra glabra Based on Molecular Networks. Chinese Journal of Chemistry, 2021, 39, 129-136.	2.6	22
60	Phenolics from Leontopodium leontopodioides inhibiting nitric oxide production. FÃ¬toterapÃ¬Ã¢, 2012, 83, 883-887.	1.1	21
61	Bioactivityâ€guided Isolation of Antiproliferative Diterpenoids from Euphorbia kansui. Phytotherapy Research, 2012, 26, 853-859.	2.8	20
62	New indole glucosides as biosynthetic intermediates of camptothecin from the fruits of Camptotheca acuminata. FÃ¬toterapÃ¬Ã¢, 2015, 103, 1-8.	1.1	20
63	Trichiconlides A and B: two novel limonoids from the fruits of Trichilia connaroides. Organic and Biomolecular Chemistry, 2016, 14, 1231-1235.	1.5	20
64	Functional characterization and correlation analysis of phenylalanine ammonia-lyase (PAL) in coumarin biosynthesis from Peucedanum praeruptorum Dunn. Phytochemistry, 2019, 158, 35-45.	1.4	20
65	Spirolindemers A and B, Lindenane Sesquiterpenoid Oligomers Equipped with Oxaspiro[4.5]decane from Chloranthus henryi. Chinese Journal of Chemistry, 2022, 40, 603-608.	2.6	20
66	Anti-inflammatory sesquiterpenes and sesquiterpene dimers fromChloranthus fortunei. Journal of Asian Natural Products Research, 2012, 14, 708-712.	0.7	19
67	Analysis and pharmacokinetics studies of gastrodin and p-hydroxybenzyl alcohol in dogs using ultra fast liquid chromatographyâ€“tandem mass spectrometry method. Journal of Pharmaceutical and Biomedical Analysis, 2014, 99, 83-88.	1.4	19
68	B-seco-29-nor-Limonoids from the stem barks of Toona ciliate var.Âyunnanensis. Tetrahedron, 2015, 71, 8472-8477.	1.0	19
69	Sesquiterpenoids from the seeds of Sarcandra glabra and the potential anti-inflammatory effects. FÃ¬toterapÃ¬Ã¢, 2016, 111, 7-11.	1.1	19
70	Limonoids with modified furan rings from root barks of Toona sinensis. Tetrahedron, 2016, 72, 7481-7487.	1.0	19
71	Antioxidant sordariol dimers from Sordaria macrospora and the absolute configuration determinations of their two simultaneous linear 1,2-diols. Tetrahedron Letters, 2016, 57, 2754-2757.	0.7	18
72	Main iridoid glycosides and HPLC/DAD-Q-TOF-MS/MS profile of glycosides from the antioxidant extract of Eucommia ulmoides Oliver seeds. Industrial Crops and Products, 2016, 79, 160-169.	2.5	18

#	Article	IF	Citations
73	Walrobsins A and B, Two Anti-inflammatory Limonoids from Root Barks of Walsura robusta. Organic Letters, 2017, 19, 4568-4571.	2.4	18
74	Elucidation of micromolecular phenylpropanoid and lignan glycosides as the main antioxidants of Ginkgo seeds. Industrial Crops and Products, 2018, 112, 830-838.	2.5	18
75	Cytotoxic withanolides from Physalis angulata. Natural Product Research, 2018, 32, 676-681.	1.0	18
76	ATF4 destabilizes RET through nonclassical GRP78 inhibition to enhance chemosensitivity to bortezomib in human osteosarcoma. Theranostics, 2019, 9, 6334-6353.	4.6	18
77	Shizukaol A exerts anti-inflammatory effect by regulating HMGB1/Nrf2/HO-1 pathway. Phytomedicine, 2021, 82, 153472.	2.3	18
78	Cytotoxic flavonol-diamide [3+2] adducts from the leaves of Aglaia odorata. Tetrahedron, 2015, 71, 2450-2457.	1.0	17
79	Bioactive A-ring rearranged limonoids from the root barks of Walsura robusta. Acta Pharmaceutica Sinica B, 2019, 9, 545-556.	5.7	17
80	Three new C-15-isobutyryl 16-norphragmalin-type limonoids from Chukrasia tabularis var. velutina. Phytochemistry Letters, 2012, 5, 249-252.	0.6	16
81	Tandem Solid-Phase Extraction Followed by HPLC-ESI/QTOF/MS/MS for Rapid Screening and Structural Identification of Trace Diterpenoids in Flowers of Rhododendron molle. Phytochemical Analysis, 2014, 25, 255-265.	1.2	16
82	New Cassane-Type Diterpenoids from <i>Caesalpinia bonduc</i>. Chemical and Pharmaceutical Bulletin, 2014, 62, 729-733.	0.6	16
83	Limonoids with diverse frameworks from the stem bark of Entandrophragma angolense and their bioactivities. RSC Advances, 2016, 6, 97160-97171.	1.7	16
84	Rearranged limonoids with unique 6/5/6/5 tetracarbocyclic skeletons from Toona ciliata and biomimetic structure divergence. Organic Chemistry Frontiers, 2017, 4, 2417-2421.	2.3	16
85	Three New Phenolic Glucosides from the Roots of Rheum palmatum. Chemical and Pharmaceutical Bulletin, 2012, 60, 241-245.	0.6	15
86	A pair of tirucallane C27-triterpenoid cyclopentenone epimers from the stem barks of Aphanamixis grandifolia. Tetrahedron Letters, 2012, 53, 1705-1709.	0.7	15
87	Bistabercarpamines A and B, first vobasinyl-chippiine-type bisindole alkaloid from Tabernaemontana corymbosa. Tetrahedron Letters, 2014, 55, 101-104.	0.7	15
88	Limonoids from the Stem Bark of <i>Khaya senegalensis</i>. Chemical and Pharmaceutical Bulletin, 2015, 63, 305-310.	0.6	15
89	Anti-inflammatory diterpene dimers from the root barks of Aphanamixis grandifolia. Organic and Biomolecular Chemistry, 2015, 13, 7452-7458.	1.5	15
90	Diverse tritepenoids from the fruits of Walsura robusta and their reversal of multidrug resistance phenotype in human breast cancer cells. Phytochemistry, 2017, 136, 108-118.	1.4	15

#	Article	IF	Citations
91	Sarglaromatics Aâ€“E: A Class of Naphthalene-Like Architecture Fused Norlindenane Sesquiterpene Dimers from Sarcandra glabra. Journal of Organic Chemistry, 2022, 87, 4323-4332.	1.7	15
92	Complete ¹H and ¹³C NMR data assignment of protolimonoids from the stem barks of Aphanamixis grandifolia. Magnetic Resonance in Chemistry, 2011, 49, 450-457.	1.1	14
93	Hydrogen/deuterium exchange, a unique and effective method for MS fragmentation behavior elucidation of ginkgolides and its application to systematic research in Ginkgo biloba. Journal of Pharmaceutical and Biomedical Analysis, 2017, 134, 181-186.	1.4	14
94	Dimethylated acylphloroglucinol meroterpenoids with anti-oral-bacterial and anti-inflammatory activities from Hypericum elodeoides. Bioorganic Chemistry, 2020, 104, 104275.	2.0	14
95	Labdane diterpenes from Chloranthus serratus. FÃ¬toterapÃ¬Ã¢, 2013, 91, 95-99.	1.1	13
96	One-step targeted accumulation and detection of camptothecin analogues from fruits of Camptotheca acuminata Decne using bilayer solid-phase extraction coupled with ultra-high-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2017, 1524, 37-48.	1.8	13
97	Rare dimeric guaianes from Xylopia vielana and their multidrug resistance reversal activity. Phytochemistry, 2019, 158, 26-34.	1.4	13
98	Elodeoidins Aâ€“H, acylphloroglucinol meroterpenoids possessing diverse rearranged skeletons from Hypericum elodeoides. Organic Chemistry Frontiers, 2021, 8, 1409-1414.	2.3	13
99	Anti-Inflammatory, Antioxidant, and Anti-Nonalcoholic Steatohepatitis Acylphloroglucinol Meroterpenoids from Hypericum bellum Flowers. Journal of Agricultural and Food Chemistry, 2021, 69, 646-654.	2.4	13
100	Chlospicenes A and B, cyclopropane cracked lindenane sesquiterpenoid dimers with anti-nonalcoholic steatohepatitis activity from Chloranthus henryi. Chinese Chemical Letters, 2022, 33, 4257-4260.	4.8	13
101	Ginkgolide B targets and inhibits creatine kinase B to regulate the CCT/TRiC-SK1 axis and exerts pro-angiogenic activity in middle cerebral artery occlusion mice. Pharmacological Research, 2022, 180, 106240.	3.1	13
102	Novel Tirucallane-Type Triterpenoids from Aphanamixis grandifolia. Chemistry and Biodiversity, 2011, 8, 2025-2034.	1.0	12
103	Two new tocopherol polymers from the seeds ofEuryale ferox. Journal of Asian Natural Products Research, 2012, 14, 743-747.	0.7	12
104	Inhibitory Effect of Four Triterpenoids from <i>Trichilia connaroides</i> on Nitric Oxide Production in Lipopolysaccharide-Stimulated RAW264.7 Cells. Chemical and Pharmaceutical Bulletin, 2013, 61, 1075-1080.	0.6	12
105	Identification and analysis of gastrodin and its five metabolites using ultra fast liquid chromatography electrospray ionization tandem mass spectrometry to investigate influence of multiple-dose and food. Journal of Chromatography A, 2014, 1358, 110-116.	1.8	12
106	New Structurally Diverse Limonoids from the Seeds of Khaya senegalensis. Planta Medica, 2017, 83, 341-350.	0.7	12
107	New triterpenoids with diverse side-chains from the barks of Melia Toosendan. FÃ¬toterapÃ¬Ã¢, 2018, 127, 62-68.	1.1	12
108	Ciliatasecones Aâ€“C, three rearranged limonoids from Toona ciliata var. yunnanensis. Organic and Biomolecular Chemistry, 2019, 17, 555-560.	1.5	12

#	Article	IF	Citations
109	Structure-based tailoring of the first coumarins-specific bergaptol O-methyltransferase to synthesize bergapten for depigmentation disorder treatment. Journal of Advanced Research, 2020, 21, 57-64.	4.4	12
110	Diverse Polycyclic Polyprenylated Acylphloroglucinol Congeners with Anti-Nonalcoholic Steatohepatitis Activity from Hypericum forrestii. Journal of Natural Products, 2021, 84, 1135-1148.	1.5	12
111	D-Ring-Opened Phragmalin-Type Limonoids from Chukrasia tabularis var. velutina. Chemistry and Biodiversity, 2011, 8, 2261-2269.	1.0	11
112	Involudispirones A and B: Sesterterpenes Containing a Dispiro Ring from Stahlianthus involucratus. Asian Journal of Organic Chemistry, 2015, 4, 1366-1369.	1.3	11
113	Further C-15-acyl phragmalin derivatives from Chukrasia tabularis A. Juss.. Phytochemistry, 2015, 117, 410-416.	1.4	11
114	Viminalins A-O: Diverse [3+2] hybrids of acylphloroglucinol and Î±-phellandrene from the fruits of Callistemon viminalis. Tetrahedron, 2017, 73, 1105-1113.	1.0	11
115	Melaleucadines A and B: Two rare benzylic phloroglucinol-terpene hybrids from Melaleuca leucadendron. Tetrahedron Letters, 2019, 60, 1011-1013.	0.7	11
116	Toonasindiynes A-F, new polyacetylenes from Toona sinensis with cytotoxic and anti-inflammatory activities. FÃ¬toterapÃ¬Ã¢, 2020, 146, 104667.	1.1	11
117	Hyperforones Aâ€“C, benzoyl-migrated [5.3.1]-type polycyclic polyprenylated acylphloroglucinols from Hypericum forrestii. Organic Chemistry Frontiers, 2020, 7, 1070-1076.	2.3	11
118	Four new limonoids from the seeds of Chukrasia tabularis A. Juss.. Phytochemistry Letters, 2017, 19, 12-17.	0.6	10
119	Trijugin- and mexicanolide-type limonoids from the fruits of Heynea trijuga that reverse multidrug resistance in MCF-7/DOX cells. Phytochemistry, 2018, 151, 42-49.	1.4	10
120	Acyclic diterpene and norsesquiterpene from the seed of Aphanamixis polystachya. FÃ¬toterapÃ¬Ã¢, 2020, 142, 104518.	1.1	10
121	Diverse limonoids from barks of Toona ciliata var. yunnanensis and their biological activities. Industrial Crops and Products, 2020, 148, 112275.	2.5	10
122	Diverse Ringâ€seco Limonoids from Munronia unifoliolata and Their Biological Activities. Chinese Journal of Chemistry, 2022, 40, 123-136.	2.6	10
123	Two new limonoids from the stem barks ofChukrasia tabularisvar.velutina. Journal of Asian Natural Products Research, 2011, 13, 781-786.	0.7	9
124	Two new phragmalin-type limonoids orthoesters from Entandrophragma candollei. Chinese Journal of Natural Medicines, 2017, 15, 680-683.	0.7	9
125	New meliacarpin-type (C-seco) and C-ring intact limonoids from the fruits of Melia toosendan. FÃ¬toterapÃ¬Ã¢, 2020, 144, 104605.	1.1	9
126	Diverse benzyl phloroglucinol-based meroterpenoids from the fruits of Melaleuca leucadendron. Tetrahedron, 2020, 76, 131326.	1.0	9

#	Article	IF	Citations
127	Mufolinin A, an unprecedented ring A-seco 10-ethyllimonoid from Munronia unifoliolata. Chinese Chemical Letters, 2022, 33, 516-518.	4.8	9
128	Aglatestine A, a Rearranged Limonoid with a 3/6/6 Tricarbocyclic Framework from the Fruits of Aglaia edulis. Journal of Organic Chemistry, 2021, 86, 11263-11268.	1.7	9
129	Integrated molecular networking strategy enhance the accuracy and visualization of components identification: A case study of Ginkgo biloba leaf extract. Journal of Pharmaceutical and Biomedical Analysis, 2022, 209, 114523.	1.4	9
130	Three New Cytotoxic Withanolides from the Chinese Folk Medicine Physalis angulata. Natural Product Communications, 2015, 10, 2059-62.	0.2	9
131	Glaucogenin E, a new C₂₁steroid fromCynanchum stauntonii. Natural Product Research, 2013, 27, 176-180.	1.0	8
132	Two rare limonoids from the stem barks of Entandrophragma utile. Tetrahedron Letters, 2016, 57, 5334-5337.	0.7	8
133	PokMT1 from the Polyketomycin Biosynthetic Machinery of Streptomyces diastatochromogenes TÃ¼46028 Belongs to the Emerging Family of C-Methyltransferases That Act on CoA-Activated Aromatic Substrates. Biochemistry, 2018, 57, 1003-1011.	1.2	8
134	Cipadessains Aâ€“K, eleven limonoids from the fruits ofCipadessa cinerascens. RSC Advances, 2018, 8, 10437-10445.	1.7	8
135	Novel rearranged acetophenone derivatives possessing diverse architectures from the leaves of Melicope ptelefolia. Tetrahedron, 2019, 75, 130784.	1.0	8
136	New triterpenoids, steroids and lignan from the stem barks of Entandrophragma utile. FÃ¬toterapÃ¬Ã¢, 2020, 143, 104546.	1.1	8
137	Diverse prieurianin-type limonoids with oxygen-bridged caged skeletons from two Aphanamixis species: discovery and biomimetic conversion. Organic Chemistry Frontiers, 2021, 8, 566-571.	2.3	8
138	A/D-rings-seco limonoids from the fruits of Aglaia edulis and their bioactivities. Phytochemistry, 2022, 195, 113049.	1.4	8
139	ONE-STEP LARGE-SCALE PREPARATIVE ISOLATION OF ISOQUINOLINE ALKALOIDS FROM RHIZOMA COPTIDIS CHINENSIS BY POLYAMIDE COLUMN CHROMATOGRAPHY AND THEIR QUANTITATIVE STRUCTURE-RETENTION RELATIONSHIP ANALYSIS. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 1842-1852.	0.5	7
140	Isolation of Ingenol-Type Diterpenoids fromEuphorbia kansuiby Offline Coupling of HPLC-ESI-MSnand HSCCC. Separation Science and Technology, 2013, 48, 1745-1751.	1.3	7
141	Involucratusins Aâ€“H: Unusual Cadinane Dimers from Stahlianthus involucratus with Multidrug Resistance Reversal Activity. Scientific Reports, 2016, 6, 29744.	1.6	7
142	Experimental and theoretical calculation studies on the structure elucidation and absolute configuration of calyxins from Alpinia katsumadai. FÃ¬toterapÃ¬Ã¢, 2017, 119, 121-129.	1.1	7
143	Trichiconlides C F, four new limonoids with 1,2-seco phragmalin-type carbon skeleton from the fruits of Trichilia connaroides. FÃ¬toterapÃ¬Ã¢, 2018, 125, 72-77.	1.1	7
144	Transcriptomic profiles of 33 opium poppy samples in different tissues, growth phases, and cultivars. Scientific Data, 2019, 6, 66.	2.4	7

#	Article	IF	Citations
145	Phragmalin-type limonoids with structural diversity at D-ring from the fruit shells of Chukrasia tabularis. FÃ¬toterapÃ¬Ã¢, 2019, 134, 188-195.	1.1	7
146	Discovery of ammosesters by mining the Streptomyces uncialis DCA2648 genome revealing new insight into ammosamide biosynthesis. Journal of Industrial Microbiology and Biotechnology, 2021, 48, .	1.4	7
147	Chisosiamens Aâ€“E, five new ring-intact limonoids with isomerized furan ring from the fruit of Chisocheton siamensis. FÃ¬toterapÃ¬Ã¢, 2021, 151, 104873.	1.1	7
148	Hyperbenzones A and B, two 1,2-seco and rearranged polycyclic polyprenylated acylphloroglucinols from Hypericum beanii. Chinese Chemical Letters, 2022, 33, 4121-4125.	4.8	7
149	The anti-inflammatory activity by suppressing the TRAF6/MAPKs pathway of trishizukaol a from Sarcandra glabra. Phytomedicine, 2022, 98, 153952.	2.3	7
150	Ten new calyxins from Alpinia katsumadai: a systematically studies on the stereochemistry of calyxins. Tetrahedron, 2014, 70, 8714-8722.	1.0	6
151	New naturally occurring diacetylenic spiroacetal enol ethers from Artemisia selengensis. Tetrahedron Letters, 2016, 57, 32-34.	0.7	6
152	Acylphloroglucinols from the fruits of Callistemon viminalis. Phytochemistry Letters, 2017, 20, 61-65.	0.6	6
153	Two new phenolic glycosides isolated from Ginkgo seeds. Chinese Journal of Natural Medicines, 2018, 16, 505-508.	0.7	6
154	Meliacarpinin-Type Limonoids from the Bark of Melia toosendan. Molecules, 2018, 23, 2590.	1.7	6
155	Two new nimbolinin- and trichilin-class limonoids isolated from the fruits of Melia azedarach. Chinese Journal of Natural Medicines, 2019, 17, 227-230.	0.7	6
156	Functional characterization of cinnamate 4-hydroxylase from Helianthus annuus Linn using a fusion protein method. Gene, 2020, 758, 144950.	1.0	6
157	Four New Limonoids from the Barks of Toona ciliata. Natural Products and Bioprospecting, 2021, 11, 81-86.	2.0	6
158	Stigmastane-type steroid saponins from the leaves of Vernonia amygdalina Del. FÃ¬toterapÃ¬Ã¢, 2021, 150, 104838.	1.1	6
159	Exploration of possible biosynthetic origin of 1/8/9-orthoester moiety in phragmalins. Tetrahedron Letters, 2014, 55, 815-817.	0.7	5
160	Six new alkaloids from Melodinus henryi. FÃ¬toterapÃ¬Ã¢, 2015, 100, 133-138.	1.1	5
161	Furan fragment isomerized mexicanolide-type Limonoids from the stem barks of Khaya senegalensis. Phytochemistry Letters, 2018, 24, 110-113.	0.6	5
162	Withaminimas Aâ€”F, six withanolides with potential anti-inflammatory activity from Physalis minima. Chinese Journal of Natural Medicines, 2019, 17, 469-474.	0.7	5

#	Article	IF	Citations
163	Phragmalin and mexicanolide limonoids with reversal of multidrug resistance from the seeds of Chukrasia tabularis A. Juss. Phytochemistry, 2021, 182, 112606.	1.4	5
164	Aphamines Aâ€“C, dimeric acyclic diterpene enantiomers from Aphanamixis polystachya. Chinese Chemical Letters, 2021, 32, 1480-1484.	4.8	5
165	Dynamic metabolic and transcriptomic profiling reveals the biosynthetic characteristics of hydroxycinnamic acid amides (HCAAs) in sunflower pollen. Food Research International, 2021, 149, 110678.	2.9	5
166	Sarglafuran A, a lindenane-type sesquiterpene dimers with unique furan ring from the leaves of Sarcandra glabra. Tetrahedron Letters, 2022, 98, 153834.	0.7	5
167	Two new C-15 enolic acyl phragmalin-type limonoids from Chukrasia tabularis var. velutina. Natural Product Research, 2013, 27, 597-602.	1.0	4
168	Two new polyhydroxyl polyacetylenes from fruits of Herpetospermum caudigerum. Journal of Natural Medicines, 2017, 71, 574-577.	1.1	4
169	B-seco limonoids from the bark of Toona ciliata. Phytochemistry Letters, 2020, 40, 63-66.	0.6	4
170	Anti-inflammatory flavagline glycosides and putrescine bisamides from Aglaia perviridis leaves. Tetrahedron, 2020, 76, 131257.	1.0	4
171	MS diagnostic model and rapid distinguishing of bioactive limonoids in fruits of Melia toosendan using solidâ€phase extraction coupled with LCâ€“MS/MS. Phytochemical Analysis, 2021, 32, 308-317.	1.2	4
172	Limonoids with Diverse Oxidation Patterns of C-12 Indicating a Complete Ring C-seco Biogenetic Pathway from Munronia unifoliolata. Journal of Natural Products, 2021, 84, 2352-2365.	1.5	4
173	Improving sesquiterpenoids production of Sarcandra glabra callus culture. Industrial Crops and Products, 2021, 169, 113636.	2.5	4
174	Two New Phragmalin-Type Limonoids from Chukrasia tabularis var. velutina. Molecules, 2013, 18, 373-380.	1.7	4
175	Diverse acyclic diterpene derivatives from Aphanamixis sinensis. FÃ¬toterapÃ¬Â¢, 2022, 159, 105192.	1.1	4
176	Three New D-Lactone Ring Isomeric Phragmalin-Type Limonoids from Chukrasia tabularis var. velutina. Heterocycles, 2012, 85, 3035.	0.4	3
177	A new acorane sesquiterpene from the aerial parts of Psychotria yunnanensis. Natural Product Research, 2014, 28, 1659-1663.	1.0	3
178	Highly oxygenated and rearranged limonoids from the stem barks of Entandrophragma utile. Phytochemistry, 2020, 172, 112282.	1.4	3
179	Submerged fermentation of Streptomyces uncialis providing a biotechnology platform for uncialamycin biosynthesis, engineering, and production. Journal of Industrial Microbiology and Biotechnology, 2021, 48, .	1.4	3
180	Type B polycyclic polyprenylated acylphloroglucinols from the roots of Hypericum beanii. Chinese Journal of Natural Medicines, 2021, 19, 385-390.	0.7	3

#	Article	IF	Citations
181	Sesquiterpenoids from the leaves of Sarcandra glabra. Chinese Journal of Natural Medicines, 2022, 20, 215-220.	0.7	3
182	Inhibition of the P2X7/NLRP3 Inflammasome Signaling Pathway by Deacetylgedunin from Toona sinensis. Journal of Natural Products, 2022, 85, 1388-1397.	1.5	3
183	Automatic MS/MS Data Mining Strategy for Discovering Target Natural Products: A Case of Lindenane Sesquiterpenoids. Analytical Chemistry, 2022, 94, 8514-8522.	3.2	3
184	Highly oxygenous trichilin-type limonoids from Trichilia sinensis. Chinese Journal of Natural Medicines, 2019, 17, 912-917.	0.7	2
185	Cajuputones Aâ€“C, Î² â€Triketone Flavanone Hybrids from the Branches and Leaves of Melaleuca cajuputi. Chemistry and Biodiversity, 2020, 17, e2000706.	1.0	2
186	Sequential transesterifications dominated reversible conversion of phragmalin-type 8/9/11-and 8/9/30-orthoesters. Tetrahedron Letters, 2021, 81, 153363.	0.7	2
187	Furan fragment isomerized andirobin-type limonoids from the stem barks of Khaya senegalensis. Journal of Asian Natural Products Research, 2021, 23, 498-503.	0.7	2
188	Lignans with (N, N-diethyl)methyl amino group from Buxus rugulosa. Chinese Journal of Natural Medicines, 2021, 19, 675-679.	0.7	1
189	Two new sesquiterpenoids from the roots of Sarcandra glabra. Natural Product Research, 0, , 1-7.	1.0	1