

# Jun Luo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6172191/publications.pdf>

Version: 2024-02-01

189  
papers

3,316  
citations

172207

29  
h-index

301761

39  
g-index

211  
all docs

211  
docs citations

211  
times ranked

2711  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mufolinin A, an unprecedented ring A-seco 10-ethylimonoid from <i>Munronia unifoliolata</i> . <i>Chinese Chemical Letters</i> , 2022, 33, 516-518.	4.8	9
2	Diverse Ring-seco Limonoids from <i>Munronia unifoliolata</i> and Their Biological Activities. <i>Chinese Journal of Chemistry</i> , 2022, 40, 123-136.	2.6	10
3	Hyperbenzones A and B, two 1,2-seco and rearranged polycyclic polyprenylated acylphloroglucinols from <i>Hypericum beanii</i> . <i>Chinese Chemical Letters</i> , 2022, 33, 4121-4125.	4.8	7
4	Integrated molecular networking strategy enhance the accuracy and visualization of components identification: A case study of <i>Ginkgo biloba</i> leaf extract. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 209, 114523.	1.4	9
5	A/D-rings-seco limonoids from the fruits of <i>Aglaia edulis</i> and their bioactivities. <i>Phytochemistry</i> , 2022, 195, 113049.	1.4	8
6	Spirolindemers A and B, Lindenane Sesquiterpenoid Oligomers Equipped with Oxaspiro[4.5]decane from <i>Chloranthus henryi</i> . <i>Chinese Journal of Chemistry</i> , 2022, 40, 603-608.	2.6	20
7	The anti-inflammatory activity by suppressing the TRAF6/MAPKs pathway of trishizukaol a from <i>Sarcandra glabra</i> . <i>Phytomedicine</i> , 2022, 98, 153952.	2.3	7
8	Chlospicenes A and B, cyclopropane cracked lindenane sesquiterpenoid dimers with anti-nonalcoholic steatohepatitis activity from <i>Chloranthus henryi</i> . <i>Chinese Chemical Letters</i> , 2022, 33, 4257-4260.	4.8	13
9	Sarglaromatics A-E: A Class of Naphthalene-Like Architecture Fused Norlindenane Sesquiterpene Dimers from <i>Sarcandra glabra</i> . <i>Journal of Organic Chemistry</i> , 2022, 87, 4323-4332.	1.7	15
10	Sesquiterpenoids from the leaves of <i>Sarcandra glabra</i> . <i>Chinese Journal of Natural Medicines</i> , 2022, 20, 215-220.	0.7	3
11	Diverse acyclic diterpene derivatives from <i>Aphanamixis sinensis</i> . <i>F-toterap</i> , 2022, 159, 105192.	1.1	4
12	Inhibition of the P2X7/NLRP3 Inflammasome Signaling Pathway by Deacetylgedunin from <i>Toona sinensis</i> . <i>Journal of Natural Products</i> , 2022, 85, 1388-1397.	1.5	3
13	Sarglafuran A, a lindenane-type sesquiterpene dimers with unique furan ring from the leaves of <i>Sarcandra glabra</i> . <i>Tetrahedron Letters</i> , 2022, 98, 153834.	0.7	5
14	Ginkgolide B targets and inhibits creatine kinase B to regulate the CCT/TRiC-SK1 axis and exerts pro-angiogenic activity in middle cerebral artery occlusion mice. <i>Pharmacological Research</i> , 2022, 180, 106240.	3.1	13
15	Research progress of meliaceous limonoids from 2011 to 2021. <i>Natural Product Reports</i> , 2022, 39, 1325-1365.	5.2	35
16	Automatic MS/MS Data Mining Strategy for Discovering Target Natural Products: A Case of Lindenane Sesquiterpenoids. <i>Analytical Chemistry</i> , 2022, 94, 8514-8522.	3.2	3
17	MS diagnostic model and rapid distinguishing of bioactive limonoids in fruits of <i>Melia toosendan</i> using solid-phase extraction coupled with LC-MS/MS. <i>Phytochemical Analysis</i> , 2021, 32, 308-317.	1.2	4
18	Sarcglarols D, Lindenane Monoterpene Heterodimers from <i>Sarcandra glabra</i> Based on Molecular Networks. <i>Chinese Journal of Chemistry</i> , 2021, 39, 129-136.	2.6	22

#	ARTICLE	IF	CITATIONS
19	Elodeoidins Aâ€“H, acylphloroglucinol meroterpenoids possessing diverse rearranged skeletons from <i>Hypericum elodeoides</i> . <i>Organic Chemistry Frontiers</i> , 2021, 8, 1409-1414.	2.3	13
20	Diverse prieurianin-type limonoids with oxygen-bridged caged skeletons from two <i>Aphanamixis</i> species: discovery and biomimetic conversion. <i>Organic Chemistry Frontiers</i> , 2021, 8, 566-571.	2.3	8
21	Phragmalin and mexicanolide limonoids with reversal of multidrug resistance from the seeds of <i>Chukrasia tabularis</i> A. Juss. <i>Phytochemistry</i> , 2021, 182, 112606.	1.4	5
22	Aphamines Aâ€“C, dimeric acyclic diterpene enantiomers from <i>Aphanamixis polystachya</i> . <i>Chinese Chemical Letters</i> , 2021, 32, 1480-1484.	4.8	5
23	Four New Limonoids from the Barks of <i>Toona ciliata</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 81-86.	2.0	6
24	Anti-Inflammatory, Antioxidant, and Anti-Nonalcoholic Steatohepatitis Acylphloroglucinol Meroterpenoids from <i>Hypericum bellum</i> Flowers. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 646-654.	2.4	13
25	Shizukaol A exerts anti-inflammatory effect by regulating HMGB1/Nrf2/HO-1 pathway. <i>Phytomedicine</i> , 2021, 82, 153472.	2.3	18
26	Submerged fermentation of <i>Streptomyces uncialis</i> providing a biotechnology platform for unciamycin biosynthesis, engineering, and production. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2021, 48, .	1.4	3
27	Diverse Polycyclic Polyprenylated Acylphloroglucinol Congeners with Anti-Nonalcoholic Steatohepatitis Activity from <i>Hypericum forrestii</i> . <i>Journal of Natural Products</i> , 2021, 84, 1135-1148.	1.5	12
28	Discovery of ammosesters by mining the <i>Streptomyces uncialis</i> DCA2648 genome revealing new insight into ammosamide biosynthesis. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2021, 48, .	1.4	7
29	Stigmastane-type steroid saponins from the leaves of <i>Vernonia amygdalina</i> Del. <i>F�-toterap�-�</i> , 2021, 150, 104838.	1.1	6
30	Type B polycyclic polyprenylated acylphloroglucinols from the roots of <i>Hypericum beanii</i> . <i>Chinese Journal of Natural Medicines</i> , 2021, 19, 385-390.	0.7	3
31	Chisosiamens Aâ€“E, five new ring-intact limonoids with isomerized furan ring from the fruit of <i>Chisocheton siamensis</i> . <i>F�-toterap�-�</i> , 2021, 151, 104873.	1.1	7
32	Aglatestine A, a Rearranged Limonoid with a 3/6/6 Tricarbocyclic Framework from the Fruits of <i>Aglaia edulis</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 11263-11268.	1.7	9
33	Limonoids with Diverse Oxidation Patterns of C-12 Indicating a Complete Ring C- <i>seco</i> Biogenetic Pathway from <i>Munronia unifoliolata</i> . <i>Journal of Natural Products</i> , 2021, 84, 2352-2365.	1.5	4
34	Sequential transesterifications dominated reversible conversion of phragmalin-type 8/9/11-and 8/9/30-orthoesters. <i>Tetrahedron Letters</i> , 2021, 81, 153363.	0.7	2
35	Lignans with (N, N-diethyl)methyl amino group from <i>Buxus rugulosa</i> . <i>Chinese Journal of Natural Medicines</i> , 2021, 19, 675-679.	0.7	1
36	Improving sesquiterpenoids production of <i>Sarcandra glabra</i> callus culture. <i>Industrial Crops and Products</i> , 2021, 169, 113636.	2.5	4

#	ARTICLE	IF	CITATIONS
37	Dynamic metabolic and transcriptomic profiling reveals the biosynthetic characteristics of hydroxycinnamic acid amides (HCAAs) in sunflower pollen. <i>Food Research International</i> , 2021, 149, 110678.	2.9	5
38	Furan fragment isomerized andirobin-type limonoids from the stem barks of <i>Khaya senegalensis</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 498-503.	0.7	2
39	Structure-based tailoring of the first coumarins-specific bergaptol O-methyltransferase to synthesize bergapten for depigmentation disorder treatment. <i>Journal of Advanced Research</i> , 2020, 21, 57-64.	4.4	12
40	Cajuputones A-C, $\hat{I}^2$ -triketone Flavanone Hybrids from the Branches and Leaves of <i>Melaleuca cajuputi</i> . <i>Chemistry and Biodiversity</i> , 2020, 17, e2000706.	1.0	2
41	B-seco limonoids from the bark of <i>Toona ciliata</i> . <i>Phytochemistry Letters</i> , 2020, 40, 63-66.	0.6	4
42	Functional characterization of cinnamate 4-hydroxylase from <i>Helianthus annuus</i> Linn using a fusion protein method. <i>Gene</i> , 2020, 758, 144950.	1.0	6
43	Two CYP71AJ enzymes function as psoralen synthase and angelicin synthase in the biosynthesis of furanocoumarins in <i>Peucedanum praeruptorum</i> Dunn. <i>Plant Molecular Biology</i> , 2020, 104, 327-337.	2.0	23
44	Dimethylated acylphloroglucinol meroterpenoids with anti-oral-bacterial and anti-inflammatory activities from <i>Hypericum elodeoides</i> . <i>Bioorganic Chemistry</i> , 2020, 104, 104275.	2.0	14
45	Anti-inflammatory flavagline glycosides and putrescine bisamides from <i>Aglaia perviridis</i> leaves. <i>Tetrahedron</i> , 2020, 76, 131257.	1.0	4
46	New meliacarpin-type (C-seco) and C-ring intact limonoids from the fruits of <i>Melia toosendan</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 144, 104605.	1.1	9
47	Toonasindiynes A-F, new polyacetylenes from <i>Toona sinensis</i> with cytotoxic and anti-inflammatory activities. <i>FÄ-toterapÄ-Äç</i> , 2020, 146, 104667.	1.1	11
48	Diverse benzyl phloroglucinol-based meroterpenoids from the fruits of <i>Melaleuca leucadendron</i> . <i>Tetrahedron</i> , 2020, 76, 131326.	1.0	9
49	Hyperforones A-C, benzoyl-migrated [5.3.1]-type polycyclic polyprenylated acylphloroglucinols from <i>Hypericum forrestii</i> . <i>Organic Chemistry Frontiers</i> , 2020, 7, 1070-1076.	2.3	11
50	Acyclic diterpene and norsesquiterpene from the seed of <i>Aphanamixis polystachya</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 142, 104518.	1.1	10
51	Diverse limonoids from barks of <i>Toona ciliata</i> var. <i>yunnanensis</i> and their biological activities. <i>Industrial Crops and Products</i> , 2020, 148, 112275.	2.5	10
52	Highly oxygenated and rearranged limonoids from the stem barks of <i>Entandrophragma utile</i> . <i>Phytochemistry</i> , 2020, 172, 112282.	1.4	3
53	New triterpenoids, steroids and lignan from the stem barks of <i>Entandrophragma utile</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 143, 104546.	1.1	8
54	Two new nimbolin- and trichilin-class limonoids isolated from the fruits of <i>Melia azedarach</i> . <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 227-230.	0.7	6

#	ARTICLE	IF	CITATIONS
55	Withaminimas A–F, six withanolides with potential anti-inflammatory activity from <i>Physalis minima</i> . <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 469-474.	0.7	5
56	ATF4 destabilizes RET through nonclassical GRP78 inhibition to enhance chemosensitivity to bortezomib in human osteosarcoma. <i>Theranostics</i> , 2019, 9, 6334-6353.	4.6	18
57	Hyperberins A and B, Type B Polycyclic Polyprenylated Acylphloroglucinols with Bicyclo[5.3.1]hendecane Core from <i>Hypericum bearii</i> . <i>Organic Letters</i> , 2019, 21, 8558-8562.	2.4	32
58	Ciliatasecones A–C, three rearranged limonoids from <i>Toona ciliata</i> var. <i>yunnanensis</i> . <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 555-560.	1.5	12
59	Elucidation of the biosynthesis pathway and heterologous construction of a sustainable route for producing umbelliferone. <i>Journal of Biological Engineering</i> , 2019, 13, 44.	2.0	28
60	Anti-inflammatory lindenane sesquiterpenoids and dimers from <i>Sarcandra glabra</i> and its upregulating AKT/Nrf2/HO-1 signaling mechanism. <i>Industrial Crops and Products</i> , 2019, 137, 367-376.	2.5	48
61	Diverse Chemosensitizing 8,9-Secolindenane-Type Sesquiterpenoid Oligomers and Monomers from <i>Sarcandra glabra</i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 9117-9126.	1.7	31
62	Transcriptomic profiles of 33 opium poppy samples in different tissues, growth phases, and cultivars. <i>Scientific Data</i> , 2019, 6, 66.	2.4	7
63	Phragmalin-type limonoids with structural diversity at D-ring from the fruit shells of <i>Chukrasia tabularis</i> . <i>F–totera</i> , 2019, 134, 188-195.	1.1	7
64	Melaleucadines A and B: Two rare benzylic phloroglucinol-terpene hybrids from <i>Melaleuca leucadendron</i> . <i>Tetrahedron Letters</i> , 2019, 60, 1011-1013.	0.7	11
65	Bioactive A-ring rearranged limonoids from the root barks of <i>Walsura robusta</i> . <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 545-556.	5.7	17
66	Highly oxygenous trichilin-type limonoids from <i>Trichilia sinensis</i> . <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 912-917.	0.7	2
67	Novel rearranged acetophenone derivatives possessing diverse architectures from the leaves of <i>Melicope ptelefolia</i> . <i>Tetrahedron</i> , 2019, 75, 130784.	1.0	8
68	Hyperbeanols F-Q, diverse monoterpenoid polyprenylated acylphloroglucinols from the flowers of <i>Hypericum bearii</i> . <i>Phytochemistry</i> , 2019, 159, 56-64.	1.4	26
69	Rare dimeric guaianes from <i>Xylopia vielana</i> and their multidrug resistance reversal activity. <i>Phytochemistry</i> , 2019, 158, 26-34.	1.4	13
70	Functional characterization and correlation analysis of phenylalanine ammonia-lyase (PAL) in coumarin biosynthesis from <i>Peucedanum praeruptorum</i> Dunn. <i>Phytochemistry</i> , 2019, 158, 35-45.	1.4	20
71	Chlotrichenes A and B, Two Lindenane Sesquiterpene Dimers with Highly Fused Carbon Skeletons from <i>Chloranthus holostegius</i> . <i>Organic Letters</i> , 2019, 21, 789-792.	2.4	46
72	Trijugin- and mexicanolide-type limonoids from the fruits of <i>Heynea trijuga</i> that reverse multidrug resistance in MCF-7/DOX cells. <i>Phytochemistry</i> , 2018, 151, 42-49.	1.4	10

#	ARTICLE	IF	CITATIONS
73	New triterpenoids with diverse side-chains from the barks of <i>Melia Toosendan</i> . <i>FÅ-toterapÅ-Åç</i> , 2018, 127, 62-68.	1.1	12
74	PokMT1 from the Polyketomycin Biosynthetic Machinery of <i>Streptomyces diastatochromogenes</i> belongs to the Emerging Family of C-Methyltransferases That Act on CoA-Activated Aromatic Substrates. <i>Biochemistry</i> , 2018, 57, 1003-1011.	1.2	8
75	Elucidation of micromolecular phenylpropanoid and lignan glycosides as the main antioxidants of Ginkgo seeds. <i>Industrial Crops and Products</i> , 2018, 112, 830-838.	2.5	18
76	Trichiconlides C F, four new limonoids with 1,2-seco phragmalin-type carbon skeleton from the fruits of <i>Trichilia connaroides</i> . <i>FÅ-toterapÅ-Åç</i> , 2018, 125, 72-77.	1.1	7
77	Furan fragment isomerized mexicanolide-type Limonoids from the stem barks of <i>Khaya senegalensis</i> . <i>Phytochemistry Letters</i> , 2018, 24, 110-113.	0.6	5
78	Cipadessains A-K, eleven limonoids from the fruits of <i>Cipadessa cinerascens</i> . <i>RSC Advances</i> , 2018, 8, 10437-10445.	1.7	8
79	Anti-inflammatory activity of Khayandirobilide A from <i>Khaya senegalensis</i> via NF-ÎB, AP-1 and p38 MAPK/Nrf2/HO-1 signaling pathways in lipopolysaccharide-stimulated RAW 264.7 and BV-2 cells. <i>Phytomedicine</i> , 2018, 42, 152-163.	2.3	47
80	Cytotoxic withanolides from <i>Physalis angulata</i> . <i>Natural Product Research</i> , 2018, 32, 676-681.	1.0	18
81	Two new phenolic glycosides isolated from Ginkgo seeds. <i>Chinese Journal of Natural Medicines</i> , 2018, 16, 505-508.	0.7	6
82	Meliacarpinin-Type Limonoids from the Bark of <i>Melia toosendan</i> . <i>Molecules</i> , 2018, 23, 2590.	1.7	6
83	Hypoxia-Protective Azaphilone Adducts from <i>Peyronellaea glomerata</i> . <i>Journal of Natural Products</i> , 2018, 81, 1148-1153.	1.5	23
84	Viminalins A-O: Diverse [3+2] hybrids of acylphloroglucinol and Î±-phellandrene from the fruits of <i>Callistemon viminalis</i> . <i>Tetrahedron</i> , 2017, 73, 1105-1113.	1.0	11
85	Diverse triterpenoids from the fruits of <i>Walsura robusta</i> and their reversal of multidrug resistance phenotype in human breast cancer cells. <i>Phytochemistry</i> , 2017, 136, 108-118.	1.4	15
86	Isolation, Structure Elucidation, and Absolute Configuration of Syncarpic Acid-Conjugated Terpenoids from <i>Rhodomyrtus tomentosa</i> . <i>Journal of Natural Products</i> , 2017, 80, 989-998.	1.5	28
87	Two new polyhydroxyl polyacetylenes from fruits of <i>Herpetospermum caudigerum</i> . <i>Journal of Natural Medicines</i> , 2017, 71, 574-577.	1.1	4
88	Experimental and theoretical calculation studies on the structure elucidation and absolute configuration of calyxins from <i>Alpinia katsumadai</i> . <i>FÅ-toterapÅ-Åç</i> , 2017, 119, 121-129.	1.1	7
89	Furanmonogones A and B: two rearranged acylphloroglucinols with a 4,5-seco-3(2H)-furanone core from the flowers of <i>Hypericum monogynum</i> . <i>Organic Chemistry Frontiers</i> , 2017, 4, 313-317.	2.3	30
90	The Anti-inflammatory Activities of Two Major Withanolides from <i>Physalis minima</i> Via Acting on NF-ÎB, STAT3, and HO-1 in LPS-Stimulated RAW264.7 Cells. <i>Inflammation</i> , 2017, 40, 401-413.	1.7	48

#	ARTICLE	IF	CITATIONS
91	Hydrogen/deuterium exchange, a unique and effective method for MS fragmentation behavior elucidation of ginkgolides and its application to systematic research in <i>Ginkgo biloba</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 134, 181-186.	1.4	14
92	Acylphloroglucinols from the fruits of <i>Callistemon viminalis</i> . <i>Phytochemistry Letters</i> , 2017, 20, 61-65.	0.6	6
93	Xylopihana A, a Dimeric Guaiane with a Case-Shaped Core from <i>Xylopiha vielana</i> : Structural Elucidation and Biomimetic Conversion. <i>Organic Letters</i> , 2017, 19, 3013-3016.	2.4	29
94	One-step targeted accumulation and detection of camptothecin analogues from fruits of <i>Camptotheca acuminata</i> Decne using bilayer solid-phase extraction coupled with ultra-high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1524, 37-48.	1.8	13
95	Two new phragmalin-type limonoids orthoesters from <i>Entandrophragma candollei</i> . <i>Chinese Journal of Natural Medicines</i> , 2017, 15, 680-683.	0.7	9
96	GRP78 inhibition enhances ATF4-induced cell death by the deubiquitination and stabilization of CHOP in human osteosarcoma. <i>Cancer Letters</i> , 2017, 410, 112-123.	3.2	31
97	Near-Infrared Fluorescent Probe with Remarkable Large Stokes Shift and Favorable Water Solubility for Real-Time Tracking Leucine Aminopeptidase in Living Cells and In Vivo. <i>Analytical Chemistry</i> , 2017, 89, 12319-12326.	3.2	82
98	Rearranged limonoids with unique 6/5/6/5 tetracyclic skeletons from <i>Toona ciliata</i> and biomimetic structure divergence. <i>Organic Chemistry Frontiers</i> , 2017, 4, 2417-2421.	2.3	16
99	Identification and functional characterization of a p-coumaroyl CoA 2-hydroxylase involved in the biosynthesis of coumarin skeleton from <i>Peucedanum praeruptorum</i> Dunn. <i>Plant Molecular Biology</i> , 2017, 95, 199-213.	2.0	30
100	Walrobsins A and B, Two Anti-inflammatory Limonoids from Root Barks of <i>Walsura robusta</i> . <i>Organic Letters</i> , 2017, 19, 4568-4571.	2.4	18
101	Four new limonoids from the seeds of <i>Chukrasia tabularis</i> A. Juss.. <i>Phytochemistry Letters</i> , 2017, 19, 12-17.	0.6	10
102	Antimicrobial metabolites from the plant endophytic fungus <i>Penicillium</i> sp.. <i>Fungal Diversity</i> , 2017, 116, 72-76.	1.1	28
103	New Structurally Diverse Limonoids from the Seeds of <i>Khaya senegalensis</i> . <i>Planta Medica</i> , 2017, 83, 341-350.	0.7	12
104	Cloning, Functional Characterization and Site-Directed Mutagenesis of 4-Coumarate: Coenzyme A Ligase (4CL) Involved in Coumarin Biosynthesis in <i>Peucedanum praeruptorum</i> Dunn. <i>Frontiers in Plant Science</i> , 2017, 8, 4.	1.7	27
105	Cloning, Functional Characterization, and Catalytic Mechanism of a Bergaptol O-Methyltransferase from <i>Peucedanum praeruptorum</i> Dunn. <i>Frontiers in Plant Science</i> , 2016, 7, 722.	1.7	25
106	Sophoraflavanone G from <i>Sophora alopecuroides</i> inhibits lipopolysaccharide-induced inflammation in RAW264.7 cells by targeting PI3K/Akt, JAK/STAT and Nrf2/HO-1 pathways. <i>International Immunopharmacology</i> , 2016, 38, 349-356.	1.7	56
107	Unusual dimeric tetrahydroxanthone derivatives from <i>Aspergillus lentulus</i> and the determination of their axial chiralities. <i>Scientific Reports</i> , 2016, 6, 38958.	1.6	23
108	Involucratins A-H: Unusual Cadinane Dimers from <i>Stahlianthus involucratus</i> with Multidrug Resistance Reversal Activity. <i>Scientific Reports</i> , 2016, 6, 29744.	1.6	7

#	ARTICLE	IF	CITATIONS
109	Antioxidant sordariol dimers from <i>Sordaria macrospora</i> and the absolute configuration determinations of their two simultaneous linear 1,2-diols. <i>Tetrahedron Letters</i> , 2016, 57, 2754-2757.	0.7	18
110	Spirotrichilins A and B: Two Rearranged Spirocyclic Limonoids from <i>Trichilia connaroides</i> . <i>Organic Letters</i> , 2016, 18, 1924-1927.	2.4	37
111	Sesquiterpenoids from the seeds of <i>Sarcandra glabra</i> and the potential anti-inflammatory effects. <i>FĀ-toterapĀ-Āç</i> , 2016, 111, 7-11.	1.1	19
112	Limonoids with modified furan rings from root barks of <i>Toona sinensis</i> . <i>Tetrahedron</i> , 2016, 72, 7481-7487.	1.0	19
113	Limonoids with diverse frameworks from the stem bark of <i>Entandrophragma angolense</i> and their bioactivities. <i>RSC Advances</i> , 2016, 6, 97160-97171.	1.7	16
114	Callistiviminenes A-O: Diverse adducts of Î <sup>2</sup> -triketone and sesqui- or monoterpene from the fruits of <i>Callistemon viminalis</i> . <i>Phytochemistry</i> , 2016, 131, 140-149.	1.4	25
115	Rhodomirtals A and B, Two Meroterpenoids with a Triketone-Sesquiterpene-Triketone Skeleton from <i>Rhodomirtus tomentosa</i> : Structural Elucidation and Biomimetic Synthesis. <i>Organic Letters</i> , 2016, 18, 4068-4071.	2.4	52
116	Polyprenylated Tetraoxygenated Xanthenes from the Roots of <i>Hypericum monogynum</i> and Their Neuroprotective Activities. <i>Journal of Natural Products</i> , 2016, 79, 1971-1981.	1.5	40
117	Cytotoxic Rocaglate Derivatives from Leaves of <i>Aglaia perviridis</i> . <i>Scientific Reports</i> , 2016, 6, 20045.	1.6	23
118	Two rare limonoids from the stem barks of <i>Entandrophragma utile</i> . <i>Tetrahedron Letters</i> , 2016, 57, 5334-5337.	0.7	8
119	Sarglaperoxides A and B, Sesquiterpene-Normonoterpene Conjugates with a Peroxide Bridge from the Seeds of <i>Sarcandra glabra</i> . <i>Organic Letters</i> , 2016, 18, 832-835.	2.4	46
120	Trichiconlides A and B: two novel limonoids from the fruits of <i>Trichilia connaroides</i> . <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 1231-1235.	1.5	20
121	Four new steroid saponins with highly oxidized side chains from the leaves of <i>Vernonia amygdalina</i> . <i>Phytochemistry Letters</i> , 2016, 15, 16-20.	0.6	32
122	New naturally occurring diacetylenic spiroacetal enol ethers from <i>Artemisia selengensis</i> . <i>Tetrahedron Letters</i> , 2016, 57, 32-34.	0.7	6
123	Main iridoid glycosides and HPLC/DAD-Q-TOF-MS/MS profile of glycosides from the antioxidant extract of <i>Eucommia ulmoides</i> Oliver seeds. <i>Industrial Crops and Products</i> , 2016, 79, 160-169.	2.5	18
124	Selection of Reference Genes for Gene Expression Normalization in <i>Peucedanum praeruptorum</i> Dunn under Abiotic Stresses, Hormone Treatments and Different Tissues. <i>PLoS ONE</i> , 2016, 11, e0152356.	1.1	37
125	Limonoids from the Stem Bark of <i>Khaya senegalensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 305-310.	0.6	15
126	Involudispirones A and B: Sesterterpenes Containing a Dispiro Ring from <i>Stahlianthus involucratus</i> . <i>Asian Journal of Organic Chemistry</i> , 2015, 4, 1366-1369.	1.3	11



#	ARTICLE	IF	CITATIONS
127	Involucrastones Aâ€™C: Unprecedented Sesquiterpene Dimers Containing Multiple Contiguous Quaternary Carbons from <i>Stahlianthus involucratus</i> . <i>Chemistry - A European Journal</i> , 2015, 21, 13206-13209.	1.7	36
128	Integration of a Decrescent Transcriptome and Metabolomics Dataset of <i>Peucedanum praeruptorum</i> to Investigate the CYP450 and MDR Genes Involved in Coumarins Biosynthesis and Transport. <i>Frontiers in Plant Science</i> , 2015, 6, 996.	1.7	39
129	Anti-inflammatory diterpene dimers from the root barks of <i>Aphanamixis grandifolia</i> . <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 7452-7458.	1.5	15
130	Cytotoxic flavonol-diamide [3+2] adducts from the leaves of <i>Aglaia odorata</i> . <i>Tetrahedron</i> , 2015, 71, 2450-2457.	1.0	17
131	Sesquiterpene dimers esterified with diverse small organic acids from the seeds of <i>Sarcandra glabra</i> . <i>Tetrahedron</i> , 2015, 71, 5362-5370.	1.0	37
132	Further C-15-acyl phragmalin derivatives from <i>Chukrasia tabularis</i> A. Juss.. <i>Phytochemistry</i> , 2015, 117, 410-416.	1.4	11
133	Mexicanolide limonoids with in vitro neuroprotective activities from seeds of <i>Khaya senegalensis</i> . <i>RSC Advances</i> , 2015, 5, 40465-40474.	1.7	22
134	New indole glucosides as biosynthetic intermediates of camptothecin from the fruits of <i>Camptotheca acuminata</i> . <i>FÃ-toterapÃ-Ãç</i> , 2015, 103, 1-8.	1.1	20
135	Hypermongones Aâ€™J, Rare Methylated Polycyclic Polyprenylated Acylphloroglucinols from the Flowers of <i>Hypericum monogynum</i> . <i>Journal of Natural Products</i> , 2015, 78, 1093-1100.	1.5	42
136	B-seco-29-nor-Limonoids from the stem barks of <i>Toona ciliate</i> var. <i>Yunnanensis</i> . <i>Tetrahedron</i> , 2015, 71, 8472-8477.	1.0	19
137	Calliviminones Câ€™H: six new hetero- and carbon-Dielsâ€™Alder adducts with unusual skeletons from the fruits of <i>Callistemon viminalis</i> . <i>RSC Advances</i> , 2015, 5, 93900-93906.	1.7	22
138	(Ã±)-Melicolones A and B, Rearranged Prenylated Acetophenone Stereoisomers with an Unusual 9-Oxatricyclo[3.2.1.1<sup>3,8</sup>]nonane Core from the Leaves of <i>Melicope ptelefolia</i> . <i>Organic Letters</i> , 2015, 17, 146-149.	2.4	31
139	Six new alkaloids from <i>Melodinus henryi</i> . <i>FÃ-toterapÃ-Ãç</i> , 2015, 100, 133-138.	1.1	5
140	Isolation and biomimetic synthesis of (Ã±)-calliviminones A and B, two novel Dielsâ€™Alder adducts, from <i>Callistemon viminalis</i> . <i>Tetrahedron Letters</i> , 2015, 56, 229-232.	0.7	34
141	Three New Cytotoxic Withanolides from the Chinese Folk Medicine <i>Physalis angulata</i> . <i>Natural Product Communications</i> , 2015, 10, 2059-62.	0.2	9
142	Tandem Solid-Phase Extraction Followed by HPLC-ESI/QTOF/MS/MS for Rapid Screening and Structural Identification of Trace Diterpenoids in Flowers of <i>Rhododendron molle</i> . <i>Phytochemical Analysis</i> , 2014, 25, 255-265.	1.2	16
143	Cassane-type diterpenoids from the seed kernels of <i>Caesalpinia bonduc</i> . <i>FÃ-toterapÃ-Ãç</i> , 2014, 93, 201-208.	1.1	24
144	Ten new calyxins from <i>Alpinia katsumadai</i> : a systematically studies on the stereochemistry of calyxins. <i>Tetrahedron</i> , 2014, 70, 8714-8722.	1.0	6

#	ARTICLE	IF	CITATIONS
145	A new acorane sesquiterpene from the aerial parts of <i>Psychotria yunnanensis</i> . <i>Natural Product Research</i> , 2014, 28, 1659-1663.	1.0	3
146	Identification and analysis of gastrodin and its five metabolites using ultra fast liquid chromatography electrospray ionization tandem mass spectrometry to investigate influence of multiple-dose and food. <i>Journal of Chromatography A</i> , 2014, 1358, 110-116.	1.8	12
147	Analysis and pharmacokinetics studies of gastrodin and p-hydroxybenzyl alcohol in dogs using ultra fast liquid chromatography tandem mass spectrometry method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 99, 83-88.	1.4	19
148	Bistabercarpamines A and B, first vobasinyl-chippiine-type bisindole alkaloid from <i>Tabernaemontana corymbosa</i> . <i>Tetrahedron Letters</i> , 2014, 55, 101-104.	0.7	15
149	Tabercarpamines A, Apoptosis-Inducing Indole Alkaloids from the Leaves of <i>Tabernaemontana corymbosa</i> . <i>Journal of Natural Products</i> , 2014, 77, 1156-1163.	1.5	43
150	Exploration of possible biosynthetic origin of 1/8/9-orthoester moiety in phragmalins. <i>Tetrahedron Letters</i> , 2014, 55, 815-817.	0.7	5
151	New Cassane-Type Diterpenoids from <i>Caesalpinia bonduca</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 729-733.	0.6	16
152	Monoterpene indole alkaloids from the stem bark of <i>Mitragyna diversifolia</i> and their acetylcholine esterase inhibitory effects. <i>Phytochemistry</i> , 2013, 96, 389-396.	1.4	26
153	Labdane diterpenes from <i>Chloranthus serratus</i> . <i>Fä-toterapÄ-Äç</i> , 2013, 91, 95-99.	1.1	13
154	Î±-Glucosidase inhibitory triterpenoids from the stem barks of <i>Uncaria laevigata</i> . <i>Fä-toterapÄ-Äç</i> , 2013, 90, 30-37.	1.1	31
155	Amomaxins A and B, Two Unprecedented Rearranged Labdane Norditerpenoids with a Nine-Membered Ring from <i>Amomum maximum</i> . <i>Organic Letters</i> , 2013, 15, 1572-1575.	2.4	32
156	Two new C-15 enolic acyl phragmalin-type limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Natural Product Research</i> , 2013, 27, 597-602.	1.0	4
157	Aphanamenes A and B, Two New Acyclic Diterpene [4 + 2]-Cycloaddition Adducts from <i>Aphanamixis grandifolia</i> . <i>Organic Letters</i> , 2013, 15, 5512-5515.	2.4	22
158	Chemical Constituents from <i>Trichilia connaroides</i> and Their Nitric Oxide Production and Î±-Glucosidase Inhibitory Activities. <i>Planta Medica</i> , 2013, 79, 1767-1774.	0.7	24
159	Isolation of Ingenol-Type Diterpenoids from <i>Euphorbia kansui</i> by Offline Coupling of HPLC-ESI-MS and HSCCC. <i>Separation Science and Technology</i> , 2013, 48, 1745-1751.	1.3	7
160	Glucogenin E, a new C <sub>21</sub> steroid from <i>Cynanchum stauntonii</i> . <i>Natural Product Research</i> , 2013, 27, 176-180.	1.0	8
161	Inhibitory Effect of Four Triterpenoids from <i>Trichilia connaroides</i> on Nitric Oxide Production in Lipopolysaccharide-Stimulated RAW264.7 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 1075-1080.	0.6	12
162	Two New Phragmalin-Type Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Molecules</i> , 2013, 18, 373-380.	1.7	4

#	ARTICLE	IF	CITATIONS
163	Twelve Novel and Diverse 16-Norphragmalin-Type Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 195-204.	0.6	22
164	Three New Phenolic Glucosides from the Roots of <i>Rheum palmatum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 241-245.	0.6	15
165	Three New D-Lactone Ring Isomeric Phragmalin-Type Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Heterocycles</i> , 2012, 85, 3035.	0.4	3
166	Sesquiterpenes from the aerial part of <i>Chloranthus japonicus</i> and their cytotoxicities. <i>FÄ-toterapÄ-Ä</i> , 2012, 83, 1604-1609.	1.1	29
167	ONE-STEP LARGE-SCALE PREPARATIVE ISOLATION OF ISOQUINOLINE ALKALOIDS FROM <i>RHIZOMA COPTIDIS CHINENSIS</i> BY POLYAMIDE COLUMN CHROMATOGRAPHY AND THEIR QUANTITATIVE STRUCTURE-RETENTION RELATIONSHIP ANALYSIS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012, 35, 1842-1852.	0.5	7
168	Two new tocopherol polymers from the seeds of <i>Euryale ferox</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 743-747.	0.7	12
169	Anti-inflammatory sesquiterpenes and sesquiterpene dimers from <i>Chloranthus fortunei</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 708-712.	0.7	19
170	Bioactivity-guided Isolation of Antiproliferative Diterpenoids from <i>Euphorbia kansui</i> . <i>Phytotherapy Research</i> , 2012, 26, 853-859.	2.8	20
171	Phenolics from <i>Leontopodium leontopodioides</i> inhibiting nitric oxide production. <i>FÄ-toterapÄ-Ä</i> , 2012, 83, 883-887.	1.1	21
172	A pair of tirucallane C27-triterpenoid cyclopentenone epimers from the stem barks of <i>Aphanamixis grandifolia</i> . <i>Tetrahedron Letters</i> , 2012, 53, 1705-1709.	0.7	15
173	Three new C-15-isobutyryl 16-norphragmalin-type limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Phytochemistry Letters</i> , 2012, 5, 249-252.	0.6	16
174	Two new limonoids from the stem barks of <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 781-786.	0.7	9
175	A [2 + 2] Cycloaddition Dimer and a Diels-Alder Adduct from <i>Alpinia katsumadai</i> . <i>Organic Letters</i> , 2011, 13, 3380-3383.	2.4	48
176	Four New Sesquiterpenoids from the Fruits of <i>Alpinia oxyphylla</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 402-406.	0.6	22
177	Phragmalin-Type Limonoid Orthoesters from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 225-230.	0.6	29
178	Novel Nortriterpenoids from <i>Aphanamixis grandifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 282-286.	0.6	22
179	A novel aporphine alkaloid from <i>Magnolia officinalis</i> . <i>FÄ-toterapÄ-Ä</i> , 2011, 82, 637-641.	1.1	41
180	Velutabularins, phragmalin-type limonoids with novel cyclic moiety from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Tetrahedron</i> , 2011, 67, 2942-2948.	1.0	30

#	ARTICLE	IF	CITATIONS
181	Complete <sup>1</sup> H and <sup>13</sup> C NMR data assignment of protolimonoids from the stem barks of <i>Aphanamixis grandifolia</i> . <i>Magnetic Resonance in Chemistry</i> , 2011, 49, 450-457.	1.1	14
182	Novel Tirucallane-Type Triterpenoids from <i>Aphanamixis grandifolia</i> . <i>Chemistry and Biodiversity</i> , 2011, 8, 2025-2034.	1.0	12
183	D-Ring-Opened Phragmalin-Type Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Chemistry and Biodiversity</i> , 2011, 8, 2261-2269.	1.0	11
184	Aphapolynins A and B, two new limonoids from the fruits of <i>Aphanamixis polystachya</i> . <i>Tetrahedron Letters</i> , 2011, 52, 2590-2593.	0.7	30
185	Cytotoxic tirucallane C26 triterpenoids from the stem barks of <i>Aphanamixis grandifolia</i> . <i>Phytochemistry</i> , 2010, 71, 2199-2204.	1.4	42
186	Chuktabularins E-T, 16-Norphragmalin Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Journal of Natural Products</i> , 2010, 73, 835-843.	1.5	43
187	Chukvelutilides A-F, phragmalin limonoids from the stem barks of <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Tetrahedron</i> , 2009, 65, 3425-3431.	1.0	47
188	Chukvelutins A-C, 16-Norphragmalin Limonoids with Unprecedented Skeletons from <i>Chukrasia tabularis</i> var. <i>velutina</i> . <i>Organic Letters</i> , 2009, 11, 2281-2284.	2.4	45
189	Two new sesquiterpenoids from the roots of <i>Sarcandra glabra</i> . <i>Natural Product Research</i> , 0, , 1-7.	1.0	1