

# Pokrath Hansasuta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6172983/publications.pdf>

Version: 2024-02-01

15  
papers

585  
citations

1162367

8  
h-index

1125271

13  
g-index

15  
all docs

15  
docs citations

15  
times ranked

1094  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Recognition of HLA-A3 and HLA-A11 by KIR3DL2 is peptide-specific. <i>European Journal of Immunology</i> , 2004, 34, 1673-1679.  | 1.6 | 277       |
| 2  | Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999, 93, 1506-1510.  | 0.6 | 104       |
| 3  | Delayed differentiation of potent effector CD8 <sup>+</sup> T cells reducing viremia and reservoir seeding in acute HIV infection. <i>Science Translational Medicine</i> , 2017, 9, .   | 5.8 | 95        |
| 4  | Prevalence and significance of plasma Epstein-Barr Virus DNA level in nasopharyngeal carcinoma. <i>Journal of Radiation Research</i> , 2017, 58, 509-516.   | 0.8 | 28        |
| 5  | Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999, 93, 1506-1510.  | 0.6 | 16        |
| 6  | Optimal plasma pretreatment EBV DNA cut-off point for nasopharyngeal cancer patients treated with intensity modulated radiation therapy. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 467-475.  | 0.6 | 15        |
| 7  | Prognostic value of plasma EBV DNA for nasopharyngeal cancer patients during treatment with intensity-modulated radiation therapy and concurrent chemotherapy. <i>Radiology and Oncology</i> , 2018, 52, 195-203.   | 0.6 | 14        |
| 8  | Clinical Outcome of HIV Viraemic Controllers and Noncontrollers with Normal CD4 Counts Is Exclusively Determined by Antigen-Specific CD8 <sup>+</sup> T-Cell-Mediated HIV Suppression. <i>PLoS ONE</i> , 2015, 10, e0118871.  | 1.1 | 13        |
| 9  | Characteristics of suboptimal immune response after initiating antiretroviral therapy among people living with HIV with a pre-treatment CD4 T cell count <math>\leq 200\text{ cells/mm}^3</math> in Thailand. <i>Journal of Virus Eradication</i> , 2020, 6, 100005.  | 0.3 | 7         |
| 10 | Poor HIV control in HLA-B*27 and B*57/58 noncontrollers is associated with limited number of polyfunctional Gag p24-specific CD8 <sup>+</sup> T cells. <i>Aids</i> , 2013, 27, 17-27.   | 1.0 | 6         |
| 11 | Dimorphism in the T-cell receptor constant region affects T-cell function, phenotype and HIV outcome. <i>Aids</i> , 2019, 33, 1421-1429.  | 1.0 | 3         |
| 12 | Actin Polymerization Is Required for Filopodia Formation Supporting HSV-1 Entry into Activated T Cells. <i>Current Microbiology</i> , 2022, 79, 23.   | 1.0 | 3         |
| 13 | A Quicker Tzanck Smear with Methylene Blue Stain for Diagnosis of Herpesvirus Skin Infections: a Comparative Study of Giemsa Stain. <i>Japanese Journal of Infectious Diseases</i> , 2019, 72, 432-434.   | 0.5 | 2         |
| 14 | Preference and ability to perform blood-versus oral-fluid-based HIV self-testing in adolescents and young adults in Bangkok. <i>International Journal of STD and AIDS</i> , 2022, , 095646242210769.  | 0.5 | 2         |
| 15 | Establishment of cytotoxic T lymphocytes specific for autologous Epstein-Barr virus in HIV-infected patients: the feasibility study of EBV-specific immunotherapy for patients with EBV-associated lymphoma. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2004, 87 Suppl 2, S146-51. | 0.4 | 0         |