

Ulf Gunnar Bronas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6174124/ulf-gunnar-bronas-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

904
citations

13
h-index

30
g-index

40
ext. papers

1,119
ext. citations

3.4
avg, IF

4.39
L-index

#	Paper	IF	Citations
38	Supervised exercise versus primary stenting for claudication resulting from aortoiliac peripheral artery disease: six-month outcomes from the claudication: exercise versus endoluminal revascularization (CLEVER) study. <i>Circulation</i> , 2012 , 125, 130-9	16.7	313
37	Efficacy of arm-ergometry versus treadmill exercise training to improve walking distance in patients with claudication. <i>Vascular Medicine</i> , 2009 , 14, 203-13	3.3	88
36	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019 , 139, e10-e33	16.7	87
35	Reactive oxygen and nitrogen species: impact on endothelial dysfunction. <i>Nursing Research</i> , 2015 , 64, 53-66	1.9	67
34	Comparison of the effect of upper body-ergometry aerobic training vs treadmill training on central cardiorespiratory improvement and walking distance in patients with claudication. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1557-64	3.5	46
33	Managing knee osteoarthritis with yoga or aerobic/strengthening exercise programs in older adults: a pilot randomized controlled trial. <i>Rheumatology International</i> , 2017 , 37, 389-398	3.6	41
32	Cognitive Impairment in Chronic Kidney Disease: Vascular Milieu and the Potential Therapeutic Role of Exercise. <i>BioMed Research International</i> , 2017 , 2017, 2726369	3	37
31	Barriers to exercise for patients with renal disease: an integrative review. <i>Journal of Nephrology</i> , 2017 , 30, 729-741	4.8	35
30	Exercise training and reduction of cardiovascular disease risk factors in patients with chronic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 2009 , 16, 449-58	4.7	31
29	Design of the multicenter standardized supervised exercise training intervention for the claudication: exercise vs endoluminal revascularization (CLEVER) study. <i>Vascular Medicine</i> , 2009 , 14, 313-321	3.3	25
28	Defeating Urinary Incontinence with Exercise Training: Results of a Pilot Study in Frail Older Women. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1321-1327	5.6	17
27	Allostatic Load in Cancer: A Systematic Review and Mini Meta-Analysis. <i>Biological Research for Nursing</i> , 2021 , 23, 341-361	2.6	17
26	Relationship between sleep disturbance and self-care in adults with type 2 diabetes. <i>Acta Diabetologica</i> , 2018 , 55, 963-970	3.9	16
25	Sleep assessment in aging adults with type 2 diabetes: agreement between actigraphy and sleep diaries. <i>Sleep Medicine</i> , 2018 , 46, 88-94	4.6	12
24	Sedentary Time and White Matter Hyperintensity Volume in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 1613-1618	1.2	11
23	Symptom Cluster Science in Chronic Kidney Disease: A Literature Review. <i>Western Journal of Nursing Research</i> , 2019 , 41, 1056-1091	2	9
22	Determination of Aerobic Capacity via Cycle Ergometer Exercise Testing in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017 , 32, 500-508	2.5	6

21	A mixed methods study of perceived barriers to physical activity, geriatric syndromes, and physical activity levels among older adults with peripheral artery disease and diabetes. <i>Journal of Vascular Nursing</i> , 2019 , 37, 91-105	1	5
20	Measurement of peripheral blood flow in patients with peripheral artery disease: Methods and considerations. <i>Vascular Medicine</i> , 2018 , 23, 163-171	3.3	5
19	The assessment of cognitive function in older adult patients with chronic kidney disease: an integrative review. <i>Journal of Nephrology</i> , 2019 , 32, 211-230	4.8	5
18	Influence of Changes in Sedentary Time on Outcomes of Supervised Exercise Therapy in Individuals with Comorbid Peripheral Artery Disease and Type 2 Diabetes. <i>Annals of Vascular Surgery</i> , 2020 , 68, 369-383	1.7 3.8	5
17	Rhythmic auditory stimulation increases 6-Minute walk distance in individuals with COPD: A repeated measures study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020 , 49, 324-328	2.6	4
16	Rhythmic Auditory Music Stimulation Enhances Walking Distance in Patients With Claudication: A FEASIBILITY STUDY. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018 , 38, E1-E5	3.6	4
15	Impact of worries associated with COVID-19 on diabetes-related psychological symptoms in older adults with Type 2 diabetes. <i>Geriatric Nursing</i> , 2021 , 43, 58-63	2.1	3
14	Sleep disturbance and next-day physical activity in COPD patients. <i>Geriatric Nursing</i> , 2020 , 41, 872-877	2.1	2
13	Cochrane review: In adults with chronic kidney disease regular exercise improves physical fitness, walking capacity, heart rate and blood pressure and some nutritional parameters. <i>Evidence-based Nursing</i> , 2012 , 15, 95-6	0.3	2
12	A Music-Guided Home-Based Claudication Rehabilitation Program. <i>Bioengineered</i> , 2019 , 8, 102-107	5.7	2
11	Cognitive and vascular function in older adults with and without CKD. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1885-1894	4.8	2
10	Heart up! RCT protocol to increase physical activity in cardiac patients who report hopelessness: Amended for the COVID-19 pandemic. <i>Research in Nursing and Health</i> , 2021 , 44, 279-294	2	2
9	Relationships between objective sleep parameters and inflammatory biomarkers in pregnancy. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1473, 62-73	6.5	1
8	Individual Differences in Response to Supervised Exercise Therapy for Peripheral Artery Disease. <i>Western Journal of Nursing Research</i> , 2021 , 43, 770-784	2	1
7	Independent associations between sleep duration, gamma gap, and cognitive function among older adults: Results from the NHANES 2013-2014.. <i>Geriatric Nursing</i> , 2022 , 44, 1-7	2.1	1
6	Perceived Social Support and Heart Rate Variability: An Integrative Review. <i>Western Journal of Nursing Research</i> , 2021 , 1939459211028908	2	0
5	Connecting the past to the present: A historical review of exercise training for peripheral artery disease.. <i>Vascular Medicine</i> , 2022 , 1358863X211073620	3.3	0
4	Peripheral Artery Disease in the Elderly: Prevalence, Clinical Implications, and Therapy. <i>Current Cardiovascular Risk Reports</i> , 2011 , 5, 457-466	0.9	

- 3 Kidney Disease and Cognitive Impairment in Older Adults: The State of the Science. *Bioengineered*, **2019**, 8, 74-81 5.7
- 2 Sedentary Behavior in Older Adults With Preclinical Cognitive Impairment With and Without Chronic Kidney Disease. *Journal of Gerontological Nursing*, **2021**, 47, 35-42 1.2
- 1 The Influence of Sedentary Behavior on the Relationship Between Cognitive Function and Vascular Function in Older Adults with and without Chronic Kidney Disease.. *Nephrology Nursing Journal*, **2021**, 48, 553-561 0.4