

Anne Berghfer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6174894/anne-berghofer-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

2,360

citations

26

h-index

48

g-index

87

ext. papers

2,729

ext. citations

4.7

avg, IF

4.45

L-index

#	Paper	IF	Citations
67	Mortality, Morbidity and Health-Related Outcomes in Informal Caregivers Compared to Non-Caregivers: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5864	4.6	0
66	The effect of active visual art therapy on health outcomes: protocol of a systematic review of randomised controlled trials.. <i>Systematic Reviews</i> , 2022 , 11, 96	3	0
65	Promoting Integrated Care through a Global Treatment Budget: A Qualitative Study in German Mental Health Care using Rogers' Diffusion of Innovation Theory.. <i>International Journal of Integrated Care</i> , 2021 , 21, 27	2	
64	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021 , 11, 36	8.6	5
63	Efficacy of parent-infant psychotherapy compared to care as usual in children with regulatory disorders in clinical and outpatient settings: study protocol of a randomised controlled trial as part of the SKKIPPI project. <i>BMC Psychiatry</i> , 2021 , 21, 118	4.2	2
62	Predictors of the use and approval of CAM: results from the German General Social Survey (ALLBUS). <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 183	2.9	1
61	Quality of life in patients with severe mental illness: a cross-sectional survey in an integrated outpatient health care model. <i>Quality of Life Research</i> , 2020 , 29, 2073-2087	3.7	6
60	Diffusionshindernisse bei der Einführung des Gesamtbudgets in der Psychiatrie als innovativen Ansatz für kommunale psychiatrische Versorgung 2020 , 291-320		2
59	Prediction of lithium response using clinical data. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 131-141	6.5	28
58	Cost evaluation of an innovative outreach clinic across social insurance codes in rural Northern Germany - A routine data analysis. <i>Health and Social Care in the Community</i> , 2020 , 28, 651-661	2.6	1
57	The German health care Innovation Fund - An incentive for innovations to promote the integration of health care. <i>Journal of Health Organization and Management</i> , 2020 , 34, 915-923	1.9	4
56	Musculoskeletal disorders and complaints in professional musicians: a systematic review of prevalence, risk factors, and clinical treatment effects. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 149-187	3.2	14
55	Performance anxiety in professional musicians: a systematic review on prevalence, risk factors and clinical treatment effects. <i>Psychological Medicine</i> , 2019 , 49, 2287-2306	6.9	26
54	Subspecialization in radiology: effects on the diagnostic spectrum of radiologists and report turnaround time in a Swiss university hospital. <i>Radiologia Medica</i> , 2019 , 124, 860-869	6.5	7
53	Descriptive Cost-Effectiveness Analysis of a Counseling and Coordination Model in Psychosocial Care. Integration of Health Care and Social Rehabilitation. <i>Frontiers in Psychiatry</i> , 2019 , 10, 1008	5	0
52	Treatment of bipolar depression with supraphysiologic doses of levothyroxine: a randomized, placebo-controlled study of comorbid anxiety symptoms. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 21	5.4	8
51	Long-term treatment with supraphysiologic doses of levothyroxine in treatment-refractory mood disorders - A prospective study of cardiovascular tolerability. <i>Journal of Affective Disorders</i> , 2018 , 238, 213-217	6.6	5

50	To what extent are psychiatrists aware of the comorbid somatic illnesses of their patients with serious mental illnesses? - a cross-sectional secondary data analysis. <i>BMC Health Services Research</i> , 2017 , 17, 162	2.9	10
49	Klinisches Management 2017 , 69-80		1
48	Frequency and clinical relevance of potential cytochrome P450 drug interactions in a psychiatric patient population - an analysis based on German insurance claims data. <i>BMC Health Services Research</i> , 2016 , 16, 482	2.9	7
47	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 25-34	5.7	15
46	Evaluation of Quality Indicators of Integrated Care in a Regional Psychiatry Budget - A Pre-Post Comparison by Secondary Data Analysis. <i>International Journal of Integrated Care</i> , 2016 , 16, 17	2	15
45	Lithium and renal tumors: a critical comment to the report by Zaidan et al. <i>Kidney International</i> , 2014 , 86, 857	9.9	11
44	Screening for depression and high utilization of health care resources among patients in primary care. <i>Community Mental Health Journal</i> , 2014 , 50, 753-8	2.1	17
43	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 11	5.4	16
42	Ein starkes Argument für die Therapiewahl. <i>InFo Neurologie & Psychiatrie</i> , 2013 , 15, 22-22	0	
41	George Wolff (1886-1952): spreading the legacy of Alfred Grotjahn to the United States. <i>American Journal of Public Health</i> , 2013 , 103, 2202-3	5.1	
40	Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. <i>BMC Health Services Research</i> , 2012 , 12, 298	2.9	13
39	Influence of atypical features on the quality of prophylactic effectiveness of long-term lithium treatment in bipolar disorders. <i>Bipolar Disorders</i> , 2010 , 12, 390-6	3.8	31
38	Leadership in health care: developing a post-merger strategy for Europe's largest university hospital. <i>Journal of Health Organization and Management</i> , 2010 , 24, 258-76	1.9	3
37	Referral practices in patients suffering from non-malignant chronic pain. <i>European Journal of Pain</i> , 2010 , 14, 308.e1-308.e10	3.7	21
36	Use of complementary medicine in patients with chronic pain. <i>European Journal of Integrative Medicine</i> , 2009 , 1, 93-98	1.7	3
35	Obesity prevalence from a European perspective: a systematic review. <i>BMC Public Health</i> , 2008 , 8, 200	4.1	448
34	Health-economic burden of obesity in Europe. <i>European Journal of Epidemiology</i> , 2008 , 23, 499-509	12.1	129
33	Long-term effectiveness of lithium in bipolar disorder: a multicenter investigation of patients with typical and atypical features. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1860-8	4.6	39

32	Heterogeneity of the risk of suicidal behavior in bipolar-spectrum disorders. <i>Bipolar Disorders</i> , 2007 , 9, 377-85	3.8	18
31	Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>Journal of Affective Disorders</i> , 2007 , 104, 45-51	6.6	29
30	Medikamentöse Behandlung der Suizidalität. <i>Verhaltenstherapie</i> , 2005 , 15, 29-37	0.9	6
29	The impact of lithium long-term medication on suicidal behavior and mortality of bipolar patients. <i>Archives of Suicide Research</i> , 2005 , 9, 307-19	2.3	44
28	Long-term lithium treatment and thyroid antibodies: a controlled study. <i>Journal of Psychiatry and Neuroscience</i> , 2005 , 30, 423-7	4.5	27
27	Long-term combination therapy versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 174-82	4.6	33
26	Prophylaxis of schizoaffective disorder with lithium or carbamazepine: outcome after long-term follow-up. <i>Journal of Affective Disorders</i> , 2004 , 79, 43-50	6.6	25
25	Bone mineral density during maintenance treatment with supraphysiological doses of levothyroxine in affective disorders: a longitudinal study. <i>Journal of Affective Disorders</i> , 2004 , 83, 183-90	6.6	25
24	The antisuicidal and mortality-reducing effect of lithium prophylaxis: consequences for guidelines in clinical psychiatry. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 433-9	4.8	42
23	Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 440-8	4.8	52
22	Lithium augmentation therapy in refractory depression-update 2002. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 132-9	5.1	67
21	Platelet-5HT uptake and gastrointestinal symptoms in patients suffering from major depression. <i>Life Sciences</i> , 2003 , 74, 521-31	6.8	10
20	Effectiveness and outcome predictors of long-term lithium prophylaxis in unipolar major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2003 , 28, 355-61	4.5	20
19	Effects of supraphysiological thyroxine administration in healthy controls and patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2002 , 68, 285-94	6.6	37
18	Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 2002 , 27, 620-8	8.7	46
17	Correlation between serotonin uptake in human blood platelets with the 44-bp polymorphism and the 17-bp variable number of tandem repeat of the serotonin transporter. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 323-8		69
16	Initial lithium and valproate combination therapy in acute mania. <i>Neuropsychobiology</i> , 2002 , 46 Suppl 1, 22-7	4	17
15	Initial triple therapy of acute mania, adding lithium and valproate to neuroleptics. <i>Pharmacopsychiatry</i> , 2002 , 35, 244-6	2	8

14	How long should the lithium augmentation strategy be maintained? A 1-year follow-up of a placebo-controlled study in unipolar refractory major depression. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 427-30	1.7	31
13	Bipolar disorder. <i>Lancet, The</i> , 2002 , 359, 241-7	4.0	305
12	Effects of supraphysiological doses of L-thyroxine on cognitive function in healthy individuals. <i>Psychiatry Research</i> , 2002 , 110, 117-23	9.9	6
11	Effectiveness and feasibility of a standardized stepwise drug treatment regimen algorithm for inpatients with depressive disorders: results of a 2-year observational algorithm study. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 782-90	4.6	57
10	Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders. <i>Journal of Affective Disorders</i> , 2001 , 64, 35-42	6.6	40
9	Bone mineral density in pre-and post-menopausal women with affective disorder treated with long-term L-thyroxine augmentation. <i>Journal of Affective Disorders</i> , 2001 , 66, 185-91	6.6	34
8	Association and linkage studies of CRH and PENK genes in bipolar disorder: a collaborative IGSLI study. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 178-81		23
7	Double-blind, placebo-controlled trial of the use of lithium to augment antidepressant medication in continuation treatment of unipolar major depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1429-35	11.9	135
6	Healthy outcome under olanzapine treatment in a pregnant woman. <i>Pharmacopsychiatry</i> , 2000 , 33, 78-80		81
5	Is there a loss of efficacy of lithium in patients treated for over 20 years?. <i>Neuropsychobiology</i> , 2000 , 42 Suppl 1, 46-9	4	6
4	Amantadine revisited: an open trial of amantadinesulfate treatment in chronically depressed patients with Borna disease virus infection. <i>Pharmacopsychiatry</i> , 1999 , 32, 142-7	2	38
3	Non-adherence with long-term prophylaxis: a 6-year naturalistic follow-up study of affectively ill patients. <i>Psychiatry Research</i> , 1999 , 89, 247-57	9.9	73
2	Suicide attempts, age and duration of illness in recurrent affective disorders. <i>Journal of Affective Disorders</i> , 1995 , 36, 43-9	6.6	33
1	Saccadic tracking test--normal data and reliability. <i>Journal of Clinical Psychology</i> , 1995 , 51, 252-7	2.8	4