

Federico Da Settimo Passetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6174966/publications.pdf>

Version: 2024-02-01

170
papers

5,105
citations

71102

41
h-index

138484

58
g-index

176
all docs

176
docs citations

176
times ranked

5704
citing authors

#	ARTICLE	IF	CITATIONS
1	¹¹ C-ER176, a Radioligand for 18-kDa Translocator Protein, Has Adequate Sensitivity to Robustly Image All Three Affinity Genotypes in Human Brain. <i>Journal of Nuclear Medicine</i> , 2017, 58, 320-325.	5.0	146
2	Arylthioamides as H ₂ S Donors: γ -Cysteine-Activated Releasing Properties and Vascular Effects in Vitro and in Vivo. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 904-908.	2.8	144
3	Pyrido[1,2- <i>a</i>]pyrimidin-4-one Derivatives as a Novel Class of Selective Aldose Reductase Inhibitors Exhibiting Antioxidant Activity. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4917-4927.	6.4	130
4	Adenosine Deaminase in the Modulation of Immune System and its Potential as a Novel Target for Treatment of Inflammatory Disorders. <i>Current Drug Targets</i> , 2012, 13, 842-862.	2.1	128
5	Recent Advances in the Development of Dual Topoisomerase I and II Inhibitors as Anticancer Drugs. <i>Current Medicinal Chemistry</i> , 2010, 17, 4270-4290.	2.4	125
6	Sampling protein motion and solvent effect during ligand binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1467-1472.	7.1	100
7	Inhibition of Adenosine Deaminase Attenuates Inflammation in Experimental Colitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 435-442.	2.5	96
8	Identification of 5-arylidene-4-thiazolidinone derivatives endowed with dual activity as aldose reductase inhibitors and antioxidant agents for the treatment of diabetic complications. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2797-2806.	5.5	94
9	Synthesis and Evaluation of Translocator 18 kDa Protein (TSPO) Positron Emission Tomography (PET) Radioligands with Low Binding Sensitivity to Human Single Nucleotide Polymorphism rs6971. <i>ACS Chemical Neuroscience</i> , 2014, 5, 963-971.	3.5	91
10	Anxiolytic-like Effects of <i>N,N</i> -Dialkyl-2-phenylindol-3-ylglyoxylamides by Modulation of Translocator Protein Promoting Neurosteroid Biosynthesis. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 5798-5806.	6.4	80
11	GABAA/Bz Receptor Subtypes as Targets for Selective Drugs. <i>Current Medicinal Chemistry</i> , 2007, 14, 2680-2701.	2.4	76
12	<i>N,N</i> -Dialkyl-2-phenylindol-3-ylglyoxylamides. A New Class of Potent and Selective Ligands at the Peripheral Benzodiazepine Receptor. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1852-1855.	6.4	75
13	Novel Pyrazolopyrimidine Derivatives as Tyrosine Kinase Inhibitors with Antitumoral Activity in Vitro and in Vivo in Papillary Dedifferentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E288-E296.	3.6	71
14	Synthesis, in vitro antiproliferative activity and DNA-interaction of benzimidazoquinazoline derivatives as potential anti-tumor agents. <i>Il Farmaco</i> , 2001, 56, 159-167.	0.9	70
15	Apoptosis Therapy in Cancer: The First Single-molecule Co-activating p53 and the Translocator Protein in Glioblastoma. <i>Scientific Reports</i> , 2014, 4, 4749.	3.3	62
16	Genetic analysis of γ TSPO, an outer mitochondrial membrane protein, reveals its functions in apoptosis, longevity, and A β -induced neurodegeneration. <i>Aging Cell</i> , 2014, 13, 507-518.	6.7	60
17	Synthesis, DNA binding and in vitro antiproliferative activity of purinoquinazoline, pyridopyrimidopurine and pyridopyrimidobenzimidazole derivatives as potential antitumor agents. <i>European Journal of Medicinal Chemistry</i> , 1998, 33, 685-696.	5.5	57
18	3-Aryl[1,2,4]triazino[4,3- <i>a</i>]benzimidazol-4(10H)-ones: A New Class of Selective A1Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 316-327.	6.4	56

#	ARTICLE	IF	CITATIONS
19	Synthesis, Structure–Activity Relationships, and Molecular Modeling Studies of N-(Indol-3-ylglyoxylyl)benzylamine Derivatives Acting at the Benzodiazepine Receptor. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 5083-5091.	6.4	54
20	Derivatives of 4-Amino-6-hydroxy-2-mercaptopyrimidine as Novel, Potent, and Selective A ₃ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1764-1770.	6.4	54
21	Microglial Pro-Inflammatory and Anti-Inflammatory Phenotypes Are Modulated by Translocator Protein Activation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4467.	4.1	54
22	Naphtho[1,2-d]isothiazole Acetic Acid Derivatives as a Novel Class of Selective Aldose Reductase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6897-6907.	6.4	53
23	TSPO ligand residence time: a new parameter to predict compound neurosteroidogenic efficacy. <i>Scientific Reports</i> , 2016, 6, 18164.	3.3	53
24	The Alpha Keto Amide Moiety as a Privileged Motif in Medicinal Chemistry: Current Insights and Emerging Opportunities. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 3508-3545.	6.4	51
25	Novel N ² -Substituted Pyrazolo[3,4-d]pyrimidine Adenosine A ₃ Receptor Antagonists: Inhibition of A ₃ -Mediated Human Glioblastoma Cell Proliferation. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 3954-3963.	6.4	50
26	2-(Benzimidazol-2-yl)quinoxalines: A Novel Class of Selective Antagonists at Human A ₁ and A ₃ Adenosine Receptors Designed by 3D Database Searching. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 8253-8260.	6.4	49
27	Inhibition of metalloproteinases derived from tumours: new insights in the treatment of human glioblastoma. <i>Neuroscience</i> , 2010, 168, 514-522.	2.3	49
28	CLM94, a Novel Cyclic Amide with Anti-VEGFR-2 and Antiangiogenic Properties, Is Active against Primary Anaplastic Thyroid Cancer In Vitro and In Vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E528-E536.	3.6	49
29	Iminothioethers as Hydrogen Sulfide Donors: From the Gasotransmitter Release to the Vascular Effects. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7512-7523.	6.4	48
30	Indole amide derivatives: synthesis, structure–activity relationships and molecular modelling studies of a new series of histamine H ₁ -receptor antagonists. <i>European Journal of Medicinal Chemistry</i> , 1999, 34, 93-105.	5.5	47
31	Novel, Highly Potent Adenosine Deaminase Inhibitors Containing the Pyrazolo[3,4-d]pyrimidine Ring System. Synthesis, Structure–Activity Relationships, and Molecular Modeling Studies. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 5162-5174.	6.4	47
32	Acetic Acid Aldose Reductase Inhibitors Bearing a Five-Membered Heterocyclic Core with Potent Topical Activity in a Visual Impairment Rat Model. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3182-3193.	6.4	47
33	The Blockade of Adenosine Deaminase Ameliorates Chronic Experimental Colitis through the Recruitment of Adenosine A _{2A} and A ₃ Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 434-442.	2.5	47
34	New Fluorescent 2-Phenylindolglyoxylamide Derivatives as Probes Targeting the Peripheral-Type Benzodiazepine Receptor: Design, Synthesis, and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 404-407.	6.4	46
35	Design, synthesis and biological evaluation of new classes of thieno[3,2-d]pyrimidinone and thieno[1,2,3]triazine as inhibitor of vascular endothelial growth factor receptor-2 (VEGFR-2). <i>European Journal of Medicinal Chemistry</i> , 2013, 63, 765-781.	5.5	46
36	CLM3, a Multitarget Tyrosine Kinase Inhibitor With Antiangiogenic Properties, Is Active Against Primary Anaplastic Thyroid Cancer In Vitro and In Vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E572-E581.	3.6	46

#	ARTICLE	IF	CITATIONS
37	Hydrogen Sulphide: Biopharmacological Roles in the Cardiovascular System and Pharmaceutical Perspectives. <i>Current Medicinal Chemistry</i> , 2012, 19, 3325-3336.	2.4	45
38	Exploiting the Pyrazolo[3,4-d]pyrimidin-4-one Ring System as a Useful Template To Obtain Potent Adenosine Deaminase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1681-1692.	6.4	44
39	Phenylpyrazolo[1,5-a<i>/i>]quinazolin-5(4<i>H</i>)-one: A Suitable Scaffold for the Development of Noncamptothecin Topoisomerase I (Top1) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 7458-7462.	6.4	43
40	Progresses in the pursuit of aldose reductase inhibitors: The structure-based lead optimization step. <i>European Journal of Medicinal Chemistry</i> , 2012, 51, 216-226.	5.5	41
41	Structure-Activity Relationship Refinement and Further Assessment of 4-Phenylquinazoline-2-carboxamide Translocator Protein Ligands as Antiproliferative Agents in Human Glioblastoma Tumors. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 2413-2428.	6.4	41
42	[1,2,4]Triazino[4,3-a]benzimidazole Acetic Acid Derivatives: A New Class of Selective Aldose Reductase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 4359-4369.	6.4	40
43	Anxiolytic properties of a 2-phenylindolglyoxylamide TSPO ligand: Stimulation of in vitro neurosteroid production affecting GABAA receptor activity. <i>Psychoneuroendocrinology</i> , 2011, 36, 463-472.	2.7	40
44	Novel, Highly Potent Aldose Reductase Inhibitors: Cyano(2-oxo-2,3-dihydroindol-3-yl)acetic Acid Derivatives. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 1419-1428.	6.4	39
45	Structural Requirements to Obtain Highly Potent and Selective 18 kDa Translocator Protein (TSPO) Ligands. <i>Current Topics in Medicinal Chemistry</i> , 2011, 11, 860-886.	2.1	39
46	A New Approach to Control the Enigmatic Activity of Aldose Reductase. <i>PLoS ONE</i> , 2013, 8, e74076.	2.5	39
47	Translocator Protein Ligands as Promising Therapeutic Tools for Anxiety Disorders. <i>Current Medicinal Chemistry</i> , 2009, 16, 3359-3380.	2.4	38
48	Arylsulfonamide inhibitors of aggrecanases as potential therapeutic agents for osteoarthritis: Synthesis and biological evaluation. <i>European Journal of Medicinal Chemistry</i> , 2013, 62, 379-394.	5.5	38
49	Novel N-(Arylalkyl)indol-3-ylglyoxylylamides Targeted as Ligands of the Benzodiazepine Receptor: Synthesis, Biological Evaluation, and Molecular Modeling Analysis of the Structure-Activity Relationships. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2286-2297.	6.4	36
50	Pursuing Aldose Reductase Inhibitors through in Situ Cross-Docking and Similarity-Based Virtual Screening. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5578-5581.	6.4	36
51	Synthesis and biological evaluation in U87MG glioma cells of (ethynylthiophene)sulfonamido-based hydroxamates as matrix metalloproteinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2617-2629.	5.5	36
52	Synthesis and Biological Evaluation of 4-Phenylquinazoline-2-carboxamides Designed as a Novel Class of Potent Ligands of the Translocator Protein. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4506-4510.	6.4	36
53	TSPO-ligands prevent oxidative damage and inflammatory response in C6 glioma cells by neurosteroid synthesis. <i>European Journal of Pharmaceutical Sciences</i> , 2016, 88, 124-131.	4.0	36
54	Tricyclic Sulfonamides Incorporating Benzothiopyrano[4,3-c]pyrazole and Pyridothiopyrano[4,3-c]pyrazole Effectively Inhibit α - and β -Carbonic Anhydrase: X-ray Crystallography and Solution Investigations on 15 Isoforms. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 9619-9629.	6.4	35

#	ARTICLE	IF	CITATIONS
55	Spirohydantoin derivatives of thiopyrano[2,3-b]pyridin-4(4H)-one as potent in vitro and in vivo aldose reductase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 491-499.	3.0	34
56	Computational Studies of Epidermal Growth Factor Receptor: Docking Reliability, Three-Dimensional Quantitative Structure-Activity Relationship Analysis, and Virtual Screening Studies. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 964-975.	6.4	34
57	p53 Functional Inhibitors Behaving Like Pifithrin- α Counteract the Alzheimer Peptide Non- α -amyloid Component Effects in Human SH-SY5Y Cells. <i>ACS Chemical Neuroscience</i> , 2014, 5, 390-399.	3.5	34
58	Osteoblast differentiation and survival: A role for A2B adenosine receptor allosteric modulators. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 2957-2966.	4.1	34
59	The Anxiolytic Etifoxine Binds to TSPO Ro5-4864 Binding Site with Long Residence Time Showing a High Neurosteroidogenic Activity. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1448-1454.	3.5	33
60	Targeting the 18-kDa translocator protein: recent perspectives for neuroprotection. <i>Biochemical Society Transactions</i> , 2015, 43, 559-565.	3.4	32
61	TSPO PIGA Ligands Promote Neurosteroidogenesis and Human Astrocyte Well-Being. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1028.	4.1	32
62	Deepening the Topology of the Translocator Protein Binding Site by Novel <i>N</i> -(1,3-dialkyl-2-arylindol-3-ylglyoxylamides). <i>Journal of Medicinal Chemistry</i> , 2015, 58, 6081-6092.	6.4	31
63	Multiple Topoisomerase I (TopoI), Topoisomerase II (TopoII) and Tyrosyl-DNA Phosphodiesterase (TDP) inhibitors in the development of anticancer drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 156, 105594.	4.0	31
64	An update into the medicinal chemistry of translocator protein (TSPO) ligands. <i>European Journal of Medicinal Chemistry</i> , 2021, 209, 112924.	5.5	31
65	Benzothiopyranoindole-Based Antiproliferative Agents: Synthesis, Cytotoxicity, Nucleic Acids Interaction, and Topoisomerases Inhibition Properties. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5429-5441.	6.4	30
66	Benzodiazepine receptor affinity and interaction of some <i>N</i> -(indol-3-ylglyoxylyl)amine derivatives. <i>Journal of Medicinal Chemistry</i> , 1992, 35, 2214-2220.	6.4	28
67	3-Aryl-[1,2,4]triazino[4,3- <i>a</i>]benzimidazol-4(10 <i>H</i>)-one: A Novel Template for the Design of Highly Selective A _{2B} Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 1490-1499.	6.4	28
68	Modulation of A2B adenosine receptor by 1-Benzyl-3-ketoindole derivatives. <i>European Journal of Medicinal Chemistry</i> , 2013, 69, 331-337.	5.5	28
69	Lead Optimization of 2-Phenylindolylglyoxylyldipeptide Murine Double Minute (MDM)2/Translocator Protein (TSPO) Dual Inhibitors for the Treatment of Gliomas. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 4526-4538.	6.4	28
70	Novel 2-substituted-benzimidazole-6-sulfonamides as carbonic anhydrase inhibitors: synthesis, biological evaluation against isoforms I, II, IX and XII and molecular docking studies. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019, 34, 1697-1710.	5.2	28
71	Two mixed valence diruthenium(<i>ii</i>), (<i>iii</i>) isomeric complexes show different anticancer properties. <i>Dalton Transactions</i> , 2021, 50, 9643-9647.	3.3	28
72	Design, Synthesis and Biological Evaluation of Novel <i>N</i> -Alkyl- and <i>N</i> -Acyl-(7-substituted-2-phenylimidazo[1,2- <i>a</i>][1,3,5]triazin-4-yl)amines (ITAs) as Novel A ₁ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 5030-5036.	6.4	27

#	ARTICLE	IF	CITATIONS
73	Identification of Anxiolytic/Nonsedative Agents among Indol-3-ylglyoxylamides Acting as Functionally Selective Agonists at the γ -Aminobutyric Acid-A (GABA_A) I_{H} Benzodiazepine Receptor. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3723-3734.	6.4	27
74	Non-Nucleoside Inhibitors of Human Adenosine Kinase: Synthesis, Molecular Modeling, and Biological Studies. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1401-1420.	6.4	27
75	Allosteric modulators of human A2B adenosine receptor. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1194-1203.	2.4	27
76	Antiproliferative and proapoptotic activity of CLM3, a novel multiple tyrosine kinase inhibitor, alone and in combination with SN-38 on endothelial and cancer cells. <i>Biochemical Pharmacology</i> , 2011, 81, 1309-1316.	4.4	26
77	Dialkylaminoalkylindolnaphthyridines as potential antitumour agents: synthesis, cytotoxicity and DNA binding properties. <i>European Journal of Medicinal Chemistry</i> , 2002, 37, 475-486.	5.5	25
78	Novel Irreversible Fluorescent Probes Targeting the 18 kDa Translocator Protein: Synthesis and Biological Characterization. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 4085-4093.	6.4	25
79	Evaluation of Novel N -Methyl-2-phenylindol-3-ylglyoxylamides as a New Chemotype of 18 kDa Translocator Protein-Selective Ligand Suitable for the Development of Positron Emission Tomography Radioligands. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 366-373.	6.4	25
80	Identification of novel molecular scaffolds for the design of MMP-13 inhibitors: A first round of lead optimization. <i>European Journal of Medicinal Chemistry</i> , 2012, 47, 143-152.	5.5	25
81	A mixed-valence diruthenium(ii,iii) complex endowed with high stability: from experimental evidence to theoretical interpretation. <i>Dalton Transactions</i> , 2020, 49, 14520-14527.	3.3	25
82	3-Aryl-[1,2,4]triazino[4,3-a]benzimidazol-4(10H)-ones: Tricyclic Heteroaromatic Derivatives as a New Class of Benzodiazepine Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 96-102.	6.4	24
83	Benzofuroxane Derivatives as Multi-Effective Agents for the Treatment of Cardiovascular Diabetic Complications. Synthesis, Functional Evaluation, and Molecular Modeling Studies. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10523-10531.	6.4	24
84	An approach to novel fused triazole or tetrazole derivatives starting from benzimidazo[1,2-a]quinazoline-5(7H)-one and 5,7-dihydro-5-oxopyrido[3,2,2':5,6]pyrimido[1,2-a]benzimidazole. <i>Journal of Heterocyclic Chemistry</i> , 2002, 39, 1007-1011.	2.6	23
85	Refinement of the Benzodiazepine Receptor Site Topology by Structure-Activity Relationships of New N -(Heteroaryl-methyl)indol-3-ylglyoxylamides. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 2489-2495.	6.4	22
86	5-Amino-2-phenyl[1,2,3]triazolo[1,2-a][1,2,4]benzotriazin-1-one: A Versatile Scaffold To Obtain Potent and Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 5676-5684.	6.4	22
87	TSPO ligand residence time influences human glioblastoma multiforme cell death/life balance. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 383-398.	4.9	22
88	Bax Activation Blocks Self-Renewal and Induces Apoptosis of Human Glioblastoma Stem Cells. <i>ACS Chemical Neuroscience</i> , 2018, 9, 85-99.	3.5	22
89	Simultaneous Targeting of RGD-Integrins and Dual Murine Double Minute Proteins in Glioblastoma Multiforme. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 4791-4809.	6.4	22
90	Unbinding of Translocator Protein 18 kDa (TSPO) Ligands: From in Vitro Residence Time to in Vivo Efficacy via in Silico Simulations. <i>ACS Chemical Neuroscience</i> , 2019, 10, 3805-3814.	3.5	22

#	ARTICLE	IF	CITATIONS
91	N-Phenylindol-3-ylglyoxylohydrazide Derivatives: A Synthesis, Structure-Activity Relationships, Molecular Modeling Studies, and Pharmacological Action on Brain Benzodiazepine Receptors. Journal of Medicinal Chemistry, 1998, 41, 3821-3830.	6.4	21
92	Synthesis of novel 5-H, 11-H-pyrido[2,3-b:4,3'-b']indoles by Fischer indole cyclization. Journal of Heterocyclic Chemistry, 2000, 37, 379-382.	2.6	21
93	PIGA (N,N-Di-n-butyl-5-chloro-2-(4-chlorophenyl)indol-3-ylglyoxylamide), a New Mitochondrial Benzodiazepine-Receptor Ligand, Induces Apoptosis in C6 glioma Cells. ChemBioChem, 2005, 6, 1082-1088.	2.6	21
94	Novel N-Substituted Indol-3-ylglyoxylamides Probing the LDI and L1/L2 Lipophilic Regions of the Benzodiazepine Receptor Site in Search for Subtype-Selective Ligands. Journal of Medicinal Chemistry, 2007, 50, 1627-1634.	6.4	21
95	Synthesis and Biological Evaluation of 2-Oxo-2,3-dihydro-3-H-spiro[chromene-4,5-[1,3]oxazolidin]-3-yl]acetic Acid Derivatives as Aldose Reductase Inhibitors. Archiv. Der Pharmazie, 2011, 344, 372-385.	4.1	21
96	CLM29, a multi-target pyrazolopyrimidine derivative, has anti-neoplastic activity in medullary thyroid cancer in vitro and in vivo. Molecular and Cellular Endocrinology, 2014, 393, 56-64.	3.2	21
97	A1 adenosine receptor antagonists, 3-aryl[1,2,4]triazino[4,3-a]benzimidazol-4-(10H)-ones (ATBIs) and N-alkyl and N-acyl-(7-substituted-2-phenylimidazo[1,2-a][1,3,5]triazin-4-yl)amines (ITAs): Different recognition of bovine and human binding sites. Drug Development Research, 2004, 63, 1-7.	2.9	20
98	1,2-Benzisothiazole Derivatives Bearing 4-, 5-, or 6-Alkyl/arylcarboxamide Moieties Inhibit Carbonic Anhydrase Isoform IX (CAIX) and Cell Proliferation under Hypoxic Conditions. Journal of Medicinal Chemistry, 2016, 59, 6547-6552.	6.4	20
99	Synthesis of novel pyrido[3,2-b:4,3'-b']indol-5(6H)-ones and 6H-pyrido[3,2-b:4,3'-b']quinolines, two new heterocyclic ring systems. Journal of Heterocyclic Chemistry, 2002, 39, 1001-1006.	2.6	19
100	Computer-Aided Identification and Lead Optimization of Dual Murine Double Minute 2 and 4 Binders: Structure-Activity Relationship Studies and Pharmacological Activity. Journal of Medicinal Chemistry, 2017, 60, 8115-8130.	6.4	19
101	Specific inhibition of benzodiazepine receptor binding by some N-(indol-3-ylglyoxylyl) amino acid derivatives: stereoselective interactions. Journal of Medicinal Chemistry, 1989, 32, 2514-2518.	6.4	18
102	A novel 2,3-diphenyl-4H-pyrido[1,2-a]pyrimidin-4-one derivative inhibits endothelial cell dysfunction and smooth muscle cell proliferation/activation. European Journal of Medicinal Chemistry, 2014, 72, 102-109.	5.5	18
103	Structure-Based Optimization of Tyrosine Kinase Inhibitor CLM3. Design, Synthesis, Functional Evaluation, and Molecular Modeling Studies. Journal of Medicinal Chemistry, 2014, 57, 1225-1235.	6.4	18
104	Sulfonamides incorporating heteropolycyclic scaffolds show potent inhibitory action against carbonic anhydrase isoforms I, II, IX and XII. Bioorganic and Medicinal Chemistry, 2016, 24, 921-927.	3.0	18
105	4-Substituted Benzenesulfonamides Incorporating Bi/Tricyclic Moieties Act as Potent and Isoform-Selective Carbonic Anhydrase II/IX Inhibitors. Journal of Medicinal Chemistry, 2018, 61, 5765-5770.	6.4	18
106	Antineoplastic activity of the multitarget tyrosine kinase inhibitors CLM3 and CLM94 in medullary thyroid cancer in vitro. Surgery, 2014, 156, 1167-1176.	1.9	17
107	Investigation of new 2-aryl substituted Benzothiopyrano[4,3-d]pyrimidines as kinase inhibitors targeting vascular endothelial growth factor receptor 2. European Journal of Medicinal Chemistry, 2015, 103, 29-43.	5.5	17
108	Long lasting MDM2/Translocator protein modulator: a new strategy for irreversible apoptosis of human glioblastoma cells. Oncotarget, 2016, 7, 7866-7884.	1.8	17

#	ARTICLE	IF	CITATIONS
109	Carbonic Anhydrase Activators for Neurodegeneration: An Overview. <i>Molecules</i> , 2022, 27, 2544.	3.8	17
110	Metal catalysis in organic reactions. 17. A nickel-promoted route to substituted allenes by reaction of 1-bromo-1,2-dienes with alkyl metals.. <i>Tetrahedron Letters</i> , 1985, 26, 5101-5104.	1.4	16
111	Synthesis of purinobenzothiazine and pyridothiazinopurine derivatives. Two new heterocyclic ring systems. <i>Journal of Heterocyclic Chemistry</i> , 1998, 35, 57-60.	2.6	16
112	Derivatives of Benzimidazolâ€²â€²ylquinoline and Benzimidazolâ€²â€²ylisoquinoline as Selective A₁ Adenosine Receptor Antagonists with Stimulant Activity on Human Colon Motility. <i>ChemMedChem</i> , 2011, 6, 1909-1918.	3.2	16
113	Revisiting a Receptor-Based Pharmacophore Hypothesis for Human A_{2A} Adenosine Receptor Antagonists. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1620-1637.	5.4	16
114	Acid Derivatives of Pyrazolo[1,5-a]pyrimidine as Aldose Reductase Differential Inhibitors. <i>Cell Chemical Biology</i> , 2018, 25, 1414-1418.e3.	5.2	16
115	Exploiting the Indole Scaffold to Design Compounds Binding to Different Pharmacological Targets. <i>Molecules</i> , 2020, 25, 2331.	3.8	16
116	Tertiary amides with a five-membered heteroaromatic ring as new probes for the translocator protein. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 4506-4520.	5.5	15
117	Synthetic analogues of flavonoids with improved activity against platelet activation and aggregation as novel prototypes of food supplements. <i>Food Chemistry</i> , 2015, 175, 494-499.	8.2	15
118	Targeting the KRAS oncogene: Synthesis, physicochemical and biological evaluation of novel G-Quadruplex DNA binders. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 149, 105337.	4.0	15
119	De novo Neurosteroidogenesis in Human Microglia: Involvement of the 18 kDa Translocator Protein. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3115.	4.1	15
120	Synthesis and Screening in Mice of Fluorine-Containing PET Radioligands for TSPO: Discovery of a Promising ¹⁸F-Labeled Ligand. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 16731-16745.	6.4	15
121	Synthesis of novel 1,4-dihydropyrido[3â€²,2â€²:5,6]thiopyrano[4,3-c]-pyrazoles and 5H-pyrido[3â€²,2â€²:5,6]thiopyrano[4,3-d]pyrimidines as potential antiproliferative agents. <i>Journal of Heterocyclic Chemistry</i> , 2003, 40, 783-788.	2.6	14
122	Synthesis and in vitro antiproliferative activity of new substituted benzo[3â€²,2â€²:5,6]thiopyrano[4,3-d]pyrimidines. <i>Journal of Heterocyclic Chemistry</i> , 2008, 45, 745-749.	2.6	14
123	Long Residence Time at the Neurosteroidogenic 18 kDa Translocator Protein Characterizes the Anxiolytic Ligand XBD173. <i>ACS Chemical Neuroscience</i> , 2016, 7, 1041-1046.	3.5	13
124	Enantiomeric 4â€²-Acylaminoâ€²â€²alkoxyâ€² Alkylthiopyrimidines As Potential A₃ Adenosine Receptor Antagonists: HPLC Chiral Resolution and Absolute Configuration Assignment by a Full Set of Chiroptical Spectroscopy. <i>Chirality</i> , 2016, 28, 434-440.	2.6	13
125	Exploiting the 4-Phenylquinazoline Scaffold for the Development of High Affinity Fluorescent Probes for the Translocator Protein (TSPO). <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7897-7909.	6.4	13
126	Challenging clinically unresponsive medullary thyroid cancer: Discovery and pharmacological activity of novel RET inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018, 150, 491-505.	5.5	13

#	ARTICLE	IF	CITATIONS
127	Metal catalysis in norganic reactions. 18. Stereochemistry of the transition-metal catalyzed cross-coupling of (S)-1-bromo-3-methyl-1,2-pentadiene with isobutylmetal compounds. Tetrahedron Letters, 1986, 27, 1067-1068.	1.4	12
128	CLM29 and CLM24, pyrazolopyrimidine derivatives, have antitumoral activity in vitro in anaplastic thyroid cancer, with or without BRAF mutation. Endocrine, 2016, 53, 136-144.	2.3	12
129	Novel positive allosteric modulators of A _{2B} adenosine receptor acting as bone mineralisation promoters. Journal of Enzyme Inhibition and Medicinal Chemistry, 2021, 36, 287-295.	5.2	12
130	A3 Receptor Ligands: Past, Present and Future Trends. Current Topics in Medicinal Chemistry, 2010, 10, 942-975.	2.1	11
131	Soyasaponins from Zolfino bean as aldose reductase differential inhibitors. Journal of Enzyme Inhibition and Medicinal Chemistry, 2019, 34, 350-360.	5.2	11
132	Synthesis of fused purinoquinazolines. Three new heterocyclic ring systems. Journal of Heterocyclic Chemistry, 1995, 32, 941-945.	2.6	10
133	Allosteric Modulators for Adenosine Receptors: An Alternative to the Orthosteric Ligands. Current Topics in Medicinal Chemistry, 2010, 10, 976-992.	2.1	10
134	Toward PET imaging of A _{2B} adenosine receptors: a carbon-11 labeled triazinobenzimidazole tracer. Nuclear Medicine and Biology, 2016, 43, 309-317.	0.6	10
135	Long lasting inhibition of Mdm2-p53 interaction potentiates mesenchymal stem cell differentiation into osteoblasts. Biochimica Et Biophysica Acta - Molecular Cell Research, 2019, 1866, 737-749.	4.1	10
136	High Affinity Central Benzodiazepine Receptor Ligands: Synthesis and Biological Evaluation of a Series of Phenyltriazolobenzotriazindione Derivatives. Journal of Medicinal Chemistry, 2005, 48, 2936-2943.	6.4	9
137	Residence Time, a New parameter to Predict Neurosteroidogenic Efficacy of Translocator Protein (TSPO) Ligands: the Case Study of N,N-Dialkyl-2-arylmethylglyoxylamides. ChemMedChem, 2017, 12, 1275-1278.		9
138	Inhibition studies on carbonic anhydrase isoforms I, II, IV and IX with N-arylsubstituted secondary sulfonamides featuring a bicyclic tetrahydroindazole scaffold. European Journal of Medicinal Chemistry, 2021, 220, 113490.	5.5	9
139	Essential Principles and Recent Progress in the Development of TSPO PET Ligands for Neuroinflammation Imaging. Current Medicinal Chemistry, 2022, 29, 4862-4890.	2.4	9
140	Synthesis of purinobenzodiazepine and purinobenzotriazocine derivatives, two new heterocyclic ring systems. Journal of Heterocyclic Chemistry, 1999, 36, 639-642.	2.6	8
141	Medicinal Chemistry of Indolylglyoxylamide GABAA/BzR High Affinity Ligands: Identification of Novel Anxiolytic/Non Sedative Agents. Current Topics in Medicinal Chemistry, 2012, 12, 286-311.	2.1	8
142	Geometrically Constrained Analogues of N-Benzylindolylglyoxylylamides: [1, 2, 4]Triazino[4, 3-a]benzimidazol-4(10H)-one Derivatives as Potential New Ligands at the Benzodiazepine Receptor. Archiv Der Pharmazie, 2003, 336, 413-421.	4.1	7
143	A Virtual Screening Study of the 18 kDa Translocator Protein using Pharmacophore Models Combined with 3D-QSAR Studies. ChemMedChem, 2009, 4, 1686-1694.	3.2	7
144	3-(Fur-2-yl)-10-(2-phenylethyl)-[1,2,4]triazino[4,3-a]benzimidazol-4(10H)-one, a Novel Adenosine Receptor Antagonist with A _{2A} -Mediated Neuroprotective Effects. ACS Chemical Neuroscience, 2011, 2, 526-535.	3.5	7

#	ARTICLE	IF	CITATIONS
145	Receptor Tyrosine Kinase Kit and Gastrointestinal Stromal Tumours: An Overview. <i>Current Medicinal Chemistry</i> , 2011, 18, 2893-2903.	2.4	7
146	4-amino-6-alkyloxy-2-alkylthiopyrimidine derivatives as novel non-nucleoside agonists for the adenosine A1 receptor. <i>Chemical Biology and Drug Design</i> , 2016, 88, 724-729.	3.2	7
147	New insights in the structure-activity relationships of 2-phenylamino-substituted benzothiopyrano[4,3-d]pyrimidines as kinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018, 150, 446-456.	5.5	7
148	Anti-ischæmic activity of an antioxidant aldose reductase inhibitor on diabetic and non-diabetic rat hearts. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 107-113.	2.4	6
149	Medicinal Chemistry of Indolylglyoxylamide TSPO High Affinity Ligands with Anxiolytic-Like Effects. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 333-351.	2.1	6
150	Novel fluorescent triazinobenzimidazole derivatives as probes for labelling human A1 and A2B adenosine receptor subtypes. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5885-5895.	3.0	6
151	Facile synthesis of 3-substituted [1,2,4]triazino[3,4-f]purine-4,6,8-trione derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2001, 38, 607-612.	2.6	5
152	Benzothiopyranoindole- and pyridothiopyranoindole-based antiproliferative agents targeting topoisomerases. <i>European Journal of Medicinal Chemistry</i> , 2019, 165, 46-58.	5.5	5
153	Allotterism vs. Orthotterism: Recent Findings and Future Perspectives on A2B AR Physio-Pathological Implications. <i>Frontiers in Pharmacology</i> , 2021, 12, 652121.	3.5	5
154	Tetrahydroquinazole-based secondary sulphonamides as carbonic anhydrase inhibitors: synthesis, biological evaluation against isoforms I, II, IV, and IX, and computational studies. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 1874-1883.	5.2	4
155	Translocator Protein 18-kDa: a promising target to treat neuroinflammation-related degenerative diseases. <i>Current Medicinal Chemistry</i> , 2022, 29, .	2.4	4
156	Synthesis and Benzodiazepine Receptor Affinity of Derivatives of the New Tricyclic Heteroaromatic System Pyrido[3,2':5,6]thiopyrano[4,3-c]pyridazin-3(2H,5H)-one. <i>Archiv Der Pharmazie</i> , 2005, 338, 126-132.	4.1	3
157	Synthesis of New Heterocyclic Ring Systems via [1,3,5]Triazino[1,2-a]benzimidazole Derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 1417-1422.	2.6	3
158	Discovery of Pyrido[3,2':5,6]thiopyrano[4,3-c]pyrimidine-Based Antiproliferative Multikinase Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 457-462.	2.8	3
159	Carbonic anhydrase activation profile of indole-based derivatives. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 1783-1797.	5.2	3
160	Cancer Immunotherapy: An Overview on Small Molecules as Inhibitors of the Immune Checkpoint PD-1/PD-L1 (2015-2021). <i>Mini-Reviews in Medicinal Chemistry</i> , 2022, 22, .	2.4	3
161	Synthesis of a novel purine-containing heterocyclic ring system: 8,10a-Dimethylindolo[2,3-b,4,5-c]triazino[4,3-f]purine-9,11(8H,10H,13H)-trione. <i>Journal of Heterocyclic Chemistry</i> , 2000, 37, 373-377.	2.2	2
162	Effects of newly-developed benzodiazepine ligands on noise-induced mitochondrial damage in the rat. <i>Annals of Anatomy</i> , 2000, 182, 311-318.	1.9	1

#	ARTICLE	IF	CITATIONS
163	Geometrically Constrained Derivatives of Indolylglyoxylamides as Ligands Binding the GABAA/BzR Complex. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 312-320.	2.1	1
164	Enriching the Arsenal of Pharmacological Tools against MICAL2. <i>Molecules</i> , 2021, 26, 7519.	3.8	1
165	A search for quantum mechanical methods suitable for the conformational analysis of models related to some inverse agonists of the benzodiazepine receptor. <i>Molecular Engineering</i> , 1994, 3, 365-376.	0.2	0
166	Synthesis and Benzodiazepine Receptor Affinity of Derivatives of the New Tricyclic Heteroaromatic System Pyrido[3,2-b:5,6]thiopyrano[4,3-c]pyridazin-3(2H,5H)-one.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
167	Highlighting the New Advances in Drug Discovery and Development. <i>ChemMedChem</i> , 2008, 3, 181-184.	3.2	0
168	Structure–Activity Relationships on Purine and 2,3-Dihydropurine Derivatives as Antitubercular Agents: a Data Mining Approach. <i>Chemical Biology and Drug Design</i> , 2011, 78, 718-724.	3.2	0
169	Editorial [Hot Topic:The Indolylglyoxylamide Scaffold as an Useful Tool to Obtain Anxiolytic Agents (Guest Editors: Sabrina Taliani & Federico Da Settimo)]. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 236-237.	2.1	0
170	Drug Repurposing Meets DNA Independent Pathways: Targeting Alternative Substrates for Anticancer Therapy. <i>Current Topics in Medicinal Chemistry</i> , 2021, 21, 2767-2770.	2.1	0