
Charles Lung-Cheng Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6175145/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Risks of treated anxiety, depression, and insomnia among nurses: A nationwide longitudinal cohort study. PLoS ONE, 2018, 13, e0204224.	2.5	57
2	The bidirectional relationship between anxiety, depression, and lower urinary track symptoms: A nationwide population-based cohort study. Journal of Psychosomatic Research, 2017, 100, 77-82.	2.6	35
3	Relapse insomnia increases greater risk of anxiety and depression: evidence from a population-based 4-year cohort study. Sleep Medicine, 2017, 38, 122-129.	1.6	57
4	The Functional Significance of Affect Recognition, Neurocognition, and Clinical Symptoms in Schizophrenia. PLoS ONE, 2017, 12, e0170114.	2.5	7
5	Gender ratios of administrative prevalence and incidence of attention-deficit/hyperactivity disorder (ADHD) across the lifespan: A nationwide population-based study in Taiwan. Psychiatry Research, 2016, 244, 382-387.	3.3	20
6	Risks of Treated Insomnia, Anxiety, and Depression in Health Care-Seeking Physicians. Medicine (United) Tj ETQq	0	/Qyerlock 10
7	Increased risks of healthcare-seeking behaviors of anxiety, depression and insomnia among patients with bladder pain syndrome/interstitial cystitis: a nationwide population-based study. International	1.4	54

	Urology and Nephrology, 2015, 47, 275-281.	1.4	74
8	Intramuscular olanzapine versus intramuscular haloperidol plus lorazepam for the treatment of acute schizophrenia with agitation: An open-label, randomized controlled trial. Journal of the Formosan Medical Association, 2015, 114, 438-445.	1.7	24
9	Health service utilization of heroin abusers: A retrospective cohort study. Addictive Behaviors, 2015, 45, 281-286.	3.0	23
10	The association of healthcare seeking behavior for anxiety and depression among patients with lower urinary tract symptoms: A nationwide population-based study. Psychiatry Research, 2015, 226, 247-251.	3.3	27
11	Are there differential deficits in facial emotion recognition between paranoid and non-paranoid schizophrenia? A signal detection analysis. Psychiatry Research, 2013, 209, 424-430.	3.3	14
12	Factors associated with mortality among heroin users after seeking treatment with methadone: A population-based cohort study in Taiwan. Journal of Substance Abuse Treatment, 2013, 44, 295-300.	2.8	43
13	The Chinese Facial Emotion Recognition Database (CFERD): A computer-generated 3-D paradigm to measure the recognition of facial emotional expressions at different intensities. Psychiatry Research, 2012, 200, 928-932.	3.3	17
14	The interactions between religion, religiosity, religious delusion/hallucination, and treatment-seeking behavior among schizophrenic patients in Taiwan. Psychiatry Research, 2011, 187, 347-353.	3.3	35