
Paolo Casale

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6175837/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of the Diagnostic Accuracy of Micro-ultrasound and Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies for the Diagnosis of Clinically Significant Prostate Cancer. European Urology Oncology, 2019, 2, 329-332.	5.4	62
2	Active Surveillance for Low Risk Nonmuscle Invasive Bladder Cancer: A Confirmatory and Resource Consumption Study from the BIAS Project. Journal of Urology, 2018, 199, 401-406.	0.4	54
3	Lipid-loaded tumor-associated macrophages sustain tumor growth and invasiveness in prostate cancer. Journal of Experimental Medicine, 2022, 219, .	8.5	53
4	Diagnostic Accuracy of Microultrasound in Patients with a Suspicion of Prostate Cancer at Magnetic Resonance Imaging: A Single-institutional Prospective Study. European Urology Focus, 2021, 7, 1019-1026.	3.1	39
5	Evolution of Robot-assisted Partial Nephrectomy: Techniques and Outcomes from the Transatlantic Robotic Nephron-sparing Surgery Study Group. European Urology, 2019, 76, 222-227.	1.9	33
6	Active surveillance for lowâ€risk nonâ€muscleâ€invasive bladder cancer: midâ€ŧerm results from the Bladder cancer Italian Active Surveillance (<scp>BIAS</scp>) project. BJU International, 2016, 118, 935-939.	2.5	24
7	Assessing the Feasibility and Accuracy of High-resolution Microultrasound Imaging for Bladder Cancer Detection and Staging. European Urology, 2020, 77, 727-732.	1.9	20
8	Clinical performance of Xpert Bladder Cancer (BC) Monitor, a mRNA-based urine test, in active surveillance (AS) patients with recurrent non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Italian Active Surveillance (BIAS) project. World Journal of Urology, 2020, 38, 2215-2220.	2.2	20
9	The use of 29 MHz transrectal micro-ultrasound to stratify the prostate cancer risk in patients with PI-RADS III lesions at multiparametric MRI: A single institutional analysis. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 832.e1-832.e7.	1.6	16
10	Use of high-resolution micro-ultrasound to predict extraprostatic extension of prostate cancer prior to surgery: a prospective single-institutional study. World Journal of Urology, 2022, 40, 435-442.	2.2	16
11	Pathological Outcomes for Patients Who Failed To Remain Under Active Surveillance for Low-risk Non–muscle-invasive Bladder Cancer: Update and Results from the Bladder Cancer Italian Active Surveillance Project. European Urology Oncology, 2018, 1, 437-442.	5.4	14
12	Gender-specific risk factors for renal cell carcinoma. Current Opinion in Urology, 2019, 29, 272-278.	1.8	11
13	Use of 29-MHz Micro-ultrasound for Local Staging of Prostate Cancer in Patients Scheduled for Radical Prostatectomy: A Feasibility Study. European Urology Open Science, 2020, 19, 20-23.	0.4	11
14	Multi-institutional Retrospective Validation and Comparison of the Simplified PADUA REnal Nephrometry System for the Prediction of Surgical Success of Robot-assisted Partial Nephrectomy. European Urology Focus, 2020, 7, 1100-1106.	3.1	11
15	Long-term Follow-up and Factors Associated with Active Surveillance Failure for Patients with Non–muscle-invasive Bladder Cancer: The Bladder Cancer Italian Active Surveillance (BIAS) Experience. European Urology Oncology, 2022, 5, 251-255.	5.4	11
16	Xpert Bladder Cancer Monitor May Avoid Cystoscopies in Patients Under "Active Surveillance―for Recurrent Bladder Cancer (BIAS Project): Longitudinal Cohort Study. Frontiers in Oncology, 2022, 12, 832835.	2.8	11
17	Active surveillance for recurrent non-muscle invasive bladder cancer: which lessons have we learned during COVID-19 pandemic?. Minerva Urology and Nephrology, 2022, 74, .	2.5	7
18	Predictive factors for progression of patients with carcinoma in situ of the bladder at long-term follow-up: pure versus non-pure CIS. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 406-412.	3.9	7

PAOLO CASALE

#	Article	IF	CITATIONS
19	Head-to-Head Comparison between High-Resolution Microultrasound Imaging and Multiparametric MRI in Detecting and Local Staging of Bladder Cancer: The BUS-MISS Protocol. Bladder Cancer, 2022, 8, 119-127.	0.4	7
20	Renin-dependent hypertension cured with percutaneous radiofrequency ablation. Journal of Hypertension, 2019, 37, 653-656.	0.5	5
21	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 273-279.	3.9	4
22	Robot-assisted partial nephrectomy: Techniques and outcomes from the Transatlantic Robotic Nephron-sparing Surgery (TRoNeS) study group. European Urology Supplements, 2019, 18, e2264.	0.1	0
23	Mitomycin C triggers immunogenic cell death in bladder cancer cells. European Urology Supplements, 2019, 18, e585-e586.	0.1	0
24	Screening of <i>BRCA2</i> mutated men for detection of prostate cancer: Preliminary results from a national high volume cancer center Journal of Clinical Oncology, 2019, 37, e16567-e16567.	1.6	0