## Lorenzo Pasquini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6175901/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Questions and controversies in the study of time-varying functional connectivity in resting fMRI. Network Neuroscience, 2020, 4, 30-69.	1.4	364
2	Within-patient correspondence of amyloid-β and intrinsic network connectivity in Alzheimer's disease. Brain, 2014, 137, 2052-2064.	3.7	126
3	Disrupted Intrinsic Networks Link Amyloid-β Pathology and Impaired Cognition in Prodromal Alzheimer's Disease. Cerebral Cortex, 2015, 25, 4678-4688.	1.6	92
4	The lower hippocampus global connectivity, the higher its local metabolism in Alzheimer disease. Neurology, 2015, 84, 1956-1963.	1.5	87
5	Neurons selectively targeted in frontotemporal dementia reveal early stage TDP-43 pathobiology. Acta Neuropathologica, 2019, 137, 27-46.	3.9	87
6	Link between hippocampus' raised local and eased global intrinsic connectivity in AD. Alzheimer's and Dementia, 2015, 11, 475-484.	0.4	78
7	Subacute effects of the psychedelic ayahuasca on the salience and default mode networks. Journal of Psychopharmacology, 2020, 34, 623-635.	2.0	52
8	Medial Temporal Lobe Disconnection and Hyperexcitability Across Alzheimer's Disease Stages. Journal of Alzheimer's Disease Reports, 2019, 3, 103-112.	1.2	48
9	Effective connectivity in the default mode network is distinctively disrupted in Alzheimer's disease—A simultaneous restingâ€state FDGâ€PET/fMRI study. Human Brain Mapping, 2021, 42, 4134-4143.	1.9	43
10	Salience Network Atrophy Links Neuron Type-Specific Pathobiology to Loss of Empathy in Frontotemporal Dementia. Cerebral Cortex, 2020, 30, 5387-5399.	1.6	37
11	Progress update from the hippocampal subfields group. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 439-449.	1.2	34
12	Individual Correspondence of Amyloid-β and Intrinsic Connectivity in the Posterior Default Mode Network Across Stages of Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 58, 763-773.	1.2	30
13	Reduced blood oxygenation level dependent connectivity is related to hypoperfusion in Alzheimer's disease. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1314-1325.	2.4	28
14	Brainhack: Developing a culture of open, inclusive, community-driven neuroscience. Neuron, 2021, 109, 1769-1775.	3.8	27
15	Decoupling of Local Metabolic Activity and Functional Connectivity Links to Amyloid in Alzheimer's Disease. Journal of Alzheimer's Disease, 2018, 64, 405-415.	1.2	21
16	State and trait characteristics of anterior insula time-varying functional connectivity. NeuroImage, 2020, 208, 116425.	2.1	17
17	Progressively Disrupted Intrinsic Functional Connectivity of Basolateral Amygdala in Very Early Alzheimer's Disease. Frontiers in Neurology, 2016, 7, 132.	1.1	16
18	Increased Intrinsic Activity of Medial-Temporal Lobe Subregions is Associated with Decreased Cortical Thickness of Medial-Parietal Areas in Patients with Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2016, 51, 313-326.	1.2	16

Lorenzo Pasquini

#	Article	IF	CITATIONS
19	Human subsystems of medial temporal lobes extend locally to amygdala nuclei and globally to an allostatic-interoceptive system. NeuroImage, 2020, 207, 116404.	2.1	16
20	Degradation in intrinsic connectivity networks across the Alzheimer's disease spectrum. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 5, 35-42.	1.2	13
21	A novel temporalâ€predominantÂneuroâ€astroglial tauopathyÂassociated with <i>TMEM106B</i> gene polymorphism in FTLD/ALSâ€TDP. Brain Pathology, 2021, 31, 267-282.	2.1	12
22	Convergent regional brain abnormalities in behavioral variant frontotemporal dementia: A neuroimaging metaâ€analysis of 73 studies. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, .	1.2	10
23	Neurological signs as early determinants of dementia and predictors of mortality among older adults in Latin America: a 10/66 study using the NEUROEX assessment. BMC Neurology, 2018, 18, 163.	0.8	8
24	Intrinsic Brain Activity of Cognitively Normal Older Persons Resembles More That of Patients Both with and at Risk for Alzheimer's Disease Than That of Healthy Younger Persons. Brain Connectivity, 2014, 4, 323-336.	0.8	2