

Vasile-Dan Hodoroaba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6176823/publications.pdf>

Version: 2024-02-01

144
papers

2,540
citations

201385

27
h-index

243296

44
g-index

150
all docs

150
docs citations

150
times ranked

2841
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of agglomeration and aggregation on the photocatalytic activity of TiO ₂ nanoparticles. Applied Catalysis B: Environmental, 2017, 216, 80-87.	10.8	170
2	Beyond Shape Engineering of TiO ₂ Nanoparticles: Post-Synthesis Treatment Dependence of Surface Hydration, Hydroxylation, Lewis Acidity and Photocatalytic Activity of TiO ₂ Anatase Nanoparticles with Dominant {001} or {101} Facets. ACS Applied Nano Materials, 2018, 1, 5355-5365.	2.4	102
3	How reliably can a material be classified as a nanomaterial? Available particle-sizing techniques at work. Journal of Nanoparticle Research, 2016, 18, 158.	0.8	100
4	Functionalized magnetic nanoparticles: Synthesis, characterization, catalytic application and assessment of toxicity. Scientific Reports, 2018, 8, 6278.	1.6	95
5	Glow discharge optical emission spectrometry: moving towards reliable thin film analysis—a short review. Journal of Analytical Atomic Spectrometry, 2003, 18, 670-679.	1.6	89
6	Investigations of the effect of hydrogen in an argon glow discharge. Journal of Analytical Atomic Spectrometry, 2000, 15, 1075-1080.	1.6	75
7	High-resolution imaging with SEM/T-SEM, EDX and SAM as a combined methodical approach for morphological and elemental analyses of single engineered nanoparticles. RSC Advances, 2014, 4, 49577-49587.	1.7	74
8	Reliable nanomaterial classification of powders using the volume-specific surface area method. Journal of Nanoparticle Research, 2017, 19, 61.	0.8	70
9	Emission spectra of copper and argon in an argon glow discharge containing small quantities of hydrogen. Journal of Analytical Atomic Spectrometry, 2000, 15, 951-958.	1.6	69
10	Present possibilities of thin-layer analysis by GDOES. Surface and Interface Analysis, 2003, 35, 575-582.	0.8	68
11	Formic Acid Photoreforming for Hydrogen Production on Shape-Controlled Anatase TiO ₂ Nanoparticles: Assessment of the Role of Fluorides, {101}/{001} Surfaces Ratio, and Platinization. ACS Catalysis, 2019, 9, 6692-6697.	5.5	65
12	Shape-engineered titanium dioxide nanoparticles (TiO ₂ -NPs): cytotoxicity and genotoxicity in bronchial epithelial cells. Food and Chemical Toxicology, 2019, 127, 89-100.	1.8	59
13	Influence of gelatin coatings on compressive strength of porous hydroxyapatite ceramics. Journal of the European Ceramic Society, 2011, 31, 523-529.	2.8	52
14	Characterization of nanoparticles by scanning electron microscopy. , 2020, , 7-27.		47
15	The Determination of the Efficiency of Energy Dispersive X-Ray Spectrometers by a New Reference Material. Microscopy and Microanalysis, 2006, 12, 406-415.	0.2	46
16	Performance of High-Resolution SEM/EDX Systems Equipped with Transmission Mode (TSEM) for Imaging and Measurement of Size and Size Distribution of Spherical Nanoparticles. Microscopy and Microanalysis, 2014, 20, 602-612.	0.2	46
17	The effect of small quantities of hydrogen on a glow discharge in neon. Comparison with the argon case. Journal of Analytical Atomic Spectrometry, 2001, 16, 43-49.	1.6	43
18	New Approach on Quantification of Porosity of Thin Films via Electron-Excited X-ray Spectra. Analytical Chemistry, 2016, 88, 7083-7090.	3.2	41

#	ARTICLE	IF	CITATIONS
19	The effect of boehmite nanoparticles ($\gamma\text{-AlOOH}$) on nanomechanical and thermomechanical properties correlated to crosslinking density of epoxy. <i>Polymer</i> , 2019, 164, 174-182.	1.8	39
20	Inspection of morphology and elemental imaging of single nanoparticles by high-resolution SEM/EDX in transmission mode. <i>Surface and Interface Analysis</i> , 2014, 46, 945-948.	0.8	37
21	Green Fenton-like magnetic nanocatalysts: Synthesis, characterization and catalytic application. <i>Applied Catalysis B: Environmental</i> , 2015, 176-177, 667-677.	10.8	36
22	Depth profiling of electrically non-conductive layered samples by RF-GDOES and HFM plasma SNMS. <i>Applied Surface Science</i> , 2001, 179, 30-37.	3.1	35
23	Influence of hydrogen on the analytical figures of merit of glow discharge optical emission spectroscopy—friend or foe?. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 521-526.	1.6	34
24	Singlet oxygen generation potential of porphyrin-sensitized magnetite nanoparticles: Synthesis, characterization and photocatalytic application. <i>Applied Catalysis B: Environmental</i> , 2018, 232, 553-561.	10.8	33
25	Nano or Not Nano? A Structured Approach for Identifying Nanomaterials According to the European Commission's Definition. <i>Small</i> , 2020, 16, e2002228.	5.2	32
26	Size characterization of airborne SiO ₂ nanoparticles with on-line and off-line measurement techniques: an interlaboratory comparison study. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	31
27	A new microfocus x-ray source, iMOXS, for highly sensitive XRF analysis in scanning electron microscopes. <i>X-Ray Spectrometry</i> , 2005, 34, 493-497.	0.9	30
28	Gaining Improved Chemical Composition by Exploitation of Compton-to-Rayleigh Intensity Ratio in XRF Analysis. <i>Analytical Chemistry</i> , 2014, 86, 6858-6864.	3.2	29
29	Interlaboratory comparison: Quantitative surface analysis of thin Fe-Ni alloy films. <i>Surface and Interface Analysis</i> , 2012, 44, 192-199.	0.8	27
30	X-ray scattering in X-ray fluorescence spectra with X-ray monochromatic, polarised excitation—Modelling, experiment, and Monte-Carlo simulation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2011, 269, 1493-1498.	0.6	26
31	Machine learning approach for elucidating and predicting the role of synthesis parameters on the shape and size of TiO ₂ nanoparticles. <i>Scientific Reports</i> , 2020, 10, 18910.	1.6	26
32	Energy dispersive electron probe microanalysis (ED-EPMA) of elemental composition and thickness of Fe-Ni alloy films. <i>Surface and Interface Analysis</i> , 2012, 44, 1459-1461.	0.8	25
33	Efficient Luminescent Solar Concentrators Based on Environmentally Friendly Cd-Free Ternary AIS/ZnS Quantum Dots. <i>Advanced Optical Materials</i> , 2021, 9, 2100587.	3.6	24
34	Characterization of micro- and nanocapsules for self-healing anti-corrosion coatings by high-resolution SEM with coupled transmission mode and EDX. <i>Analyst</i> , The, 2014, 139, 2004.	1.7	23
35	Lateral resolution of nanoscaled images delivered by surface-analytical instruments: application of the BAM-L200 certified reference material and related ISO standards. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3211-3217.	1.9	23
36	Hybrid iron-based core-shell magnetic catalysts for fast degradation of bisphenol A in aqueous systems. <i>Chemical Engineering Journal</i> , 2016, 302, 587-594.	6.6	23

#	ARTICLE	IF	CITATIONS
37	Size and shape distributions of primary crystallites in titania aggregates. <i>Advanced Powder Technology</i> , 2017, 28, 1647-1659.	2.0	23
38	Determination of the real transmission of an X-ray lens for micro-focus XRF at the SEM by coupling measurement with calculation of scatter spectra. <i>X-Ray Spectrometry</i> , 2009, 38, 216-221.	0.9	22
39	X-ray scattering in X-ray fluorescence spectra with X-ray tube excitation – Modelling, experiment, and Monte-Carlo simulation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2010, 268, 3568-3575.	0.6	21
40	Catalytical degradation of relevant pollutants from waters using magnetic nanocatalysts. <i>Applied Surface Science</i> , 2015, 352, 42-48.	3.1	21
41	Determining the Thickness and Completeness of the Shell of Polymer Core-Shell Nanoparticles by X-ray Photoelectron Spectroscopy, Secondary Ion Mass Spectrometry, and Transmission Scanning Electron Microscopy. <i>Journal of Physical Chemistry C</i> , 2019, 123, 29765-29775.	1.5	21
42	Energy-dispersive X-ray spectroscopy (EDS). , 2020, , 397-417.		21
43	X-ray fluorescence as an additional analytical method for a scanning electron microscope. <i>Mikrochimica Acta</i> , 2008, 161, 413-419.	2.5	20
44	Workflow towards automated segmentation of agglomerated, non-spherical particles from electron microscopy images using artificial neural networks. <i>Scientific Reports</i> , 2021, 11, 4942.	1.6	19
45	Assessing Optical and Electrical Properties of Highly Active IrO _x Catalysts for the Electrochemical Oxygen Evolution Reaction via Spectroscopic Ellipsometry. <i>ACS Catalysis</i> , 2020, 10, 14210-14223.	5.5	17
46	Round Robin exercise: Coated materials for glow discharge spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 74-81.	1.6	15
47	Potential candidates of certified reference material for determination of hydrogen concentration with glow discharge optical emission spectrometry (GD-OES) – a feasibility study. <i>Journal of Analytical Atomic Spectrometry</i> , 2008, 23, 460.	1.6	15
48	Tannic acid- and natural organic matter-coated magnetite as green Fenton-like catalysts for the removal of water pollutants. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	15
49	Removal of pollutants by the new Fenton-like highly active catalysts containing an imidazolium salt and a Schiff base. <i>Applied Catalysis B: Environmental</i> , 2016, 183, 335-342.	10.8	15
50	Shape engineered TiO ₂ nanoparticles in <i>Caenorhabditis elegans</i> : a Raman imaging based approach to assist tissue-specific toxicological studies. <i>RSC Advances</i> , 2016, 6, 70501-70509.	1.7	14
51	Ellipsometric porosimetry on pore-controlled TiO ₂ layers. <i>Applied Surface Science</i> , 2017, 421, 487-493.	3.1	14
52	TSEM-based contour analysis as a tool for the quantification of the profile roughness of silica shells on polystyrene core particles. <i>Applied Surface Science</i> , 2017, 426, 446-455.	3.1	14
53	Characterization of Pd-Ni-Co alloy thin films by EDX-PEMA with application of the STRATAGEM software. <i>Surface and Interface Analysis</i> , 2012, 44, 1456-1458.	0.8	13
54	In-depth structural and chemical characterization of engineered TiO ₂ films. <i>Surface and Interface Analysis</i> , 2016, 48, 664-669.	0.8	13

#	ARTICLE	IF	CITATIONS
55	Evaluation of Electrospray as a Sample Preparation Tool for Electron Microscopic Investigations: Toward Quantitative Evaluation of Nanoparticles. <i>Microscopy and Microanalysis</i> , 2017, 23, 163-172.	0.2	13
56	Characterization of the inner structure of porous TiO ₂ nanoparticle films in dye sensitive solar cells (DSSC) by focused ion beam (FIB) tomography and transmission Kikuchi diffraction (TKD) in the scanning electron microscope (SEM). <i>Materials Characterization</i> , 2017, 131, 39-48.	1.9	13
57	Final report on Key Comparison K67 and parallel Pilot Study P108: Measurement of composition of a thin Fe-Ni alloy film. <i>Metrologia</i> , 2010, 47, 08011-08011.	0.6	12
58	Performance of ⁵¹ V-XRF with SEM/EDS for trace analysis on the example of RoHS relevant elements measurement, optimisation and prediction of the detection limits. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1466.	1.6	12
59	Zirconium permanent modifiers for graphite furnaces used in absorption spectrometry: understanding their structure and mechanism of action. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 2034-2042.	1.6	12
60	Improvements of the low-energy performance of a micro-focus x-ray source for XRF analysis with the SEM. <i>X-Ray Spectrometry</i> , 2009, 38, 308-311.	0.9	11
61	A technique-driven materials categorisation scheme to support regulatory identification of nanomaterials. <i>Nanoscale Advances</i> , 2019, 1, 781-791.	2.2	11
62	Volume-specific surface area by gas adsorption analysis with the BET method. , 2020, , 265-294.		11
63	Calculation of X-ray tube spectra by means of photon generation yields and a modified Kramers background for side-window X-ray tubes. <i>X-Ray Spectrometry</i> , 2012, 41, 264-272.	0.9	10
64	Short- and Long-Range Mechanical and Chemical Interphases Caused by Interaction of Boehmite (γ-AlOOH) with Anhydride-Cured Epoxy Resins. <i>Nanomaterials</i> , 2019, 9, 853.	1.9	10
65	Pressure influence on the depth resolution of rf-glow discharge depth profiling of multilayer coatings. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1533-1535.	1.6	9
66	Imaging the microstructure of duplex stainless steel samples with TOF-SIMS. <i>Surface and Interface Analysis</i> , 2010, 42, 739-742.	0.8	9
67	A routine procedure for the characterisation of polycapillary X-ray semi-lenses in parallelising mode with SEM/EDS. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 499-504.	1.6	9
68	Analysis of Nanoscale Wear Particles from Lubricated Steel-Steel Contacts. <i>Tribology Letters</i> , 2015, 58, 1.	1.2	9
69	Electrochemical Immunomagnetic Ochratoxin A Sensing: Steps Forward in the Application of 3,3',5,5'-tetramethylbenzidine in Amperometric Assays. <i>ChemElectroChem</i> , 2021, 8, 2597-2606.	1.7	9
70	Exploitation of the hollow cathode effect for sensitivity enhancement of Grimm-type DC glow discharge optical emission spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2009, 24, 680.	1.6	8
71	A New Model for Nano-TiO ₂ Crystal Birth and Growth in Hydrothermal Treatment Using an Oriented Attachment Approach. <i>Crystal Growth and Design</i> , 2017, 17, 5640-5651.	1.4	8
72	Towards Accurate Analysis of Particle Size Distribution for Non-Spherically Shaped Nanoparticles as Quality Control Materials. <i>Microscopy and Microanalysis</i> , 2019, 25, 2328-2329.	0.2	8

#	ARTICLE	IF	CITATIONS
73	Auger electron spectroscopy. , 2020, , 373-395.		8
74	Counting Small Particles in Electron Microscopy Imagesâ€”Proposal for Rules and Their Application in Practice. Nanomaterials, 2022, 12, 2238.	1.9	8
75	On matrix effects in HF-plasma-SNMS analysis of sintered ceramic Ti-Al-(Si)-O. Fresenius' Journal of Analytical Chemistry, 1998, 361, 590-591.	1.5	7
76	NanoDefiner e-Tool: An Implemented Decision Support Framework for Nanomaterial Identification. Materials, 2019, 12, 3247.	1.3	7
77	Photocatalysis of Î³-irradiated cyclodextrin-functionalised Fe ₃ O ₄ nanoparticles for degrading Bisphenol A in polluted waters. Environmental Chemistry, 2019, 16, 125.	0.7	7
78	International standards in nanotechnologies. , 2020, , 511-525.		7
79	Polyethylene Glycol as Shape and Size Controller for the Hydrothermal Synthesis of SrTiO ₃ Cubes and Polyhedra. Nanomaterials, 2020, 10, 1892.	1.9	7
80	Reliable Surface Analysis Data of Nanomaterials in Support of Risk Assessment Based on Minimum Information Requirements. Nanomaterials, 2021, 11, 639.	1.9	7
81	Determination of the efficiency of an energy dispersive X-ray spectrometer up to 50 keV with a SEM. Journal of Analytical Atomic Spectrometry, 2009, 24, 1034.	1.6	6
82	A Method to Test the Performance of an Energy-Dispersive X-Ray Spectrometer (EDS). Microscopy and Microanalysis, 2014, 20, 1556-1564.	0.2	6
83	Boehmite Nanofillers in Epoxy Oligosiloxane Resins: Influencing the Curing Process by Complex Physical and Chemical Interactions. Materials, 2019, 12, 1513.	1.3	6
84	Correlative Analysis of the Dimensional Properties of Bipyrarnidal Titania Nanoparticles by Complementing Electron Microscopy with Other Methods. Nanomaterials, 2021, 11, 3359.	1.9	6
85	Ionic Liquids as a Reference Material Candidate for the Quick Performance Check of Energy Dispersive X-ray Spectrometers for the Low Energy Range below 1 keV. Analytical Chemistry, 2016, 88, 6967-6970.	3.2	5
86	Control of functionalization of supports for subsequent assembly of titania nanoparticle films. Surface and Interface Analysis, 2018, 50, 1200-1206.	0.8	5
87	Organic surface modification and analysis of titania nanoparticles for self-assembly in multiple layers. Surface and Interface Analysis, 2020, 52, 829-834.	0.8	5
88	Surface galvanic formation of Co-OH on Birnessite and its catalytic activity for the oxygen evolution reaction. Journal of Catalysis, 2021, 396, 304-314.	3.1	5
89	Blueprint for a self-sustained European Centre for service provision in safe and sustainable innovation for nanotechnology. Nanolmpact, 2021, 23, 100337.	2.4	5
90	Generalized Analysis Approach of the Profile Roughness by Electron Microscopy with the Example of Hierarchically Grown Polystyreneâ€”Iron Oxideâ€”Silica Coreâ€”Shell Particles. Advanced Engineering Materials, 2022, 24, .	1.6	5

#	ARTICLE	IF	CITATIONS
91	A Test Material and a quick Procedure for the Performance Check of X-Ray Spectrometers attached to the SEM. <i>Microscopy and Microanalysis</i> , 2009, 15, 1120-1121.	0.2	4
92	Accurate determination of small spot X-ray tube spectra by means of direct measurement in a calibrated instrumental setup. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 458.	1.6	4
93	Morphological and compositional features of blue and yellow pigments used in Portuguese glazed ceramics by SEM/EDX – unravelling manufacturing differences. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 51-57.	1.6	4
94	Assessment of Different Electron Microscopy Techniques for Particle Size Quantification of Potential Nanomaterials. <i>Microscopy and Microanalysis</i> , 2015, 21, 2403-2404.	0.2	4
95	Characterization of nanomaterials by transmission electron microscopy: Measurement procedures. , 2020, , 29-48.		4
96	Nanomechanical study of polycarbonate/boehmite nanoparticles/epoxy ternary composite and their interphases. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50231.	1.3	4
97	Preconditioning of AISI 304 stainless steel surfaces in the presence of flavins – Part II: Effect on biofilm formation and microbially influenced corrosion processes. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2021, 72, 983-994.	0.8	4
98	One-Pot Heat-Up Synthesis of ZnSe Magic-Sized Clusters Using Thiol Ligands. <i>Inorganic Chemistry</i> , 2022, 61, 7207-7211.	1.9	4
99	Energy spectra of secondary neutrals obtained by means of the electrostatic energy filter of a commercial low-pressure HF-plasma secondary neutral mass spectrometer. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1997, 15, 3158-3162.	0.9	3
100	Improved Spatial Resolution of EDX/SEM for the Elemental Analysis of Nanoparticles. <i>Microscopy and Microanalysis</i> , 2015, 21, 1713-1714.	0.2	3
101	Determination of the Effective Detector Area of an Energy-Dispersive X-Ray Spectrometer at the Scanning Electron Microscope Using Experimental and Theoretical X-Ray Emission Yields. <i>Microscopy and Microanalysis</i> , 2016, 22, 1360-1368.	0.2	3
102	Analysis of Mesoporous Iridium Oxide Thin Films by the Combined Methodical Approach SEM/EDS/STRATAGem. <i>Microscopy and Microanalysis</i> , 2018, 24, 762-763.	0.2	3
103	A Study on the Analysis of Particle Size Distribution for Bimodal Model Nanoparticles by Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2020, 26, 2282-2283.	0.2	3
104	Customizing New Titanium Dioxide Nanoparticles with Controlled Particle Size and Shape Distribution: A Feasibility Study Toward Reference Materials for Quality Assurance of Nonspherical Nanoparticle Characterization. <i>Advanced Engineering Materials</i> , 2022, 24, 2101347.	1.6	3
105	On tertiary BO x ions in HF-plasma SNMS. <i>Fresenius' Journal of Analytical Chemistry</i> , 1998, 361, 737-740.	1.5	2
106	Low-energy BO and BO2 emission from H2BO3 sputtered in a low-pressure high-frequency SNMS plasma. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1999, 155, 13-24.	0.6	2
107	Performance Check of a Wavelength Dispersive X-Ray Spectrometer (WDS) attached to the SEM. <i>Microscopy and Microanalysis</i> , 2009, 15, 1118-1119.	0.2	2
108	Determination of the k-Values of Copper-Gold Alloys with ED- and WD-EPMA - Results of an Inter-Laboratory Comparison. <i>Microscopy and Microanalysis</i> , 2014, 20, 730-731.	0.2	2

#	ARTICLE	IF	CITATIONS
109	Analytical approach for characterization of morphology and chemistry of a $\text{CH}_3\text{NH}_3\text{PbI}_3/\text{TiO}_2$ solar cell layered system. <i>Surface and Interface Analysis</i> , 2018, 50, 1234-1238.	0.8	2
110	Measurement of Elemental Composition of FeNi and SiGe Thin Films by Electron Probe Microanalysis with Stratagem Software. <i>Microscopy and Microanalysis</i> , 2018, 24, 758-759.	0.2	2
111	Analysis of elemental composition of $\text{Fe}_{1-x}\text{Ni}_x$ and $\text{Si}_{1-x}\text{Ge}_x$ alloy thin films by electron probe microanalysis and micro-focus X-ray fluorescence. <i>Surface and Interface Analysis</i> , 2020, 52, 929-932.	0.8	2
112	Analysis of the profile roughness of core-shell microparticles by electron microscopy. <i>Microscopy and Microanalysis</i> , 2021, 27, 2002-2004.	0.2	2
113	Benchmarking the ACEnano Toolbox for Characterisation of Nanoparticle Size and Concentration by Interlaboratory Comparisons. <i>Molecules</i> , 2021, 26, 5315.	1.7	2
114	Ellipsometry-Based Approach for the Characterization of Mesoporous Thin Films for H_2 Technologies. <i>Advanced Engineering Materials</i> , 0, , 2101320.	1.6	2
115	Ti-N thin layer deposition using the magnetron discharge. <i>Vacuum</i> , 1996, 47, 1103-1104.	1.6	1
116	Sol-gel preparation of calcium titanium phosphate: viscosity, thermal properties and solubility. <i>Journal of Sol-Gel Science and Technology</i> , 2012, 62, 273-280.	1.1	1
117	Surface Chemical Analysis at the Micro- and NanoScale. , 2013, , 301-322.		1
118	Need for Large-Area EDS Detectors for Imaging Nanoparticles in a SEM Operating in Transmission Mode. <i>Microscopy and Microanalysis</i> , 2014, 20, 662-663.	0.2	1
119	Determination of the Effective EDS Detector Area Using Experimental and Theoretical X-ray Emission Yields. <i>Microscopy and Microanalysis</i> , 2015, 21, 1481-1482.	0.2	1
120	What about Ionic Liquids as a Certified Reference Material Candidate to check Your EDS below 1 keV?. <i>Microscopy and Microanalysis</i> , 2015, 21, 1715-1716.	0.2	1
121	New reference and test materials for the characterization of energy dispersive X-ray spectrometers at scanning electron microscopes. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3045-3053.	1.9	1
122	Analysis of Fluorine Traces in TiO_2 Nanoplatelets by SEM/EDX, AES and TOF-SIMS. <i>Microscopy and Microanalysis</i> , 2017, 23, 1908-1909.	0.2	1
123	Complementary Methodical Approach for the Analysis of a Perovskite Solar Cell Layered System. <i>Microscopy and Microanalysis</i> , 2017, 23, 1978-1979.	0.2	1
124	Morphology and structure of Ti_xO_y nanoparticles generated by femtosecond laser ablation in water. <i>Materials Research Express</i> , 2018, 5, 045015.	0.8	1
125	Size and Shape Distribution of Bipyramidal TiCh Nanoparticles by Transmission Electron Microscopy - an Inter-Laboratory Comparison. <i>Microscopy and Microanalysis</i> , 2018, 24, 1706-1707.	0.2	1
126	Analysis of Elemental Composition of Fe_xNi_x and Si_xGe_x Alloy Thin Films by EPMA and $^{1/4}$ -XRF. <i>Microscopy and Microanalysis</i> , 2019, 25, 1786-1787.	0.2	1

#	ARTICLE	IF	CITATIONS
127	Carrier Fibers for the Safe Dosage of Nanoparticles in Nanocomposites: Nanomechanical and Thermomechanical Study on Polycarbonate/Boehmite Electrospun Fibers Embedded in Epoxy Resin. <i>Nanomaterials</i> , 2021, 11, 1591.	1.9	1
128	Toward Determination of the Surface Roughness of Particles from a SEM Image. <i>Microscopy and Microanalysis</i> , 2021, 27, 3302-3305.	0.2	1
129	Nanoparticle size, shape, and concentration measurement at once – two VAMAS pre-standardization projects ready to start. <i>Microscopy and Microanalysis</i> , 2021, 27, 2250-2251.	0.2	1
130	X-Ray Scattering and its Benefits for X-Ray Spectrometry at the SEM. <i>Microscopy and Microanalysis</i> , 2009, 15, 1122-1123.	0.2	0
131	Measurement of Atomic Fractions in Cu(In,Ga)Se ₂ Films by Auger Electron Spectroscopy (AES) and Energy Dispersive Electron Probe Microanalysis (ED-EPMA). <i>Microscopy and Microanalysis</i> , 2014, 20, 402-403.	0.2	0
132	Standardization and Metrology for Efficiency and Reliability in Microbeam Analysis - No pain, no gain. <i>Microscopy and Microanalysis</i> , 2015, 21, 1477-1478.	0.2	0
133	What is the Effective Geometrical Collection Efficiency of Your XEDS Detector? A Routine Procedure Applied in a SEM Laboratory.. <i>Microscopy and Microanalysis</i> , 2016, 22, 412-413.	0.2	0
134	Organic Surface Modification and Analysis of Titania Nanoparticles for Self-Assembly in Multiple Layers. <i>Microscopy and Microanalysis</i> , 2017, 23, 1872-1873.	0.2	0
135	Electrospray as a Sample Preparation Tool for Electron Microscopic Investigations: Toward Quantitative Evaluation of Nanoparticles. <i>Microscopy and Microanalysis</i> , 2017, 23, 1896-1897.	0.2	0
136	Check of the Performance of EDS Systems Attached to the SEM with the Test Material EDS-TM001/2 and Evaluation Software Package EDS Spectrometer Test -Application, Experiences and Updates. <i>Microscopy and Microanalysis</i> , 2018, 24, 730-731.	0.2	0
137	Electron Microscopy and X-Ray Diffraction Analysis of Titanium Oxide Nanoparticles Synthesized by Pulsed Laser Ablation in Liquid. <i>Microscopy and Microanalysis</i> , 2018, 24, 1710-1711.	0.2	0
138	High-Quality Experimental Data in Electron Microscopy and Microanalysis – What Can, and Should We Jointly Do?. <i>Microscopy and Microanalysis</i> , 2019, 25, 1762-1763.	0.2	0
139	Uncertainties in Secondary Fluorescence Correction in EPMA. <i>Microscopy and Microanalysis</i> , 2019, 25, 2360-2361.	0.2	0
140	Towards 3D Understanding of Non-spherical Nanoparticles by Transmission Kikuchi Diffraction (TKD) for Improved Particle Size Distribution by Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2020, 26, 260-261.	0.2	0
141	CCQM pilot study CCQM-P140: quantitative surface analysis of multi-element alloy films. <i>Metrologia</i> , 2015, 52, 08017-08017.	0.6	0
142	Towards Automated Electron Microscopy Image Segmentation for Nanoparticles of Complex Shape by Convolutional Neural Networks. <i>Microscopy and Microanalysis</i> , 2020, 26, 1188-1189.	0.2	0
143	Automation and Standardization – A Coupled Approach towards Reproducible Sample Preparation Protocols for Nanomaterial Analysis. <i>Molecules</i> , 2022, 27, 985.	1.7	0
144	Multilevel effective material approximation for modeling ellipsometric measurements on complex porous thin films. <i>Advanced Optical Technologies</i> , 2022, 11, 137-147.	0.9	0