
## Dennis Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6178608/publications.pdf Version: 2024-02-01



DENNIS LILI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Dysregulation of kynurenine metabolism is related to proinflammatory cytokines, attention, and prefrontal cortex volume in schizophrenia. Molecular Psychiatry, 2020, 25, 2860-2872.               | 4.1 | 155       |
| 2  | Increased macrophages andÂchanged brain endothelial cell gene expression in the frontal cortex of people with schizophrenia displaying inflammation. Molecular Psychiatry, 2020, 25, 761-775.      | 4.1 | 154       |
| 3  | Using blood cytokine measures to define high inflammatory biotype of schizophrenia and schizoaffective disorder. Journal of Neuroinflammation, 2017, 14, 188.                                      | 3.1 | 125       |
| 4  | ProBDNF Signaling Regulates Depression-Like Behaviors in Rodents under Chronic Stress.<br>Neuropsychopharmacology, 2016, 41, 2882-2892.  | 2.8 | 97        |
| 5  | Cognitive Subtypes of Schizophrenia Characterized by Differential Brain Volumetric Reductions and<br>Cognitive Decline. JAMA Psychiatry, 2016, 73, 1251.   | 6.0 | 84        |
| 6  | C-Reactive Protein: Higher During Acute Psychotic Episodes and Related to Cortical Thickness in Schizophrenia and Healthy Controls. Frontiers in Immunology, 2018, 9, 2230.                        | 2.2 | 78        |
| 7  | N-acetylcysteine (NAC) in schizophrenia resistant to clozapine: a double blind randomised placebo controlled trial targeting negative symptoms. BMC Psychiatry, 2016, 16, 320.                     | 1.1 | 34        |
| 8  | Individualized Metacognitive Training (MCT+) Reduces Delusional Symptoms in Psychosis: A<br>Randomized Clinical Trial. Schizophrenia Bulletin, 2019, 45, 27-36.                                    | 2.3 | 24        |
| 9  | Peripheral complement is increased in schizophrenia and inversely related to cortical thickness.<br>Brain, Behavior, and Immunity, 2022, 101, 423-434.   | 2.0 | 21        |
| 10 | ProBDNF/p75NTR/sortilin pathway is activated in peripheral blood of patients with alcohol dependence. Translational Psychiatry, 2017, 7, 2.  | 2.4 | 20        |
| 11 | Shorter telomere length in people with schizophrenia: A preliminary study from Australia.<br>Schizophrenia Research, 2017, 190, 46-51.   | 1.1 | 19        |
| 12 | Psychosis and cardiovascular disease: Is diet the missing link?. Schizophrenia Research, 2015, 161, 465-470.   | 1.1 | 18        |
| 13 | Is telepsychiatry care a realistic option for community mental health services during the COVID-19 pandemic?. Australian and New Zealand Journal of Psychiatry, 2020, 54, 1228-1228.               | 1.3 | 18        |
| 14 | Analysis of blood mature BDNF and proBDNF in mood disorders with specific ELISA assays. Journal of<br>Psychiatric Research, 2021, 133, 166-173.  | 1.5 | 18        |
| 15 | Risk Factors for Obstructive Sleep Apnea Are Prevalent in People with Psychosis and Correlate with<br>Impaired Social Functioning and Poor Physical Health. Frontiers in Psychiatry, 2016, 7, 139. | 1.3 | 15        |
| 16 | Altered levels of immune cell adhesion molecules are associated with memory impairment in schizophrenia and healthy controls. Brain, Behavior, and Immunity, 2020, 89, 200-208.                    | 2.0 | 14        |
| 17 | Smartphone and Internet Access and Utilization by People With Schizophrenia in South Australia:<br>Quantitative Survey Study. JMIR Mental Health, 2020, 7, e11551.                                 | 1.7 | 13        |
| 18 | Peripheral NF-κB dysregulation in people with schizophrenia drives inflammation: putative<br>anti-inflammatory functions of NF-κB kinases. Translational Psychiatry, 2022, 12, 21.                 | 2.4 | 12        |

Dennis Liu

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Increased plasma Brain-Derived Neurotrophic Factor (BDNF) levels in females with schizophrenia.<br>Schizophrenia Research, 2019, 209, 212-217.  | 1.1 | 11        |
| 20 | Cognition in schizophrenia improves with treatment of severe obstructive sleep apnoea: A pilot study.<br>Schizophrenia Research: Cognition, 2019, 15, 14-20.  | 0.7 | 11        |
| 21 | Transcriptional changes in the stress pathway are related to symptoms in schizophrenia and to mood<br>in schizoaffective disorder. Schizophrenia Research, 2019, 213, 87-95.  | 1.1 | 10        |
| 22 | Obstructive sleep apnoea is more prevalent in men with schizophrenia compared to general population controls: results of a matched cohort study. Australasian Psychiatry, 2018, 26, 600-603.                                | 0.4 | 9         |
| 23 | Autoantibody profiles associated with clinical features in psychotic disorders. Translational Psychiatry, 2021, 11, 474.  | 2.4 | 8         |
| 24 | Counting up the risks: How common are risk factors for morbidity and mortality in young people with psychosis?. Microbial Biotechnology, 2018, 12, 1045-1051.   | 0.9 | 7         |
| 25 | Cortisol-dehydroepiandrosterone ratios are inversely associated with hippocampal and prefrontal brain volume in schizophrenia. Psychoneuroendocrinology, 2021, 123, 104916.   | 1.3 | 7         |
| 26 | Ethics overload: impact of excessive ethical review on comorbidity research. Mental Health and Substance Use: Dual Diagnosis, 2014, 7, 184-194.   | 0.5 | 6         |
| 27 | Shorter telomere length in people with schizophrenia who live alone?. Schizophrenia Research, 2018, 199, 422-423.   | 1.1 | 6         |
| 28 | The impact of COVID-19 on antipsychotic prescriptions for patients with schizophrenia in Australia.<br>Australian and New Zealand Journal of Psychiatry, 2022, 56, 642-647.   | 1.3 | 4         |
| 29 | The value of counting WHO-defined cardiovascular risk factors for death and disability in a national sample of adults with psychosis. Schizophrenia Research, 2017, 182, 13-18.   | 1.1 | 3         |
| 30 | Sex-Specific Associations of Androgen Receptor CAG Trinucleotide Repeat Length and of Raloxifene<br>Treatment with Testosterone Levels and Perceived Stress in Schizophrenia. Molecular<br>Neuropsychiatry, 2019, 5, 28-41. | 3.0 | 3         |
| 31 | The role of arterial elasticity and cardiovascular peripheral resistance as clinically relevant indices of health status in people with psychosis. Schizophrenia Research, 2017, 184, 88-95.                                | 1.1 | 2         |
| 32 | Associations between health literacy, cognitive function and general literacy in people with schizophrenia attending community mental health clinics in Australia. BMC Psychiatry, 2022, 22, 245.                           | 1.1 | 1         |
| 33 | Parental history of diabetes mellitus has additive risk of metabolic syndrome in patients treated with<br>clozapine. Asian Journal of Psychiatry, 2020, 50, 101939.   | 0.9 | 0         |