

Shin-ichiro Kurimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6179054/publications.pdf>

Version: 2024-02-01

30
papers

414
citations

687363

13
h-index

794594

19
g-index

35
all docs

35
docs citations

35
times ranked

567
citing authors

#	ARTICLE	IF	CITATIONS
1	Conjugates of a secoiridoid glucoside with a phenolic glucoside from the flower buds of <i>Lonicera japonica</i> Thunb. <i>Phytochemistry</i> , 2013, 96, 423-429.	2.9	35
2	New $\hat{\pm}$ -glucosides of caffeoyl quinic acid from the leaves of <i>Moringa oleifera</i> Lam.. <i>Journal of Natural Medicines</i> , 2012, 66, 217-221.	2.3	33
3	Triterpenoids from the fruits of <i>Azadirachta indica</i> (Meliaceae). <i>FÄ-toterapÄ-Ä¢</i> , 2014, 92, 200-205.	2.2	32
4	Rigenolide A, a new secoiridoid glucoside with a cyclobutane skeleton, and three new acylated secoiridoid glucosides from <i>Gentiana rigescens</i> Franch. <i>FÄ-toterapÄ-Ä¢</i> , 2013, 91, 166-172.	2.2	31
5	Zamamidine D, a Manzamine Alkaloid from an Okinawan <i>Amphimedon</i> sp. Marine Sponge. <i>Journal of Natural Products</i> , 2017, 80, 1196-1199.	3.0	25
6	Ceratinadins E and F, New Bromotyrosine Alkaloids from an Okinawan Marine Sponge <i>Pseudoceratina</i> sp.. <i>Marine Drugs</i> , 2018, 16, 463.	4.6	25
7	A C14-polyacetylenic glucoside with an $\hat{\pm}$ -pyrone moiety and four C10-polyacetylenic glucosides from <i>Mediasia macrophylla</i> . <i>Phytochemistry</i> , 2010, 71, 688-692.	2.9	21
8	Triterpenes and a triterpene glucoside from <i>Dysoxylum cumingianum</i> . <i>Phytochemistry</i> , 2011, 72, 2205-2211.	2.9	18
9	New merosesquiterpenes from a Vietnamese marine sponge of <i>Spongia</i> sp. and their biological activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3043-3047.	2.2	18
10	The manzamine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2020, 84, 1-124.	2.0	18
11	Algolide A, secoiridoid glucoside from Mongolian medicinal plant <i>Gentiana algida</i> . <i>Tetrahedron Letters</i> , 2015, 56, 817-819.	1.4	15
12	New 29-nor-cycloartanes with a 3,4-seco- and a novel 2,3-seco-structure from the leaves of <i>Sinocalycanthus chinensis</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2790-2796.	3.0	13
13	Acylated neo-clerodanes and 19-nor-neo-clerodanes from the aerial parts of <i>Scutellaria coleifolia</i> (Lamiaceae). <i>Phytochemistry</i> , 2015, 116, 298-304.	2.9	13
14	Maä™edamines C and D, New Bromotyrosine Alkaloids Possessing a Unique Tetrasubstituted Pyridinium Moiety from an Okinawan Marine Sponge <i>Suberea</i> sp.. <i>Organic Letters</i> , 2019, 21, 8824-8826.	4.6	12
15	New sesquiterpene lactone glucosides from the roots of <i>Ferula varia</i> . <i>Phytochemistry Letters</i> , 2012, 5, 729-733.	1.2	11
16	Coleifolides A and B, Two New Sesterterpenoids from the Aerial Parts of <i>Scutellaria coleifolia</i> H.L.<sc>Ä©v</sc>.. <i>Chemistry and Biodiversity</i> , 2015, 12, 1200-1207.	2.1	11
17	Dyscusins A-C, Three New Steroids from the Leaves of <i>Dysoxylum cumingianum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1303-1306.	1.3	10
18	Four new glucosides from the aerial parts of <i>Mediasia macrophylla</i> . <i>Journal of Natural Medicines</i> , 2011, 65, 180-185.	2.3	10

#	ARTICLE	IF	CITATIONS
19	Acylated neo-clerodane type diterpenoids from the aerial parts of <i>Scutellaria coleifolia</i> Levl. (Lamiaceae). <i>Journal of Natural Medicines</i> , 2016, 70, 241-252.	2.3	10
20	Biflavonoids from Flowers of <i>Butea monosperma</i> (Lam.) Taub.. <i>Heterocycles</i> , 2011, 83, 2079.	0.7	9
21	Macrocarquinoids Aâ€ƒC, new meroterpenoids from <i>Sargassum macrocarpum</i> . <i>Journal of Natural Medicines</i> , 2021, 75, 194-200.	2.3	9
22	Acylated Triterpene Saponins from the Stem Bark of <i>Acer nikoense&/i>; (Aceraceae). <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 924-929.	1.3	8
23	Ishigadine A, a new canthin-6-one alkaloid from an Okinawan marine sponge <i>Hyrtios</i> sp.. <i>Tetrahedron Letters</i> , 2018, 59, 4500-4502.	1.4	7
24	Sesquiterpene Lactone Glycosides from the Roots of <i>Ferula varia</i>. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 913-919.	1.3	6
25	Kamiohnoynesides A and B, two new polyacetylene glycosides from flowers of edible <i>Chrysanthemum "Kamiohno"</i> . <i>Journal of Natural Medicines</i> , 2021, 75, 167-172.	2.3	5
26	Genotoxicity-suppressing effect of aqueous extract of <i>Connarus ruber</i> cortex on cigarette smoke-induced micronuclei in mouse peripheral erythrocytes. <i>Genes and Environment</i> , 2015, 37, 17.	2.1	3
27	Symbiodinolactone A, a new 12-membered macrolide from symbiotic marine dinoflagellate <i>Symbiodinium</i> sp.. <i>Tetrahedron Letters</i> , 2018, 59, 4496-4499.	1.4	3
28	Ma'edamines E and F, rare bromotyrosine alkaloids possessing a 1,2,3,5-tetrasubstituted pyridinium moiety from an Okinawan marine sponge <i>Suberea</i> sp.. <i>Tetrahedron Letters</i> , 2022, 103, 153985.	1.4	3
29	Stylissamide I, a New Cyclic Heptapeptide from an Okinawan Marine Sponge <i>Stylissa</i> sp.. <i>Heterocycles</i> , 2017, 95, 799.	0.7	0
30	Teuchamaedol A, a new neo-clerodane diterpenoid from the aerial parts of <i>Teucrium chamaedrys</i> . <i>Tetrahedron Letters</i> , 2022, , 153890.	1.4	0