

Zhiqin Zhao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6179969/zhiqin-zhao-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

729
citations

14
h-index

21
g-index

137
ext. papers

1,082
ext. citations

3.3
avg, IF

4.54
L-index

#	Paper	IF	Citations
103	A Novel Simple and Compact Microstrip-Fed Circularly Polarized Wide Slot Antenna With Wide Axial Ratio Bandwidth for C-Band Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 1552-1555	4.9	81
102	Small planar monopole ultra-wideband antenna with reduced ground plane effect. <i>IET Microwaves, Antennas and Propagation</i> , 2015 , 9, 1028-1034	1.6	35
101	Compact Multimode Monopole Antenna for Metal-Rimmed Mobile Phones. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 2297-2304	4.9	31
100	Human Activity Classification With Radar: Optimization and Noise Robustness With Iterative Convolutional Neural Networks Followed With Random Forests. <i>IEEE Sensors Journal</i> , 2018 , 18, 9669-9681	4.1	31
99	Power Gain Optimization Method for Wide-Beam Array Antenna via Convex Optimization. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 1620-1629	4.9	22
98	Grid Evolution Method for DOA Estimation. <i>IEEE Transactions on Signal Processing</i> , 2018 , 66, 2374-2383	4.8	21
97	. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 1064-1075	4.9	19
96	GO/PO and PTD With Virtual Divergence Factor for Fast Analysis of Scattering From Concave Complex Targets. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 2170-2179	4.9	19
95	A Single-Layer Dual-Frequency Shared-Aperture SIW Slot Antenna Array With a Small Frequency Ratio. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 1048-1051	3.8	18
94	A Compact Unidirectional Ultra-Wideband Circularly Polarized Antenna Based on Crossed Tapered Slot Radiation Elements. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 7353-7358	4.9	16
93	A Compact Single-Layer Substrate-Integrated Waveguide (SIW) Monopulse Slot Antenna Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 2755-2758	3.8	16
92	A Single-Layer SIW Slots Array Monopulse Antenna Excited by a Dual-Mode Resonator. <i>IEEE Access</i> , 2019 , 7, 131282-131288	3.5	14
91	Broadband Dual Circularly Polarized Dielectric Resonator Antenna for Ambient Electromagnetic Energy Harvesting. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 4961-4966	4.9	14
90	Mitigating acoustic heterogeneous effects in microwave-induced breast thermoacoustic tomography using multi-physical K-means clustering. <i>Applied Physics Letters</i> , 2017 , 111, 223701	3.4	14
89	SYSTEM DEVELOPMENT OF MICROWAVE INDUCED THERMO-ACOUSTIC TOMOGRAPHY AND EXPERIMENTS ON BREAST TUMOR. <i>Progress in Electromagnetics Research</i> , 2013 , 134, 323-336	3.8	14
88	A Low-Profile and Stacked Patch Antenna for Pattern-Reconfigurable Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4830-4835	4.9	13
87	Compatible Integration of Circularly Polarized Omnidirectional Metasurface Antenna With Solar Cells. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 4155-4160	4.9	13

86	Single-Source Surface Integral Equation Formulations for Characteristic Modes of Fully Dielectric-Coated Objects. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4914-4919	4.9	11
85	. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 140-150	4.9	11
84	A Conformal Metamaterial-Based Optically Transparent Microwave Absorber With High Angular Stability. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 1399-1403	3.8	11
83	Reducing the effects of acoustic heterogeneity with an iterative reconstruction method from experimental data in microwave induced thermoacoustic tomography. <i>Medical Physics</i> , 2015 , 42, 2103-1244	4.4	10
82	Adaptive polarimetric detection method for target in partially homogeneous background. <i>Signal Processing</i> , 2015 , 106, 301-311	4.4	10
81	A Frequency-Hopping Subspace-Based Optimization Method for Reconstruction of 2-D Large Uniaxial Anisotropic Scatterers With TE Illumination. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016 , 54, 6091-6099	8.1	10
80	Unidirectional planar monopole ultra-wideband antenna using wrench-shaped feeding structure. <i>Electronics Letters</i> , 2014 , 50, 654-655	1.1	10
79	High Isolation and Low Cross-Polarization of Low-Profile Dual-Polarized Antennas via Metasurface Mode Optimization. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2999-3004	4.9	10
78	An Improved Two-Scale Model for Electromagnetic Backscattering From Sea Surface. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020 , 17, 953-957	4.1	9
77	LPI Beamforming Based on 4-D Antenna Arrays With Pseudorandom Time Modulation. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 2068-2077	4.9	9
76	Planar quasi-Yagi antenna with band rejection based on dual dipole structure for UWB. <i>IET Microwaves, Antennas and Propagation</i> , 2016 , 10, 1708-1714	1.6	9
75	Reducing Acoustic Inhomogeneity Based on Speed of Sound Autofocus in Microwave Induced Thermoacoustic Tomography. <i>IEEE Transactions on Biomedical Engineering</i> , 2020 , 67, 2206-2214	5	9
74	A directional circularly polarized crossed-dipole antenna with bandwidth enhancement. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 2161-2167	1.2	8
73	Compact planar quasi-Yagi antenna with band-notched characteristic for WLAN and DSRC for ultra-wideband applications. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 1239-1245	1.6	8
72	Unified Implementation and Cross-Validation of the Integral Equation-Based Formulations for the Characteristic Modes of Dielectric Bodies. <i>IEEE Access</i> , 2020 , 8, 5655-5666	3.5	7
71	A wideband hybrid feeding circularly polarized magneto-electric dipole antenna for 5G Wi-Fi. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 1837-1842	1.2	7
70	Adaptive detection of point-like targets based on a reduced-dimensional data model. <i>Signal Processing</i> , 2019 , 158, 36-47	4.4	7
69	A Single-Layer Differential Substrate-Integrated Slot Antenna With Common-Mode Rejection. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 392-396	3.8	7

68	Low Cross-Polarization SIW Slots Array Antenna With a Compact Feeding Network. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 189-193	3.8	7
67	A novel vivaldi antenna with extended ground plane stubs for ultrawideband applications. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 983-987	1.2	6
66	CFAR subspace detectors with multiple observations in system-dependent clutter background. <i>Signal Processing</i> , 2018 , 153, 58-70	4.4	6
65	Method of solving ambiguity for sparse array via power estimation based on MUSIC algorithm. <i>Signal Processing</i> , 2012 , 92, 542-546	4.4	6
64	Full-polarisation three-dimensional pattern synthesis for conformal conical arrays with dynamic range ratio constraint by using the initialisations based on equivalence theorem. <i>IET Microwaves, Antennas and Propagation</i> , 2015 , 9, 1659-1666	1.6	6
63	Design and analysis of a compact omnidirectional UWB slot antenna. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 1917-1923	1.2	6
62	. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 1335-1340	4.9	6
61	Accurate Sub-Structure Characteristic Mode Analysis of Dielectric Resonator Antennas With Finite Ground Plan. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	6
60	Microwave induced thermoacoustic tomography based on probabilistic reconstruction. <i>Applied Physics Letters</i> , 2018 , 112, 263701	3.4	6
59	Alternative Surface Integral Equation-Based Characteristic Mode Formulations for Composite Metallic-Dielectric Objects. <i>IEEE Access</i> , 2020 , 8, 5201-5211	3.5	5
58	A New Variable Step-Size Affine Projection Sign Algorithm Based on A Posteriori Estimation Error Analysis. <i>Circuits, Systems, and Signal Processing</i> , 2017 , 36, 1989-2011	2.2	5
57	Broadband unidirectional printed antenna with quad-folded dipoles for circular polarization. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2871-2876	1.2	5
56	Resolving manifold ambiguities for direction-of-arrival estimation of sparse array using semi-circular substrates. <i>IET Microwaves, Antennas and Propagation</i> , 2013 , 7, 1016-1020	1.6	5
55	Estimation and Utilization of Ground Effects on Conformal Dielectric Resonator Antennas. <i>IEEE Access</i> , 2019 , 7, 162387-162394	3.5	5
54	Design of Single-Layer Broadband Omnidirectional Metasurface Antenna Under Single Mode Resonance. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	5
53	Improved HMSIW Cavity-Cascaded Array With High Front-to-Back Ratio Based on Complementary Element. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 6821-6825	4.9	4
52	Enhanced directivity and bandwidth of a stepped open-slot antenna with L-shaped slots and parasitic strip. <i>IET Microwaves, Antennas and Propagation</i> , 2014 , 8, 465-473	1.6	4
51	A Diagonal Subspace-Based Optimization Method for Reconstruction of 2-D Isotropic and Uniaxial Anisotropic Dielectric Objects. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017 , 14, 1318-1322	4.1	4

50	Full Equiphase Characteristic Mode Solution to Lossless Composite Metallic-Dielectric Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	4
49	Fast Point-Based KD-Tree Construction Method for Hybrid High Frequency Method in Electromagnetic Scattering. <i>IEEE Access</i> , 2018 , 6, 38348-38355	3.5	4
48	Substrate-Integrated-Waveguide-Based Complementary Source Array With Enhanced Beamwidth. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 5136-5141	4.9	4
47	Approach on Joint Inversion of Electromagnetic and Acoustic Data Based on Structural Constraints. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020 , 58, 7672-7681	8.1	3
46	Wristwatch-Style Wearable Dielectric Resonator Antennas for Applications on Limps. <i>IEEE Access</i> , 2020 , 8, 59837-59844	3.5	3
45	A Modified Model for Electromagnetic Scattering of Sea Surface Covered with Crest Foam and Static Foam. <i>Remote Sensing</i> , 2020 , 12, 788	5	3
44	Multipole Modes Excitation of uncoupled dark Plasmons Resonators based on Frequency Selective Surface at X-band Frequency Regime. <i>Scientific Reports</i> , 2017 , 7, 9492	4.9	3
43	Printed double-dipole antenna with high directivity using a new feeding structure. <i>IET Microwaves, Antennas and Propagation</i> , 2014 , 8, 1186-1191	1.6	3
42	Application of time reversal mirror technique in microwave-induced thermo-acoustic tomography system. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 2087-2095		3
41	Simulation framework for activity recognition and benchmarking in different radar geometries. <i>IET Radar, Sonar and Navigation</i> , 2021 , 15, 390-401	1.4	3
40	A Hierarchical Subspace-Based Optimization Method for Reconstruction of 2-D Uniaxial Anisotropic Scatterers Using Multi-Frequency Data. <i>IEEE Transactions on Magnetics</i> , 2021 , 57, 1-4	2	3
39	Unidirectional Dielectric Resonator Antennas Employing Electric and Magnetic Dipole Moments. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	3
38	Miniaturized Conformal Arc Dielectric Resonator Antennas Using Dielectric and Metallic Loading. <i>IEEE Access</i> , 2019 , 7, 139518-139525	3.5	2
37	Persymmetric Adaptive Detection With Reduced-Dimension Approach. <i>IEEE Signal Processing Letters</i> , 2020 , 27, 565-569	3.2	2
36	Volume Equivalent SBR Method for Electromagnetic Scattering of Dielectric and Composite Objects. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2842-2852	4.9	2
35	Wideband SIW Half-Mode/Quarter-Mode-Fed Microstrip Patch Complementary Antennas With Back Radiation Suppression. <i>IEEE Access</i> , 2021 , 9, 48963-48970	3.5	2
34	Meta-surface loading broadband and high-aperture efficiency dual circularly polarized patch antenna. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021 , 31, e22525	1.5	2
33	A Novel Capacitive Cross-Coupling Structure for Ceramic-Filled Cavity Filters. <i>IEEE Access</i> , 2021 , 9, 272013-272022	3.5	2

32	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2018 , 54, 3018-3031	3.7	2
31	A Novel Electromagnetic Power-Based Characteristic Mode for Magnetodielectric Materials. <i>Radio Science</i> , 2018 , 53, 458-471	1.4	2
30	Adaptive detection of distributed targets in noise and interference which is partially related with targets 2020 , 103, 102757		1
29	Design of High-Gain Circularly Polarized Antennas Based on Vehicle Application Environment. <i>IEEE Access</i> , 2020 , 8, 112735-112741	3.5	1
28	Investigation of dual-band omnidirectional rectangular dielectric resonator antenna. <i>Journal of Electromagnetic Waves and Applications</i> , 2016 , 30, 1407-1416	1.3	1
27	Investigation of the regularization parameter of subspace-based optimization method for reconstruction of uniaxial anisotropic objects 2016 ,		1
26	A broadband and low cross polarization antenna with a balun of microstrip line coupling to slot line. <i>PLoS ONE</i> , 2018 , 13, e0194181	3.7	1
25	A diagonalized improved subspace-based optimization method for solving 2-D inverse scattering problems. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 2089-2095	1.2	1
24	Bandwidth enhancement of wide-slot antenna array for UWB applications 2017 ,		1
23	Design of beam-tilted array antenna for UWB location system 2015 ,		1
22	Development of microwave-induced thermo-acoustic tomography prototype system. <i>Science Bulletin</i> , 2009 , 54, 4446-4450	10.6	1
21	The new design of miniaturized dual-band 180° hybrid-ring coupler 2012 ,		1
20	The Design of an Omni-directional Broadband Planar Vehicle Antenna 2006 ,		1
19	Higher-Order Characteristic Modes-Based Broad-beam Dielectric Resonator Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2022 , 1-1	3.8	1
18	Wideband Endfire Dielectric Resonator Antenna Employing Fundamental and Higher Order Magnetolectric Resonances. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 1-1	3.8	1
17	Analyses of the performance of adaptive subspace detector on fluctuating target detection in system-dependent clutter background. <i>IET Radar, Sonar and Navigation</i> , 2016 , 10, 1635-1642	1.4	1
16	A circularly polarized microstrip patch antenna with enhanced bandwidth based on substrate integrated waveguide techniques. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021 , 31, e22669	1.5	1
15	Embedded Design of Compact Broadband Omnidirectional Antenna With Quad-Polarization Diversity. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 18-22	3.8	1

14	A Dual Circularly Polarized Rectenna with Wide-Beam	2018,		1
13	A novel teaching platform design with CAI for EM education. <i>Computer Applications in Engineering Education</i> , 2018, 26, 1318-1323		1.6	1
12	A Single-Layer Circularly Polarized Antenna With Improved Gain Based on Quarter-Mode Substrate Integrated Waveguide Cavities Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020, 19, 2388-2392		3.8	0
11	Design of wideband end-fire composite microstrip-monopole antenna. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021, 31, e22837		1.5	0
10	Low-Profile High-Aperture-Efficiency Air-Filled Substrate Integrated Cavity Antenna Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2022, 1-1		3.8	0
9	Obtaining source current density related to irregularly structured electromagnetic target field inside human body using hybrid inverse/FDTD method. <i>Electromagnetic Biology and Medicine</i> , 2017, 36, 169-176		2.2	
8	A New Data-Reusing Algorithm Based on Minimum Norm and Minimum Disturbance Principles. <i>Circuits, Systems, and Signal Processing</i> , 2017, 36, 1948-1969		2.2	
7	ANALYSIS OF BLOCK-SOR ITERATION FOR THE THREE-DIMENSIONAL LAPLACIAN. <i>ANZIAM Journal</i> , 2009, 50, 501-512		0.5	
6	A New Scheme for Solving Highly Nonlinear Inverse Scattering Problems With Noise Disturbance. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021, 1-1		4.1	
5	Dual-polarized beam-switching Yagi-Uda patch antenna with large tilted angle. <i>Microwave and Optical Technology Letters</i> , 2021, 63, 1445-1451		1.2	
4	An autofocus method to reduce acoustic inhomogeneity in microwave-induced thermo-acoustic tomography based on basis pursuit. <i>Applied Physics Letters</i> , 2021, 119, 023702		3.4	
3	Design of Composite Microstrip-Monopole Antenna With 180° Beamwidth Based on Complementary Sources Concept. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 1577-1581		3.8	
2	Facet-Based Hybrid Method for Electromagnetic Scattering from Shallow Water Waves Modulated by Submarine Topography. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 1-1		8.1	
1	Efficient Secure Communication in 4-D Antenna Arrays through Joint Space-Time Modulation. <i>IEEE Transactions on Antennas and Propagation</i> , 2022, 1-1		4.9	