Hong Cheng

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6180076/hong-cheng-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

335
citations

11
h-index

50
ext. papers

470
ext. citations

3.6
avg, IF

16
g-index

3.31
L-index

#	Paper	IF	Citations
43	Mild renal insufficiency and attributable risk of adverse In-hospital outcomes in patients with Acute Coronary Syndrome from the improving care for Cardiovascular Disease in China (CCC) project BMC Nephrology, 2022, 23, 29	2.7	1
42	Prophylactic dialysis improves short-term clinical outcome in patients with non-dialysis-dependent chronic kidney disease undergoing cardiac surgery: a meta-analysis of randomized controlled trials. <i>Coronary Artery Disease</i> , 2022 , 31, e73-e79	1.4	
41	Comparative efficacy and safety of oral anticoagulants for the treatment of venous thromboembolism in the patients with different renal functions: a systematic review, pairwise and network meta-analysis <i>BMJ Open</i> , 2022 , 12, e048619	3	O
40	Efficacy of medication therapy for patients with chronic kidney disease and heart failure with preserved ejection fraction: a systematic review and meta-analysis. <i>International Urology and Nephrology</i> , 2021 , 1	2.3	0
39	Oral Anticoagulant Agents in Patients With Atrial Fibrillation and CKD: A Systematic Review and Pairwise Network Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 678-689.e1	7.4	1
38	Neural Epidermal Growth Factor-Like 1 Protein-Positive Membranous Nephropathy in Chinese Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 727-735	6.9	5
37	Blood Pressure Effects of Canagliflozin and Clinical Outcomes in Type 2 Diabetes and Chronic Kidney Disease: Insights From the CREDENCE Trial. <i>Circulation</i> , 2021 , 143, 1735-1749	16.7	19
36	The association between atrial fibrillation and in-hospital outcomes in chronic kidney disease patients with acute coronary syndrome: findings from the improving care for cardiovascular disease in China-acute coronary syndrome (CCC-ACS) project. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 345	2.3	
35	Glomerular Complement Factor H-Related Protein 5 is Associated with Histologic Injury in Immunoglobulin A Nephropathy. <i>Kidney International Reports</i> , 2021 , 6, 404-413	4.1	4
34	Two kinds of rare light chain cast nephropathy caused by multiple myeloma: case reports and literature review. <i>BMC Nephrology</i> , 2021 , 22, 42	2.7	
33	Clinicopathologic characteristic and prognosis in idiopathic membranous nephropathy patients with focal segmental sclerosis lesion: A retrospective observational study. <i>Medicine (United States)</i> , 2021 , 100, e23988	1.8	O
32	Risk factors of acute kidney injury in patients with Stanford type B aortic dissection involving the renal artery who underwent thoracic endovascular aortic repair. <i>Renal Failure</i> , 2021 , 43, 1130-1136	2.9	Ο
31	Autosomal dominant tubulointerstitial kidney disease genotype and phenotype correlation in a Chinese cohort. <i>Scientific Reports</i> , 2021 , 11, 3615	4.9	O
30	Effectiveness and Tolerability of Nifedipine GITS in Patients with Chronic Kidney Disease and Uncontrolled Hypertension: A Prospective, Multicenter, Observational Study (ADRENAL). <i>Advances in Therapy</i> , 2021 , 38, 4771-4785	4.1	1
29	Outcomes of Participants With Diabetes in the ISCHEMIA Trials. <i>Circulation</i> , 2021 , 144, 1380-1395	16.7	5
28	In-hospital acute kidney injury and atrial fibrillation: incidence, risk factors, and outcome. <i>Renal Failure</i> , 2021 , 43, 949-957	2.9	О
27	SMRT sequencing revealed to be an effective method for ADTKD-MUC1 diagnosis through follow-up analysis of a Chinese family. <i>Scientific Reports</i> , 2020 , 10, 8616	4.9	2

(2016-2020)

26	coronary syndrome and diabetes: findings from the improving Care for Cardiovascular Disease in China - Acute Coronary Syndrome (CCC-ACS) project. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 380	2.3	3
25	Derivation and validation of a prediction score for acute kidney injury secondary to acute myocardial infarction in Chinese patients. <i>BMC Nephrology</i> , 2019 , 20, 195	2.7	5
24	CD36-Mediated Lipid Accumulation and Activation of NLRP3 Inflammasome Lead to Podocyte Injury in Obesity-Related Glomerulopathy. <i>Mediators of Inflammation</i> , 2019 , 2019, 3172647	4.3	13
23	Effect of antiplatelet therapy on cardiovascular and kidney outcomes in patients with chronic kidney disease: a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2019 , 20, 309	2.7	11
22	Antineutrophil cytoplasmic antibody and/or antiglomerular basement membrane antibody associated crescentic glomerulonephritis in combination with IgG4-related tubulointerstitial nephritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 279-285	2.2	5
21	Prevalence and risk factors for vascular calcification in Chinese patients receiving dialysis: baseline results from a prospective cohort study. <i>Current Medical Research and Opinion</i> , 2018 , 34, 1491-1500	2.5	18
20	Aldosterone is involved in the pathogenesis of obesity-related glomerulopathy through activation of Wnt/Ecatenin signaling in podocytes. <i>Molecular Medicine Reports</i> , 2018 , 17, 4589-4598	2.9	10
19	The case report of capillary leakage syndrome secondary to malignant hypertension. <i>Medicine</i> (United States), 2018 , 97, e11913	1.8	
18	Purinergic 2X7 Receptor is Involved in the Podocyte Damage of Obesity-Related Glomerulopathy via Activating Nucleotide-Binding and Oligomerization Domain-Like Receptor Protein 3 Inflammasome. <i>Chinese Medical Journal</i> , 2018 , 131, 2713-2725	2.9	9
17	Artificially Cultivated Alleviates Diabetic Nephropathy and Its Podocyte Injury via Inhibiting P2X7R Expression and NLRP3 Inflammasome Activation. <i>Journal of Diabetes Research</i> , 2018 , 2018, 1390418	3.9	16
16	Treatment of complicated urinary tract infection and acute pyelonephritis by short-course intravenous levofloxacin (750 mg/day) or conventional intravenous/oral levofloxacin (500 mg/day): prospective, open-label, randomized, controlled, multicenter, non-inferiority clinical trial.	2.3	14
15	International Urology and Nephrology, 2017 , 49, 499-507 AJKD Atlas of Renal Pathology: Fibronectin Glomerulopathy. <i>American Journal of Kidney Diseases</i> , 2017 , 70, e21-e22	7.4	8
14	Cutaneous mucormycosis in a patient with lupus nephritis: A case report and review of literature. <i>Medicine (United States)</i> , 2017 , 96, e8211	1.8	2
13	Aristolochic Acid-Induced Autophagy Promotes Epithelial-to-Myofibroblast Transition in Human Renal Proximal Tubule Epithelial Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 9596256	2.3	4
12	Renal Parenchymal Malakoplakia Presenting as Acute Renal Failure in a Young Woman. <i>Chinese Medical Journal</i> , 2016 , 129, 1880-1	2.9	
11	Identification of Genetic and Environmental Factors Predicting Metabolically Healthy Obesity in Children: Data From the BCAMS Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 181	6 ⁵ 25	37
10	Retrospective Study of Phospholipase A2 Receptor and IgG Subclasses in Glomerular Deposits in Chinese Patients with Membranous Nephropathy. <i>PLoS ONE</i> , 2016 , 11, e0156263	3.7	27
9	Hirsutella sinensis Attenuates Aristolochic Acid-Induced Renal Tubular Epithelial-Mesenchymal Transition by Inhibiting TGF-II and Snail Expression. <i>PLoS ONE</i> , 2016 , 11, e0149242	3.7	5

8	Clinical prediction scores for type 1 cardiorenal syndrome derived and validated in chinese cohorts. <i>CardioRenal Medicine</i> , 2015 , 5, 12-9	2.8	7
7	Infective endocarditis-induced crescentic glomerulonephritis dramatically improved after removal of vegetations and valve replacement. <i>Chinese Medical Journal</i> , 2015 , 128, 404-6	2.9	1
6	The Protective Effects of Curcumin on Obesity-Related Glomerulopathy Are Associated with Inhibition of Wnt/Ecatenin Signaling Activation in Podocytes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 827472	2.3	16
5	Derivation and validation of a risk score for contrast-induced nephropathy after cardiac catheterization in Chinese patients. <i>Clinical and Experimental Nephrology</i> , 2014 , 18, 892-8	2.5	29
4	Relation between the interval from coronary angiography to selective off-pump coronary artery bypass grafting and postoperative acute kidney injury. <i>American Journal of Cardiology</i> , 2013 , 112, 1571-	5 ³	6
3	Derivation and validation of a prediction score for acute kidney injury in patients hospitalized with acute heart failure in a Chinese cohort. <i>Nephrology</i> , 2013 , 18, 489-96	2.2	19
2	Determination of normal value of glomerular size in Chinese adults by different measurement methods. <i>Nephrology</i> , 2012 , 17, 488-92	2.2	8
1	JNK-dependent AP-1 activation is required for aristolochic acid-induced TGF-1 synthesis in human renal proximal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, F1569-75	4.3	24