
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6180164/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ankle Brachial Index Combined With Framingham Risk Score to Predict Cardiovascular Events and Mortality. JAMA - Journal of the American Medical Association, 2008, 300, 197.	7.4	1,553
2	Measurement and Interpretation of the Ankle-Brachial Index. Circulation, 2012, 126, 2890-2909.	1.6	1,232
3	The Prevalence of Asymptomatic and Unrecognized Peripheral Arterial Occlusive Disease. International Journal of Epidemiology, 1996, 25, 282-290.	1.9	246
4	Asymptomatic peripheral arterial occlusive disease predicted cardiovascular morbidity and mortality in a 7-year follow-up study. Journal of Clinical Epidemiology, 2004, 57, 294-300.	5.0	187
5	Incidence of and Risk Factors for Asymptomatic Peripheral Arterial Occlusive Disease: A Longitudinal Study. American Journal of Epidemiology, 2001, 153, 666-672.	3.4	185
6	Safe exclusion of pulmonary embolism using the Wells rule and qualitative D-dimer testing in primary care: prospective cohort study. BMJ, The, 2012, 345, e6564-e6564.	6.0	121
7	The diagnostic value of the measurement of the ankle-brachial systolic pressure index in primary health care. Journal of Clinical Epidemiology, 1996, 49, 1401-1405.	5.0	115
8	Risk factors and cardiovascular diseases associated with asymptomatic peripheral arterial occlusive disease: The Limburg PAOD Study. Scandinavian Journal of Primary Health Care, 1998, 16, 177-182.	1.5	107
9	Safely Ruling Out Deep Venous Thrombosis in Primary Care. Annals of Internal Medicine, 2009, 150, 229.	3.9	97
10	Nurseâ€led selfâ€management group programme for patients with congestive heart failure: randomized controlled trial. Journal of Advanced Nursing, 2010, 66, 1487-1499.	3.3	95
11	Patients' ideas, fears and expectations of their coronary risk: barriers for primary prevention. Patient Education and Counseling, 2004, 55, 301-307.	2.2	91
12	Barriers to implementing cardiovascular risk tables in routine general practice. Scandinavian Journal of Primary Health Care, 2004, 22, 32-37.	1.5	74
13	Primary Prevention of Cardiovascular Diseases in General Practice: Mismatch between Cardiovascular Risk and Patients' Risk Perceptions. Medical Decision Making, 2007, 27, 754-761.	2.4	73
14	Diagnostic Value of Signs and Symptoms Associated with Peripheral Arterial Occlusive Disease Seen in General Practice. Medical Decision Making, 1997, 17, 61-70.	2.4	71
15	The Influence of Experience on the Reproducibility of the Ankle–brachial Systolic Pressure Ratio in Peripheral Arterial Occlusive Disease. European Journal of Vascular and Endovascular Surgery, 1999, 18, 25-29.	1.5	68
16	Family medicine in times of â€~COVID-19': A generalists' voice. European Journal of General Practice, 2020, 26, 58-60.	2.0	66
17	Development and validation of an ankle brachial index risk model for the prediction of cardiovascular events. European Journal of Preventive Cardiology, 2014, 21, 310-320.	1.8	64
18	Diagnostic prediction models for suspected pulmonary embolism: systematic review and independent external validation in primary care. BMJ, The, 2015, 351, h4438.	6.0	63

#	Article	IF	CITATIONS
19	Costâ€effectiveness of ruling out deep venous thrombosis in primary care versus care as usual. Journal of Thrombosis and Haemostasis, 2009, 7, 2042-2049.	3.8	57
20	Peripheral Arterial Occlusive Disease: Prognostic Value of Signs, Symptoms, and the Ankle-Brachial Pressure Index. Medical Decision Making, 2002, 22, 99-107.	2.4	53
21	Electronic Monitoring of Adherence as a Tool to Improve Blood Pressure ControlA Randomized Controlled Trial. American Journal of Hypertension, 2007, 20, 119-125.	2.0	53
22	Improving cardiovascular risk management: a randomized, controlled trial on the effect of a decision support tool for patients and physicians. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 44-50.	2.8	52
23	The Research Agenda for General Practice/Family Medicine and Primary Health Care in Europe. Part 1. Background and methodology ¹ . European Journal of General Practice, 2009, 15, 243-250.	2.0	51
24	Effects of ACE I/D and AT1R-A1166C polymorphisms on blood pressure in a healthy normotensive primary care population. Journal of Hypertension, 2003, 21, 81-86.	0.5	46
25	Heart failure patients with a lower educational level and better cognitive status benefit most from a self-management group programme. Patient Education and Counseling, 2010, 81, 214-221.	2.2	45
26	Opportunistic screening versus usual care for detection of atrial fibrillation in primary care: cluster randomised controlled trial. BMJ, The, 2020, 370, m3208.	6.0	45
27	Peripheral Arterial Occlusive Disease in General Practice: The Reproducibility of the Ankle-Arm Systolic Pressure Ratio. Scandinavian Journal of Primary Health Care, 1991, 9, 109-114.	1.5	44
28	The research agenda for general practice/family medicine and primary health care in Europe. Part 3. Results: Person centred care, comprehensive and holistic approach. European Journal of General Practice, 2010, 16, 113-119.	2.0	44
29	Improving patient adherence to lifestyle advice (IMPALA): a cluster-randomised controlled trial on the implementation of a nurse-led intervention for cardiovascular risk management in primary care (protocol). BMC Health Services Research, 2008, 8, 9.	2.2	40
30	Comparing the Diagnostic Performance of 2 Clinical Decision Rules to Rule Out Deep Vein Thrombosis in Primary Care Patients. Annals of Family Medicine, 2011, 9, 31-36.	1.9	39
31	Family history tools for primary care are not ready yet to be implemented. A systematic review. European Journal of General Practice, 2014, 20, 125-133.	2.0	37
32	Factors associated with appropriate knowledge of the indications for prescribed drugs among community-dwelling older patients with polypharmacy. Age and Ageing, 2016, 45, 402-408.	1.6	36
33	Computerized long-menu questions as an alternative to open-ended questions in computerized assessment. Medical Education, 1996, 30, 50-55.	2.1	31
34	How to write short cases for assessing problem-solving skills. Medical Teacher, 1999, 21, 144-150.	1.8	30
35	Ruling Out Pulmonary Embolism in Primary Care: Comparison of the Diagnostic Performance of "Gestalt" and the Wells Rule. Annals of Family Medicine, 2016, 14, 227-234.	1.9	30
36	Detecting and Diagnosing Atrial Fibrillation (D2AF): study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 478.	1.6	29

HENRI EJH STOFFERS

#	Article	IF	CITATIONS
37	Arterial stiffness and decline of renal function in a primary care population. Hypertension Research, 2017, 40, 73-78.	2.7	28
38	Cost Effectiveness of an Adherence-Improving Programme in Hypertensive Patients. Pharmacoeconomics, 2007, 25, 239-251.	3.3	27
39	Diagnostic classification in patients with suspected deep venous thrombosis: physicians' judgement or a decision rule?. British Journal of General Practice, 2010, 60, 742-748.	1.4	27
40	Series: The research agenda for general practice/family medicine and primary health care in Europe. Part 5: Needs and implications for future research and policy. European Journal of General Practice, 2010, 16, 244-248.	2.0	25
41	A primary care walking exercise program for patients with intermittent claudication. Medicine and Science in Sports and Exercise, 2001, 33, 1629-1634.	0.4	22
42	Feasibility of a group-based self-management program among congestive heart failure patients. Heart and Critical Care, 2009, 38, 499-512.	1.6	22
43	Series: The research agenda for general practice/family medicine and primary health care in Europe. Part 4. Results: Specific problem solving skills. European Journal of General Practice, 2010, 16, 174-181.	2.0	22
44	Obtaining the family history for common, multifactorial diseases by family physicians. A descriptive systematic review. European Journal of General Practice, 2009, 15, 231-242.	2.0	20
45	A pilot quality improvement intervention in patients with diabetes and hypertension in primary care settings of Cyprus. Family Practice, 2010, 27, 263-270.	1.9	18
46	Economic evaluation of cholesterol-related interventions in general practice. An appraisal of the evidence. Journal of Epidemiology and Community Health, 1998, 52, 586-594.	3.7	16
47	Evaluation of an open access echocardiography service in the Netherlands: a mixed methods study of indications, outcomes, patient management and trends. BMC Health Services Research, 2010, 10, 37.	2.2	15
48	Series: The research agenda for general practice/family medicine and primary health care in Europe. Part 2. Results: Primary care management and community orientation1. European Journal of General Practice, 2010, 16, 42-50.	2.0	15
49	Tools to help healthcare professionals recognize palliative care needs in patients with advanced heart failure: A systematic review. Palliative Medicine, 2021, 35, 45-58.	3.1	15
50	Patients' responsiveness to a decision support tool for primary prevention of cardiovascular diseases in primary care. Patient Education and Counseling, 2008, 72, 63-70.	2.2	14
51	The contribution of six polymorphisms to cardiovascular risk in a Dutch high-risk primary care population: the HIPPOCRATES project. Journal of Human Hypertension, 2009, 23, 659-667.	2.2	13
52	Rimonabant improves obesity but not the overall cardiovascular risk and quality of life; results from CARDIO-REDUSE (CArdiometabolic Risk reDuctIOn by Rimonabant: the Effectiveness in Daily practice) Tj ETQq0	0 OurgeBT /	Oveedock 10 T
53	Implementing the European guidelines for cardiovascular disease prevention in the primary care setting in Cyprus: Lessons learned from a health care services study. BMC Health Services Research, 2008, 8, 148.	2.2	12
	Coronany baset diagons and cordioussoular rich factors among people aged 25°C"(5 years, as seen in		

54Coronary heart disease and cardiovascular risk factors among people aged 25â€"65 years, as seen in
Romanian primary healthcare. European Journal of General Practice, 2008, 14, 56-64.2.011

#	Article	IF	CITATIONS
55	Qualitative point-of-care D-dimer testing compared with quantitative D-dimer testing in excluding pulmonary embolism in primary care. Journal of Thrombosis and Haemostasis, 2015, 13, 1004-1009.	3.8	11
56	Genetic Risk of Atherosclerotic Renal Artery Disease. Hypertension, 2004, 44, 448-453.	2.7	10
57	Designing a multifaceted quality improvement intervention in primary care in a country where general practice is seeking recognition: the case of Cyprus. BMC Health Services Research, 2008, 8, 181.	2.2	10
58	Benefits of an open access echocardiography service: a Dutch prospective cohort study. Netherlands Heart Journal, 2013, 21, 399-405.	0.8	10
59	The promise of eHealth for primary care: opportunities for service delivery, patient–doctor communication, self-management, shared decision making and research. European Journal of General Practice, 2018, 24, 146-148.	2.0	10
60	Competence of general practitioners in requesting and interpreting ECGs - aÂcase vignette study. Netherlands Heart Journal, 2018, 26, 377-384.	0.8	10
61	The association between arterial stiffness and the angiotensin II type 1 receptor (A1166C) polymorphism is influenced by the use of cardiovascular medication. Journal of Hypertension, 2009, 27, 69-75.	0.5	9
62	Alternative diagnoses in patients in whom the GP considered the diagnosis of pulmonary embolism. Family Practice, 2014, 31, 670-677.	1.9	9
63	Reflective testing – A randomized controlled trial in primary care patients. Annals of Clinical Biochemistry, 2021, 58, 78-85.	1.6	9
64	The Dutch experience of open access echocardiography. Netherlands Heart Journal, 2007, 15, 342-347.	0.8	8
65	The Effect of a Comprehensive, Interdisciplinary Medication Review on Quality of Life and Medication Use in Community Dwelling Older People with Polypharmacy. Journal of Clinical Medicine, 2021, 10, 600.	2.4	8
66	Age is an independent risk factor for left atrial dysfunction: results from an observational study. Netherlands Heart Journal, 2010, 18, 243-247.	0.8	7
67	Series: The research agenda for general practice/family medicine and primary health care in Europe. Part 6: Reaction on commentaries – how to continue with the Research Agenda?. European Journal of General Practice, 2011, 17, 58-61.	2.0	7
68	The European Journal of General Practice provides open access for all. â€~Where are we, where are we going?'. European Journal of General Practice, 2017, 23, 1-2.	2.0	7
69	Cardiovascular outcome stratification using the ankle-brachial pressure index. European Journal of General Practice, 2005, 11, 107-112.	2.0	6
70	Effects of a brief cardiovascular prevention program by a health advisor in primary care; the â€~Hartslag Limburg' project, a cluster randomized trial. Preventive Medicine, 2011, 53, 395-401.	3.4	6
71	The <i>European Journal of General Practice</i> in 2015 and beyond. European Journal of General Practice, 2015, 21, 3-3.	2.0	6
72	Current practice of Dutch cardiologists in detecting and diagnosing atrial fibrillation: results of an online case vignette study. Netherlands Heart Journal, 2017, 25, 567-573.	0.8	5

#	Article	IF	CITATIONS
73	General practitioner use of D-dimer in suspected venous thromboembolism: historical cohort study in one geographical region in the Netherlands. BMJ Open, 2019, 9, e026846.	1.9	5
74	Interpretations of and management actions following ECGs in programmatic cardiovascular care in primary care: AÂretrospective dossier study. Netherlands Heart Journal, 2020, 28, 192-201.	0.8	5
75	Sex-specific effect of the α-adducin (G460W) and AGTR1 (A1166C) polymorphism on carotid intima–media thickness. Journal of Hypertension, 2009, 27, 2165-2173.	0.5	4
76	Research priorities in family medicine. European Journal of General Practice, 2011, 17, 1-2.	2.0	4
77	Optimisation of the diagnostic strategy for suspected deep-vein thrombosis in primary care. Thrombosis and Haemostasis, 2011, 105, 154-160.	3.4	4
78	Opposing inequity in medical publishing: Care for quality and cherish diversity. European Journal of General Practice, 2016, 22, 1-2.	2.0	4
79	Interpretations of and management actions following electrocardiograms in symptomatic patients in primary care: aÂretrospective dossier study. Netherlands Heart Journal, 2019, 27, 498-505.	0.8	4
80	Professionals guidance about palliative medicine in chronic heart failure: a mixed-method study. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002580.	1.6	4
81	Peripheral Arterial Occlusive Disease: Prognostic Value of Signs, Symptoms, and the Ankle-Brachial Pressure Index. Medical Decision Making, 2002, 22, 99-107.	2.4	3
82	Walking exercise in patients with intermittent claudication not well implemented in Dutch primary care. European Journal of General Practice, 2005, 11, 27-28.	2.0	2
83	The influence of six cardiovascular polymorphisms on a first event of ischemic heart disease is modified by sex and age. Coronary Artery Disease, 2009, 20, 499-505.	0.7	2
84	Novel Strategies for the Detection of Systolic and Diastolic Heart Failure. Current Cardiology Reviews, 2009, 5, 112-118.	1.5	2
85	The strength of primary care in Europe. European Journal of General Practice, 2013, 19, 1-2.	2.0	2
86	†What's up, doc?'. European Journal of General Practice, 2010, 16, 1-1.	2.0	1
87	Open access? Yes! But how?. European Journal of General Practice, 2015, 21, 1-2.	2.0	1
88	Thanks to our reviewers of 2018 and call to review in 2019!. European Journal of General Practice, 2019, 25, 1-2.	2.0	1
89	â€~An end has a start' ¹ . European Journal of General Practice, 2009, 15, 205-206.	2.0	0
90	The doctor, his patients, their diseases. European Journal of General Practice, 2010, 16, 65-66.	2.0	0

#	Article	IF	CITATIONS
91	Impact factor in 2012!. European Journal of General Practice, 2011, 17, 196-196.	2.0	0
92	Deep venous thrombosis. British Journal of General Practice, 2011, 61, 141.1-141.	1.4	0
93	<i>The European Journal of General Practice</i> is looking for an Associate Editor. European Journal of General Practice, 2011, 17, 202-202.	2.0	0
94	The European Journal of General Practice is looking for two editors. European Journal of General Practice, 2011, 17, 67-68.	2.0	0
95	Evidence, the basis for practice $\hat{a} \in ^{+}$ and politics!. European Journal of General Practice, 2012, 18, 1-2.	2.0	0
96	Thanks to our reviewers of 2012!. European Journal of General Practice, 2013, 19, 72.	2.0	0
97	What professional curiosity can bring you. European Journal of General Practice, 2014, 20, 1-2.	2.0	0
98	A word of thanks to our reviewers in 2015 and a call for reviewers for 2016. European Journal of General Practice, 2016, 22, 66-66.	2.0	0
99	Thanks to our reviewers of 2016 and call to review in 2017 for us. European Journal of General Practice, 2017, 23, 3-3.	2.0	0
100	DIFFERENCES IN LONG-TERM CHANGES IN CAROTID REMODELING BETWEEN NORMOTENSIVE AND HYPERTENSIVE PERSONS IN A PRIMARY CARE POPULATION. Journal of Hypertension, 2018, 36, e28.	0.5	0
101	European primary care research and a national general practice research agenda. European Journal of General Practice, 2019, 25, 3-4.	2.0	0
102	Editors' choice: The four most valued articles published in the <i>European Journal of General Practice</i> in 2019. European Journal of General Practice, 2020, 26, 70-70.	2.0	0
103	Thanks to our reviewers of 2019 and call to review in 2020!. European Journal of General Practice, 2020, 26, (i)-(ii).	2.0	0
104	Editors' choice: the most valued articles published in the <i>European Journal of General Practice</i> in 2020. European Journal of General Practice, 2021, 27, 140-141.	2.0	0
105	Most valued author and reviewer in 2021. European Journal of General Practice, 2022, 28, 134-135.	2.0	0