J Javier Meana

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6182572/j-javier-meana-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138 4,039 35 59 h-index g-index citations papers 5.06 147 4,594 5.2 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
138	5-HT receptor-mediated Glactivation in psychiatric disorders: A postmortem study. World Journal of Biological Psychiatry, 2021 , 22, 505-515	3.8	5
137	FOXP2 expression and gray matter density in the male brains of patients with schizophrenia. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1403-1411	4.1	3
136	5-HT receptor- and M muscarinic acetylcholine receptor-mediated activation of Glin postmortem dorsolateral prefrontal cortex of opiate addicts. <i>Pharmacological Reports</i> , 2021 , 73, 1155-1163	3.9	2
135	Functional approaches to the study of G-protein-coupled receptors in postmortem brain tissue: [S]GTPB binding assays combined with immunoprecipitation. <i>Pharmacological Reports</i> , 2021 , 73, 1079-10	0 3 8	1
134	Paliperidone Reversion of Maternal Immune Activation-Induced Changes on Brain Serotonin and Kynurenine Pathways. <i>Frontiers in Pharmacology</i> , 2021 , 12, 682602	5.6	3
133	Opposite alterations of 5-HT receptor brain density in subjects with schizophrenia: relevance of radiotracers pharmacological profile. <i>Translational Psychiatry</i> , 2021 , 11, 302	8.6	1
132	Spinophilin expression in postmortem prefrontal cortex of schizophrenic subjects: Effects of antipsychotic treatment. <i>European Neuropsychopharmacology</i> , 2021 , 42, 12-21	1.2	1
131	Adrenergic Modulation With Photochromic Ligands. <i>Angewandte Chemie</i> , 2021 , 133, 3669-3675	3.6	O
130	Adrenergic Modulation With Photochromic Ligands. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 3625-3631	16.4	6
129	Characterization of dopamine D receptor coupling to G proteins in postmortem brain of subjects with schizophrenia. <i>Pharmacological Reports</i> , 2021 , 73, 1136-1146	3.9	2
128	Eland Endrenoceptor expression and functionality in postmortem prefrontal cortex of schizophrenia subjects. <i>European Neuropsychopharmacology</i> , 2021 , 52, 3-11	1.2	2
127	Differential brain ADRA2A and ADRA2C gene expression and epigenetic regulation in schizophrenia. Effect of antipsychotic drug treatment <i>Translational Psychiatry</i> , 2021 , 11, 643	8.6	1
126	Pimavanserin exhibits serotonin 5-HT receptor inverse agonism for G- and neutral antagonism for G-proteins in human brain cortex. <i>European Neuropsychopharmacology</i> , 2020 , 36, 83-89	1.2	11
125	Calcium-binding proteins are altered in the cerebellum in schizophrenia. <i>PLoS ONE</i> , 2020 , 15, e0230400	3.7	6
124	Ribosomal Protein S6 Hypofunction in Postmortem Human Brain Links mTORC1-Dependent Signaling and Schizophrenia. <i>Frontiers in Pharmacology</i> , 2020 , 11, 344	5.6	9
123	Functional coupling of M muscarinic acetylcholine receptor to Glin dorsolateral prefrontal cortex from patients with psychiatric disorders: a postmortem study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 869-880	5.1	6
122	Fundamental features of receptor-mediated Glactivation in human prefrontal cortical membranes: A postmortem study. <i>Brain Research</i> , 2020 , 1747, 147032	3.7	

(2018-2020)

121	Serum Endorphin levels are associated with addiction to suicidal behavior: A pilot study. <i>European Neuropsychopharmacology</i> , 2020 , 40, 38-51	1.2	1
120	Cartography of hevin-expressing cells in the adult brain reveals prominent expression in astrocytes and parvalbumin neurons. <i>Brain Structure and Function</i> , 2019 , 224, 1219-1244	4	10
119	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
118	Selective Knockdown of TASK3 Potassium Channel in Monoamine Neurons: a New Therapeutic Approach for Depression. <i>Molecular Neurobiology</i> , 2019 , 56, 3038-3052	6.2	7
117	Chronic fluoxetine reverses the effects of chronic corticosterone treatment on Endrenoceptors in the rat frontal cortex but not locus coeruleus. <i>Neuropharmacology</i> , 2019 , 158, 107731	5.5	2
116	Endocannabinoid system imbalance in the postmortem prefrontal cortex of subjects with schizophrenia. <i>Journal of Psychopharmacology</i> , 2019 , 33, 1132-1140	4.6	17
115	Big Data Challenges Targeting Proteins in GPCR Signaling Pathways; Combining PTML-ChEMBL Models and [S]GTPB Binding Assays. <i>ACS Chemical Neuroscience</i> , 2019 , 10, 4476-4491	5.7	12
114	Serotonin 5-HT receptor expression and functionality in postmortem frontal cortex of subjects with schizophrenia: Selective biased agonism via G-proteins. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1453-1463	1.2	19
113	Dopaminergic control of ADAMTS2 expression through cAMP/CREB and ERK: molecular effects of antipsychotics. <i>Translational Psychiatry</i> , 2019 , 9, 306	8.6	9
112	Optimization and pharmacological characterization of receptor-mediated G activation in postmortem human prefrontal cortex. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 649-6	5 3 .1	3
111	Differential Eand Eadrenoceptor protein expression in presynaptic and postsynaptic density fractions of postmortem human prefrontal cortex. <i>Journal of Psychopharmacology</i> , 2019 , 33, 244-249	4.6	7
110	Serotonin 5-HT receptor antagonism potentiates the antidepressant activity of citalopram. <i>Neuropharmacology</i> , 2018 , 133, 491-502	5.5	9
109	Therapeutic Drug Monitoring of Second-Generation Antipsychotics for the Estimation of Early Drug Effect in First-Episode Psychosis: A Cross-sectional Assessment. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 257-267	3.2	4
108	Functional coupling between adenosine A receptors and G-proteins in rat and postmortem human brain membranes determined with conventional guanosine-5SO-(3-[S]thio)triphosphate ([S]GTPB) binding or [S]GTPB/immunoprecipitation assay. <i>Purinergic Signalling</i> , 2018 , 14, 177-190	3.8	1
107	Characterisation of spinophilin immunoreactivity in postmortem human brain homogenates. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 236-242	5.5	4
106	Structural and Functional Characterization of the Interaction of Snapin with the Dopamine Transporter: Differential Modulation of Psychostimulant Actions. <i>Neuropsychopharmacology</i> , 2018 , 43, 1041-1051	8.7	4
105	Chronic cannabis promotes pro-hallucinogenic signaling of 5-HT2A receptors through Akt/mTOR pathway. <i>Neuropsychopharmacology</i> , 2018 , 43, 2028-2035	8.7	34
104	Histamine H3 receptor-mediated G-protein activation in postmortem human prefrontal cortical membranes. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO1-1-132	О	

103	Selective up-regulation of cannabinoid CB receptor coupling to Go-proteins in suicide victims with mood disorders. <i>Biochemical Pharmacology</i> , 2018 , 157, 258-265	6	9
102	Chronic citalopram administration desensitizes prefrontal cortex but not somatodendritic Endrenoceptors in rat brain. <i>Neuropharmacology</i> , 2017 , 114, 114-122	5.5	7
101	Paliperidone reverts Toll-like receptor 3 signaling pathway activation and cognitive deficits in a maternal immune activation mouse model of schizophrenia. <i>Neuropharmacology</i> , 2017 , 116, 196-207	5.5	23
100	The prolyl oligopeptidase inhibitor IPR19 ameliorates cognitive deficits in mouse models of schizophrenia. <i>European Neuropsychopharmacology</i> , 2017 , 27, 180-191	1.2	11
99	Antipsychotic-induced Hdac2 transcription via NF- B leads to synaptic and cognitive side effects. <i>Nature Neuroscience</i> , 2017 , 20, 1247-1259	25.5	47
98	A Pilot Study of the Usefulness of a Single Olanzapine Plasma Concentration as an Indicator of Early Drug Effect in a Small Sample of First-Episode Psychosis Patients. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 569-577	1.7	12
97	Biomarkers in Psychiatry: Between myth and clinical reality. <i>Revista De Psiquiatr Y Salud Mental</i> (English Edition), 2017 , 10, 183-184	0.2	1
96	Functional activation of Gleoupled to 5-HT receptor and M muscarinic acetylcholine receptor in postmortem human cortical membranes. <i>Journal of Neural Transmission</i> , 2017 , 124, 1123-1133	4.3	9
95	Schizophrenia and depression, two poles of endocannabinoid system deregulation. <i>Translational Psychiatry</i> , 2017 , 7, 1291	8.6	24
94	Altered CSNK1E, FABP4 and NEFH protein levels in the dorsolateral prefrontal cortex in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 177, 88-97	3.6	17
93	Allosteric signaling through an mGlu2 and 5-HT2A heteromeric receptor complex and its potential contribution to schizophrenia. <i>Science Signaling</i> , 2016 , 9, ra5	8.8	70
92	Evidence of activation of the Toll-like receptor-4 proinflammatory pathway in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, E46-55	4.5	41
91	Group II Metabotropic Glutamate Receptors as Targets for Novel Antipsychotic Drugs. <i>Frontiers in Pharmacology</i> , 2016 , 7, 130	5.6	37
90	Biased Agonism of Three Different Cannabinoid Receptor Agonists in Mouse Brain Cortex. <i>Frontiers in Pharmacology</i> , 2016 , 7, 415	5.6	44
89	Alpha2C-adrenoceptor Del322-325 polymorphism and risk of psychiatric disorders: significant association with opiate abuse and dependence. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 308-15	3.8	5
88	Effect of subchronic corticosterone administration on Eadrenoceptor functionality in rat brain: an in vivo and in vitro study. <i>Psychopharmacology</i> , 2016 , 233, 3861-3867	4.7	3
87	Adenosine A1() receptors are selectively coupled to G(1-3) in postmortem human brain cortex: Guanosine-5SO-(3-[(35)S]thio)triphosphate ([(35)S]GTPB) binding/immunoprecipitation study. <i>European Journal of Pharmacology</i> , 2015 , 764, 592-598	5.3	7
86	Transcription factor SP4 phosphorylation is altered in the postmortem cerebellum of bipolar disorder and schizophrenia subjects. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1650-1660	1.2	8

(2013-2015)

85	Semaphorin and plexin gene expression is altered in the prefrontal cortex of schizophrenia patients with and without auditory hallucinations. <i>Psychiatry Research</i> , 2015 , 229, 850-7	9.9	21
84	Altered CB1 receptor coupling to G-proteins in the post-mortem caudate nucleus and cerebellum of alcoholic subjects. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1137-45	4.6	7
83	The endocannabinoid system is altered in the post-mortem prefrontal cortex of alcoholic subjects. <i>Addiction Biology</i> , 2015 , 20, 773-83	4.6	27
82	Transcription factor Sp4 regulates expression of nervous wreck 2 to control NMDAR1 levels and dendrite patterning. <i>Developmental Neurobiology</i> , 2015 , 75, 93-108	3.2	15
81	Q -adrenoceptor antagonists: synthesis, pharmacological evaluation, and molecular modeling investigation of pyridinoguanidine, pyridino-2-aminoimidazoline and their derivatives. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 963-77	8.3	21
80	Up-regulated 14-3-3 and 14-3-3 are prefrontal cortex of subjects with schizophrenia: effect of psychotropic treatment. <i>Schizophrenia Research</i> , 2015 , 161, 446-51	3.6	7
79	Recent cocaine use is a significant risk factor for sudden cardiovascular death in 15-49-year-old subjects: a forensic case-control study. <i>Addiction</i> , 2014 , 109, 2071-8	4.6	29
78	Combining rimonabant and fentanyl in a single entity: preparation and pharmacological results. Drug Design, Development and Therapy, 2014 , 8, 263-77	4.4	11
77	Increased Q - and D -adrenoceptor densities in postmortem brain of subjects with depression: differential effect of antidepressant treatment. <i>Journal of Affective Disorders</i> , 2014 , 167, 343-50	6.6	28
76	Evaluation of 5-HT2A and mGlu2/3 receptors in postmortem prefrontal cortex of subjects with major depressive disorder: effect of antidepressant treatment. <i>Neuropharmacology</i> , 2014 , 86, 311-8	5.5	47
75	Involvement of serotonin 5-HT3 receptors in the modulation of noradrenergic transmission by serotonin reuptake inhibitors: a microdialysis study in rat brain. <i>Psychopharmacology</i> , 2013 , 229, 331-44	4.7	12
74	Dysregulated 5-HT(2A) receptor binding in postmortem frontal cortex of schizophrenic subjects. <i>European Neuropsychopharmacology</i> , 2013 , 23, 852-64	1.2	54
73	Quantification of endocannabinoids in postmortem brain of schizophrenic subjects. <i>Schizophrenia Research</i> , 2013 , 148, 145-50	3.6	52
72	Analysis of Sp transcription factors in the postmortem brain of chronic schizophrenia: a pilot study of relationship to negative symptoms. <i>Journal of Psychiatric Research</i> , 2013 , 47, 926-34	5.2	32
71	Description of a bivalent cannabinoid ligand with hypophagic properties. <i>Archiv Der Pharmazie</i> , 2013 , 346, 171-9	4.3	11
70	Chronic pain leads to concomitant noradrenergic impairment and mood disorders. <i>Biological Psychiatry</i> , 2013 , 73, 54-62	7.9	119
69	Antidepressant-like properties of three new 2-adrenoceptor antagonists. <i>Neuropharmacology</i> , 2013 , 65, 13-9	5.5	19
68	Cyclin-dependent kinase-5 and p35/p25 activators in schizophrenia and major depression prefrontal cortex: basal contents and effects of psychotropic medications. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 683-9	5.8	11

67	HDAC2 regulates atypical antipsychotic responses through the modulation of mGlu2 promoter activity. <i>Nature Neuroscience</i> , 2012 , 15, 1245-54	25.5	208
66	A combined analysis of microarray gene expression studies of the human prefrontal cortex identifies genes implicated in schizophrenia. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1464-74	5.2	52
65	Differential regulation of RGS proteins in the prefrontal cortex of short- and long-term human opiate abusers. <i>Neuropharmacology</i> , 2012 , 62, 1044-51	5.5	10
64	Long lasting effects of early-life stress on glutamatergic/GABAergic circuitry in the rat hippocampus. <i>Neuropharmacology</i> , 2012 , 62, 1944-53	5.5	91
63	Regulation of central noradrenergic activity by 5-HT(3) receptors located in the locus coeruleus of the rat. <i>Neuropharmacology</i> , 2012 , 62, 2472-9	5.5	15
62	The function of alpha-2-adrenoceptors in the rat locus coeruleus is preserved in the chronic constriction injury model of neuropathic pain. <i>Psychopharmacology</i> , 2012 , 221, 53-65	4.7	35
61	Identification of three residues essential for 5-hydroxytryptamine 2A-metabotropic glutamate 2 (5-HT2AlmGlu2) receptor heteromerization and its psychoactive behavioral function. <i>Journal of Biological Chemistry</i> , 2012 , 287, 44301-19	5.4	94
60	Regulation of munc18-1 and syntaxin-1A interactive partners in schizophrenia prefrontal cortex: down-regulation of munc18-1a isoform and 75 kDa SNARE complex after antipsychotic treatment. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 573-88	5.8	25
59	Levels of Gs(short and long), G(blf) and G(bommon) subunits, and calcium-sensitive adenylyl cyclase isoforms (1, 5/6, 8) in post-mortem human brain caudate and cortical membranes: comparison with rat brain membranes and potential stoichiometric relationships. <i>Neurochemistry</i>	4.4	2
58	International, 2011, 58, 180-9 Gi protein coupling to adenosine A1-A2A receptor heteromers in human brain caudate nucleus. Journal of Neurochemistry, 2010, 114, 972-80	6	11
57	EAdrenoceptor functionality in postmortem frontal cortex of depressed suicide victims. <i>Biological Psychiatry</i> , 2010 , 68, 869-72	7.9	34
56	Opposite changes in cannabinoid CB1 and CB2 receptor expression in human gliomas. <i>Neurochemistry International</i> , 2010 , 56, 829-33	4.4	39
55	Characterization of regulators of G-protein signaling RGS4 and RGS10 proteins in the postmortem human brain. <i>Neurochemistry International</i> , 2010 , 57, 722-9	4.4	8
54	Reduced platelet G protein-coupled receptor kinase 2 in major depressive disorder: antidepressant treatment-induced upregulation of GRK2 protein discriminates between responder and non-responder patients. <i>European Neuropsychopharmacology</i> , 2010 , 20, 721-30	1.2	23
53	In vivo potentiation of reboxetine and citalopram effect on extracellular noradrenaline in rat brain by 2 -adrenoceptor antagonism. <i>European Neuropsychopharmacology</i> , 2010 , 20, 813-22	1.2	27
52	Immunodensity and mRNA expression of A2A adenosine, D2 dopamine, and CB1 cannabinoid receptors in postmortem frontal cortex of subjects with schizophrenia: effect of antipsychotic treatment. <i>Psychopharmacology</i> , 2009 , 206, 313-24	4.7	88
51	Guanidine and 2-aminoimidazoline aromatic derivatives as alpha2-adrenoceptor ligands: searching for structure-activity relationships. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 601-9	8.3	33
50	Identification of a serotonin/glutamate receptor complex implicated in psychosis. <i>Nature</i> , 2008 , 452, 93-7	50.4	623

(2002-2008)

49	Human adenosine deaminase as an allosteric modulator of human A(1) adenosine receptor: abolishment of negative cooperativity for [H](R)-pia binding to the caudate nucleus. <i>Journal of Neurochemistry</i> , 2008 , 107, 161-70	6	40
48	Guanidine and 2-aminoimidazoline aromatic derivatives as alpha2-adrenoceptor antagonists. 2. Exploring alkyl linkers for new antidepressants. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 3304-12	8.3	38
47	Monoamine oxidase B activity is increased in human gliomas. <i>Neurochemistry International</i> , 2008 , 52, 230-4	4.4	17
46	Specific binding of [3H]Ro 19-6327 (lazabemide) to monoamine oxidase B is increased in frontal cortex of suicide victims after controlling for age at death. <i>European Neuropsychopharmacology</i> , 2008 , 18, 55-61	1.2	1
45	El sistema noradrenEgico en la neurobiologE de la depresiE. <i>Psiquiatria Biologica</i> , 2008 , 15, 162-174	0.2	
44	Novel synthesis and pharmacological evaluation as alpha2-adrenoceptor ligands of O-phenylisouronium salts. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 8210-7	3.4	14
43	Guanidine and 2-aminoimidazoline aromatic derivatives as alpha(2)-adrenoceptor antagonists, 1: toward new antidepressants with heteroatomic linkers. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 4516-2	28.3	34
42	On the search of new I2-IBS aliphatic ligands: bis-guanidino carbonyl derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 6009-12	2.9	2
41	The N251K functional polymorphism in the alpha(2A)-adrenoceptor gene is not associated with depression: a study in suicide completers. <i>Psychopharmacology</i> , 2006 , 184, 82-6	4.7	10
40	Heterotrimeric g proteins: insights into the neurobiology of mood disorders. <i>Current Neuropharmacology</i> , 2006 , 4, 127-38	7.6	22
39	Levels of G-protein alpha q/11 subunits and of phospholipase C-beta(1-4), -gamma, and -delta1 isoforms in postmortem human brain caudate and cortical membranes: potential functional implications. <i>Neurochemistry International</i> , 2006 , 49, 72-9	4.4	7
38	Synthesis and pharmacological studies of new hybrid derivatives of fentanyl active at the mu-opioid receptor and I2-imidazoline binding sites. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 6570-80	3.4	42
37	Opposite changes in imidazoline I2 receptors and alpha2-adrenoceptors density in rat frontal cortex after induced gliosis. <i>Life Sciences</i> , 2005 , 78, 205-9	6.8	7
36	Characterization of noradrenaline release in the locus coeruleus of freely moving awake rats by in vivo microdialysis. <i>Psychopharmacology</i> , 2005 , 180, 570-9	4.7	34
35	Evaluation of a pharmacology educational activity based on a research project: a randomized, controlled and blind analysis of medical studentsSperceptions. <i>Medical Teacher</i> , 2005 , 27, 53-60	3	4
34	Differential postmortem delay effect on agonist-mediated phospholipase Cbeta activity in human cortical crude and synaptosomal brain membranes. <i>Neurochemical Research</i> , 2004 , 29, 1461-5	4.6	7
33	Fentanyl derivatives bearing aliphatic alkaneguanidinium moieties: a new series of hybrid molecules with significant binding affinity for mu-opioid receptors and I2-imidazoline binding sites. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 491-3	2.9	18
32	In vivo tonic modulation of the noradrenaline release in the rat cortex by locus coeruleus somatodendritic alpha(2)-adrenoceptors. <i>European Journal of Pharmacology</i> , 2002 , 442, 225-9	5.3	41

31	Effects of age, postmortem delay and storage time on receptor-mediated activation of G-proteins in human brain. <i>Neuropsychopharmacology</i> , 2002 , 26, 468-78	8.7	36
30	Long-acting fentanyl analogues: synthesis and pharmacology of N-(1-phenylpyrazolyl)-N-(1-phenylalkyl-4-piperidyl)propanamides. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 817-27	3.4	32
29	Guanidinium and aminoimidazolinium derivatives of N-(4-piperidyl)propanamides as potential ligands for mu opioid and I2-imidazoline receptors: synthesis and pharmacological screening. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 1009-18	3.4	25
28	I(2)-imidazoline binding site affinity of a structurally different type of ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 1525-33	3.4	19
27	Interactions of platelets with Synthocytes, a novel platelet substitute. <i>Platelets</i> , 2002 , 13, 197-205	3.6	17
26	Distribution of prolyl endopeptidase activities in rat and human brain. <i>Neurochemistry International</i> , 2002 , 40, 337-45	4.4	67
25	Assessment of the Quality of Medical Documents Issued in Central Police Stations in Madrid, Spain: The Doctor's Role in the Prevention of III-Treatment. <i>Journal of Forensic Sciences</i> , 2002 , 47, 15246J	1.8	6
24	Assessment of the quality of medical documents issued in central police stations in Madrid, Spain: the doctor's role in the prevention of ill-treatment. <i>Journal of Forensic Sciences</i> , 2002 , 47, 293-8	1.8	1
23	Regulation of phospholipase Cbeta activity by muscarinic acetylcholine and 5-HT(2) receptors in crude and synaptosomal membranes from human cerebral cortex. <i>Neuropharmacology</i> , 2001 , 40, 686-9	95 ^{5.5}	22
22	I2-imidazoline receptors in platelets of patients with Parkinson's disease and Alzheimer's type dementia. <i>Annals of the New York Academy of Sciences</i> , 1999 , 881, 199-202	6.5	5
21	Densities of I2-imidazoline receptors, imidazoline receptor proteins, and MAO-B sites in human gliomas and pituitary adenomas. <i>Annals of the New York Academy of Sciences</i> , 1999 , 881, 203-7	6.5	2
20	Differential modulation of alpha2-adrenoceptor subtypes in rat kidney by chronic desipramine treatment. <i>Life Sciences</i> , 1999 , 64, 2327-39	6.8	3
19	Selective increase of alpha2A-adrenoceptor agonist binding sites in brains of depressed suicide victims. <i>Journal of Neurochemistry</i> , 1998 , 70, 1114-23	6	103
18	Somatodendritic alpha2-adrenoceptors in the locus coeruleus are involved in the in vivo modulation of cortical noradrenaline release by the antidepressant desipramine. <i>Journal of Neurochemistry</i> , 1998 , 71, 790-8	6	89
17	Differences in Criminal Activity Between Heroin Abusers and Subjects Without Psychiatric Disorders Analysis of 578 Detainees in Bilbao, Spain. <i>Journal of Forensic Sciences</i> , 1998 , 43, 14347J	1.8	12
16	The Density of Monoamine Oxidase B Sites Is Not Altered in the Postmortem Brain of Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 1479-1483	3.7	4
15	Modulation of catecholamine release by alpha 2-adrenoceptors and I1-imidazoline receptors in rat brain. <i>Brain Research</i> , 1997 , 744, 216-26	3.7	36
14	Alpha 2-adrenoceptor subtypes in the human brain: a pharmacological delineation of [3H]RX-821002 binding to membranes and tissue sections. <i>European Journal of Pharmacology</i> , 1996 , 310, 83-93	5.3	43

LIST OF PUBLICATIONS

13	Increased density of I2-imidazoline receptors in human glioblastomas. <i>NeuroReport</i> , 1996 , 7, 1393-6	1.7	30
12	Increased density of mu-opioid receptors in the postmortem brain of suicide victims. <i>Brain Research</i> , 1995 , 682, 245-50	3.7	107
11	I2-imidazoline receptors in the healthy and pathologic human brain. <i>Annals of the New York Academy of Sciences</i> , 1995 , 763, 178-93	6.5	9
10	Prevalence of sexual torture in political dissidents. <i>Lancet, The</i> , 1995 , 345, 1307	40	3
9	Autoradiographic demonstration of increased alpha 2-adrenoceptor agonist binding sites in the hippocampus and frontal cortex of depressed suicide victims. <i>Journal of Neurochemistry</i> , 1994 , 63, 256-	65	73
8	mu-Opioid receptor and alpha 2-adrenoceptor agonist binding sites in the postmortem brain of heroin addicts. <i>Psychopharmacology</i> , 1994 , 115, 135-40	4.7	62
7	Evidence of increased non-adrenoceptor [3H]idazoxan binding sites in the frontal cortex of depressed suicide victims. <i>Biological Psychiatry</i> , 1993 , 34, 498-501	7.9	40
6	Cholecystokinin is released from a crossed corticostriatal pathway. <i>NeuroReport</i> , 1992 , 3, 905-8	1.7	24
5	Alpha 2-adrenoceptors in the brain of suicide victims: increased receptor density associated with major depression. <i>Biological Psychiatry</i> , 1992 , 31, 471-90	7.9	144
4	Decreased density of presynaptic alpha 2-adrenoceptors in postmortem brains of patients with AlzheimerS disease. <i>Journal of Neurochemistry</i> , 1992 , 58, 1896-904	6	38
3	Acute ethanol intoxication may not alter alpha 2-adrenoceptors in the human brain. <i>Psychopharmacology</i> , 1992 , 107, 132-4	4.7	3
2	Increased [3H] raclopride binding sites in postmortem brains from schizophrenic violent suicide victims. <i>Psychopharmacology</i> , 1992 , 109, 410-4	4.7	18
1	Characterization and regional distribution of alpha 2-adrenoceptors in postmortem human brain using the full agonist [3H]UK 14304. <i>Journal of Neurochemistry</i> , 1989 , 52, 1210-7	6	42