

Jose M Campos-Martin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6182713/publications.pdf>

Version: 2024-02-01

102
papers

6,461
citations

76326

40
h-index

66911

78
g-index

111
all docs

111
docs citations

111
times ranked

7680
citing authors

#	ARTICLE	IF	CITATIONS
1	One-Pot Conversion of Glucose into 5-Hydroxymethylfurfural using MOFs and Brønsted Acid Tandem Catalysts. <i>Advanced Sustainable Systems</i> , 2022, 6, .	5.3	7
2	Influence of W loading, support type, and preparation method on the performance of zirconia or alumina-supported Pt catalysts for n-dodecane hydroisomerization. <i>Fuel</i> , 2022, 319, 123704.	6.4	7
3	One-Pot Conversion of Glucose into 5-Hydroxymethylfurfural using MOFs and Brønsted Acid Tandem Catalysts (<i>Adv. Sustainable Syst.</i> 5/2022). <i>Advanced Sustainable Systems</i> , 2022, 6, .	5.3	1
4	Influence of bimetallic characteristics on the performance of MoCoP and MoFeP catalysts for methyl laurate hydrodeoxygenation. <i>Catalysis Today</i> , 2021, 367, 43-50.	4.4	11
5	Influence of the Reduction Temperature and the Nature of the Support on the Performance of Zirconia and Alumina-Supported Pt Catalysts for n-Dodecane Hydroisomerization. <i>Catalysts</i> , 2021, 11, 88.	3.5	12
6	Isomerization of glucose to fructose catalyzed by metal-organic frameworks. <i>Sustainable Energy and Fuels</i> , 2021, 5, 3847-3857.	4.9	17
7	Catalytic Oxidative Desulfurization of Liquid Fuels. <i>ACS Symposium Series</i> , 2021, , 143-174.	0.5	6
8	Solvent Additive-Induced Deactivation of the Cu-ZnO(Al ₂ O ₃)-Catalyzed γ -Butyrolactone Hydrogenolysis: A Rare Deactivation Process. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 15999-16010.	3.7	4
9	Dehydration of fructose to HMF in presence of (H ₃ O) _x Sb _x Te _(2-x) O ₆ (x=1, 1.1, 1.25) in H ₂ O-MIBK. <i>Molecular Catalysis</i> , 2020, 481, 110276.	2.0	18
10	Structure-properties relationship in the hydronium-containing pyrochlores (H ₃ O) _{1+p} Sb _{1+p} Te _{1-p} O ₆ with catalytic activity in the fructose dehydration reaction. <i>Dalton Transactions</i> , 2020, 49, 11657-11667.	3.3	3
11	Direct synthesis of hydrogen peroxide without the use of acids or halide promoters in dissolution. <i>Catalysis Science and Technology</i> , 2020, 10, 2333-2336.	4.1	9
12	High enhancement of the hydrolysis rate of cellulose after pretreatment with inorganic salt hydrates. <i>Green Chemistry</i> , 2020, 22, 3860-3866.	9.0	31
13	Energy Governance in Spain. , 2020, , 1-36.		1
14	Highly catalytic oxidative desulfurization and denitrogenation of diesel using anchored-silica-gel vanadium-substituted Dawson-type polyoxometalate. <i>Catalysis Today</i> , 2019, 333, 219-225.	4.4	39
15	Mesoporous Silica vs. Organosilica Composites to Desulfurize Diesel. <i>Frontiers in Chemistry</i> , 2019, 7, 756.	3.6	7
16	Effective Zinc-Substituted Keggin Composite To Catalyze the Removal of Sulfur from Real Diesels under a Solvent-Free System. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 18540-18549.	3.7	12
17	Gel-Type and Macroporous Cross-Linked Copolymers Functionalized with Acid Groups for the Hydrolysis of Wheat Straw Pretreated with an Ionic Liquid. <i>Catalysts</i> , 2019, 9, 675.	3.5	13
18	Fractionation of Lignocellulosic Biomass by Selective Precipitation from Ionic Liquid Dissolution. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1862.	2.5	41

#	ARTICLE	IF	CITATIONS
19	Transition Metal Phosphides for the Catalytic Hydrodeoxygenation of Waste Oils into Green Diesel. <i>Catalysts</i> , 2019, 9, 293.	3.5	63
20	Oxidative desulfurization strategies using Keggin-type polyoxometalate catalysts: Biphasic versus solvent-free systems. <i>Catalysis Today</i> , 2019, 333, 226-236.	4.4	53
21	Second-Generation Bioethanol Production Combining Simultaneous Fermentation and Saccharification of IL-Pretreated Barley Straw. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 7086-7095.	6.7	41
22	Metal phosphide catalysts for the hydrotreatment of non-edible vegetable oils. <i>Catalysis Today</i> , 2018, 302, 242-249.	4.4	42
23	Chemical hydrolysis of cellulose into fermentable sugars through ionic liquids and antisolvent pretreatments using heterogeneous catalysts. <i>Catalysis Today</i> , 2018, 302, 87-93.	4.4	23
24	Resource Recovery Potential From Lignocellulosic Feedstock Upon Lysis With Ionic Liquids. <i>Frontiers in Bioengineering and Biotechnology</i> , 2018, 6, 119.	4.1	20
25	Microwave-Assisted Coprecipitation Synthesis of LaCoO ₃ Nanoparticles and Their Catalytic Activity for Syngas Production by Partial Oxidation of Methane. <i>Frontiers in Energy Research</i> , 2018, 6, .	2.3	8
26	Cermets Ni/(Ce _{0.9} Ln _{0.1} O _{1.95}) (Ln=ÅGd, La, Nd and Sm) prepared by solution combustion method as catalysts for hydrogen production by partial oxidation of methane. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 16834-16845.	7.1	7
27	Effect of the Acidity of the Groups of Functionalized Silicas on the Direct Synthesis of H ₂ O ₂ . <i>Topics in Catalysis</i> , 2017, 60, 1151-1155.	2.8	11
28	Probing the Catalytic Activity of Sulfate-Derived Pristine and Post-Treated Porous TiO ₂ (101) Anatase Mesocrystals by the Oxidative Desulfurization of Dibenzothiophenes. <i>ACS Omega</i> , 2017, 2, 2351-2359.	3.5	11
29	Oxidative Desulfurization of Diesel Using Vanadium-Substituted Dawson-Type Emulsion Catalysts. <i>Energy & Fuels</i> , 2017, 31, 5419-5427.	5.1	30
30	Desulfurization of Fuel by Extraction and Catalytic Oxidation Using a Vanadium Substituted Dawson-Type Emulsion Catalyst. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 3839-3852.	3.7	40
31	Extractive-oxidative removals of dibenzothiophene and quinoline using vanadium substituted Dawson emulsion catalyst and ionic liquid based solvents. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 47, 348-359.	5.8	29
32	Direct synthesis of hydrogen peroxide with no ionic halides in solution. <i>RSC Advances</i> , 2016, 6, 99291-99296.	3.6	13
33	Catalytic Epoxidation of Cyclohexene with Tert-butylhydroperoxide Using an Immobilized Molybdenum Catalyst. <i>Topics in Catalysis</i> , 2015, 58, 325-333.	2.8	14
34	H ₂ oxidation versus organic substrate oxidation in non-heme iron mediated reactions with H ₂ O ₂ . <i>Chemical Communications</i> , 2015, 51, 14992-14995.	4.1	4
35	Complete Chemical Hydrolysis of Cellulose into Fermentable Sugars through Ionic Liquids and Antisolvent Pretreatments. <i>ChemSusChem</i> , 2014, 7, 3467-3475.	6.8	26
36	Optimization of the process of chemical hydrolysis of cellulose to glucose. <i>Cellulose</i> , 2014, 21, 2397-2407.	4.9	42

#	ARTICLE	IF	CITATIONS
37	Catalytic processes and catalyst development in biorefining. , 2014, , 152-198.		18
38	Efficient solvent regeneration of Basolite C300 used in the liquid-phase adsorption of dibenzothiophene. Fuel, 2013, 113, 216-220.	6.4	18
39	Thermal regeneration of the metal organic frameworks used in the adsorption of refractory organosulfur compounds from liquid fuels. Fuel, 2013, 105, 459-465.	6.4	23
40	Removal of refractory organic sulfur compounds in fossil fuels using MOF sorbents. Global Nest Journal, 2013, 12, 296-304.	0.1	2
41	Selective hydrogenation of hydrogen peroxide in the epoxidation effluent of the HPPO process. Catalysis Communications, 2012, 26, 83-87.	3.3	5
42	Selective decomposition of hydrogen peroxide in the epoxidation effluent of the HPPO process. Catalysis Today, 2012, 187, 168-172.	4.4	23
43	High glucose yields from the hydrolysis of cellulose dissolved in ionic liquids. Chemical Engineering Journal, 2012, 181-182, 538-541.	12.7	79
44	Direct evidence of the SMSI decoration effect: the case of Co/TiO ₂ catalyst. Chemical Communications, 2011, 47, 7131.	4.1	87
45	An Oxygen-Deficient Perovskite as Selective Catalyst in the Oxidation of Alkyl Benzenes. Angewandte Chemie - International Edition, 2011, 50, 6557-6561.	13.8	51
46	Effectiveness of metal-organic frameworks for removal of refractory organo-sulfur compound present in liquid fuels. Fuel, 2011, 90, 190-197.	6.4	124
47	Oxidative processes of desulfurization of liquid fuels. Journal of Chemical Technology and Biotechnology, 2010, 85, 879-890.	3.2	382
48	Highly efficient deep desulfurization of fuels by chemical oxidation. Catalysis Today, 2010, 157, 390-396.	4.4	63
49	Some insights on the negative effect played by silylation of functionalized commercial silica in the direct synthesis of hydrogen peroxide. Catalysis Today, 2010, 158, 97-102.	4.4	12
50	Silylation of titanium-containing amorphous silica catalyst: Effect on the alkenes epoxidation with H ₂ O ₂ . Catalysis Today, 2010, 158, 103-108.	4.4	23
51	Liquid-phase oxidation of p-xylene using N-hydroxyimides. Catalysis Communications, 2010, 12, 5-8.	3.3	25
52	Removal of refractory organosulfur compounds via oxidation with hydrogen peroxide on amorphous Ti/SiO ₂ catalysts. Energy and Environmental Science, 2010, 3, 328.	30.8	70
53	Large-scale synthesis of porous magnetic composites for catalytic applications. Studies in Surface Science and Catalysis, 2010, , 347-350.	1.5	1
54	Direct synthesis of hydrogen peroxide on palladium catalyst supported on sulfonic acid-functionalized silica. Green Chemistry, 2010, 12, 1163.	9.0	45

#	ARTICLE	IF	CITATIONS
55	Ethylbenzene oxidation to its hydroperoxide in the presence of N-hydroxyimides and minute amounts of sodium hydroxide. <i>Applied Catalysis A: General</i> , 2009, 363, 32-39.	4.3	41
56	Grafting Strategy to Develop Single Site Titanium on an Amorphous Silica Surface. <i>Langmuir</i> , 2009, 25, 7148-7155.	3.5	54
57	Selective grafting of titanium on periodic nanoporous silica materials. <i>Microporous and Mesoporous Materials</i> , 2008, 113, 542-553.	4.4	15
58	Preparation, Characterization, and Acidity Evaluation of Perfluorosulfonic Acid-Functionalized Silica Catalysts. <i>Industrial & Engineering Chemistry Research</i> , 2008, 47, 8005-8010.	3.7	16
59	New Two-Step Process for Propene Oxide Production (HPPO) Based on the Direct Synthesis of Hydrogen Peroxide. <i>Industrial & Engineering Chemistry Research</i> , 2008, 47, 8011-8015.	3.7	54
60	Alkene Epoxidation with Ethylbenzene Hydroperoxides Using Molybdenum Heterogeneous Catalysts. <i>Industrial & Engineering Chemistry Research</i> , 2008, 47, 8016-8024.	3.7	31
61	Spectroscopic and DFT Study of Tungstic Acid Peroxocomplexes. <i>Journal of Physical Chemistry A</i> , 2007, 111, 2166-2171.	2.5	18
62	Effects of Hydrogen on the Reactivity of O ₂ toward Gold Nanoparticles and Surfaces. <i>Journal of Physical Chemistry C</i> , 2007, 111, 19001-19008.	3.1	75
63	Fischer-Tropsch synthesis on mono- and bimetallic Co and Fe catalysts in fixed-bed and slurry reactors. <i>Applied Catalysis A: General</i> , 2007, 326, 65-73.	4.3	103
64	Effect of precursor nature on the behavior of titanium-polysiloxane homogeneous catalysts in primary alkene epoxidation. <i>Journal of Molecular Catalysis A</i> , 2007, 269, 133-140.	4.8	8
65	A density functional theory study of the dissociation of H ₂ on gold clusters: Importance of fluxionality and ensemble effects. <i>Journal of Chemical Physics</i> , 2006, 125, 164715.	3.0	114
66	TD-DFT analysis of the electronic spectra of Ti-containing catalysts. <i>Topics in Catalysis</i> , 2006, 41, 27-34.	2.8	23
67	Hydrogen Peroxide Synthesis: An Outlook beyond the Anthraquinone Process. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6962-6984.	13.8	1,991
68	Surface and Structural Features of Co-Fe Oxide Nanoparticles Deposited on a Silica Substrate. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 5057-5068.	2.0	50
69	Liquid-phase ethylbenzene oxidation to hydroperoxide with barium catalysts. <i>Journal of Molecular Catalysis A</i> , 2005, 227, 101-105.	4.8	27
70	Role of quaternary ammonium salts in the liquid-phase oxidation of ethylbenzene to hydroperoxide with molecular oxygen. <i>Applied Catalysis A: General</i> , 2005, 294, 290-297.	4.3	16
71	AuPd alloy formation in Au-Pd/Al ₂ O ₃ catalysts and its role on aromatics hydrogenation. <i>Applied Surface Science</i> , 2005, 242, 380-391.	6.1	108
72	Influence of the textural properties of supports on the behaviour of titanium-supported amorphous silica epoxidation catalysts. <i>Journal of Catalysis</i> , 2005, 234, 488-495.	6.2	20

#	ARTICLE	IF	CITATIONS
73	Strong dependence on pressure of the performance of a Co/SiO ₂ catalyst in Fischer-Tropsch slurry reactor synthesis. <i>Catalysis Letters</i> , 2005, 100, 105-116.	2.6	33
74	Removal of PAH Compounds from Liquid Fuels by Pd Catalysts. <i>Environmental Science & Technology</i> , 2005, 39, 3374-3381.	10.0	26
75	Silylation and surface properties of chemically grafted hydrophobic silica. <i>Journal of Colloid and Interface Science</i> , 2004, 277, 146-153.	9.4	89
76	An experimental and theoretical study of the catalytic effect of quaternary ammonium salts on the oxidation of hydrocarbons. <i>Tetrahedron</i> , 2004, 60, 11527-11532.	1.9	18
77	Synthesis of bis[N,O-(2-pyridyl-methanolate)]dioxomolybdenum(VI) epoxidation catalyst and novel crystal structure derived from X-ray diffraction and DFT calculations. <i>Journal of Molecular Catalysis A</i> , 2004, 214, 269-272.	4.8	23
78	Deep aromatics hydrogenation in the presence of DBT over Au-Pd- γ -alumina catalysts. <i>Applied Catalysis A: General</i> , 2004, 275, 127-139.	4.3	44
79	Simultaneous 1-pentene hydroisomerisation and thiophene hydrodesulphurisation over sulphided Ni/FAU and Ni/ZSM-5 catalysts. <i>Applied Catalysis A: General</i> , 2004, 262, 155-166.	4.3	54
80	Highly efficient deep desulfurization of fuels by chemical oxidation. <i>Green Chemistry</i> , 2004, 6, 557.	9.0	171
81	Strong enhancement of the Fischer-Tropsch synthesis on a Co/SiO ₂ catalyst activate in syngas mixture. <i>Catalysis Communications</i> , 2004, 5, 635-638.	3.3	34
82	Soybean oil epoxidation with hydrogen peroxide using an amorphous Ti/SiO ₂ catalyst. <i>Green Chemistry</i> , 2004, 6, 330-334.	9.0	108
83	Direct synthesis of hydrogen peroxide solution with palladium-loaded sulfonic acid polystyrene resins. <i>Chemical Communications</i> , 2004, , 1184.	4.1	109
84	Support Effect in Supported Ni Catalysts on Their Performance for Methane Partial Oxidation. <i>Catalysis Letters</i> , 2003, 87, 211-218.	2.6	66
85	Influence of solvent in the synthesis steps of titanium-supported amorphous silica epoxidation catalysts. <i>Journal of Catalysis</i> , 2003, 217, 195-195.	6.2	23
86	Titanium K-Edge XANES Analysis to Unravel the Local Structure of Alkene Epoxidation Titanium-Polysiloxane Homogeneous Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2003, 345, 1314-1320.	4.3	7
87	The Usefulness of Time-Dependent Density Functional Theory to Describe the Electronic Spectra of Ti-Containing Catalysts. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 5851-5854.	13.8	42
88	Silica-alumina-supported transition metal sulphide catalysts for deep hydrodesulphurization. <i>Catalysis Today</i> , 2003, 86, 73-85.	4.4	37
89	Impregnation treatments of TS-1 catalysts and their relevance in alkene epoxidation with hydrogen peroxide. <i>Applied Catalysis A: General</i> , 2003, 246, 69-77.	4.3	53
90	Evaluation of silica-alumina-supported nickel catalysts in dibenzothiophene hydrodesulphurisation. <i>Applied Catalysis A: General</i> , 2003, 248, 211-225.	4.3	29

#	ARTICLE	IF	CITATIONS
91	Sulfonic acid-functionalized silica through quantitative oxidation of thiol groups. <i>Chemical Communications</i> , 2003, , 246-247.	4.1	87
92	Acid-Functionalized Amorphous Silica by Chemical Grafting—Quantitative Oxidation of Thiol Groups. <i>Langmuir</i> , 2003, 19, 7621-7627.	3.5	118
93	The Usefulness of Density Functional Theory To Describe the Tautomeric Equilibrium of 4,6-Dimethyl-2-mercaptopyrimidine in Solution. <i>Journal of Physical Chemistry A</i> , 2003, 107, 7490-7495.	2.5	35
94	Effective homogeneous molybdenum catalyst for linear terminal alkenes epoxidation with organic hydroperoxide. <i>Catalysis Communications</i> , 2002, 3, 247-251.	3.3	29
95	Alumina- and Alumina—Zirconia-Supported PtSn Bimetallics: Microstructure and Performance for the n-Butane ODH Reaction. <i>Journal of Catalysis</i> , 2002, 208, 467-478.	6.2	40
96	Highly effective epoxidation of alkenes with Ti-containing soluble polymers. <i>Chemical Communications</i> , 2001, , 2228-2229.	4.1	7
97	Alumina- and Zirconia—Alumina-Loaded Tin—Platinum. Surface Features and Performance for Butane Dehydrogenation. <i>Langmuir</i> , 2000, 16, 10294-10300.	3.5	50
98	Effective alkene epoxidation with dilute hydrogen peroxide on amorphous silica-supported titanium catalysts. <i>Chemical Communications</i> , 2000, , 855-856.	4.1	76
99	Promoter Effect of Cesium on C—C Bond Formation during Alcohol Synthesis from CO/H ₂ over Cu/ZnO/Cr ₂ O ₃ Catalysts. <i>Journal of Catalysis</i> , 1996, 163, 418-428.	6.2	49
100	Changes of copper location in CuY zeolites induced by preparation methods. <i>Catalysis Letters</i> , 1996, 41, 55-61.	2.6	15
101	Structural and Surface Properties of CuO-ZnO-Cr ₂ O ₃ Catalysts and Their Relationship with Selectivity to Higher Alcohol Synthesis. <i>Journal of Catalysis</i> , 1995, 156, 208-218.	6.2	55
102	Influence of W Loading, Support Type, and Preparation Method on the Performance of Zirconia or Alumina-Supported Pt Catalysts for N-Dodecane Hydroisomerization. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0