
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6183544/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Implicit-Explicit Methods for a Convection-Diffusion-Reaction Model of the Propagation of Forest Fires. Mathematics, 2020, 8, 1034. | 1.1 | 9 |
| 2 | On approximate implicit Taylor methods for ordinary differential equations. Computational and Applied Mathematics, 2020, 39, 1. | 1.0 | 4 |
| 3 | A Spatial-Temporal Model for the Evolution of the COVID-19 Pandemic in Spain Including Mobility. Mathematics, 2020, 8, 1677. | 1.1 | 26 |
| 4 | Exploring a Convection–Diffusion–Reaction Model of the Propagation of Forest Fires: Computation of Risk Maps for Heterogeneous Environments. Mathematics, 2020, 8, 1674. | 1.1 | 4 |
| 5 | An Efficient Third-Order WENO Scheme with Unconditionally Optimal Accuracy. SIAM Journal of Scientific Computing, 2020, 42, A1028-A1051. | 1.3 | 15 |
| 6 | Central WENO Schemes Through a Global Average Weight. Journal of Scientific Computing, 2019, 78, 499-530. | 1.1 | 9 |
| 7 | On the Efficient Computation of Smoothness Indicators for a Class of WENO Reconstructions. Journal of Scientific Computing, 2019, 80, 1240-1263. | 1.1 | 20 |
| 8 | Implicit–explicit schemes for nonlinear nonlocal equations with a gradient flow structure in one space dimension. Numerical Methods for Partial Differential Equations, 2019, 35, 1008-1034. | 2.0 | 4 |
| 9 | Implicit-explicit methods for a class of nonlinear nonlocal gradient flow equations modelling collective behaviour. Applied Numerical Mathematics, 2019, 144, 234-252. | 1.2 | 8 |
| 10 | WENO Reconstructions of Unconditionally Optimal High Order. SIAM Journal on Numerical Analysis, 2019, 57, 2760-2784. | 1.1 | 10 |
| 11 | Numerical solution of a spatio-temporal predator-prey model with infected prey. Mathematical Biosciences and Engineering, 2019, 16, 438-473. | 1.0 | 14 |
| 12 | Reprint of: Approximate Taylor methods for ODEs. Computers and Fluids, 2018, 169, 87-97. | 1.3 | 5 |
| 13 | Linearly implicit-explicit schemes for the equilibrium dispersive model of chromatography. Applied Mathematics and Computation, 2018, 317, 172-186. | 1.4 | 4 |
| 14 | Implicit–Explicit WENO scheme for the equilibrium dispersive model of chromatography. Applied Numerical Mathematics, 2018, 123, 22-42. | 1.2 | 6 |
| 15 | Implicit-Explicit Methods for the Efficient Simulation of the Settling of Dispersions of Droplets and Colloidal Particles. Advances in Applied Mathematics and Mechanics, 2018, 10, 445-467. | 0.7 | 1 |
| 16 | Numerical solution of a multi-class model for batch settling in water resource recovery facilities. Applied Mathematical Modelling, 2017, 49, 415-436. | 2.2 | 5 |
| 17 | Approximate Taylor methods for ODEs. Computers and Fluids, 2017, 159, 156-166. | 1.3 | 6 |
| 18 | An Approximate Lax–Wendroff-Type Procedure for High Order Accurate Schemes for Hyperbolic Conservation Laws. Journal of Scientific Computing, 2017, 71, 246-273. | 1.1 | 29 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Numerical solution of a spatio-temporal gender-structured model for hantavirus infection in rodents. Mathematical Biosciences and Engineering, 2017, 15, 95-123. | 1.0 | 13 |
| 20 | High Order Extrapolation Techniques for WENO Finite-Difference Schemes Applied to NACA Airfoil Profiles. Mathematics in Industry, 2017, , 47-54. | 0.1 | 0 |
| 21 | WENO Schemes for Multi-Dimensional Porous Media Flow Without Capillarity. SEMA SIMAI Springer Series, 2016, , 301-320. | 0.4 | 0 |
| 22 | Polynomial viscosity methods for multispecies kinematic flow models. Numerical Methods for Partial Differential Equations, 2016, 32, 1265-1288. | 2.0 | 2 |
| 23 | Hybrid WENO schemes for polydisperse sedimentation models. International Journal of Computer Mathematics, 2016, 93, 1801-1817. | 1.0 | 4 |
| 24 | On linearly implicit IMEX Runge-Kutta methods for degenerate convection-diffusion problems modeling polydisperse sedimentation. Bulletin of the Brazilian Mathematical Society, 2016, 47, 171-185. | 0.3 | 12 |
| 25 | High Order Weighted Extrapolation for Boundary Conditions for Finite Difference Methods on Complex Domains with Cartesian Meshes. Journal of Scientific Computing, 2016, 69, 170-200. | 1.1 | 13 |
| 26 | High Order Boundary Extrapolation Technique for Finite Difference Methods on Complex Domains with Cartesian Meshes. Journal of Scientific Computing, 2016, 66, 761-791. | 1.1 | 21 |
| 27 | Modelling the spatial-temporal progression of the 2009 A/H1N1 influenza pandemic in Chile. Mathematical Biosciences and Engineering, 2016, 13, 43-65. | 1.0 | 10 |
| 28 | Weighted Extrapolation Techniques for Finite Difference Methods on Complex Domains with Cartesian Meshes. SEMA SIMAI Springer Series, 2016, , 243-259. | 0.4 | 1 |
| 29 | Cell average image transform algorithms with exact error control. Numerical Algorithms, 2015, 69, 75-93. | 1.1 | 0 |
| 30 | Linearly Implicit IMEX Runge–Kutta Methods for a Class of Degenerate Convection-Diffusion Problems. SIAM Journal of Scientific Computing, 2015, 37, B305-B331. | 1.3 | 36 |
| 31 | Non-linear Local Polynomial Regression Multiresolution Methods Using \$\$ell ^1\$\$ â,," 1 -norm Minimization with Application to Signal Processing. Lecture Notes in Computer Science, 2015, , 16-31. | 1.0 | 0 |
| 32 | Weights Design For Maximal Order WENO Schemes. Journal of Scientific Computing, 2014, 60, 641-659. | 1.1 | 22 |
| 33 | Some techniques for improving the resolution of finite difference component-wise WENO schemes for polydisperse sedimentation models. Applied Numerical Mathematics, 2014, 78, 1-13. | 1.2 | 8 |
| 34 | WENO schemes applied to the quasi-relativistic Vlasov–Maxwell model for laser–plasma interaction. Comptes Rendus - Mecanique, 2014, 342, 583-594. | 2.1 | 3 |
| 35 | Implicit–explicit methods for models for vertical equilibrium multiphase flow. Computers and Mathematics With Applications, 2014, 68, 363-383. | 1.4 | 9 |
| 36 | Well-Balanced Adaptive Mesh Refinement for shallow water flows. Journal of Computational Physics, 2014, 257, 937-953. | 1.9 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Spectral WENO schemes with Adaptive Mesh Refinement for models of polydisperse sedimentation. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2013, 93, 373-386. | 0.9 | 5 |
| 38 | A semi-Lagrangian AMR scheme for 2D transport problems in conservation form. Journal of Computational Physics, 2013, 237, 151-176. | 1.9 | 2 |
| 39 | Lossless and near-lossless image compression based on multiresolution analysis. Journal of Computational and Applied Mathematics, 2013, 242, 70-81. | 1.1 | 10 |
| 40 | Solving a model for 1-D, three-phase flow vertical equilibrium processes in a homogeneous porous medium by means of a Weighted Essentially Non Oscillatory numerical scheme. Computers and Mathematics With Applications, 2013, 66, 1284-1298. | 1.4 | 5 |
| 41 | Regularized Nonlinear Solvers for IMEX Methods Applied to Diffusively Corrected Multispecies Kinematic Flow Models. SIAM Journal of Scientific Computing, 2013, 35, B751-B777. | 1.3 | 16 |
| 42 | IMEX WENO Schemes for Two-phase Flow Vertical Equilibrium Processes in a Homogeneous Porous Medium. Applied Mathematics and Information Sciences, 2013, 7, 1865-1878. | 0.7 | 5 |
| 43 | A Diffusively Corrected Multiclass Lighthill-Whitham-Richards Traffic Model with Anticipation Lengths and Reaction Times. Advances in Applied Mathematics and Mechanics, 2013, 5, 728-758. | 0.7 | 6 |
| 44 | On the hyperbolicity of certain models of polydisperse sedimentation. Mathematical Methods in the Applied Sciences, 2012, 35, 723-744. | 1.2 | 3 |
| 45 | Adaptation based on interpolation errors for high order mesh refinement methods applied to conservation laws. Applied Numerical Mathematics, 2012, 62, 278-296. | 1.2 | 12 |
| 46 | Non-separable two-dimensional weighted ENO interpolation. Applied Numerical Mathematics, 2012, 62, 975-987. | 1.2 | 2 |
| 47 | Analysis of WENO Schemes for Full and Global Accuracy. SIAM Journal on Numerical Analysis, 2011, 49, 893-915. | 1.1 | 91 |
| 48 | On the implementation of WENO schemes for a class of polydisperse sedimentation models. Journal of Computational Physics, 2011, 230, 2322-2344. | 1.9 | 25 |
| 49 | Point-Value WENO Multiresolution Applications toÂStable Image Compression. Journal of Scientific Computing, 2010, 43, 158-182. | 1.1 | 40 |
| 50 | A secular equation for the Jacobian matrix of certain multispecies kinematic flow models. Numerical Methods for Partial Differential Equations, 2010, 26, 159-175. | 2.0 | 28 |
| 51 | Hyperbolicity Analysis of Polydisperse Sedimentation Models via a Secular Equation for the Flux Jacobian. SIAM Journal on Applied Mathematics, 2010, 70, 2186-2213. | 0.8 | 20 |
| 52 | Characteristic-Based Schemes for Multi-Class Lighthill-Whitham-Richards Traffic Models. Journal of Scientific Computing, 2008, 37, 233-250. | 1.1 | 18 |
| 53 | Adaptive mesh refinement techniques for high-order shock capturing schemes for multi-dimensional hydrodynamic simulations. International Journal for Numerical Methods in Fluids, 2006, 52, 455-471. | 0.9 | 52 |
| 54 | Highly Accurate Conservative Finite Difference Schemes and Adaptive Mesh Refinement Techniques for Hyperbolic Systems of Conservation Laws. , 2006, , 198-206. | | 2 |

80

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The Two-Jacobian Scheme for Systems of Conservation Laws. , 2006, , 89-108. | | 0 |
| 56 | A flux-split algorithm applied to conservative models for multicomponent compressible flows. Journal of Computational Physics, 2003, 185, 120-138. | 1.9 | 112 |
| 57 | Adaptive interpolation of images. Signal Processing, 2003, 83, 459-464. | 2.1 | 27 |
| 58 | High-Order Total Variation-Based Image Restoration. SIAM Journal of Scientific Computing, 2000, 22, 503-516. | 1.3 | 625 |
| 59 | On the Convergence of the Lagged Diffusivity Fixed Point Method in Total Variation Image Restoration. SIAM Journal on Numerical Analysis, 1999, 36, 354-367. | 1.1 | 157 |
| 60 | A Nonlinear Primal-Dual Method for Total Variation-Based Image Restoration. SIAM Journal of Scientific Computing, 1999, 20, 1964-1977. | 1.3 | 630 |
| 61 | Faster minimization of linear wirelength for global placement. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 1998, 17, 3-13. | 1.9 | 40 |
| 62 | Extensions to total variation denoising. , 1997, 3162, 367. | | 24 |
| 63 | Dualizing bimodules. Communications in Algebra, 1993, 21, 2185-2204. | 0.3 | 1 |
| 64 | On a theorem of barou and malliavin. Communications in Algebra, 1992, 20, 2589-2607. | 0.3 | 2 |
| 65 | On Compatibility II. Communications in Algebra, 1992, 20, 1897-1905. | 0.3 | 11 |
| | | | |

66 Total variation image restoration: numerical methods and extensions. , 0, , .