Yuancheng Fan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6185275/yuancheng-fan-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 2,578 27 49 g-index

82 3,071 5.4 5.33 L-index

#	Paper	IF	Citations
71	Optical Realization of Wave-Based Analog Computing with Metamaterials. <i>Applied Sciences</i> (Switzerland), 2021 , 11, 141	2.6	5
70	Active Control of Terahertz Toroidal Excitations in a Hybrid Metasurface with an Electrically Biased Silicon Layer. <i>Advanced Photonics Research</i> , 2021 , 2, 2100103	1.9	6
69	Subwavelength optical localization with toroidal excitations in plasmonic and Mie metamaterials. <i>Informa</i> Materily, 2021 , 3, 577-597	23.1	10
68	Broadband and wide angle microwave absorption with optically transparent metamaterial. <i>Optical Materials</i> , 2021 , 113, 110852	3.3	10
67	A Review of Tunable Electromagnetic Metamaterials With Anisotropic Liquid Crystals. <i>Frontiers in Physics</i> , 2021 , 9,	3.9	10
66	Dual-Sensitivity Terahertz Metasensor Based on Latticelloroidal-Coupled Resonance. <i>Advanced Photonics Research</i> , 2021 , 2, 2000175	1.9	6
65	Fano-Resonant Hybrid Metamaterial for Enhanced Nonlinear Tunability and Hysteresis Behavior. <i>Research</i> , 2021 , 2021, 9754083	7.8	4
64	Thermally reconfigurable Fano resonance in water brick pair metamaterial. <i>Results in Physics</i> , 2021 , 28, 104650	3.7	4
63	Silicon-Based Terahertz Meta-Devices for Electrical Modulation of Fano Resonance and Transmission Amplitude. <i>Advanced Optical Materials</i> , 2020 , 8, 2000449	8.1	25
62	Realization of a near-infrared active Fano-resonant asymmetric metasurface by precisely controlling the phase transition of GeSbTe. <i>Nanoscale</i> , 2020 , 12, 8758-8767	7.7	33
61	Simulate Deutsch-Jozsa algorithm with metamaterials. <i>Optics Express</i> , 2020 , 28, 16230-16243	3.3	4
60	Titanium dioxide metasurface manipulating high-efficiency and broadband photonic spin Hall effect in visible regime. <i>Nanophotonics</i> , 2020 , 9, 4327-4335	6.3	10
59	EIA metamaterials based on hybrid metal/dielectric structures with dark-mode-enhanced absorption. <i>Optics Express</i> , 2020 , 28, 17481-17489	3.3	3
58	Actively modulated propagation of electromagnetic wave in hybrid metasurfaces containing graphene. <i>EPJ Applied Metamaterials</i> , 2020 , 7, 9	0.8	2
57	Multifield-Inspired Tunable Carrier Effects Based on Ferroelectric-Silicon PN Heterojunction. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900795	6.4	9
56	Engineering Coiling-Up Space Metasurfaces for Broadband Low-Frequency Acoustic Absorption. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019 , 13, 1900426	2.5	8
55	Plasmonic TiN boosting nitrogen-doped TiO2 for ultrahigh efficient photoelectrochemical oxygen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 246, 21-29	21.8	36

(2018-2019)

54	Analysis of terahertz wave nonlinear reflection by an array of double silicon elements placed on a metal substrate. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 355303	3	О
53	Realizing Broadband Transparency via Manipulating the Hybrid Coupling Modes in Metasurfaces for High-Efficiency Metalens. <i>Advanced Optical Materials</i> , 2019 , 7, 1900016	8.1	13
52	Synthesis, characterization and microwave transparent properties of Mn3O4 microspheres. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 8771-8776	2.1	37
51	Thermally controllable Mie resonances in a water-based metamaterial. <i>Scientific Reports</i> , 2019 , 9, 5417	4.9	9
50	Phase-Modulated Scattering Manipulation for Exterior Cloaking in Metal-Dielectric Hybrid Metamaterials. <i>Advanced Materials</i> , 2019 , 31, e1903206	24	19
49	Highly degenerate photonic flat bands arising from complete graph configurations. <i>Physical Review A</i> , 2019 , 100,	2.6	4
48	Electromagnetically induced transparency in all-dielectric metamaterials: Coupling between magnetic Mie resonance and substrate resonance. <i>Physical Review A</i> , 2019 , 100,	2.6	14
47	Controllable coherent perfect absorber made of liquid metal-based metasurface. <i>Optics Express</i> , 2019 , 27, 25974-25982	3.3	11
46	Active control of EIT-like response in a symmetry-broken metasurface with orthogonal electric dipolar resonators. <i>Photonics Research</i> , 2019 , 7, 955	6	16
45	Realization of switchable EIT metamaterial by exploiting fluidity of liquid metal. <i>Optics Express</i> , 2019 , 27, 2837-2843	3.3	27
44	Facile synthesis of hierarchical chrysanthemum-like copper cobaltate-copper oxide composites for enhanced microwave absorption performance. <i>Journal of Colloid and Interface Science</i> , 2019 , 533, 481-4	19 ¹³	155
43	Graphene Plasmonics: A Platform for 2D Optics. <i>Advanced Optical Materials</i> , 2019 , 7, 1800537	8.1	93
42	Photoexcited Graphene Metasurfaces: Significantly Enhanced and Tunable Magnetic Resonances. <i>ACS Photonics</i> , 2018 , 5, 1612-1618	6.3	96
41	Enhanced low-frequency microwave absorbing property of SCFs@TiO2 composite. <i>Powder Technology</i> , 2018 , 333, 153-159	5.2	119
40	Achieving a high-Q response in metamaterials by manipulating the toroidal excitations. <i>Physical Review A</i> , 2018 , 97,	2.6	50
39	Broadband Terahertz Absorption in Graphene-Embedded Photonic Crystals. <i>Plasmonics</i> , 2018 , 13, 1153	-121458	27
38	Ultrathin dual-functional metasurface with transmission and absorption characteristics. <i>Optical Materials Express</i> , 2018 , 8, 875	2.6	1
37	A Review of Tunable Acoustic Metamaterials. Applied Sciences (Switzerland), 2018, 8, 1480	2.6	48

36	Controlling optical polarization conversion with GeSbTe-based phase-change dielectric metamaterials. <i>Nanoscale</i> , 2018 , 10, 12054-12061	7.7	50
35	High-Quality-Factor Mid-Infrared Toroidal Excitation in Folded 3D Metamaterials. <i>Advanced Materials</i> , 2017 , 29, 1606298	24	89
34	An electromagnetic modulator based on electrically controllable metamaterial analogue to electromagnetically induced transparency. <i>Scientific Reports</i> , 2017 , 7, 40441	4.9	84
33	Magnetically coupled Fano resonance of dielectric pentamer oligomer. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 275002	3	5
32	Weak coupling between bright and dark resonators with electrical tunability and analysis based on temporal coupled-mode theory. <i>Applied Physics Letters</i> , 2017 , 110, 221905	3.4	23
31	Temperature-Controlled Chameleonlike Cloak. <i>Physical Review X</i> , 2017 , 7,	9.1	15
30	Structurally tunable reflective metamaterial polarization transformer based on closed fish-scale structure. <i>Current Applied Physics</i> , 2017 , 17, 829-834	2.6	9
29	Theoretical realization of dynamically tunable double plasmonically induced transparency in a graphene-based waveguide structure. <i>Optical Materials</i> , 2017 , 72, 632-636	3.3	7
28	Near-diffraction-limited focusing with gradient high-impedance metasurface. <i>Optical Materials Express</i> , 2017 , 7, 1141	2.6	13
27	Electrically Tunable GoosHBchen Effect with Graphene in the Terahertz Regime. <i>Advanced Optical Materials</i> , 2016 , 4, 1824-1828	8.1	126
26	Electrically reconfigurable split ring resonator covered by nematic liquid crystal droplet. <i>Optics Express</i> , 2016 , 24, 27096-27103	3.3	4
25	Generating an orbital-angular-momentum beam with a metasurface of gradient reflective phase. <i>Optical Materials Express</i> , 2016 , 6, 3940	2.6	42
24	Broadband plasmonic metamaterial absorber with fish-scale structure at visible frequencies. <i>Optical Materials Express</i> , 2016 , 6, 2448	2.6	27
23	Electrically tunable Fano-type resonance of an asymmetric metal wire pair. <i>Optics Express</i> , 2016 , 24, 117	′ <u>6</u> 8 ₅ 15	18
22	Dynamically tunable Fano resonance in planar structures based on periodically asymmetric graphene nanodisk pair. <i>Physica B: Condensed Matter</i> , 2015 , 473, 7-10	2.8	13
21	Reconfigurable-focus flat lens based on gradient index metamaterials. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 085103	1.7	3
20	Mechanically stretchable and tunable metamaterial absorber. <i>Applied Physics Letters</i> , 2015 , 106, 091907	73.4	85
19	Tunable Terahertz Meta-Surface with Graphene Cut-Wires. ACS Photonics, 2015, 2, 151-156	6.3	184

18	Tunable mid-infrared coherent perfect absorption in a graphene meta-surface. <i>Scientific Reports</i> , 2015 , 5, 13956	4.9	104
17	Mode propagation in a PT-symmetric gainthetallbss plasmonic system. <i>Journal of Optics (United Kingdom)</i> , 2014 , 16, 045002	1.7	3
16	Tunable terahertz coherent perfect absorption in a monolayer graphene. <i>Optics Letters</i> , 2014 , 39, 6269	-732	93
15	Simulation of electromagnetically induced transparency like acoustic transmission assisted by PT-symmetry. <i>EPJ Applied Physics</i> , 2013 , 62, 11301	1.1	
14	Low-loss and high-Q planar metamaterial with toroidal moment. Physical Review B, 2013, 87,	3.3	130
13	Enhancing infrared extinction and absorption in a monolayer graphene sheet by harvesting the electric dipolar mode of split ring resonators. <i>Optics Letters</i> , 2013 , 38, 5410-3	3	51
12	Photonic band gap of a graphene-embedded quarter-wave stack. Physical Review B, 2013, 88,	3.3	60
11	Subwavelength imaging with a fishnet flat lens. <i>Physical Review B</i> , 2013 , 88,	3.3	11
10	Extend the omnidirectional electronic gap of Thue-Morse aperiodic gapped graphene superlattices. <i>Applied Physics Letters</i> , 2012 , 101, 252104	3.4	18
9	Dielectric Properties of Ba0.7Sr0.3TiO3 Film at Terahertz Measured by Metamaterials. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1167-1169	3.8	7
8	Propagation properties of a wave in a disordered multilayered system containing hyperbolic metamaterials. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012 , 29, 2995	1.7	6
7	Broadband polarization transformation via enhanced asymmetric transmission through arrays of twisted complementary split-ring resonators. <i>Applied Physics Letters</i> , 2011 , 99, 221907	3.4	185
6	Broadband transparency achieved with the stacked metallic multi-layers perforated with coaxial annular apertures. <i>Optics Express</i> , 2011 , 19, 21425-31	3.3	19
5	An ultrathin twist-structure polarization transformer based on fish-scale metallic wires. <i>Applied Physics Letters</i> , 2011 , 98, 151908	3.4	77
4	Nonlinear properties of meta-dimer comprised of coupled ring resonators. <i>Journal Physics D: Applied Physics</i> , 2011 , 44, 425303	3	16
3	Subwavelength electromagnetic diode: One-way response of cascading nonlinear meta-atoms. <i>Applied Physics Letters</i> , 2011 , 98, 151903	3.4	43
2	Broadband negative refraction in stacked fishnet metamaterial. <i>Applied Physics Letters</i> , 2010 , 97, 14190	13.4	29
1	Polarization-Multiplexed Silicon Metasurfaces for Multi-Channel Visible Light Modulation. <i>Advanced Functional Materials</i> ,2200013	15.6	3