

Kazuhiko Hayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6185360/publications.pdf>

Version: 2024-02-01

129
papers

1,940
citations

236833

25
h-index

345118

36
g-index

130
all docs

130
docs citations

130
times ranked

2937
citing authors

#	ARTICLE	IF	CITATIONS
1	Merkel cell polyomavirus-negative Merkel cell carcinoma is associated with JAK-STAT and MEK-ERK pathway activation. <i>Cancer Science</i> , 2022, 113, 251-260.	1.7	9
2	TRAb-IgM induced by Epstein-Barr virus reactivation does not have thyroid stimulating effect, but injures the thyroid follicular epithelial cells and releases thyroid antigens. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022, 95, 1-O-016.	0.0	0
3	The case of a liver-transplant recipient with severe acute respiratory syndrome coronavirus 2 infection who had a favorable outcome. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 842-845.	0.4	3
4	Rapid increase of platelet counts during antiviral therapy in patients with hepatitis C virus infection. <i>Hepatology Research</i> , 2020, 50, 47-56.	1.8	6
5	Hepatitis B virus-related hepatocellular carcinoma in young adults: Efficacy of nationwide selective vaccination. <i>Hepatology Research</i> , 2020, 50, 182-189.	1.8	8
6	Epstein-Barr Virus Reactivation-Induced Immunoglobulin Production: Significance on Autoimmunity. <i>Microorganisms</i> , 2020, 8, 1875.	1.6	16
7	Deficiency of sphingomyelin synthase 2 prolongs survival by the inhibition of lymphoma infiltration through ICAM-1 reduction. <i>FASEB Journal</i> , 2020, 34, 3838-3854.	0.2	15
8	Complete response by vitamin K2 analog monotherapy in sorafenib failure advanced hepatocellular carcinoma: A case report. <i>Hepatology Research</i> , 2019, 49, 360-364.	1.8	1
9	Utility and limitations of noninvasive fibrosis markers for predicting prognosis in biopsy-proven Japanese non-alcoholic fatty liver disease patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 207-214.	1.4	30
10	The Prevalence of Mixed Hepatitis C Virus Genotype Infection and Its Effect on the Response to Direct-Acting Antivirals Therapy. <i>Intervirology</i> , 2019, 62, 23-29.	1.2	2
11	High Level Estradiol Induces EBV Reactivation and EBV gp350/220(+)/CD138(+) Double-positive B Cell Population in Graves' Disease Patients and Healthy Controls. <i>Yonago Acta Medica</i> , 2019, 62, 240-243.	0.3	2
12	Subclinical Epstein-Barr Virus Primary Infection and Lytic Reactivation Induce Thyrotropin Receptor Autoantibodies. <i>Viral Immunology</i> , 2019, 32, 362-369.	0.6	8
13	Possible Relationship Between MYBL1 Alterations and Specific Primary Sites in Adenoid Cystic Carcinoma: A Clinicopathological and Molecular Study of 36 Cases. <i>Yonago Acta Medica</i> , 2019, 62, 067-076.	0.3	2
14	Detection of Disease-specific Fusion Genes of Soft Tissue Tumors Using Formalin-fixed Paraffin-embedded Tissues; Its Diagnostic Usefulness and Factors Affecting the Detection Rates. <i>Yonago Acta Medica</i> , 2019, 62, 115-123.	0.3	1
15	Antifibrotic Effects of 1,25(OH)2D3 on Nonalcoholic Steatohepatitis in Female Mice. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2581-2590.	1.1	5
16	Impact of myosteatorsis on skeletal muscle volume loss in patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1659-1666.	1.4	34
17	Prognostic Factors Associated with Postprogression Survival in Advanced Hepatocellular Carcinoma Patients Treated with Sorafenib Not Eligible for Second-Line Regorafenib Treatment. <i>Oncology</i> , 2018, 95, 91-99.	0.9	17
18	Skeletal muscle fat deposition is associated with hepatocellular carcinoma development in patients with chronic liver disease. <i>Nutrition</i> , 2018, 54, 83-88.	1.1	15

#	ARTICLE	IF	CITATIONS
19	Comparison of direct sequencing and Invader assay for Y93H mutation and response to interferon-free therapy in hepatitis C virus genotype 1b. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 249-255.	1.4	6
20	Liver stiffness reduction correlates with histological characteristics of hepatitis C patients with sustained virological response. <i>Liver International</i> , 2018, 38, 59-67.	1.9	25
21	Occurrence of late relapse of hepatitis C virus confirmed by molecular analysis after sustained virologic response to interferon-ribavirin-based therapy. <i>Hepatology Research</i> , 2018, 48, E78-E86.	1.8	5
22	Cumulative incidence and risk factors for the development of hepatocellular carcinoma in patients with chronic hepatitis B who achieved sustained disappearance of viremia by nucleos(t)ide analog treatment. <i>Hepatology Research</i> , 2018, 48, E240-E251.	1.8	23
23	Daclatasvir and asunaprevir treatment in patients infected by genotype 1b of hepatitis C virus with no or subtle resistant associated substitutions (RAS) in NS5A-93. <i>Journal of Medical Virology</i> , 2018, 90, 736-744.	2.5	1
24	Epstein-Barr Virus Lytic Reactivation Induces IgG4 Production by Host B Lymphocytes in Graves' Disease Patients and Controls: A Subset of Graves' Disease Is an IgG4-Related Disease-Like Condition. <i>Viral Immunology</i> , 2018, 31, 540-547.	0.6	15
25	Substitutions in interferon sensitivity-determining region and hepatocarcinogenesis after hepatitis C virus eradication. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1904-1911.	1.4	3
26	Late relapse of hepatitis C virus in patients with sustained virological response after daclatasvir and asunaprevir therapy. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1446-1451.	1.0	16
27	Predictive ability of shear wave elastography for pruritus in chronic hepatitis C patients with sustained virological response. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 1066-1072.	0.8	9
28	Estradiol Affects Epstein-Barr Virus Reactivation-Induced Thyrotropin Receptor Antibody and Immunoglobulin Production in Graves' Disease Patients and Healthy Controls. <i>Viral Immunology</i> , 2018, 31, 486-491.	0.6	8
29	Merkel cell polyomavirus and Langerhans cell neoplasm. <i>Cell Communication and Signaling</i> , 2018, 16, 49.	2.7	10
30	Branched-chain amino acids alleviate hepatic steatosis and liver injury in choline-deficient high-fat diet induced NASH mice. <i>Metabolism: Clinical and Experimental</i> , 2017, 69, 177-187.	1.5	80
31	Daclatasvir and asunaprevir treatment in patients with severe liver fibrosis by hepatitis C virus genotype 1b infection: Real-world data. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1879-1886.	1.4	10
32	Hepatocyte-specific depletion of ubiquitin regulatory X domain containing protein 8 accelerates fibrosis in a mouse non-alcoholic steatohepatitis model. <i>Histochemistry and Cell Biology</i> , 2017, 148, 219-227.	0.8	2
33	Inclusion bodies of aggregated hemosiderins in liver macrophages. <i>Medical Molecular Morphology</i> , 2017, 50, 205-210.	0.4	3
34	Aberrant expression of AID and AID activators of NF- κ B and PAX5 is irrelevant to EBV-associated gastric cancers, but is associated with carcinogenesis in certain EBV-non-associated gastric cancers. <i>Oncology Letters</i> , 2017, 13, 4133-4140.	0.8	8
35	Epstein-Barr Virus Lytic Reactivation Activates B Cells Polyclonally and Induces Activation-Induced Cytidine Deaminase Expression: A Mechanism Underlying Autoimmunity and Its Contribution to Graves' Disease. <i>Viral Immunology</i> , 2017, 30, 240-249.	0.6	32
36	Real World Data of Daclatasvir and Asunaprevir Combination Therapy for HCV Genotype 1b Infection in Patients With Renal Dysfunction. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 787-788.	2.4	3

#	ARTICLE	IF	CITATIONS
37	The Association Between Amino Acid Substitutions in the NS5A Region of Hepatitis C Virus and Development of Hepatocellular Carcinoma After Sustained Virological Response. <i>Gastroenterology</i> , 2017, 152, S1162.	0.6	0
38	Low skeletal muscle mass predicts early mortality in cirrhotic patients with acute variceal bleeding. <i>Nutrition</i> , 2017, 42, 87-91.	1.1	11
39	The Impact of Hepatitis B Virus Infection on Sustained Virologic Response and HBV Reactivation in Patients with Chronic Hepatitis C who Treated by all-Oral Direct-Acting Antivirals Regimens. <i>Gastroenterology</i> , 2017, 152, S1092-S1093.	0.6	2
40	Utility of Doppler ultrasonography for diagnosing and assessing treatment effects in liver compartment syndrome. <i>Clinical Journal of Gastroenterology</i> , 2017, 10, 265-269.	0.4	3
41	Liver stiffness measurement predicts hepatocellular carcinoma development in patients treated with direct-acting antivirals. <i>JGH Open</i> , 2017, 1, 44-49.	0.7	10
42	Effects of Ursodeoxycholic Acid and Insulin on Palmitate-Induced ROS Production and Down-Regulation of PI3K/Akt Signaling Activity. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 2001-2004.	0.6	9
43	A case of type A gastritis accompanied by eosinophil infiltration in the gastric and duodenal mucosa. <i>Progress of Digestive Endoscopy</i> , 2017, 91, 152-153.	0.0	0
44	Liver Fibrosis Indices for Identifying Patients at Low Risk of Developing Hepatocellular Carcinoma after Eradication of HCV. <i>Antiviral Therapy</i> , 2017, 22, 185-193.	0.6	12
45	Î±-fetoprotein levels after interferon therapy predict regression of liver fibrosis in patients with sustained virological response. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1001-1008.	1.4	24
46	A case of acute hepatitis B in a chronic hepatitis C patient after daclatasvir and asunaprevir combination therapy: hepatitis B virus reactivation or acute self-limited hepatitis?. <i>Clinical Journal of Gastroenterology</i> , 2016, 9, 252-256.	0.4	41
47	Thyrotropin Receptor Antibody (TRAb)-IgM Levels Are Markedly Higher Than TRAb-IgG Levels in Graves' Disease Patients and Controls, and TRAb-IgM Production Is Related to Epstein-Barr Virus Reactivation. <i>Viral Immunology</i> , 2016, 29, 459-463.	0.6	10
48	Fever within 2 Weeks of Sorafenib Therapy Predicts Favorable Treatment Efficacy in Patients with Advanced Hepatocellular Carcinoma. <i>Oncology</i> , 2016, 91, 261-266.	0.9	11
49	Tu1670 Core I97I Mutation Is Associated With Persistent Low HBVDNA and HBsAg Clearance in Patients With Chronic Hepatitis B. <i>Gastroenterology</i> , 2016, 150, S1163.	0.6	0
50	Clinical characteristics and molecular analysis of hepatitis B virus reactivation in hepatitis B surface antigen-negative patients during or after immunosuppressive or cytotoxic chemotherapy. <i>Journal of Gastroenterology</i> , 2016, 51, 1081-1089.	2.3	26
51	DSS colitis promotes tumorigenesis and fibrogenesis in a choline-deficient high-fat diet-induced NASH mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2016, 470, 15-21.	1.0	36
52	Establishment of a Langerhans cell histiocytosis lesion cell line with dermal dendritic cell characteristics. <i>Oncology Reports</i> , 2015, 33, 171-178.	1.2	6
53	Hepatitis B e Antigen and Hepatitis B Surface Antigen Seroclearance with the Emergence of Lamivudine-associated and Core Mutations Following CD4 Elevation in a Patient with Hepatitis B and HIV. <i>Internal Medicine</i> , 2015, 54, 585-590.	0.3	2
54	Production of thyrotropin receptor antibodies in acute phase of infectious mononucleosis due to Epstein-Barr virus primary infection: a case report of a child. <i>SpringerPlus</i> , 2015, 4, 456.	1.2	7

#	ARTICLE	IF	CITATIONS
55	Associations between responses to interferon therapy and genetic variation in interleukin-28B and the core region of hepatitis C virus genotype 3a. <i>Journal of Medical Virology</i> , 2015, 87, 1361-1367.	2.5	0
56	Acute-phase ITIH4 levels distinguish multi-system from single-system Langerhans cell histiocytosis via plasma peptidomics. <i>Clinical Proteomics</i> , 2015, 12, 16.	1.1	8
57	Progressive fibrosis significantly correlates with hepatocellular carcinoma in patients with a sustained virological response. <i>Hepatology Research</i> , 2015, 45, 238-246.	1.8	58
58	Comparison of Akt/mTOR/4E-BP1 pathway signal activation and mutations of PIK3CA in Merkel cell polyomavirus-positive and Merkel cell polyomavirus-negative carcinomas. <i>Human Pathology</i> , 2015, 46, 210-216.	1.1	28
59	Interleukin-1 loop model for pathogenesis of Langerhans cell histiocytosis. <i>Cell Communication and Signaling</i> , 2015, 13, 13.	2.7	30
60	Raloxifene Ameliorates Liver Fibrosis of Nonalcoholic Steatohepatitis Induced by Choline-Deficient High-Fat Diet in Ovariectomized Mice. <i>Digestive Diseases and Sciences</i> , 2015, 60, 2730-2739.	1.1	23
61	Association of interleukin 28B polymorphism and mutations in the NS5A region of hepatitis C virus genotype 2 with interferon responsiveness. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 178-183.	1.4	6
62	Effect of peginterferon alpha-2b and ribavirin on hepatocellular carcinoma prevention in older patients with chronic hepatitis C. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 321-328.	1.4	9
63	Hepatocyte-Specific Depletion of UBXD8 Induces Periportal Steatosis in Mice Fed a High-Fat Diet. <i>PLoS ONE</i> , 2015, 10, e0127114.	1.1	12
64	Predictive Ability of Laboratory Indices for Liver Fibrosis in Patients with Chronic Hepatitis C after the Eradication of Hepatitis C Virus. <i>PLoS ONE</i> , 2015, 10, e0133515.	1.1	24
65	Early Clinical Response after 2 Weeks of Sorafenib Therapy Predicts Outcomes and Anti-Tumor Response in Patients with Advanced Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0138776.	1.1	31
66	Copper Accumulates in Hemosiderins in Livers of Patients with Iron Overload Syndromes. <i>Journal of Clinical and Translational Hepatology</i> , 2015, 3, 85-92.	0.7	8
67	Multiple Skin Cancers in a Renal Transplant Recipient: A Patient Report with Analyses of Human Papillomavirus and Human Polyomavirus Infection. <i>Yonago Acta Medica</i> , 2015, 58, 145-50.	0.3	1
68	Frequent incidence of escape mutants after successful hepatitis B vaccine response and stopping of nucleos(t)ide analogues in liver transplant recipients. <i>Liver Transplantation</i> , 2014, 20, 1211-1220.	1.3	21
69	Epstein-Barr virus-associated posttransplant lymphoproliferative disorder involving the central nervous system following autologous hematopoietic stem cell transplantation for neuroblastoma. <i>SpringerPlus</i> , 2014, 3, 582.	1.2	7
70	Ursodeoxycholic acid inhibits overexpression of P-glycoprotein induced by doxorubicin in HepG2 cells. <i>European Journal of Pharmacology</i> , 2014, 724, 161-167.	1.7	13
71	High viral load of Merkel cell polyomavirus DNA sequences in Langerhans cell sarcoma tissues. <i>Infectious Agents and Cancer</i> , 2014, 9, 15.	1.2	12
72	Cerebellar expression of copper chaperone for superoxide, cytosolic Cu/Zn-superoxide dismutase, 4-hydroxy-2-nonenal, acrolein and heat shock protein 32 in patients with Menkes kinky hair disease: immunohistochemical study. <i>Yonago Acta Medica</i> , 2014, 57, 23-35.	0.3	7

#	ARTICLE	IF	CITATIONS
73	A pediatric case of hepatitis B virus subgenotype A2 in Japan. <i>Clinical Journal of Gastroenterology</i> , 2013, 6, 383-385.	0.4	1
74	Comparison of the efficacy of ribavirin plus peginterferon alfa-2b for chronic hepatitis C infection in patients with and without coagulation disorders. <i>Journal of Medical Virology</i> , 2013, 85, 228-234.	2.5	6
75	Various copper and iron overload patterns in the livers of patients with Wilson disease and idiopathic copper toxicosis. <i>Medical Molecular Morphology</i> , 2013, 46, 133-140.	0.4	26
76	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B. <i>Hepatology Research</i> , 2013, 43, 580-588.	1.8	2
77	Causes of vertical transmission of hepatitis B virus under the at-risk prevention strategy in Japan. <i>Microbiology and Immunology</i> , 2013, 57, 118-121.	0.7	5
78	A functional polymorphism in the epidermal growth factor gene predicts hepatocellular carcinoma risk in Japanese hepatitis C patients. <i>OncoTargets and Therapy</i> , 2013, 6, 1805.	1.0	18
79	A case of eosinophilic esophagitis with GERD-like symptoms. <i>Progress of Digestive Endoscopy</i> , 2013, 83, 90-91.	0.0	1
80	The relationship between the fever and the disappearance or decrease of lesion contrast on contrast enhanced CT images after 2 weeks of sorafenib treatment for patients with advanced hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2013, 54, 505-506.	0.0	1
81	Clinical impact of HFE mutations in Japanese patients with chronic hepatitis C. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1112-1116.	1.4	4
82	Predictive value of early viral dynamics during peginterferon and ribavirin combination therapy based on genetic polymorphisms near the IL28B gene in patients infected with HCV genotype 1b. <i>Journal of Medical Virology</i> , 2012, 84, 61-70.	2.5	8
83	Prevalence of hepatitis C virus genotype 1a in Japan and correlation of mutations in the NS5A region and single nucleotide polymorphism of interleukin-28B with the response to combination therapy with pegylated interferon-alpha 2b and ribavirin. <i>Journal of Medical Virology</i> , 2012, 84, 438-444.	2.5	20
84	Additional Effect of Ribavirin During Peginterferon and Ribavirin Combination Therapy in Coagulation Factor. <i>Gastroenterology</i> , 2011, 140, S-950.	0.6	0
85	Association of interleukin 28B and mutations in the core and NS5A region of hepatitis C virus with response to peginterferon and ribavirin therapy. <i>Liver International</i> , 2011, 31, 1359-1365.	1.9	29
86	Mutations in two PKR-binding domains in chronic hepatitis C of genotype 3a and correlation with viral loads and interferon responsiveness. <i>Journal of Medical Virology</i> , 2011, 83, 1727-1732.	2.5	9
87	Antiviral combination therapy with peginterferon and ribavirin does not induce a therapeutically resistant mutation in the HCV core region regardless of genetic polymorphism near the IL28B gene. <i>Journal of Medical Virology</i> , 2011, 83, 1559-1564.	2.5	1
88	Patients with Chronic Hepatitis C May be More Sensitive to Iron Hepatotoxicity than Patients with HFE-Hemochromatosis. <i>Internal Medicine</i> , 2010, 49, 2371-2377.	0.3	14
89	Efficacy of peginterferon-2b plus ribavirin in patients aged 65 years and older with chronic hepatitis C. <i>Liver International</i> , 2010, 30, 527-537.	1.9	58
90	Impact of amino acid substitutions in the hepatitis C virus genotype 1b core region on liver steatosis and hepatic oxidative stress in patients with chronic hepatitis C. <i>Liver International</i> , 2010, 30, 554-559.	1.9	30

#	ARTICLE	IF	CITATIONS
91	Prevalence and clinical characterization of patients with acute hepatitis B induced by lamivudine-resistant strains. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 745-749.	1.4	19
92	Association between HCV amino acid substitutions and outcome of peginterferon and ribavirin combination therapy in HCV genotype 1b and high viral load. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 1072-1078.	1.4	8
93	Impact of early elevation of serum bilirubin during treatment with pegylated interferon and ribavirin in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2010, 40, 963-970.	1.8	5
94	Prevalence of Hepatitis B Virus Subgenotypes and Basal Core Promoter, Precore Variants in Patients with Acute Hepatitis B in Central Vietnam. <i>Intervirology</i> , 2009, 52, 22-28.	1.2	12
95	Ursodeoxycholic acid induces glutathione synthesis through activation of PI3K/Akt pathway in HepG2 cells. <i>Biochemical Pharmacology</i> , 2009, 77, 858-866.	2.0	58
96	Mutations in the interferon sensitivity-determining region of hepatitis C virus genotype 2a correlate with response to pegylated interferon-alpha 2a monotherapy. <i>Journal of Medical Virology</i> , 2009, 81, 459-466.	2.5	14
97	Successful cessation of lamivudine using interferon in a patient with chronic hepatitis B who received prophylactic lamivudine treatment during chemotherapy. <i>Clinical Journal of Gastroenterology</i> , 2009, 2, 210-213.	0.4	0
98	Association of hepatitis B virus subgenotypes and basal core promoter/precore region variants with the clinical features of patients with acute hepatitis. <i>Journal of Gastroenterology</i> , 2008, 43, 558-564.	2.3	30
99	Prevalence of Hepatitis E Virus IgG Antibody in Japanese Patients with Hemophilia. <i>Intervirology</i> , 2008, 51, 21-25.	1.2	23
100	Effect of Ribavirin, in Combination With Interferon in Patients With Hepatitis C, on the Bleeding Risk Associated With Selective Serotonin Reuptake Inhibitors. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 679-680.	1.1	3
101	A mutation in the interferon sensitivity-determining region is associated with responsiveness to interferon-ribavirin combination therapy in chronic hepatitis patients infected with a Japan-specific subtype of hepatitis C virus genotype 1b. <i>Journal of Medical Virology</i> , 2007, 79, 35-40.	2.5	22
102	Comparison of hepatitis B virus subgenotypes in patients with acute and chronic hepatitis B and absence of lamivudine-resistant strains in acute hepatitis B in Japan. <i>Journal of Medical Virology</i> , 2007, 79, 366-373.	2.5	21
103	Efficacy of antiviral therapy with lamivudine after initial treatment for hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 1929-1935.	1.4	112
104	Efficacy of ribavirin plus interferon- α in patients aged ≥ 60 years with chronic hepatitis C. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 989-995.	1.4	30
105	siRNA-resistance in treated HCV replicon cells is correlated with the development of specific HCV mutations. <i>Journal of Viral Hepatitis</i> , 2006, 13, 756-761.	1.0	38
106	Mutations in carboxy-terminal part of E2 including PKR/eIF2 γ phosphorylation homology domain and interferon sensitivity determining region of nonstructural 5A of hepatitis C virus 1b: Their correlation with response to interferon monotherapy and viral load. <i>World Journal of Gastroenterology</i> , 2006, 12, 3722.	1.4	17
107	Changes in Hepatitis C Virus (HCV) Antibody Status in Patients with Chronic Hepatitis C after Eradication of HCV Infection by Interferon Therapy. <i>Clinical Infectious Diseases</i> , 2005, 40, e49-e54.	2.9	46
108	Ribavirin and Use of Clotting Factors in Patients With Hemophilia and Chronic Hepatitis C. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1187.	3.8	6

#	ARTICLE	IF	CITATIONS
109	A Novel Immunocompetent Rat Model of HCV Infection and Hepatitis. <i>Gastroenterology</i> , 2005, 128, 1416-1423.	0.6	47
110	Influence of Age, Sex, and Degree of Liver Fibrosis on the Association Between Serum Alanine Aminotransferase Levels and Liver Inflammation in Patients with Chronic Hepatitis C. <i>Digestive Diseases and Sciences</i> , 2004, 49, 295-299.	1.1	9
111	Changes in the characteristics and survival rate of hepatocellular carcinoma from 1976 to 2000. <i>Cancer</i> , 2004, 100, 2415-2421.	2.0	42
112	Prevalence and clinical implications of occult hepatitis B viral infection in hemophilia patients in Japan. <i>Journal of Medical Virology</i> , 2004, 73, 195-199.	2.5	38
113	Mutations of the interferon sensitivity-determining region (ISDR) correlate with the complexity of hypervariable region (HVR)-1 in the Japanese variant of hepatitis C virus (HCV) type 1b. <i>Journal of Medical Virology</i> , 2004, 74, 54-61.	2.5	3
114	Characteristics and prognosis of hepatocellular carcinoma detected in sustained responders to interferon therapy for chronic hepatitis C. <i>Cancer Detection and Prevention</i> , 2003, 27, 498-502.	2.1	10
115	A novel subtype of GB virus C/hepatitis G virus genotype 1 detected uniquely in patients with hemophilia in Japan. <i>Journal of Medical Virology</i> , 2003, 71, 385-390.	2.5	11
116	Prevalence and characterization of hepatitis C virus genotype 4 in Japanese hepatitis C carriers. <i>Hepatology Research</i> , 2003, 25, 409-414.	1.8	21
117	Evaluation of a new assay for hepatitis C virus genotyping and viral load determination in patients with chronic hepatitis C. <i>Journal of Virological Methods</i> , 2002, 103, 137-143.	1.0	19
118	Effect of the Dose and Duration of Interferon-Alpha Therapy on the Incidence of Hepatocellular Carcinoma in Noncirrhotic Patients with a Nonsustained Response to Interferon for Chronic Hepatitis C. <i>Oncology</i> , 2001, 61, 134-142.	0.9	19
119	Safety and complications of interventional radiology for hepatocellular carcinoma in patients with haemophilia and cirrhosis. <i>British Journal of Haematology</i> , 2001, 112, 1071-1073.	1.2	12
120	TT virus genotype changes frequently in multiply transfused patients with hemophilia but rarely in patients with chronic hepatitis C and in healthy subjects. <i>Transfusion</i> , 2001, 41, 1130-1135.	0.8	9
121	Analysis of hepatocellular carcinoma tumor growth detected in sustained responders to interferon in patients with chronic hepatitis C1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 1131-1137.	1.4	19
122	Japan-specific subtype of hepatitis C virus genotype 1b, J subtype, has relatively low pathogenicity. <i>Journal of Medical Virology</i> , 2001, 65, 45-51.	2.5	6
123	Re: transient marked decrease in serum transaminases in chronic hepatitis C after surgery. <i>American Journal of Gastroenterology</i> , 2000, 95, 1090-1091.	0.2	0
124	Methods and conclusions in the clinical study of TT virus. <i>Hepatology</i> , 1999, 30, 1335-1335.	3.6	0
125	Ligation of HLA class II molecules promotes sensitivity to CD95 (Fas antigen, APO-1)-mediated apoptosis. <i>European Journal of Immunology</i> , 1995, 25, 2190-2194.	1.6	37
126	The Use of Flexible HysteroFiberscope (FUJINON) in Transcervical Chorionic Villi Sampling, and Its Evaluation. <i>Congenital Anomalies (discontinued)</i> , 1989, 29, 91-101.	0.3	0

#	ARTICLE	IF	CITATIONS
127	Study on re-establishment of ovulation after termination of sex-steroidal treatment. Compared with re-appearance of ovulation after abortion and premature delivery.. Keio Journal of Medicine, 1979, 28, 173-193.	0.5	0
128	Impact of HBV Infection on Outcomes of Direct-Acting Antiviral Therapy of Chronic Hepatitis C. , 0, , .		0
129	Hepatitis C Treatment in Elderly Patients. , 0, , .		0