Thomas A Gerken

List of Publications by Citations

Source: https://exaly.com/author-pdf/6185448/thomas-a-gerken-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,898 31 59 53 h-index g-index citations papers 60 3,180 4.87 5.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
59	Control of mucin-type O-glycosylation: a classification of the polypeptide GalNAc-transferase gene family. <i>Glycobiology</i> , 2012 , 22, 736-56	5.8	529
58	Role of glycosylation on the conformation and chain dimensions of O-linked glycoproteins: light-scattering studies of ovine submaxillary mucin. <i>Biochemistry</i> , 1989 , 28, 5525-36	3.2	217
57	Effects of glycosylation on the conformation and dynamics of O-linked glycoproteins: carbon-13 NMR studies of ovine submaxillary mucin. <i>Biochemistry</i> , 1989 , 28, 5536-43	3.2	143
56	Emerging paradigms for the initiation of mucin-type protein O-glycosylation by the polypeptide GalNAc transferase family of glycosyltransferases. <i>Journal of Biological Chemistry</i> , 2011 , 286, 14493-507	7 5·4	121
55	Inactivating germ-line and somatic mutations in polypeptide N-acetylgalactosaminyltransferase 12 in human colon cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12921-5	11.5	112
54	Thermodynamics of multivalent carbohydrate-lectin cross-linking interactions: importance of entropy in the bind and jump mechanism. <i>Biochemistry</i> , 2009 , 48, 3822-7	3.2	88
53	Deconvoluting the functions of polypeptide N-alpha-acetylgalactosaminyltransferase family members by glycopeptide substrate profiling. <i>Chemistry and Biology</i> , 2004 , 11, 1009-16		80
52	Identification of common and unique peptide substrate preferences for the UDP-GalNAc:polypeptide alpha-N-acetylgalactosaminyltransferases T1 and T2 derived from oriented random peptide substrates. <i>Journal of Biological Chemistry</i> , 2006 , 281, 32403-16	5.4	77
51	A novel approach for chemically deglycosylating O-linked glycoproteins. The deglycosylation of submaxillary and respiratory mucins. <i>Biochemistry</i> , 1992 , 31, 639-48	3.2	77
50	Binding studies of alpha-GalNAc-specific lectins to the alpha-GalNAc (Tn-antigen) form of porcine submaxillary mucin and its smaller fragments. <i>Journal of Biological Chemistry</i> , 2007 , 282, 28256-63	5.4	75
49	Determination of the site-specific O-glycosylation pattern of the porcine submaxillary mucin tandem repeat glycopeptide. Model proposed for the polypeptide:galnac transferase peptide binding site. <i>Journal of Biological Chemistry</i> , 1997 , 272, 9709-19	5.4	73
48	Probing polypeptide GalNAc-transferase isoform substrate specificities by in vitro analysis. <i>Glycobiology</i> , 2015 , 25, 55-65	5.8	72
47	Functional characterization and expression analysis of members of the UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase family from Drosophila melanogaster. <i>Journal of Biological Chemistry</i> , 2003 , 278, 35039-48	5.4	72
46	The catalytic and lectin domains of UDP-GalNAc:polypeptide alpha-N-Acetylgalactosaminyltransferase function in concert to direct glycosylation site selection. <i>Journal of Biological Chemistry</i> , 2008 , 283, 22942-51	5.4	65
45	UDP-N-acetyl-ED-galactosamine:polypeptide N-acetylgalactosaminyltransferases: completion of the family tree. <i>Glycobiology</i> , 2012 , 22, 768-77	5.8	57
44	Mucin-type O-glycosylation is controlled by short- and long-range glycopeptide substrate recognition that varies among members of the polypeptide GalNAc transferase family. <i>Glycobiology</i> , 2016 , 26, 360-76	5.8	56
43	The lectin domain of the polypeptide GalNAc transferase family of glycosyltransferases (ppGalNAc Ts) acts as a switch directing glycopeptide substrate glycosylation in an N- or C-terminal direction, further controlling mucin type O-alycosylation. <i>Journal of Biological Chemistry</i> . 2013 . 288, 19900-14	5.4	56

42	Quantification of human beta-defensin-2 and -3 in body fluids: application for studies of innate immunity. <i>Clinical Chemistry</i> , 2007 , 53, 757-65	5.5	56
41	Glycopeptide-preferring polypeptide GalNAc transferase 10 (ppGalNAc T10), involved in mucin-type O-glycosylation, has a unique GalNAc-O-Ser/Thr-binding site in its catalytic domain not found in ppGalNAc T1 or T2. <i>Journal of Biological Chemistry</i> , 2009 , 284, 20387-97	5.4	44
40	Conservation of peptide acceptor preferences between Drosophila and mammalian polypeptide-GalNAc transferase ortholog pairs. <i>Glycobiology</i> , 2008 , 18, 861-70	5.8	44
39	Polypeptide GalNAc-Ts: from redundancy to specificity. <i>Current Opinion in Structural Biology</i> , 2019 , 56, 87-96	8.1	43
38	A macrophage invasion mechanism for mycobacteria implicating the extracellular domain of CD43. Journal of Experimental Medicine, 2000 , 192, 183-92	16.6	43
37	Carbon-13 NMR studies of native and modified ovine submaxillary mucin. <i>Biochemistry</i> , 1984 , 23, 1485-9	93.2	41
36	Role of peptide sequence and neighboring residue glycosylation on the substrate specificity of the uridine 5th diphosphate-alpha-N-acetylgalactosamine:polypeptide N-acetylgalactosaminyl transferases T1 and T2: kinetic modeling of the porcine and canine submaxillary gland mucin	3.2	38
35	Site-specific core 1 O-glycosylation pattern of the porcine submaxillary gland mucin tandem repeat. Evidence for the modulation of glycan length by peptide sequence. <i>Journal of Biological Chemistry</i> , 1998 , 273, 26580-8	5.4	36
34	Determination of the site-specific oligosaccharide distribution of the O-glycans attached to the porcine submaxillary mucin tandem repeat. Further evidence for the modulation of O-glycans side chain structures by peptide sequence. <i>Journal of Biological Chemistry</i> , 2002 , 277, 7736-51	5.4	34
33	Biochemical and functional characterization of glycosylation-associated mutational landscapes in colon cancer. <i>Scientific Reports</i> , 2016 , 6, 23642	4.9	33
32	Kinetic modeling confirms the biosynthesis of mucin core 1 (beta-Gal(1-3) alpha-GalNAc-O-Ser/Thr) O-glycan structures are modulated by neighboring glycosylation effects. <i>Biochemistry</i> , 2004 , 43, 4137-4	2 ^{3.2}	33
31	Isoform-specific O-glycosylation of osteopontin and bone sialoprotein by polypeptide N-acetylgalactosaminyltransferase-1. <i>Journal of Biological Chemistry</i> , 2010 , 285, 1208-19	5.4	32
30	Mucin core O-glycosylation is modulated by neighboring residue glycosylation status. Kinetic modeling of the site-specific glycosylation of the apo-porcine submaxillary mucin tandem repeat by UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferases T1 and T2. <i>Journal of Biological</i>	5.4	32
29	Chemistry, 2002 , 277, 49850-62 Rheological studies of the interaction of mucins with alginate and polyacrylate. <i>Carbohydrate Research</i> , 1996 , 284, 85-99	2.9	31
28	The solution structure of mucous glycoproteins: proton NMR studies of native and modified ovine submaxillary mucin. <i>Archives of Biochemistry and Biophysics</i> , 1986 , 247, 239-53	4.1	30
27	Molecular basis for fibroblast growth factor 23 O-glycosylation by GalNAc-T3. <i>Nature Chemical Biology</i> , 2020 , 16, 351-360	11.7	28
26	Structural and Mechanistic Insights into the Catalytic-Domain-Mediated Short-Range Glycosylation Preferences of GalNAc-T4. <i>ACS Central Science</i> , 2018 , 4, 1274-1290	16.8	28
25	Light-scattering studies of fractionated ovine submaxillary mucins. <i>Carbohydrate Research</i> , 1987 , 160, 317-27	2.9	27

24	The interdomain flexible linker of the polypeptide GalNAc transferases dictates their long-range glycosylation preferences. <i>Nature Communications</i> , 2017 , 8, 1959	17.4	26
23	A short segment of the R domain of cystic fibrosis transmembrane conductance regulator contains channel stimulatory and inhibitory activities that are separable by sequence modification. <i>Journal of Biological Chemistry</i> , 2002 , 277, 23019-27	5.4	26
22	Single-molecule pair studies of the interactions of the alpha-GalNAc (Tn-antigen) form of porcine submaxillary mucin with soybean agglutinin. <i>Biopolymers</i> , 2009 , 91, 719-28	2.2	24
21	A recombinant peptide model of the first nucleotide-binding fold of the cystic fibrosis transmembrane conductance regulator: comparison of wild-type and delta F508 mutant forms. <i>Protein Science</i> , 1996 , 5, 89-97	6.3	23
20	Systematic determination of the peptide acceptor preferences for the human UDP-Gal:glycoprotein-alpha-GalNAc beta 3 galactosyltransferase (T-synthase). <i>Glycobiology</i> , 2009 , 19, 321-8	5.8	22
19	Enhanced self-association of mucins possessing the T and Tn carbohydrate cancer antigens at the single-molecule level. <i>Biomacromolecules</i> , 2012 , 13, 1400-9	6.9	17
18	Comprehensive plasma and tissue profiling reveals systemic metabolic alterations in cardiac hypertrophy and failure. <i>Cardiovascular Research</i> , 2019 , 115, 1296-1305	9.9	15
17	Evidence for GALNT12 as a moderate penetrance gene for colorectal cancer. <i>Human Mutation</i> , 2018 , 39, 1092-1101	4.7	12
16	The structure of the colorectal cancer-associated enzyme GalNAc-T12 reveals how nonconserved residues dictate its function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 20404-20410	11.5	12
15	Ser and Thr acceptor preferences of the GalNAc-Ts vary among isoenzymes to modulate mucin-type O-glycosylation. <i>Glycobiology</i> , 2020 , 30, 910-922	5.8	12
14	ISOGlyP: de novo prediction of isoform-specific mucin-type O-glycosylation. <i>Glycobiology</i> , 2021 , 31, 168	-572	12
13	Methylene carbon resonance spectra of epimerized isotactic polystyrene. <i>Polymer Bulletin</i> , 1980 , 2, 37-4	42 .4	11
12	Tn and STn are members of a family of carbohydrate tumor antigens that possess carbohydrate-carbohydrate interactions. <i>Glycobiology</i> , 2018 , 28, 437-442	5.8	10
11	Revisiting the human polypeptide GalNAc-T1 and T13 paralogs. <i>Glycobiology</i> , 2017 , 27, 140-153	5.8	8
10	Interactions of mucins with the Tn or Sialyl Tn cancer antigens including MUC1 are due to GalNAc-GalNAc interactions. <i>Glycobiology</i> , 2016 , 26, 1338-1350	5.8	8
9	Effect of Lipids on the Structure and Rheology of Gels Formed by Canine Submaxillary Mucin. <i>Biorheology</i> , 1997 , 34, 295-308	1.7	8
8	Myocardial protection during ischemia by prior feeding with the creatine analog: cyclocreatine. Journal of the American College of Cardiology, 1989 , 14, 246-51	15.1	7
7	Human red and green cone opsins are -glycosylated at an N-terminal Ser/Thr-rich domain conserved in vertebrates. <i>Journal of Biological Chemistry</i> , 2019 , 294, 8123-8133	5.4	5

LIST OF PUBLICATIONS

6	Single molecule study of heterotypic interactions between mucins possessing the Tn cancer antigen. <i>Glycobiology</i> , 2015 , 25, 524-34	5.8	5
5	O-glycoprotein biosynthesis: site localization by Edman degradation and site prediction based on random peptide substrates. <i>Methods in Molecular Biology</i> , 2012 , 842, 81-108	1.4	3
4	Detection of intramolecular interactions of lysyl and N-terminal amino groups of reductively methylated proteins by C nuclear magnetic resonance. <i>Biophysical Journal</i> , 1980 , 32, 97-9	2.9	2
3	Differential splicing of the lectin domain of an -glycosyltransferase modulates both peptide and glycopeptide preferences. <i>Journal of Biological Chemistry</i> , 2020 , 295, 12525-12536	5.4	2
2	Predicting mucin-type O-Glycosylation using enhancement value products from derived protein features. <i>Journal of Theoretical and Computational Chemistry</i> , 2020 , 19,	1.8	2
1	Two Hands Grip Better Than One for Tight Binding and Specificity: How a Phage Endolysin Fits into the Cell Wall of Its Host. <i>Structure</i> , 2019 , 27, 1350-1352	5.2	1