

Hamid Rashidi Nodeh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6185722/hamid-rashidi-nodeh-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

1,531

citations

21

h-index

37

g-index

67

ext. papers

1,939

ext. citations

4.3

avg, IF

5.41

L-index

#	Paper	IF	Citations
63	Development of magnetic graphene oxide adsorbent for the removal and preconcentration of As(III) and As(V) species from environmental water samples. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 9759-73	5.1	126
62	Enhanced removal of phosphate and nitrate ions from aqueous media using nanosized lanthanum hydrous doped on magnetic graphene nanocomposite. <i>Journal of Environmental Management</i> , 2017 , 197, 265-274	7.9	110
61	Graphene-Based Materials as Solid Phase Extraction Sorbent for Trace Metal Ions, Organic Compounds, and Biological Sample Preparation. <i>Critical Reviews in Analytical Chemistry</i> , 2016 , 46, 267-83 ^{5.2}	5.2	87
60	Magnetic solid-phase extraction based on modified ferum oxides for enrichment, preconcentration, and isolation of pesticides and selected pollutants. <i>Critical Reviews in Analytical Chemistry</i> , 2015 , 45, 270-87	5.2	87
59	New magnetic graphene-based inorganic-organic sol-gel hybrid nanocomposite for simultaneous analysis of polar and non-polar organophosphorus pesticides from water samples using solid-phase extraction. <i>Chemosphere</i> , 2017 , 166, 21-30	8.4	83
58	Synthesis of Polyaniline-Coated Graphene Oxide@SrTiO ₃ Nanocube Nanocomposites for Enhanced Removal of Carcinogenic Dyes from Aqueous Solution. <i>Polymers</i> , 2016 , 8,	4.5	70
57	The removal of organophosphorus pesticides from water using a new amino-substituted calixarene-based magnetic sporopollenin. <i>New Journal of Chemistry</i> , 2016 , 40, 3130-3138	3.6	60
56	Synthesis of magnetic graphene oxide doped with strontium titanium trioxide nanoparticles as a nanocomposite for the removal of antibiotics from aqueous media. <i>RSC Advances</i> , 2016 , 6, 89953-89965 ^{3.7}	3.7	51
55	Dispersive graphene-based silica coated magnetic nanoparticles as a new adsorbent for preconcentration of chlorinated pesticides from environmental water. <i>RSC Advances</i> , 2015 , 5, 76424-76434 ^{2.7}	2.7	46
54	Graphene-magnetite as adsorbent for magnetic solid phase extraction of 4-hydroxybenzoic acid and 3,4-dihydroxybenzoic acid in stingless bee honey. <i>Food Chemistry</i> , 2018 , 265, 165-172	8.5	41
53	Magnetic graphene coated inorganic-organic hybrid nanocomposite for enhanced preconcentration of selected pesticides in tomato and grape. <i>Journal of Chromatography A</i> , 2017 , 1509, 26-34	4.5	40
52	Determination of three tetracyclines in bovine milk using magnetic solid phase extraction in tandem with dispersive liquid-liquid microextraction coupled with HPLC. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1092, 480-488	3.2	38
51	New magnetic silica-based hybrid organic-inorganic nanocomposite for the removal of lead(II) and nickel(II) ions from aqueous solutions. <i>Materials Chemistry and Physics</i> , 2019 , 226, 73-81	4.4	36
50	Biodiesel production from waste cooking oil using a novel heterogeneous catalyst based on graphene oxide doped metal oxide nanoparticles. <i>Renewable Energy</i> , 2020 , 162, 2182-2189	8.1	34
49	Magnetic solid phase extraction of polycyclic aromatic hydrocarbons and chlorophenols based on cyano-ionic liquid functionalized magnetic nanoparticles and their determination by HPLC-DAD. <i>RSC Advances</i> , 2016 , 6, 77047-77058	3.7	34
48	New effective 3-aminopropyltrimethoxysilane functionalized magnetic sporopollenin-based silica coated graphene oxide adsorbent for removal of Pb(II) from aqueous environment. <i>Journal of Environmental Management</i> , 2020 , 253, 109658	7.9	33
47	A novel cyanopropylsilane-functionalized titanium oxide magnetic nanoparticle for the adsorption of nickel and lead ions from industrial wastewater: Equilibrium, kinetic and thermodynamic studies. <i>Microchemical Journal</i> , 2019 , 145, 914-920	4.8	32

46	Equilibrium, Kinetic and Thermodynamic Study of Magnetic Polyaniline/Graphene Oxide Based Nanocomposites for Ciprofloxacin Removal from Water. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018 , 28, 1226-1234	3.2	31
45	Magnetic graphene-based cyanopropyltriethoxysilane as an adsorbent for simultaneous determination of polar and non-polar organophosphorus pesticides in cow milk. <i>RSC Advances</i> , 2016 , 6, 24853-24864	3.7	28
44	Synthesis of piperazine functionalized magnetic sporopollenin: a new organic-inorganic hybrid material for the removal of lead(II) and arsenic(III) from aqueous solution. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21846-21858	5.1	25
43	Equilibrium, kinetic and thermodynamic study of pesticides removal from water using novel glucamine-calix[4]arene functionalized magnetic graphene oxide. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 714-726	4.3	23
42	Magnetic graphene sol-gel hybrid as clean-up adsorbent for acrylamide analysis in food samples prior to GC-MS. <i>Food Chemistry</i> , 2018 , 239, 208-216	8.5	21
41	Novel magnetic graphene oxide functionalized cyanopropyl nanocomposite as an adsorbent for the removal of Pb(II) ions from aqueous media: equilibrium and kinetic studies. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 27122-27132	5.1	21
40	Simultaneous preconcentration of polar and non-polar organophosphorus pesticides from water samples by using a new sorbent based on mesoporous silica. <i>Journal of Separation Science</i> , 2016 , 39, 1144-51	3.4	20
39	Removal of phosphate and nitrate ions aqueous using strontium magnetic graphene oxide nanocomposite: Isotherms, kinetics, and thermodynamics studies. <i>Environmental Progress and Sustainable Energy</i> , 2020 , 39, e13332	2.5	20
38	Hyphenated dispersive solid- and liquid-phase microextraction technique based on a hydrophobic deep eutectic solvent: application for trace analysis of pesticides in fruit juices. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 2534-2543	4.3	19
37	Enhanced removal of naproxen from wastewater using silica magnetic nanoparticles decorated onto graphene oxide; parametric and equilibrium study. <i>Separation Science and Technology</i> , 2018 , 53, 2476-2485	2.5	19
36	Efficient removal of arsenic(III) from aqueous media using magnetic polyaniline-doped strontium-titanium nanocomposite. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 16864-16874	5.1	16
35	Highly sensitive and selective determination of malathion in vegetable extracts by an electrochemical sensor based on Cu-metal organic framework. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2019 , 54, 930-941	2.2	16
34	New magnetic oil palm fiber activated carbon-reinforced polypyrrole solid phase extraction combined with gas chromatography-electron capture detection for determination of organochlorine pesticides in water samples. <i>Journal of Chromatography A</i> , 2020 , 1612, 460638	4.5	16
33	Kinetic and equilibrium adsorption of lead from water using magnetic metformin-substituted SBA-15. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 549-558	4.2	15
32	Electrochemical determination of 2,4-dichlorophenol at Cyclodextrin functionalized ionic liquid modified chemical sensor: voltammetric and amperometric studies. <i>RSC Advances</i> , 2016 , 6, 100186-100194	3.7	13
31	Extraction and Determination of Three Steroid Molecules in Milk Using Functionalized Magnetic Carbon Nanotube-Based Solid Phase Extraction Coupled with HPLC. <i>Food Analytical Methods</i> , 2018 , 11, 3179-3189	3.4	13
30	Determination of cholecalciferol (vitamin D) in bovine milk by dispersive micro-solid phase extraction based on the magnetic three-dimensional graphene-sporopollenin sorbent. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1136, 121907	3.2	13
29	Targeted delivery of bromelain using dual mode nanoparticles: synthesis, physicochemical characterization, in vitro and in vivo evaluation. <i>RSC Advances</i> , 2017 , 7, 40074-40094	3.7	12

28	Equilibrium and kinetic study of novel methyltrimethoxysilane magnetic titanium dioxide nanocomposite for methylene blue adsorption from aqueous media. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4331	3.1	11
27	Silica-based magnetic hybrid nanocomposite for the extraction and preconcentration of some organophosphorus pesticides before gas chromatography. <i>Journal of Separation Science</i> , 2018 , 41, 2934 ³⁻⁴	3.4	11
26	Bio-adsorbent derived from papaya peel waste and magnetic nanoparticles fabricated for lead determination. <i>Pure and Applied Chemistry</i> , 2018 , 90, 79-92	2.1	11
25	Biodiesel production from wild mustard (<i>Sinapis Arvensis</i>) seed oil using a novel heterogeneous catalyst of LaTiO ₃ nanoparticles. <i>Fuel</i> , 2022 , 307, 121759	7.1	11
24	Development of magnetic dispersive microsolid-phase extraction using lanthanum phosphate nanoparticles doped on magnetic graphene oxide as a highly selective adsorbent for pesticide residues analysis in water and fruit samples. <i>Research on Chemical Intermediates</i> , 2020 , 46, 2789-2803	2.8	10
23	Novel Palm Fatty Acid Functionalized Magnetite Nanoparticles for Magnetic Solid-Phase Extraction of Trace Polycyclic Aromatic Hydrocarbons from Environmental Samples. <i>Journal of Oleo Science</i> , 2017 , 66, 771-784	1.6	10
22	Biodiesel production from waste cooking oil using a novel biocatalyst of lipase enzyme immobilized magnetic nanocomposite. <i>Fuel</i> , 2022 , 313, 123057	7.1	10
21	A novel and reusable magnetic nanocatalyst developed based on graphene oxide incorporated strontium nanoparticles for the facial synthesis of β -enamino ketones under solvent-free conditions. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e4644	3.1	9
20	Fabrication of calixarene-grafted magnetic nanocomposite for the effective removal of lead(II) from aqueous solution. <i>Environmental Technology (United Kingdom)</i> , 2019 , 40, 2482-2493	2.6	9
19	Electroless-coated magnetic three-dimensional graphene with silver nanoparticles used for the determination of pesticides in fruit samples. <i>Journal of Separation Science</i> , 2018 , 41, 1567-1575	3.4	9
18	Lanthanum phosphate foam as novel heterogeneous nanocatalyst for biodiesel production from waste cooking oil. <i>Renewable Energy</i> , 2021 , 176, 228-236	8.1	9
17	Nano-Size Biomass Derived from Pomegranate Peel for Enhanced Removal of Cefixime Antibiotic from Aqueous Media: Kinetic, Equilibrium and Thermodynamic Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
16	The effective removal of mercury ions (Hg ²⁺) from water using cadmium sulfide nanoparticles doped in polycaprolactam nanofibers: kinetic and equilibrium studies. <i>Journal of the Iranian Chemical Society</i> , 2018 , 15, 743-751	2	8
15	Papain grafted into the silica coated iron-based magnetic nanoparticles 'IONPs@SiO-PPN' as a new delivery vehicle to the HeLa cells. <i>Nanotechnology</i> , 2020 , 31, 195603	3.4	7
14	Ultrasonication-facilitated synthesis of functionalized graphene oxide for ultrasound-assisted magnetic dispersive solid-phase extraction of amoxicillin, ampicillin, and penicillin G. <i>Mikrochimica Acta</i> , 2020 , 187, 634	5.8	7
13	p-Sulphonatocalix[8]arene functionalized silica resin for the enhanced removal of methylene blue from wastewater: equilibrium and kinetic study. <i>Separation Science and Technology</i> , 2019 , 54, 2240-2251 ²⁻⁵	2.5	7
12	Sonodecoration of magnetic phosphonated-functionalized sporopollenin as a novel green nanocomposite for stir bar sorptive dispersive microextraction of melamine in milk and milk-based food products. <i>Food Chemistry</i> , 2021 , 341, 128460	8.5	7
11	Monitoring of priority pollutants chlorophenols in water and milk by headspace solid-phase microextraction based on electrospun polycaprolactam nanofibers decorated with cadmium oxide-carbon nanotubes. <i>Journal of Separation Science</i> , 2020 , 43, 4216-4224	3.4	6

10	Adsorption and in vitro release study of curcumin from polyethyleneglycol functionalized multi walled carbon nanotube: kinetic and isotherm study. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2019 , 27, 9-20	3.9	6
9	Release and extraction of letrozole in blood plasma using resorcinol functionalized multi-walled carbon nanotube coupled with high-performance liquid chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2018 , 41, 239-245	1.3	5
8	Biodiesel production from waste cooking oil using heterogeneous nanocatalyst-based magnetic polyaniline decorated with cobalt oxide. <i>Fuel</i> , 2022 , 319, 123858	7.1	4
7	Synthesis of Polyaniline coated Graphene Oxide @ SrTiO ₃ Nanocube Nanocomposites for Enhanced Removal of Carcinogenic Dyes From Aqueous Solution		3
6	Application of Modified Spent Mushroom Compost Biochar (SMCB/Fe) for Nitrate Removal from Aqueous Solution. <i>Toxics</i> , 2021 , 9,	4.7	2
5	Efficient removal of heavy metal ions from the water of oil-rich regions using layered metal-phosphate incorporated activated carbon nanocomposite. <i>Water and Environment Journal</i> , 2020 , 34, 893-905	1.7	1
4	Synthesis of new Zn-decorated metal-organic frameworks for enhanced removal of carcinogenic textile dye: equilibrium and kinetic modeling studies. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2021 , 56, 1296-1305	2.3	1
3	Evolution of cross-linked polyethyleneimine/SABO□ STAB as an efficient sorbent for extraction of pesticides in fruit and vegetable juices. <i>Journal of the Iranian Chemical Society</i> , 2020 , 17, 3355-3365	2	0
2	Magnetic sporopollenin supported polyaniline developed for removal of lead ions from wastewater: Kinetic, isotherm and thermodynamic studies.. <i>Chemosphere</i> , 2022 , 300, 134461	8.4	0
1	Magnetic Solid-Phase-Based Sorbents for Isolation/Preconcentration and Removal of Pesticides. <i>Environmental Chemistry for A Sustainable World</i> , 2021 , 313-345	0.8	