

Bernab © L Rivas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6185845/publications.pdf>

Version: 2024-02-01

261
papers

5,483
citations

117453

34
h-index

155451

55
g-index

263
all docs

263
docs citations

263
times ranked

4658
citing authors

#	ARTICLE	IF	CITATIONS
1	Water-soluble polymer-metal ion interactions. <i>Progress in Polymer Science</i> , 2003, 28, 173-208.	11.8	416
2	Synthesis and metal complexation of poly(ethyleneimine) and derivatives. <i>Advances in Polymer Science</i> , 1992, , 171-188.	0.4	175
3	Water-soluble functional polymers in conjunction with membranes to remove pollutant ions from aqueous solutions. <i>Progress in Polymer Science</i> , 2011, 36, 294-322.	11.8	145
4	Metal ion binding properties of poly(N-vinylimidazole) hydrogels. <i>Journal of Applied Polymer Science</i> , 1998, 67, 1109-1118.	1.3	121
5	Thermoplastic starch/clay nanocomposites loaded with essential oil constituents as packaging for strawberries - In vivo antimicrobial synergy over <i>Botrytis cinerea</i> . <i>Postharvest Biology and Technology</i> , 2017, 129, 29-36.	2.9	103
6	Metal Ion Uptake Properties of Acrylamide Derivative Resins. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 443-447.	1.1	95
7	pH Dependence of the Interaction between Rhodamine B and the Water-Soluble Poly(sodium) Tj ETQq1 1 0.784314 1.25 / Overlock 10785		
8	Water-insoluble polymer-clay nanocomposite ion exchange resin based on N-methyl-d-glucamine ligand groups for arsenic removal. <i>Reactive and Functional Polymers</i> , 2012, 72, 642-649.	2.0	63
9	Water-Soluble and Insoluble Polymers, Nanoparticles, Nanocomposites and Hybrids With Ability to Remove Hazardous Inorganic Pollutants in Water. <i>Frontiers in Chemistry</i> , 2018, 6, 320.	1.8	61
10	The synergistic antimicrobial effect of carvacrol and thymol in clay/polymer nanocomposite films over strawberry gray mold. <i>LWT - Food Science and Technology</i> , 2015, 64, 390-396.	2.5	60
11	Ultrafiltration membranes with three water-soluble polyelectrolyte copolymers to remove ciprofloxacin from aqueous systems. <i>Chemical Engineering Journal</i> , 2018, 351, 85-93.	6.6	57
12	Adsorption behavior of metal ions by amidoxime chelating resin. <i>Journal of Applied Polymer Science</i> , 2000, 77, 1994-1999.	1.3	56
13	Antioxidant and antifungal effects of eugenol incorporated in bionanocomposites of poly(3-hydroxybutyrate)-thermoplastic starch. <i>LWT - Food Science and Technology</i> , 2018, 98, 260-267.	2.5	53
14	Polyelectrolyte-assisted removal of metal ions with ultrafiltration. <i>Journal of Applied Polymer Science</i> , 2005, 95, 1091-1099.	1.3	52
15	Equilibrium and kinetic study of chromium sorption on resins with quaternary ammonium and N-methyl- d -glucamine groups. <i>Chemical Engineering Journal</i> , 2016, 284, 395-404.	6.6	52
16	Competition of Divalent Metal Ions with Monovalent Metal Ions on the Adsorption on Water-Soluble Polymers. <i>Journal of Physical Chemistry B</i> , 2002, 106, 9708-9711.	1.2	50
17	Water-soluble amine and imine polymers with the ability to bind metal ions in conjunction with membrane filtration. <i>Journal of Applied Polymer Science</i> , 2005, 96, 222-231.	1.3	50
18	Polymer/clay nanocomposite films as active packaging material: Modeling of antimicrobial release. <i>European Polymer Journal</i> , 2015, 71, 461-475.	2.6	49

#	ARTICLE	IF	CITATIONS
19	π-Stacking of rhodamine B onto water-soluble polymers containing aromatic groups. <i>Polymer</i> , 2006, 47, 6496-6500.	1.8	48
20	Chelation properties of polymer complexes of poly(acrylic acid) with poly(acrylamide), and poly(acrylic acid) with poly(N,N-dimethylacrylamide). <i>Macromolecular Chemistry and Physics</i> , 1998, 199, 1153-1160.	1.1	46
21	Electrocatalytic oxidation of As(III) to As(V) using noble metal-polymer nanocomposites. <i>Electrochimica Acta</i> , 2010, 55, 4876-4882.	2.6	46
22	Cationic hydrophilic polymers coupled to ultrafiltration membranes to remove chromium (VI) from aqueous solution. <i>Desalination</i> , 2011, 279, 338-343.	4.0	46
23	Water-soluble acidic polyelectrolytes with metal-removing ability. <i>Polymers for Advanced Technologies</i> , 2002, 13, 1000-1005.	1.6	45
24	Equilibrium and kinetic study of arsenic sorption by water-insoluble nanocomposite resin of poly[N-(4-vinylbenzyl)-N-methyl-D-glucamine]-montmorillonite. <i>Chemical Engineering Journal</i> , 2012, 193-194, 21-30.	6.6	45
25	Functional water-soluble polymers: polymer-metal ion removal and biocide properties. <i>Polymer International</i> , 2009, 58, 1093-1114.	1.6	41
26	Study of polymer-metal ion-membrane interactions in liquid-phase polymer-based retention (LPR) by continuous diafiltration. <i>Journal of Membrane Science</i> , 2009, 336, 128-139.	4.1	41
27	Cationic polymer-TiO ₂ nanocomposite sorbent for arsenate removal. <i>Chemical Engineering Journal</i> , 2015, 268, 362-370.	6.6	41
28	Cationic water-soluble polymers with the ability to remove arsenate through an ultrafiltration technique. <i>Journal of Applied Polymer Science</i> , 2007, 106, 89-94.	1.3	38
29	Effect of the Polymer Concentration on the Interactions of Water-Soluble Polymers with Metal Ions. <i>Chemistry Letters</i> , 2000, 29, 166-167.	0.7	37
30	Interactions of polyelectrolytes bearing carboxylate and/or sulfonate groups with Cu(II) and Ni(II). <i>Polymer</i> , 2004, 45, 1771-1775.	1.8	37
31	Prediction of the retention values associated to the ultrafiltration of mixtures of metal ions and high molecular weight water-soluble polymers as a function of the initial ionic strength. <i>Journal of Membrane Science</i> , 2000, 178, 165-170.	4.1	36
32	Metal ion recovery by polymer-enhanced ultrafiltration using poly(vinyl sulfonic acid): Fouling description and membrane-metal ion interaction. <i>Journal of Membrane Science</i> , 2009, 345, 191-200.	4.1	36
33	Synthesis and properties of hydrophilic polymers. III. Ligand effects of the side chains of polyaziridines on metal complexation in aqueous solution. <i>Journal of Applied Polymer Science</i> , 1996, 60, 2191-2198.	1.3	35
34	Novel N-methyl-D-glucamine-based water-soluble polymer and its potential application in the removal of arsenic. <i>Separation and Purification Technology</i> , 2013, 103, 1-7.	3.9	35
35	Removal of boron from geothermal water by a novel boron selective resin. <i>Desalination</i> , 2013, 310, 102-108.	4.0	35
36	Size separation of silver nanoparticles by dead-end ultrafiltration: Description of fouling mechanism by pore blocking model. <i>Journal of Membrane Science</i> , 2014, 455, 7-14.	4.1	35

#	ARTICLE	IF	CITATIONS
37	Modification of ultrafiltration membranes via interpenetrating polymer networks for removal of boron from aqueous solution. <i>Journal of Membrane Science</i> , 2014, 466, 192-199.	4.1	34
38	Poly[1-(2-hydroxyethyl) aziridine] as polychelatogen for liquid-phase polymer-based retention (LPR). <i>Angewandte Makromolekulare Chemie</i> , 1991, 193, 195-203.	0.3	33
39	Synthesis, characterization and polychelatogenic properties of poly[(2-acrylamido-2-methyl-1-propane) Tj ETQq1 1 0,784314 rgBT /Ov	1.6	33
40	Retention properties of arsenate anions of water-soluble polymers by a liquid-phase polymer-based retention technique. <i>Journal of Applied Polymer Science</i> , 2006, 102, 2677-2684.	1.3	33
41	Arsenic extraction from aqueous solution: Electrochemical oxidation combined with ultrafiltration membranes and water-soluble polymers. <i>Chemical Engineering Journal</i> , 2010, 165, 625-632.	6.6	33
42	Electrosynthesized iridium oxide-polymer nanocomposite thin films for electrocatalytic oxidation of arsenic(III). <i>Electrochimica Acta</i> , 2013, 110, 465-473.	2.6	33
43	Amberlite IRA-400 and IRA-743 chelating resins for the sorption and recovery of molybdenum(VI) and vanadium(V): Equilibrium and kinetic studies. <i>Hydrometallurgy</i> , 2017, 169, 496-507.	1.8	33
44	Chelating properties of poly(N-acryloyl piperazine) by liquid-phase polymer-based retention (LPR) technique. <i>Macromolecular Rapid Communications</i> , 2000, 21, 905-908.	2.0	32
45	Heavy metal removal from aqueous systems using hydroxyapatite nanocrystals derived from clam shells. <i>RSC Advances</i> , 2019, 9, 22883-22890.	1.7	32
46	Copolymerâ€“hydrous zirconium oxide hybrid microspheres for arsenic sorption. <i>Water Research</i> , 2019, 166, 115044.	5.3	32
47	Metal ion binding capability of the water-soluble poly(vinyl phosphonic acid) for mono-, di-, and trivalent cations. <i>Journal of Applied Polymer Science</i> , 2004, 92, 2917-2922.	1.3	31
48	Capability of cationic waterâ€“soluble polymers in conjunction with ultrafiltration membranes to remove arsenate ions. <i>Polymer Engineering and Science</i> , 2007, 47, 1256-1261.	1.5	31
49	Removal of arsenite by coupled electrocatalytic oxidation at polymerâ€“ruthenium oxide nanocomposite and polymer-assisted liquid phase retention. <i>Applied Catalysis B: Environmental</i> , 2013, 129, 130-136.	10.8	31
50	Antibiotics removal using a chitosan-based polyelectrolyte in conjunction with ultrafiltration membranes. <i>Chemosphere</i> , 2020, 258, 127416.	4.2	31
51	Trace metal ion retention properties of crosslinked poly(4-vinylpyridine) and poly(acrylic acid). <i>Journal of Applied Polymer Science</i> , 2004, 92, 2908-2916.	1.3	30
52	Novel water-soluble acryloylmorpholine copolymers: Synthesis, characterization, and metal ion binding properties. <i>Journal of Applied Polymer Science</i> , 2006, 101, 180-185.	1.3	30
53	Release of essential oil constituent from thermoplastic starch/layered silicate bionanocomposite film as a potential active packaging material. <i>European Polymer Journal</i> , 2018, 109, 64-71.	2.6	30
54	Sorption properties of poly(styrene-co-divinylbenzene) amine functionalized weak resin. <i>Journal of Applied Polymer Science</i> , 2001, 80, 2123-2127.	1.3	28

#	ARTICLE	IF	CITATIONS
55	Preparation and adsorption properties of resins containing amine, sulfonic acid, and carboxylic acid moieties. <i>Journal of Applied Polymer Science</i> , 2003, 90, 700-705.	1.3	28
56	Removal properties of crosslinked poly(2-acrylamido glycolic acid) for trace heavy metal ions: Effect of pH, temperature, contact time, and salinity on the adsorption behavior. <i>Journal of Applied Polymer Science</i> , 2003, 88, 2614-2621.	1.3	27
57	Arsenate retention from aqueous solution by hydrophilic polymers through ultrafiltration membranes. <i>Desalination</i> , 2011, 270, 57-63.	4.0	27
58	Synthesis of water-soluble polymers containing sulfonic acid and amine moieties for the recovery of metal ions using ultrafiltration. <i>Journal of Applied Polymer Science</i> , 2001, 82, 22-30.	1.3	26
59	Preparation and adsorption properties of the chelating resins containing carboxylic, sulfonic, and imidazole groups. <i>Journal of Applied Polymer Science</i> , 2003, 89, 2852-2856.	1.3	26
60	Simultaneous interactions between a low molecular-weight species and two high molecular-weight species studied by diafiltration. <i>Journal of Membrane Science</i> , 2006, 272, 137-142.	4.1	26
61	Poly(2-acrylamido glycolic acid): A water-soluble polymer with ability to interact with metal ions in homogenous phase. <i>Inorganic Chemistry Communication</i> , 2007, 10, 151-154.	1.8	26
62	Metal ion sorption by chitosan-tripolyphosphate beads. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45511.	1.3	26
63	Metal complexation of poly[1-(2-hydroxyethyl)aziridine-co-2-methyl-2-oxazoline] in aqueous solution. <i>Angewandte Makromolekulare Chemie</i> , 1992, 197, 107-115.	0.3	25
64	Water-soluble cationic polymers and their polymer-metal complexes with biocidal activity: A genotoxicity study. <i>Journal of Applied Polymer Science</i> , 2003, 87, 452-457.	1.3	25
65	Synthesis and metal ion adsorption properties of poly(4-sodium styrene sulfonate-co-acrylic). <i>Journal of Applied Polymer Science</i> , 2003, 87, 452-457.	1.3	25
66	Removal-concentration of pollutant metal-ions by water-soluble polymers in conjunction with double emulsion systems: A new hybrid method of membrane-based separation. <i>Separation and Purification Technology</i> , 2011, 81, 435-443.	3.9	25
67	A comparative study of removal of Cr(VI) by ion exchange resins bearing quaternary ammonium groups. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 851-857.	1.6	25
68	Polymers and nanocomposites: synthesis and metal ion pollutant uptake. <i>Polymer International</i> , 2016, 65, 255-267.	1.6	25
69	USE OF ULTRAFILTRATION ON THE EVALUATION AND QUANTIFICATION OF THE INTERACTIONS BETWEEN POLYMERS AND LOW MOLECULAR-WEIGHT MOLECULES IN AQUEOUS SOLUTIONS. <i>Journal of the Chilean Chemical Society</i> , 2004, 49, .	0.5	25
70	Metal ion enrichment of a water-soluble chelating polymer studied by ultrafiltration. <i>Journal of Membrane Science</i> , 2002, 208, 69-73.	4.1	24
71	Water-insoluble polymers containing amine, sulfonic acid, and carboxylic acid groups: Synthesis, characterization, and metal-ion-retention properties. <i>Journal of Applied Polymer Science</i> , 2006, 99, 3266-3274.	1.3	24
72	Polymeric microspheres as support to co-immobilized <i>Agaricus bisporus</i> and <i>Trametes versicolor</i> laccases and their application in diazinon degradation. <i>Arabian Journal of Chemistry</i> , 2020, 13, 4218-4227.	2.3	24

#	ARTICLE	IF	CITATIONS
73	Poly(2-acrylamido glycolic acid-co-acryloyl morpholine) and poly(2-acrylamido glycolic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 74 impacting metal ions. European Polymer Journal, 2008, 44, 523-533.	2.6	23
74	Poly(ethylene glycol) as a compatibilizer and plasticizer of poly(lactic acid)/clay nanocomposites. High Performance Polymers, 2012, 24, 254-261.	0.8	23
75	Electrochemical oxidation and removal of arsenic using water-soluble polymers. Journal of Applied Electrochemistry, 2015, 45, 151-159.	1.5	23
76	Hydrogenation of nitro-compounds over rhodium catalysts supported on poly[acrylic acid]/Al ₂ O ₃ composites. Applied Catalysis A: General, 2015, 489, 280-291.	2.2	23
77	Molecularly Imprinted Polymers for the Selective Extraction of Bisphenol A and Progesterone from Aqueous Media. Polymers, 2018, 10, 679.	2.0	23
78	Comparison between the binding of chlorpheniramine maleate to poly(sodium 4-styrenesulfonate) and the binding to other polyelectrolytes. Polymer, 2005, 46, 7240-7245.	1.8	22
79	Resins with the ability to bind copper and uranyl ions. Journal of Applied Polymer Science, 2006, 99, 706-711.	1.3	22
80	Aminodiacetic water-soluble polymerâ€“metal ion interactions. European Polymer Journal, 2008, 44, 2330-2338.	2.6	22
81	Polymer films containing chemically anchored diazonium salts with long-term stability as colorimetric sensors. Journal of Hazardous Materials, 2019, 365, 725-732.	6.5	22
82	Use of Ultrafiltration on the Analysis of Low Molecular Weight Complexing Molecules. Analysis of Iminodiacetic Acid at Constant Ionic Strength. Analytical Chemistry, 2001, 73, 5468-5471.	3.2	21
83	Interactions of 2,3,5-triphenyl-2-tetrazolium chloride with poly(sodium 4-styrenesulfonate) studied by diafiltration and UV-vis spectroscopy. Journal of Membrane Science, 2004, 244, 205-213.	4.1	21
84	Metal ions recovery with alginic acid coupled to ultrafiltration membrane. European Polymer Journal, 2009, 45, 573-581.	2.6	21
85	Off-line coupled electrocatalytic oxidation and liquid phase polymer based retention (EO-LPR) techniques to remove arsenic from aqueous solutions. Water Research, 2009, 43, 515-521.	5.3	21
86	Removal of As(III) and As(V) by Tin(II) compounds. Water Research, 2010, 44, 5730-5739.	5.3	21
87	Boron removal by liquidâ€“phase polymerâ€“based retention technique using poly(glycidyl methacrylate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 74	1.3	21
88	Poly(2-vinylpyrrolidone-co-2-acrylamido-2-methylpropanesulfonate sodium): Synthesis, characterization, and its potential application for the removal of metal ions from aqueous solution. Journal of Applied Polymer Science, 2015, 132, .	1.3	21
89	Tetracycline removal by polyelectrolyte copolymers in conjunction with ultrafiltration membranes through liquid-phase polymer-based retention. Environmental Research, 2020, 182, 109014.	3.7	21
90	Polyelectrolyte behavior of three copolymers of 2-acrylamido-2-methyl-propanesulfonic acid and N-acryloyl-Nâ€“2-methylpiperazine studied by ultrafiltration. Journal of Membrane Science, 2001, 187, 271-275.	4.1	20

#	ARTICLE	IF	CITATIONS
91	Poly(N-acetyl- β -acrylic acid): Synthesis, Characterization and Chelation Properties through Liquid Phase Polymer-Based Retention Technique. <i>Macromolecular Rapid Communications</i> , 2001, 22, 418-421.	2.0	20
92	Water-soluble Polyelectrolytes Containing Sulfonic Acid Groups with Metal Ion Binding Ability by Using the Liquid Phase Polymer Based Retention Technique. <i>Macromolecular Symposia</i> , 2008, 270, 143-152.	0.4	20
93	Poly(sodium 4-styrene sulfonate) and poly(2-acrylamidoglycolic acid) nanocomposite hydrogels: montmorillonite effect on water absorption, thermal, and rheological properties. <i>Polymer Bulletin</i> , 2011, 67, 1823-1836.	1.7	20
94	Poly(sodium 4-styrene sulfonate) and poly(2-acrylamido glycolic acid) polymer-clay ion exchange resins with enhanced mechanical properties and metal ion retention. <i>Polymer International</i> , 2012, 61, 23-29.	1.6	20
95	Removal of arsenic from water by combination of electro-oxidation and polymer enhanced ultrafiltration. <i>Environmental Progress and Sustainable Energy</i> , 2014, 33, 918-924.	1.3	20
96	Preparation and characterization of water-soluble polymers and their utilization in chromium sorption. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45355.	1.3	20
97	Nickel oxide-polyppyrrrole nanocomposite electrode materials for electrocatalytic water oxidation. <i>Catalysis Science and Technology</i> , 2018, 8, 4030-4043.	2.1	20
98	Preparation of alkylated chitosan-based polyelectrolyte hydrogels: The effect of monomer charge on polymerization. <i>European Polymer Journal</i> , 2019, 118, 551-560.	2.6	20
99	Metal ion retention properties of water-insoluble polymers containing carboxylic acid groups. <i>Journal of Applied Polymer Science</i> , 2006, 99, 697-705.	1.3	19
100	Poly(2-acrylamido glycolic acid-co-2-acrylamido-1-methyl-1-propane sulfonic acid): Synthesis, characterization, and retention properties for environmentally impacting metal ions. <i>Journal of Applied Polymer Science</i> , 2009, 111, 78-86.	1.3	19
101	Immobilization of <i>Myceliophthora thermophila</i> laccase on poly(glycidyl methacrylate) microspheres enhances the degradation of azinphos-methyl. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47417.	1.3	19
102	Synthesis of water-insoluble functional copolymers containing amide, amine, and carboxylic acid groups and their metal-ion-uptake properties. <i>Journal of Applied Polymer Science</i> , 2006, 102, 5232-5239.	1.3	18
103	Sorption properties of chelating polymer-clay nanocomposite resin based on iminodiacetic acid and montmorillonite: water absorbency, metal ion uptake, selectivity, and kinetics. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 249-258.	1.6	18
104	Ultrafiltration of metal ions by water-soluble chelating poly(N-acryloyl-N-methylpiperazine-co-N-acetyl- β -aminoacrylic acid). <i>Journal of Applied Polymer Science</i> , 2002, 83, 2556-2561.	1.3	17
105	Poly(acrylic acid-co-vinylsulfonic acid): Synthesis, characterization, and properties as polychelator. <i>Journal of Applied Polymer Science</i> , 2003, 88, 1698-1704.	1.3	17
106	Removal of environmentally impacting metal ions using functional resin poly(4-styrene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (su Science, 2007, 104, 1769-1774.	1.3	17
107	Immobilization of <i>Trametes versicolor</i> laccase on different PGMA-based polymeric microspheres using response surface methodology: Optimization of conditions. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45249.	1.3	17
108	Analysis of the retention profiles of poly (acrylic acid) with Co(II) and Ni(II). <i>Polymer Bulletin</i> , 1997, 39, 653-660.	1.7	16

#	ARTICLE	IF	CITATIONS
109	Synthesis and properties of hydrophilic polymers, 6. Water-soluble polypyrrole graft copolymers with electrical conductivity. <i>Macromolecular Rapid Communications</i> , 1997, 18, 503-508.	2.0	16
110	Water-soluble polymeric materials with the ability to bind metal ions. <i>Macromolecular Symposia</i> , 2003, 193, 237-250.	0.4	16
111	Arsenite retention properties of water-soluble metal-polymers. <i>Journal of Applied Polymer Science</i> , 2007, 106, 1889-1894.	1.3	16
112	Quaternised chitosan in conjunction with ultrafiltration membranes to remove arsenate and chromate ions. <i>Polymer Bulletin</i> , 2015, 72, 1365-1377.	1.7	16
113	Removal of boron from water through soluble polymer based on N-methyl-D-glucamine and regenerated-cellulose membrane. <i>Desalination and Water Treatment</i> , 2016, 57, 861-869.	1.0	16
114	Molecularly Imprinted Nanoparticles Assay (MINA) in Pseudo ELISA: An Alternative to Detect and Quantify Octopamine in Water and Human Urine Samples. <i>Polymers</i> , 2019, 11, 1497.	2.0	16
115	Hydrogels derived from 2-hydroxyethyl-methacrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid, with ability to remove metal cations from wastewater. <i>Polymer Bulletin</i> , 2019, 76, 6503-6528.	1.7	16
116	Chitosan-tripolyphosphate bead: the interactions that govern its formation. <i>Polymer Bulletin</i> , 2019, 76, 3879-3903.	1.7	16
117	Polymer supports for the removal and degradation of hazardous organic pollutants: an overview. <i>Polymer International</i> , 2020, 69, 333-345.	1.6	16
118	Removal of Dyes by Polymer-Enhanced Ultrafiltration: An Overview. <i>Polymers</i> , 2021, 13, 3450.	2.0	16
119	Water-Soluble Polyelectrolytes with Metal Ion Removal Ability by Using the Liquid Phase Based Retention Technique. <i>Macromolecular Symposia</i> , 2006, 245-246, 116-122.	0.4	15
120	Poly(ethylene-alt-maleic acid) as complexing reagent to separate metal ions using membrane filtration. <i>Journal of Applied Polymer Science</i> , 2006, 101, 2057-2061.	1.3	15
121	Functional water-insoluble polymers with ability to remove arsenic(V). <i>Polymer Bulletin</i> , 2010, 65, 1-11.	1.7	15
122	Synthesis, characterization, and sorption properties of water-insoluble poly(2-acrylamido-2-methyl-1-propane sulfonic acid)-montmorillonite composite. <i>Polymer Bulletin</i> , 2013, 70, 1143-1162.	1.7	15
123	Poly(2-acrylamidoglycolic acid-co-2-acrylamide-2-methyl-1-propane sulfonic acid) and poly(2-acrylamidoglycolic acid-co-4-styrene sodium sulfonate): synthesis, characterization, and properties for use in the removal of Cd(II), Hg(II), Zn(II), and Pb(II). <i>Polymer Bulletin</i> , 2015, 72, 339-352.	1.7	15
124	Quaternized hydroxyethyl cellulose ethoxylate and membrane separation techniques for arsenic removal. <i>Desalination and Water Treatment</i> , 2016, 57, 25161-25169.	1.0	15
125	DETERMINATION OF UREA USING p-N,N-DIMETHYLAMINOBENZALDEHYDE: SOLVENT EFFECT AND INTERFERENCE OF CHITOSAN. <i>Journal of the Chilean Chemical Society</i> , 2017, 62, 3538-3542.	0.5	15
126	Direct ionization and solubility of chitosan in aqueous solutions with acetic acid. <i>Polymer Bulletin</i> , 2021, 78, 1465-1488.	1.7	15

#	ARTICLE	IF	CITATIONS
127	Water-soluble polymers: Optimization of arsenate species retention by ultrafiltration. <i>Journal of Applied Polymer Science</i> , 2009, 112, 2327-2333.	1.3	14
128	Polymer-enhanced ultrafiltration: counterion distribution and its relation with the divalent metal-ion retention properties by sulfonic acid polyelectrolytes. <i>Polymer Bulletin</i> , 2011, 67, 1123-1138.	1.7	14
129	Functionalized galactoglucomannan-based hydrogels for the removal of metal cations from aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	14
130	Analysis of the interactions of biologically active poly(methacrylic-aminosalicylic acid) supports with Ca ²⁺ and Zn ²⁺ by ultrafiltration. <i>Journal of Membrane Science</i> , 2001, 192, 187-191.	4.1	13
131	Poly(styrene-alt-maleic acid)-metal complexes with divalent metal ions. synthesis, characterization, and physical properties. <i>Journal of Applied Polymer Science</i> , 2001, 81, 1310-1315.	1.3	13
132	Synthesis, characterization, and properties of a selective adsorbent to mercury(II) ions. <i>Journal of Applied Polymer Science</i> , 2002, 85, 2559-2563.	1.3	13
133	Macromolecular size of polyelectrolytes containing ammonium and sulfonic acid groups, as determined by light scattering. <i>European Polymer Journal</i> , 2004, 40, 203-209.	2.6	13
134	Metal-ion retention properties of water-soluble amphiphilic block copolymer in double emulsion systems (w/o/w) stabilized by non-ionic surfactants. <i>Journal of Colloid and Interface Science</i> , 2011, 363, 682-689.	5.0	13
135	Mercury and lead sorption properties of poly(ethyleneimine) coated onto silica gel. <i>Polymer Bulletin</i> , 2012, 68, 1577-1588.	1.7	13
136	Removal of Cr(VI) by a chelating resin containing N-methyl-d-glucamine. <i>Polymer Bulletin</i> , 2014, 71, 1813-1825.	1.7	13
137	Application of design of experiments, response surface methodology and partial least squares regression on nanocomposites synthesis. <i>Polymer Bulletin</i> , 2014, 71, 1961-1982.	1.7	13
138	Water-soluble polymer and photocatalysis for arsenic removal. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	13
139	Composite hydrogel based on surface modified mesoporous silica and poly[(2-acryloyloxy)ethyl trimethylammonium chloride]. <i>Materials Chemistry and Physics</i> , 2015, 152, 69-76.	2.0	13
140	High-retention properties for Hg(II) ions of a resin containing ammonium and pyridine groups. <i>Journal of Applied Polymer Science</i> , 2002, 83, 2595-2599.	1.3	12
141	Water-insoluble polymers with ability to remove metal ions. <i>Journal of Applied Polymer Science</i> , 2004, 91, 3679-3685.	1.3	12
142	Binding of chlorpheniramine maleate to pharmacologically important alginic acid, carboxymethylcellulose, Î³-carageenan, and Î±-carrageenan as studied by diafiltration. <i>Journal of Applied Polymer Science</i> , 2005, 98, 598-602.	1.3	12
143	Adsorption of linear polymers on polyethersulfone membranes: Contribution of divalent counterions on modifying of hydrophilic-lipophilic balance of polyelectrolyte chain. <i>Journal of Membrane Science</i> , 2011, 372, 355-365.	4.1	12
144	The effect of clay type and of clay-masterbatch product in the preparation of polypropylene/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011, 122, 2013-2025.	1.3	12

#	ARTICLE	IF	CITATIONS
145	Chelating water-soluble polymers associated with ultrafiltration membranes for metal ion removal. <i>Polymer Bulletin</i> , 2012, 69, 881-898.	1.7	12
146	Poly(N-hydroxymethyl acrylamide-co-acrylic acid) and poly(N-hydroxymethyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (acrylamide-co- Polymer Bulletin, 2012, 68, 391-403.	1.7	12
147	Removal of As(V) using liquid-phase polymer-based retention (LPR) technique with regenerated cellulose membrane as a filter. <i>Polymer Bulletin</i> , 2013, 70, 2633-2644.	1.7	12
148	Poly(3-hydroxybutyrate)-thermoplastic starch-organoclay bionanocomposites: Surface properties. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45217.	1.3	12
149	Application of the liquid-phase polymer-based retention technique to the sorption of molybdenum(VI) and vanadium(V). <i>Polymer Bulletin</i> , 2019, 76, 539-552.	1.7	12
150	Application of nanocomposite polyelectrolytes for the removal of antibiotics as emerging pollutants in water. <i>Journal of Water Process Engineering</i> , 2022, 46, 102582.	2.6	12
151	Complexation Behavior of Cu ²⁺ in the Presence of Iminodiacetic Acid and Poly(ethyleneimine). <i>Macromolecular Chemistry and Physics</i> , 2005, 206, 1541-1548.	1.1	11
152	Complexing Polymer Films in The Preparation of Modified Electrodes for Detection of Metal Ions. <i>Macromolecular Symposia</i> , 2011, 304, 115-125.	0.4	11
153	Efficient polymers in conjunction with membranes to remove As(V) generated <i>in situ</i> by electrocatalytic oxidation. <i>Polymers for Advanced Technologies</i> , 2011, 22, 414-419.	1.6	11
154	Removal of arsenate from ionic mixture by anion exchanger water-soluble polymers combined with ultrafiltration membranes. <i>Polymer Bulletin</i> , 2012, 69, 1007-1022.	1.7	11
155	Metal ion sorption properties of water-insoluble resins based on sodium styrene sulfonate and different comonomers. <i>Polymer Bulletin</i> , 2012, 68, 1537-1549.	1.7	11
156	Effect of the coupling agent on the properties of poly(acrylic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (acid)âˆ²₂/sub> Polymer International, 2015, 64, 595-604.	1.6	11
157	Ion-selective interpenetrating polymer networks supported inside polypropylene microporous membranes for the removal of chromium ions from aqueous media. <i>Polymer Bulletin</i> , 2016, 73, 989-1013.	1.7	11
158	EFFICIENT REMOVAL OF Cr(VI) BY POLYELECTROLYTE-ASSISTED ULTRAFILTRATION AND SUBSEQUENT ELECTROCHEMICAL REDUCTION TO Cr(III). <i>Journal of the Chilean Chemical Society</i> , 2017, 62, 3647-3652.	0.5	11
159	Hydrogels based on alkylated chitosan and polyelectrolyte copolymers. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46556.	1.3	11
160	Branched poly(ethylene imine) support for resins with retention properties for heavy metal ions. <i>Angewandte Makromolekulare Chemie</i> , 1993, 211, 103-112.	0.3	10
161	Removal of metal ions by water-soluble polymacromonomers in conjunction with ultrafiltration membrane. <i>Journal of Applied Polymer Science</i> , 2004, 92, 2955-2960.	1.3	10
162	Synthesis and properties of polymer film modified electrodes to detect metal ions. <i>Journal of Applied Polymer Science</i> , 2005, 98, 1192-1197.	1.3	10

#	ARTICLE	IF	CITATIONS
163	Water-soluble Polyelectrolytes with Ability to Remove Arsenic. <i>Macromolecular Symposia</i> , 2010, 296, 416-428.	0.4	10
164	Poly(L-lysine) as a polychelator to remove toxic metals using ultrafiltration and bactericide properties of poly(L-lysine)-Cu ²⁺ complexes. <i>Polymer Bulletin</i> , 2011, 67, 763-774.	1.7	10
165	Short- and long-term loss of carvacrol from polymer/clay nanocomposite film – a chemometric approach. <i>Polymer International</i> , 2016, 65, 483-490.	1.6	10
166	Multienzymatic immobilization of laccases on polymeric microspheres: A strategy to expand the maximum catalytic efficiency. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49562.	1.3	10
167	Synthesis and behaviour of two copolymers of poly[acrylamide-co-(N-(hydroxymethyl)acrylamide)] in ultrafiltration experiments. <i>Polymer Bulletin</i> , 2000, 44, 159-165.	1.7	9
168	Functional Water Soluble Polymers with Ability to Bind Metal Ions. <i>Macromolecular Symposia</i> , 2004, 216, 65-76.	0.4	9
169	Characterization of metal cations-complexing polymer films interactions followed with anodic stripping voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2007, 610, 147-153.	1.9	9
170	Amphiphilic diblock copolymers poly(2-hydroxyethylmethacrylate)-b-(N-phenylmaleimide) and poly(2-hydroxyethylmethacrylate)-b-(styrene) using the macroinitiator poly(HEMA)-Cl by ATRP: Preparation, characterization, and thermal properties. <i>Journal of Applied Polymer Science</i> , 2010, 118, 3649-3657.	1.3	9
171	POLYPROPYLENE/CLAY NANOCOMPOSITES: SYNTHESIS AND CHARACTERIZATION. <i>Journal of the Chilean Chemical Society</i> , 2010, 55, 440-444.	0.5	9
172	WATER-SOLUBLE CATIONIC CELLULOSE COUPLED TO A ULTRAFILTRATION MEMBRANE FOR THE REMOVAL OF ARSENIC AND CHROMIUM. <i>Journal of the Chilean Chemical Society</i> , 2013, 58, 1986-1990.	0.5	9
173	PREPARATION OF MOLECULARLY IMPRINTED POLYMERS FOR DIPHENYLAMINE REMOVAL FROM ORGANIC GUNSHOT RESIDUES. <i>Journal of the Chilean Chemical Society</i> , 2014, 59, 2731-2736.	0.5	9
174	Ultrafiltration assisted by water-soluble poly(diallyl dimethyl ammonium chloride) for As(V) removal. <i>Polymer Bulletin</i> , 2016, 73, 241-254.	1.7	9
175	Polyelectrolyte nanocomposite hydrogels filled with cationic and anionic clays. <i>Carbohydrate Polymers</i> , 2020, 232, 115824.	5.1	9
176	Chromate ion removal by water-soluble functionalized chitosan. <i>Polymers for Advanced Technologies</i> , 2021, 32, 2690-2699.	1.6	9
177	Polyelectrolyte-Cu(II) interactions studied by cyclic voltammetry. <i>Polymer Bulletin</i> , 2000, 45, 259-265.	1.7	8
178	Biostatic Behavior of Side Chain Charged Polycations and Polymer-Ag Complexes. <i>Polymer Bulletin</i> , 2003, 50, 327-333.	1.7	8
179	Metal-ion-retention properties of the poly(2-acrylamido-2-methyl-1-propanosulfonic acid-co-4-vinyl) Tj ETQq1 1 0.784314 rgBTg /Overl	1.3	8
180	Poly(N-phenylmaleimide-co-?-methyl hydrogen itaconate): Synthesis, characterization, and copper(II)-ion-binding properties. <i>Journal of Applied Polymer Science</i> , 2005, 95, 1361-1367.	1.3	8

#	ARTICLE	IF	CITATIONS
181	Metal Ion Removal from Aqueous Solution by Liquid Phase Polymer-Based Retention Technique. <i>Macromolecular Symposia</i> , 2006, 235, 152-160.	0.4	8
182	Preparation, characterization, and metal ion retention capacity of Co(II) and Ni(II) from poly(<i>p</i> -HO- and <i>p</i> -Cl-phenylmaleimide-co-2-hydroxypropylmethacrylate) using the ultrafiltration technique. <i>Journal of Applied Polymer Science</i> , 2007, 106, 2448-2455.	1.7	8
183	Heavy metal ions removal through poly(acrylamide-co-methacrylic acid) resin. <i>Polymer Bulletin</i> , 2010, 64, 41-52.	1.7	8
184	Preparation and characterization of hydrogel nanosilver composites based on copolymers from sodium 2-acrylamido-2-methylpropanesulfonate. <i>Journal of Applied Polymer Science</i> , 2013, 129, 537-548.	1.3	8
185	Concentration polarization effect of poly(sodium styrene sulfonate) on size distribution of colloidal silver nanoparticles during diafiltration experiments. <i>Colloid and Polymer Science</i> , 2014, 292, 619-626.	1.0	8
186	Antibacterial activity and cytotoxicity of hydrogel nanosilver composites based on copolymers from 2-acrylamido-2-methylpropanesulfonate sodium. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	8
187	Poly([(2-methacryloyloxy)ethyl]trimethylammonium chloride): synthesis, characterization, and removal properties of As(V). <i>Polymer Bulletin</i> , 2016, 73, 875-890.	1.7	8
188	Removal of Cr(VI) from aqueous solution by a highly efficient chelating resin. <i>Polymer Bulletin</i> , 2017, 74, 2033-2044.	1.7	8
189	Synthesis of a polymeric sensor containing an occluded pyrylium salt and its application in the colorimetric detection of trimethylamine vapors. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46185.	1.3	8
190	N-Alkylated chitosan coupled to the liquid-phase polymer-based retention (LPR) technique to remove arsenic (V) from aqueous systems. <i>Journal of Hazardous Materials</i> , 2020, 400, 123216.	6.5	8
191	Water-soluble polymers with the ability to remove amoxicillin as emerging pollutant from water. <i>Environmental Technology and Innovation</i> , 2021, 23, 101589.	3.0	8
192	Removal of chromium ions by functional polymers in conjunction with ultrafiltration membranes. <i>Pure and Applied Chemistry</i> , 2020, 92, 883-896.	0.9	8
193	Synthesis and properties of hydrophilic polymers, 5. Viscosimetric study on poly(acrylamide-co-4-vinylpyridine) and its interaction with metal ions in aqueous solution. <i>Angewandte Makromolekulare Chemie</i> , 1998, 255, 1-4.	0.3	7
194	Water-soluble polymer materials as complexing reagents for the separation of metal ions using membrane filtration. <i>Polymers for Advanced Technologies</i> , 2006, 17, 865-871.	1.6	7
195	Nonionic water-soluble polymer: Preparation, characterization, and application of poly(1-vinyl-2-pyrrolidone-co-hydroxyethylmethacrylate) as a polychelator. <i>Journal of Applied Polymer Science</i> , 2006, 100, 178-185.	1.3	7
196	Preparation, characterization, and thermal properties of hydrophilic copolymers: <i>p</i> -chlorophenylmaleimides with hydroxyethyl methacrylate and 2-methyl itaconate. <i>Polymer International</i> , 2007, 56, 1166-1172.	1.6	7
197	Hydrogels from 2-(dimethylamino)ethylacrylate with 2-acrylamido-2-methyl-1-propanesulfonic acid: synthesis, characterization, and water-sorption properties. <i>Polymer Bulletin</i> , 2009, 62, 469-485.	1.7	7
198	Synthesis and characterization of hydrophilic copolymers of maleimide derivatives with 2-hydroxyethyl methacrylate: electrochemical and thermal behavior. <i>Polymer International</i> , 2009, 58, 1160-1166.	1.6	7

#	ARTICLE	IF	CITATIONS
199	Divalent metal ion distribution around linear polyelectrolyte chains by continuous diafiltration: comparison of counterion condensation cell models. <i>Polymer International</i> , 2010, 59, 1542-1549.	1.6	7
200	Optimization of processing parameters for the synthesis of low-density polyethylene/organically modified montmorillonite nanocomposites using X-ray diffraction with experimental design. <i>Polymer International</i> , 2013, 62, 548-553.	1.6	7
201	Interpenetrating polymers supported on microporous polypropylene membranes for the transport of chromium ions. <i>Chinese Journal of Chemical Engineering</i> , 2017, 25, 938-946.	1.7	7
202	Synthetic strong base anion exchange resins: synthesis and sorption of Mo(VI) and V(V). <i>Polymer Bulletin</i> , 2018, 75, 729-746.	1.7	7
203	Metal ion retention properties of poly(acrylic acid) and poly[N-3-(dimethylamino)propyl acrylamide-co-acrylic acid]. <i>Journal of Applied Polymer Science</i> , 2005, 97, 1385-1394.	1.3	6
204	Resins containing amino and carboxylic acid groups. Synthesis, characterization, and metal ion retention properties. <i>Journal of Applied Polymer Science</i> , 2005, 98, 525-530.	1.3	6
205	Metal ion interaction of water-soluble copolymers containing carboxylic acid groups in aqueous phase by membrane filtration technique. <i>Journal of Applied Polymer Science</i> , 2007, 105, 2893-2902.	1.3	6
206	Synthesis and characterization of new water-soluble metal-polymer complex and its application for arsenite retention. <i>Journal of Applied Polymer Science</i> , 2009, 111, 2720-2730.	1.3	6
207	Synthesis and metal ion uptake properties of water-insoluble functional copolymers: removal of metal ions with environmental impact. <i>Polymer Bulletin</i> , 2010, 65, 917-928.	1.7	6
208	Metal ion retention by emulsion liquid membrane coupled to liquid-phase polymer-based retention. <i>Colloid and Polymer Science</i> , 2011, 289, 1695-1709.	1.0	6
209	Water-soluble copolymers in conjunction with ultrafiltration membranes to remove arsenate ions. <i>Polymer Bulletin</i> , 2011, 67, 441-453.	1.7	6
210	Polypropylene membranes modified with interpenetrating polymer networks for the removal of chromium ions. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	6
211	Effect of functionalized trititanate nanotubes on the properties of crosslinked cationic polymer nanocomposite. <i>Polymer International</i> , 2015, 64, 1121-1127.	1.6	6
212	Cr(III) REMOVAL FROM AQUEOUS SOLUTION BY ION EXCHANGE RESINS CONTAINING CARBOXYLIC ACID AND SULPHONIC ACID GROUPS. <i>Journal of the Chilean Chemical Society</i> , 2018, 63, 4012-4018.	0.5	6
213	Metal ion adsorption behavior of poly[3-(dimethylamine)propyl acrylate] and poly[3-(dimethylamine)propylacrylate-co-acrylic acid] resins. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1251-1256.	1.3	5
214	Synthesis and properties of styrene copolymers. Preparation of film-modified electrodes to detect Pb ²⁺ ions. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2380-2385.	1.3	5
215	Separation of metal ions by water-insoluble polymers containing sulfonic/sulfonate groups. <i>Journal of Applied Polymer Science</i> , 2006, 101, 4328-4333.	1.3	5
216	Metal ion retention using the ultrafiltration technique: Preparation, characterization of the water-soluble poly(1-vinyl-2-pyrrolidone-co-itaconic acid) and its metal complexes in aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2008, 108, 3982-3989.	1.3	5

#	ARTICLE	IF	CITATIONS
217	Water-Soluble Polymers and Their Polymer-Metal Ion-Complexes as Antibacterial Agents. <i>Macromolecular Symposia</i> , 2010, 287, 69-79.	0.4	5
218	Metal ion removal properties of crosslinked poly(acrylamide-co-2-acrylamide-2-methyl-1-propane) Tj ETQq0 0 0 rgBT	1.3	3
219	Complexes of Water-Soluble Polymers with Cu ²⁺ and Ag ⁺ as Antibacterial Agents. <i>Macromolecular Symposia</i> , 2011, 304, 46-54.	0.4	5
220	Bacterial generation of liquid arsenic waste and the application of water-soluble polymers for arsenic ions separation. <i>Reviews in Environmental Science and Biotechnology</i> , 2014, 13, 277-284.	3.9	5
221	FERROCENYL ALKYLAMMONIUM N-SUBSTITUTED POLYPYRROLE CONTAINING Pt AND Pd AND ITS APPLICATION ON ELECTROANALYSIS OF ARSENITE. <i>Journal of the Chilean Chemical Society</i> , 2016, 61, 3277-3280.	0.5	5
222	Removal of molybdate and vanadate ions by a copolymer adsorbent in a ultrafiltration system. <i>Journal of Applied Polymer Science</i> , 2019, 136, 48184.	1.3	5
223	A cobalt oxide-polypyrrole nanocomposite as an efficient and stable electrode material for electrocatalytic water oxidation. <i>Sustainable Energy and Fuels</i> , 2021, 5, 4710-4723.	2.5	5
224	ACTIVATED POLYPROPYLENE MEMBRANES WITH ION-EXCHANGE POLYMERS TO TRANSPORT CHROMIUM IONS IN WATER. <i>Journal of the Chilean Chemical Society</i> , 2019, 64, 4597-4606.	0.5	5
225	Hydrogels derived from galactoglucomannan hemicellulose with inorganic contaminant removal properties. <i>RSC Advances</i> , 2021, 11, 35960-35972.	1.7	5
226	Synthesis, characterization, and properties of polychelates of poly(maleic acid-co-olefin) with Cu(II), Co(II), Ni(II), and Zn(II). <i>Polymer Bulletin</i> , 2001, 46, 271-276.	1.7	4
227	Synthesis, characterization, and chelating properties of the polymacromonomer: Poly[(ethyleneglycol) methyl ether methacrylate]. <i>Journal of Applied Polymer Science</i> , 2002, 85, 2929-2934.	1.3	4
228	Synthesis of copolymers containing opposite charged comonomers and their interactions with metal ions. <i>Journal of Applied Polymer Science</i> , 2003, 89, 1715-1721.	1.3	4
229	Synthesis and characterization of poly(o- and m-amino benzyl amine) and the copolymers with aniline. Study with Cu(II). <i>Journal of Applied Polymer Science</i> , 2004, 92, 31-36.	1.3	4
230	Copolymers of 2-hydroxyethylmethacrylate and N-maleoylglycine: Synthesis, characterization, and swelling behavior. <i>Journal of Applied Polymer Science</i> , 2005, 98, 1897-1902.	1.3	4
231	Metal ion retention from aqueous solution using the ultrafiltration technique: preparation, retention capacity of copolymers of N-maleimide derivatives with 1 ² -methylhydrogen itaconate and metal complexes. <i>Polymer International</i> , 2007, 56, 93-103.	1.6	4
232	Nitrite removal from water using water-soluble polymers in conjunction with liquid-phase polymer-based retention technique. <i>Reactive and Functional Polymers</i> , 2007, 67, 1487-1494.	2.0	4
233	Poly(4-sodium styrene sulfonate-co-4-acryloylmorpholine). Synthesis, Characterization, and Metal Ion Retention Properties. <i>Separation Science and Technology</i> , 2009, 44, 894-905.	1.3	4
234	Preparation and characterization of poly(2-hydroxyethylme) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 72 Td (thacrylate)-core-shell morphology. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1024-1031.	1.6	4

#	ARTICLE	IF	CITATIONS
235	Water-insoluble copolymer based on <i>N</i> -methyl- <i>D</i> -glucamine and quaternary ammonium groups with capability to remove arsenic. <i>Environmental Progress and Sustainable Energy</i> , 2014, 33, 1187-1193.	1.3	4
236	Polymer-based chromogenic sensors for the detection of compounds of environmental interest. <i>Polymer International</i> , 2021, 70, 1202-1208.	1.6	4
237	Preparation and metal ion adsorption properties of the resin containing sulfonic acid groups. <i>Journal of Applied Polymer Science</i> , 2003, 88, 1230-1235.	1.3	3
238	Synthesis, characterization, and metal complexation of poly(<i>N</i> -phenylmaleimide-co-acrylic acid) and poly(<i>N</i> -phenylmaleimide-co-acrylamide) as polychelators in aqueous solution. <i>Journal of Applied Polymer Science</i> , 2006, 99, 2159-2366.	1.3	3
239	Poly(<i>dl</i> -aspartic acid) and copper(II) acetate monohydrate interactions. <i>Transition Metal Chemistry</i> , 2007, 32, 1106-1109.	0.7	3
240	Synthesis, characterization and application of poly[(1-vinyl-2-pyrrolidone)-co-(2-hydroxyethyl)] as an ultrafiltration technique. <i>Polymer International</i> , 2008, 57, 897-904.	1.6	3
241	Grafting of polypropylene and its potential use as metal ion adsorption resin. <i>Journal of Applied Polymer Science</i> , 2009, 113, 290-298.	1.3	3
242	Liquid-Phase Polymer-Based Retention of Chromate and Arsenate Oxyanions. <i>Macromolecular Symposia</i> , 2012, 317-318, 123-136.	0.4	3
243	FUNCTIONAL ION MEMBRANES SUPPORTED INSIDE MICROPOROUS POLYPROPYLENE MEMBRANES TO TRANSPORT CHROMIUM IONS: DETERMINATION OF MASS TRANSPORT COEFFICIENT. <i>Journal of the Chilean Chemical Society</i> , 2014, 59, 2737-2746.	0.5	3
244	POLY(ACRYLAMIDE-co-STYRENE SODIUM SULFONATE) AND POLY(2-ACRYLAMIDE-2-METHYL-1-PROPANESULFONIC ACID-co-ACRYLIC ACID) RESINS WITH REMOVAL PROPERTIES FOR Hg(II), Pb(II), Cd(II), and Zn(II). <i>Journal of the Chilean Chemical Society</i> , 2014, 59, 2420-2426.	0.5	3
245	Water-soluble polyelectrolyte in conjunction with membrane systems: modeling and simulation of retention profiles from washing method. <i>Polymer Bulletin</i> , 2015, 72, 535-548.	1.7	3
246	LIQUID-PHASE POLYMER-BASED RETENTION TO REMOVE ARSENIC FROM WATER. <i>Journal of the Chilean Chemical Society</i> , 2019, 64, 4513-4522.	0.5	3
247	Hydrophilic functional copolymers from <i>N</i> -maleoyl glycine and hydroxymethylacrylamide: Synthesis, characterization, and thermal properties. <i>Journal of Applied Polymer Science</i> , 2005, 98, 1903-1908.	1.3	2
248	Poly(3-methylthiophene)- Multi Walled Carbon Nanotubes Composite Electrodes. , 2015, 8, 251-260.		2
249	Teaching Polymer Science in the Department of Polymers at the University of Concepción, Chile: A Brief History. <i>Journal of Chemical Education</i> , 2017, 94, 1702-1713.	1.1	2
250	Retention properties of efficient adsorbent to silver(I). <i>Journal of Applied Polymer Science</i> , 2002, 83, 1501-1506.	1.3	1
251	High-retention properties for Hg(II) ions of a resin containing ammonium and pyridine groups. <i>Journal of Applied Polymer Science</i> , 2002, 84, 454-454.	1.3	1
252	Synthesis and characterization of poly(<i>N</i> -acryloyl- <i>N</i> -methyl piperazinium(+1)) tetrachlorometallate (II) compounds. <i>Polymer Bulletin</i> , 2003, 51, 39-45.	1.7	1

#	ARTICLE	IF	CITATIONS
253	Water-Soluble Polyacids with Capability to Remove Metal Ions in Homogenous Phase by Using the Liquid Phase Polymer-Based Retention Technique. <i>Macromolecular Symposia</i> , 2009, 279, 228-235.	0.4	1
254	Liquid-phase polymer-based retention and coupled electrocatalytic oxidation to remove Arsenic in the presence of competitive species. <i>Polymer Bulletin</i> , 2011, 67, 1773-1784.	1.7	1
255	Metal Ion Removal Properties of Water-Insoluble Functional Polymers. <i>Macromolecular Symposia</i> , 2011, 304, 40-45.	0.4	1
256	Water-Soluble polymer associated to regenerated cellulose membrane for boron removal. <i>Macromolecular Symposia</i> , 2015, 351, 37-45.	0.4	1
257	NEW SYNTHESIS METHOD TO OBTAIN A METHACRYLIC MONOMER WITH A PYRYLIUM GROUP. <i>Journal of the Chilean Chemical Society</i> , 2017, 62, 3558-3561.	0.5	1
258	Nanoparticles of 4,7-dichloro-2-quinolinemethylacrylate-based copolymers and their potential cytotoxic activity on human breast carcinoma cells. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47545.	1.3	1
259	Free radical copolymerization of functional water-soluble poly(N-maleoylglycine-co-crotonic acid): polymer metal ion retention capacity, electrochemical, and thermal behavior. <i>Polymer Bulletin</i> , 2010, 65, 701-717.	1.7	0
260	Soluble Polymer Containing an N-Methyl-D-glucamine Ligand for the Removal of Pollutant Oxy-Anions from Water. <i>ACS Symposium Series</i> , 2017, , 197-211.	0.5	0
261	Water-Soluble Polymers for Metal Interaction. , 2003, , 251-264.		0