

Urska Vrhovsek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6186238/publications.pdf>

Version: 2024-02-01

111
papers

5,380
citations

70961

41
h-index

91712

69
g-index

113
all docs

113
docs citations

113
times ranked

7039
citing authors

#	ARTICLE	IF	CITATIONS
1	Ex Vivo Fecal Fermentation of Human Ileal Fluid Collected After Wild Strawberry Consumption Modulates Human Microbiome Community Structure and Metabolic Output and Protects Against DNA Damage in Colonic Epithelial Cells. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2100405.	1.5	4
2	Application of a Target-Guided Data Processing Approach in Saturated Peak Correction of GC–GC Analysis. <i>Analytical Chemistry</i> , 2022, 94, 1941-1948.	3.2	2
3	Measurement of the Effect of Accelerated Aging on the Aromatic Compounds of Gewürztraminer and Teroldego Wines, Using a SPE-GC-MS/MS Protocol. <i>Metabolites</i> , 2022, 12, 180.	1.3	8
4	Phenolic Compound Profile by UPLC-MS/MS and Encapsulation with Chitosan of <i>Spondias mombin</i> L. Fruit Peel Extract from Cerrado Hotspot—Brazil. <i>Molecules</i> , 2022, 27, 2382.	1.7	1
5	Metabolomic Workflow for the Accurate and High-Throughput Exploration of the Pathways of Tryptophan, Tyrosine, Phenylalanine, and Branched-Chain Amino Acids in Human Biofluids. <i>Journal of Proteome Research</i> , 2022, 21, 1262-1275.	1.8	7
6	The macromolecular diversity of Italian monovarietal red wines. <i>Oeno One</i> , 2022, 56, 81-90.	0.7	5
7	Anti-Inflammatory and Anti-Acne Effects of <i>Hamamelis virginiana</i> Bark in Human Keratinocytes. <i>Antioxidants</i> , 2022, 11, 1119.	2.2	10
8	Proximate composition, lipid and phenolic profiles, and antioxidant activity of different ecotypes of <i>Lupinus albus</i> , <i>Lupinus luteus</i> and <i>Lupinus angustifolius</i> . <i>Journal of Food Measurement and Characterization</i> , 2021, 15, 1241-1257.	1.6	13
9	Molecular and biochemical differences underlying the efficacy of lovastatin in preventing the onset of superficial scald in a susceptible and resistant <i>Pyrus communis</i> L. cultivar. <i>Postharvest Biology and Technology</i> , 2021, 173, 111435.	2.9	6
10	The Metabolomic-Gut-Clinical Axis of Mankai Plant-Derived Dietary Polyphenols. <i>Nutrients</i> , 2021, 13, 1866.	1.7	14
11	Cluster Thinning and Vineyard Site Modulate the Metabolomic Profile of Ribolla Gialla Base and Sparkling Wines. <i>Metabolites</i> , 2021, 11, 331.	1.3	11
12	Apple (<i>Malus domestica</i> Borkh.) Cultivar "Majda", a Naturally Non-Browning Cultivar: An Assessment of Its Qualities. <i>Plants</i> , 2021, 10, 1402.	1.6	2
13	Packing a punch: understanding how flavours are produced in lager fermentations. <i>FEMS Yeast Research</i> , 2021, 21, .	1.1	7
14	Mono-Locus and Pyramided Resistant Grapevine Cultivars Reveal Early Putative Biomarkers Upon Artificial Inoculation With <i>Plasmopara viticola</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 693887.	1.7	14
15	Measuring the effect of Mankai® (<i>Wolffia globosa</i>) on the gut microbiota and its metabolic output using an in vitro colon model. <i>Journal of Functional Foods</i> , 2021, 84, 104597.	1.6	10
16	Grapevine and Wine Metabolomics-Based Guidelines for FAIR Data and Metadata Management. <i>Metabolites</i> , 2021, 11, 757.	1.3	16
17	Grape Lipidomics: An Extensive Profiling through UHPLC-MS/MS Method. <i>Metabolites</i> , 2021, 11, 827.	1.3	6
18	Ethylene-auxin crosstalk regulates postharvest fruit ripening process in apple. <i>Fruit Research</i> , 2021, 1, 1-13.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Inoculation of <i>Lupinus albus</i> with the nodule-endophyte <i>Paenibacillus glycanilyticus</i> LJ121 improves grain nutritional quality. <i>Archives of Microbiology</i> , 2020, 202, 283-291.	1.0	6
20	Lipid Profiling and Stable Isotopic Data Analysis for Differentiation of Extra Virgin Olive Oils Based on Their Origin. <i>Molecules</i> , 2020, 25, 4.	1.7	24
21	Two-omics data revealed commonalities and differences between Rpv12- and Rpv3-mediated resistance in grapevine. <i>Scientific Reports</i> , 2020, 10, 12193.	1.6	24
22	Molecular memory of <i>Flavescence dorée</i> phytoplasma in recovering grapevines. <i>Horticulture Research</i> , 2020, 7, 126.	2.9	17
23	On sample preparation methods for fermented beverage VOCs profiling by GCxGC-TOFMS. <i>Metabolomics</i> , 2020, 16, 102.	1.4	10
24	Modulating Wine Aromatic Amino Acid Catabolites by Using <i>Torulaspora delbrueckii</i> in Sequentially Inoculated Fermentations or <i>Saccharomyces cerevisiae</i> Alone. <i>Microorganisms</i> , 2020, 8, 1349.	1.6	16
25	Comprehensive 2D Gas Chromatography with TOF-MS Detection Confirms the Matchless Discriminatory Power of Monoterpenes and Provides In-Depth Volatile Profile Information for Highly Efficient White Wine Varietal Differentiation. <i>Foods</i> , 2020, 9, 1787.	1.9	18
26	Exploratory Analysis of Commercial Olive-Based Dietary Supplements Using Untargeted and Targeted Metabolomics. <i>Metabolites</i> , 2020, 10, 516.	1.3	4
27	Measuring phenolic compounds in Mankai: a novel polyphenol and amino rich plant protein source. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	2
28	Two apples a day modulate human:microbiome co-metabolic processing of polyphenols, tyrosine and tryptophan. <i>European Journal of Nutrition</i> , 2020, 59, 3691-3714.	1.8	20
29	Investigation of the transcriptomic and metabolic changes associated with superficial scald physiology impaired by lovastatin and 1-methylcyclopropene in pear fruit (cv. "Blanquilla"). <i>Horticulture Research</i> , 2020, 7, 49.	2.9	20
30	Combined targeted and untargeted profiling of volatile aroma compounds with comprehensive two-dimensional gas chromatography for differentiation of virgin olive oils according to variety and geographical origin. <i>Food Chemistry</i> , 2019, 270, 403-414.	4.2	78
31	Regional Discrimination of Australian Shiraz Wine Volatome by Two-Dimensional Gas Chromatography Coupled to Time-of-Flight Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10273-10284.	2.4	24
32	Compositional characterization of commercial sparkling wines from cv. Ribolla Gialla produced in Friuli Venezia Giulia. <i>European Food Research and Technology</i> , 2019, 245, 2279-2292.	1.6	8
33	LC-MS/MS analysis of free fatty acid composition and other lipids in skins and seeds of <i>Vitis vinifera</i> grape cultivars. <i>Food Research International</i> , 2019, 125, 108556.	2.9	42
34	Multifaceted analyses disclose the role of fruit size and skin-russetting in the accumulation pattern of phenolic compounds in apple. <i>PLoS ONE</i> , 2019, 14, e0219354.	1.1	24
35	Targeted UPLC-QqQ-MS/MS profiling of phenolic compounds for differentiation of monovarietal wines and corroboration of particular varietal typicity concepts. <i>Food Chemistry</i> , 2019, 300, 125251.	4.2	50
36	Complementary Untargeted and Targeted Metabolomics for Differentiation of Extra Virgin Olive Oils of Different Origin of Purchase Based on Volatile and Phenolic Composition and Sensory Quality. <i>Molecules</i> , 2019, 24, 2896.	1.7	33

#	ARTICLE	IF	CITATIONS
37	Methyl Salicylate Glycosides in Some Italian Varietal Wines. <i>Molecules</i> , 2019, 24, 3260.	1.7	10
38	Myrtle Seeds (<i>Myrtus communis</i> L.) as a Rich Source of the Bioactive Ellagitannins Oenothein B and Eugeniflorin D ₂ . <i>ACS Omega</i> , 2019, 4, 15966-15974.	1.6	17
39	Metabolite profiling of wines made from disease-tolerant varieties. <i>European Food Research and Technology</i> , 2019, 245, 2039-2052.	1.6	9
40	<i>Saccharomyces cerevisiae</i> and <i>Torulaspora delbrueckii</i> Intra- and Extra-Cellular Aromatic Amino Acids Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 7942-7953.	2.4	25
41	Improvement of sea fennel (<i>Crithmum maritimum</i> L.) nutritional value through iodine biofortification in a hydroponic floating system. <i>Food Chemistry</i> , 2019, 296, 150-159.	4.2	19
42	Isotopic dilution method for bile acid profiling reveals new sulfate glycine-conjugated dihydroxy bile acids and glucuronide bile acids in serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 173, 1-17.	1.4	14
43	The Rpv3-3 Haplotype and Stilbenoid Induction Mediate Downy Mildew Resistance in a Grapevine Interspecific Population. <i>Frontiers in Plant Science</i> , 2019, 10, 234.	1.7	58
44	Bioactive Polyphenols Modulate Enzymes Involved in Grapevine Pathogenesis and Chitinase Activity at Increasing Complexity Levels. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6357.	1.8	7
45	Unravelling wine volatile evolution during Shiraz grape ripening by untargeted HS-SPME-GC-MS/MS. <i>Food Chemistry</i> , 2019, 277, 753-765.	4.2	27
46	Measuring the impact of olive pomace enriched biscuits on the gut microbiota and its metabolic activity in mildly hypercholesterolaemic subjects. <i>European Journal of Nutrition</i> , 2019, 58, 63-81.	1.8	59
47	Dual Transcriptome and Metabolic Analysis of <i>Vitis vinifera</i> cv. Pinot Noir Berry and <i>Botrytis cinerea</i> During Quiescence and Egressed Infection. <i>Frontiers in Plant Science</i> , 2019, 10, 1704.	1.7	26
48	Adjusting the scent ratio: using genetically modified <i>Vitis vinifera</i> plants to manipulate European grapevine moth behaviour. <i>Plant Biotechnology Journal</i> , 2018, 16, 264-271.	4.1	46
49	Primary and secondary metabolites as a tool for differentiation of apple juice according to cultivar and geographical origin. <i>LWT - Food Science and Technology</i> , 2018, 90, 238-245.	2.5	24
50	Apple fruit superficial scald resistance mediated by ethylene inhibition is associated with diverse metabolic processes. <i>Plant Journal</i> , 2018, 93, 270-285.	2.8	76
51	<i>Rhodiola rosea</i> , a protective antioxidant for intense physical exercise: An in vitro study. <i>Journal of Functional Foods</i> , 2018, 48, 27-36.	1.6	7
52	A bio-guided approach for the development of a chestnut-based proanthocyanidin-enriched nutraceutical with potential anti-gastritis properties. <i>Pharmacological Research</i> , 2018, 134, 145-155.	3.1	27
53	Adding Flavor to Beverages with Non-Conventional Yeasts. <i>Fermentation</i> , 2018, 4, 15.	1.4	38
54	Towards understanding the varietal typicity of virgin olive oil by correlating sensory and compositional analysis data: a case study. <i>Food Research International</i> , 2018, 112, 78-89.	2.9	27

#	ARTICLE	IF	CITATIONS
55	The metabolomic profile of red non- V. vinifera genotypes. Food Research International, 2017, 98, 10-19.	2.9	17
56	Genotype×environment effect on bioactive compounds in strawberry (<i>Fragaria x</i>) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 702	1.7	35
57	Molecular analysis of the early interaction between the grapevine flower and <i>Botrytis cinerea</i> reveals that prompt activation of specific host pathways leads to fungus quiescence. Plant, Cell and Environment, 2017, 40, 1409-1428.	2.8	44
58	Fine-tuning of the flavonoid and monolignol pathways during apple early fruit development. Planta, 2017, 245, 1021-1035.	1.6	21
59	Lipid, phenol and carotenoid changes in 'Bianca'™ grapevine leaves after mechanical wounding: a case study. Protoplasma, 2017, 254, 2095-2106.	1.0	27
60	Differentiation between Croatian dessert wine Prošek and dry wines based on phenolic composition. Journal of Food Composition and Analysis, 2017, 62, 211-216.	1.9	19
61	Evolution of free and bound volatile aroma compounds and phenols during fermentation of Muscat blanc grape juice with and without skins. Food Chemistry, 2017, 232, 25-35.	4.2	23
62	Development of a fast and cost-effective gas chromatography–mass spectrometry method for the quantification of short-chain and medium-chain fatty acids in human biofluids. Analytical and Bioanalytical Chemistry, 2017, 409, 5555-5567.	1.9	61
63	Identification of Biomarkers for Defense Response to Plasmopara viticola in a Resistant Grape Variety. Frontiers in Plant Science, 2017, 8, 1524.	1.7	65
64	Effects of Commercial Apple Varieties on Human Gut Microbiota Composition and Metabolic Output Using an In Vitro Colonic Model. Nutrients, 2017, 9, 533.	1.7	99
65	Core Microbiota and Metabolome of Vitis vinifera L. cv. Corvina Grapes and Musts. Frontiers in Microbiology, 2017, 8, 457.	1.5	24
66	Regional features of northern Italian sparkling wines, identified using solid-phase micro extraction and comprehensive two-dimensional gas chromatography coupled with time-of-flight mass spectrometry. Food Chemistry, 2016, 208, 68-80.	4.2	56
67	Strawberry tannins inhibit IL-8 secretion in a cell model of gastric inflammation. Pharmacological Research, 2016, 111, 703-712.	3.1	36
68	Homologous and heterologous expression of grapevine E-(¹²)-caryophyllene synthase (VvGwECar2). Phytochemistry, 2016, 131, 76-83.	1.4	12
69	Interference with ethylene perception at receptor level sheds light on auxin and transcriptional circuits associated with the climacteric ripening of apple fruit (<i>Malus x domestica</i> Borkh.). Plant Journal, 2016, 88, 963-975.	2.8	39
70	Determination of cyanidin 3-glucoside in rat brain, liver and kidneys by UPLC/MS-MS and its application to a short-term pharmacokinetic study. Scientific Reports, 2016, 6, 22815.	1.6	67
71	Untangling the wine metabolome by combining untargeted SPME–GCxGC-TOF-MS and sensory analysis to profile Sauvignon blanc co-fermented with seven different yeasts. Metabolomics, 2016, 12, 1.	1.4	74
72	Polyphenols Variation in Fruits of the Susceptible Strawberry Cultivar Alba during Ripening and upon Fungal Pathogen Interaction and Possible Involvement in Unripe Fruit Tolerance. Journal of Agricultural and Food Chemistry, 2016, 64, 1869-1878.	2.4	43

#	ARTICLE	IF	CITATIONS
73	Grapevine colonization by endophytic bacteria shifts secondary metabolism and suggests activation of defense pathways. <i>Plant and Soil</i> , 2016, 405, 155-175.	1.8	46
74	Metabolomic profile in pancreatic cancer patients: a consensus-based approach to identify highly discriminating metabolites. <i>Oncotarget</i> , 2016, 7, 5815-5829.	0.8	68
75	Development of a metabolites risk score for one-year mortality risk prediction in pancreatic adenocarcinoma patients. <i>Oncotarget</i> , 2016, 7, 8968-8978.	0.8	17
76	Is There Room for Improving the Nutraceutical Composition of Apple?. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2750-2759.	2.4	64
77	Early fermentation volatile metabolite profile of non-Saccharomyces yeasts in red and white grape must: A targeted approach. <i>LWT - Food Science and Technology</i> , 2015, 64, 412-422.	2.5	62
78	Overall dietary polyphenol intake in a bowl of strawberries: The influence of <i>Fragaria</i> spp. in nutritional studies. <i>Journal of Functional Foods</i> , 2015, 18, 1057-1069.	1.6	24
79	Regulation of flavonol content and composition in (Syrah—Pinot Noir) mature grapes: integration of transcriptional profiling and metabolic quantitative trait locus analyses. <i>Journal of Experimental Botany</i> , 2015, 66, 4441-4453.	2.4	58
80	Olive Fruit Phenols Transfer, Transformation, and Partition Trail during Laboratory-Scale Olive Oil Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4570-4579.	2.4	29
81	Use of non-conventional yeast improves the wine aroma profile of Ribolla Gialla. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2015, 42, 997-1010.	1.4	44
82	Fate of Microbial Metabolites of Dietary Polyphenols in Rats: Is the Brain Their Target Destination?. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1341-1352.	1.7	118
83	Chemical composition of volatile aroma metabolites and their glycosylated precursors that can uniquely differentiate individual grape cultivars. <i>Food Chemistry</i> , 2015, 188, 309-319.	4.2	65
84	Phenolic Profiling of Olives and Olive Oil Process-Derived Matrices Using UPLC-DAD-ESI-QTOF-HRMS Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3859-3872.	2.4	68
85	A rapid LC-MS/MS method for quantitative profiling of fatty acids, sterols, glycerolipids, glycerophospholipids and sphingolipids in grapes. <i>Talanta</i> , 2015, 140, 52-61.	2.9	82
86	PredRet: Prediction of Retention Time by Direct Mapping between Multiple Chromatographic Systems. <i>Analytical Chemistry</i> , 2015, 87, 9421-9428.	3.2	121
87	Development of a targeted method for twenty-three metabolites related to polyphenol gut microbial metabolism in biological samples, using SPE and UHPLC-ESI-MS/MS. <i>Talanta</i> , 2014, 128, 221-230.	2.9	49
88	Quantitative metabolic profiling of grape, apple and raspberry volatile compounds (VOCs) using a GC/MS/MS method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 966, 132-139.	1.2	57
89	Target metabolite and gene transcription profiling during the development of superficial scald in apple (<i>Malus x domestica</i> Borkh). <i>BMC Plant Biology</i> , 2014, 14, 193.	1.6	69
90	Metabonomic investigation of rat tissues following intravenous administration of cyanidin 3-glucoside at a physiologically relevant dose. <i>Metabolomics</i> , 2013, 9, 88-100.	1.4	20

#	ARTICLE	IF	CITATIONS
91	Use of Metabolic Profiling To Study Grape Skin Polyphenol Behavior as a Result of Canopy Microclimate Manipulation in a "Pinot noir"™ Vineyard. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8976-8986.	2.4	36
92	Early <i>versus</i> late leaf removal strategies for Pinot Noir (<i>Vitis vinifera</i> L.): effect on colour-related phenolics in young wines following alcoholic fermentation. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 3670-3681.	1.7	30
93	Metabolomic Profiling and Sensorial Quality of "Golden Delicious"™, "Liberty"™, "Santana"™, and "Topaz"™ Apples Grown Using Organic and Integrated Production Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6580-6587.	2.4	19
94	Evolution of Ellagitannin Content and Profile during Fruit Ripening in <i>Fragaria</i> spp.. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8597-8607.	2.4	60
95	A Multidisciplinary Approach Providing New Insight into Fruit Flesh Browning Physiology in Apple (<i>Malus x domestica</i> Borkh.). <i>PLoS ONE</i> , 2013, 8, e78004.	1.1	63
96	Quantitative profiling of polar primary metabolites using hydrophilic interaction ultrahigh performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1259, 121-127.	1.8	105
97	Clarifying the Identity of the Main Ellagitannin in the Fruit of the Strawberry, <i>Fragaria vesca</i> and <i>Fragaria ananassa</i> Duch.. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 2507-2516.	2.4	65
98	A Versatile Targeted Metabolomics Method for the Rapid Quantification of Multiple Classes of Phenolics in Fruits and Beverages. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 8831-8840.	2.4	267
99	LC-MS based global metabolite profiling of grapes: solvent extraction protocol optimisation. <i>Metabolomics</i> , 2012, 8, 175-185.	1.4	72
100	Profiling of Resveratrol Oligomers, Important Stress Metabolites, Accumulating in the Leaves of Hybrid <i>Vitis vinifera</i> (Merzling "Teroldego") Genotypes Infected with <i>Plasmopara viticola</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 5364-5375.	2.4	115
101	Exceptionally Fast Uptake and Metabolism of Cyanidin 3-Glucoside by Rat Kidneys and Liver. <i>Journal of Natural Products</i> , 2011, 74, 1049-1054.	1.5	52
102	Resistance to <i>Plasmopara viticola</i> in a grapevine segregating population is associated with stilbenoid accumulation and with specific host transcriptional responses. <i>BMC Plant Biology</i> , 2011, 11, 114.	1.6	103
103	Proanthocyanidin profile and antioxidant capacity of Brazilian <i>Vitis vinifera</i> red wines. <i>Food Chemistry</i> , 2011, 126, 213-220.	4.2	55
104	Wine Pigments: From Your Cup to Your Cells. <i>Journal of Wine Research</i> , 2011, 22, 143-145.	0.9	0
105	Profiling and Accurate Quantification of <i>Rubus</i> Ellagitannins and Ellagic Acid Conjugates Using Direct UPLC-Q-TOF HDMS and HPLC-DAD Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4602-4616.	2.4	125
106	White Wine Phenolics Are Absorbed and Extensively Metabolized in Humans. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2711-2718.	2.4	51
107	Metabolite Profiling of Grape: Flavonols and Anthocyanins. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7692-7702.	2.4	537
108	Stable Free Radicals and Peroxyl Radical Trapping Capacity in Red Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 6151-6155.	2.4	19

#	ARTICLE	IF	CITATIONS
109	Quantitation of Polyphenols in Different Apple Varieties. Journal of Agricultural and Food Chemistry, 2004, 52, 6532-6538.	2.4	388
110	The stomach as a site for anthocyanins absorption from food 1. FEBS Letters, 2003, 544, 210-213.	1.3	267
111	Extraction of Hydroxycinnamoyltartaric Acids from Berries of Different Grape Varieties. Journal of Agricultural and Food Chemistry, 1998, 46, 4203-4208.	2.4	42