

Pascal-Antoine Christin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/618691/pascal-antoine-christin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

5,264
citations

40
h-index

72
g-index

87
ext. papers

6,569
ext. citations

7.6
avg, IF

5.92
L-index

#	Paper	IF	Citations
81	Hybridization boosts dispersal of two contrasted ecotypes in a grass species.. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022 , 289, 20212491	4.4	0
80	Low dispersal and ploidy differences in a grass maintain photosynthetic diversity despite gene flow and habitat overlap. <i>Molecular Ecology</i> , 2021 , 30, 2116-2130	5.7	2
79	Widespread lateral gene transfer among grasses. <i>New Phytologist</i> , 2021 , 230, 2474-2486	9.8	4
78	Sample Sequence Analysis Uncovers Recurrent Horizontal Transfers of Transposable Elements among Grasses. <i>Molecular Biology and Evolution</i> , 2021 , 38, 3664-3675	8.3	3
77	Developmental and biophysical determinants of grass leaf size worldwide. <i>Nature</i> , 2021 , 592, 242-247	50.4	12
76	Lateral Gene Transfer Acts As an Evolutionary Shortcut to Efficient C4 Biochemistry. <i>Molecular Biology and Evolution</i> , 2020 , 37, 3094-3104	8.3	5
75	Phylogenomics indicates the "living fossil" Isoetes diversified in the Cenozoic. <i>PLoS ONE</i> , 2020 , 15, e0227525	3.7	6
74	Contrasted histories of organelle and nuclear genomes underlying physiological diversification in a grass species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20201960	4.4	7
73	Kinetic Modifications of C PEPC Are Qualitatively Convergent, but Larger in Than in. <i>Frontiers in Plant Science</i> , 2020 , 11, 1014	6.2	4
72	The morphogenesis of fast growth in plants. <i>New Phytologist</i> , 2020 , 228, 1306-1315	9.8	2
71	Continued Adaptation of C4 Photosynthesis After an Initial Burst of Changes in the Andropogoneae Grasses. <i>Systematic Biology</i> , 2020 , 69, 445-461	8.4	11
70	The genetics of convergent evolution: insights from plant photosynthesis. <i>Nature Reviews Genetics</i> , 2019 , 20, 485-493	30.1	42
69	Key changes in gene expression identified for different stages of C4 evolution in <i>Alloteropsis semialata</i> . <i>Journal of Experimental Botany</i> , 2019 , 70, 3255-3268	7	9
68	Phylogenomics using low-depth whole genome sequencing: A case study with the olive tribe. <i>Molecular Ecology Resources</i> , 2019 , 19, 877-892	8.4	22
67	Lateral transfers of large DNA fragments spread functional genes among grasses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 4416-4425	11.5	52
66	Population-Specific Selection on Standing Variation Generated by Lateral Gene Transfers in a Grass. <i>Current Biology</i> , 2019 , 29, 3921-3927.e5	6.3	13
65	C anatomy can evolve via a single developmental change. <i>Ecology Letters</i> , 2019 , 22, 302-312	10	20

64	Gene duplication and dosage effects during the early emergence of C4 photosynthesis in the grass genus <i>Alloteropsis</i> . <i>Journal of Experimental Botany</i> , 2018 , 69, 1967-1980	7	17
63	C photosynthesis evolved in warm climates but promoted migration to cooler ones. <i>Ecology Letters</i> , 2018 , 21, 376-383	10	16
62	Highly Expressed Genes Are Preferentially Co-Opted for C4 Photosynthesis. <i>Molecular Biology and Evolution</i> , 2018 , 35, 94-106	8.3	25
61	One-third of the plastid genes evolved under positive selection in PACMAD grasses. <i>Planta</i> , 2018 , 247, 255-266	4.7	50
60	Herbarium genomics retraces the origins of C4-specific carbonic anhydrase in Andropogoneae (Poaceae). <i>Botany Letters</i> , 2018 , 165, 419-433	1.1	7
59	Introgression and repeated co-option facilitated the recurrent emergence of C photosynthesis among close relatives. <i>Evolution; International Journal of Organic Evolution</i> , 2017 , 71, 1541-1555	3.8	32
58	Traces of strong selective pressures in the genomes of C4 grasses. <i>Journal of Experimental Botany</i> , 2017 , 68, 103-105	7	1
57	How did the domestication of Fertile Crescent grain crops increase their yields?. <i>Functional Ecology</i> , 2017 , 31, 387-397	5.6	44
56	The recent and rapid spread of <i>Themeda triandra</i> . <i>Botany Letters</i> , 2017 , 164, 327-337	1.1	12
55	Photosynthesis in C3-C4 intermediate <i>Moricandia</i> species. <i>Journal of Experimental Botany</i> , 2017 , 68, 191-206	3.5	30
54	Despite phylogenetic effects, C3-C4 lineages bridge the ecological gap to C4 photosynthesis. <i>Journal of Experimental Botany</i> , 2017 , 68, 241-254	7	22
53	Genome biogeography reveals the intraspecific spread of adaptive mutations for a complex trait. <i>Molecular Ecology</i> , 2016 , 25, 6107-6123	5.7	35
52	C4 photosynthesis boosts growth by altering physiology, allocation and size. <i>Nature Plants</i> , 2016 , 2, 16038.5	3.5	52
51	Evolutionary implications of C3 -C4 intermediates in the grass <i>Alloteropsis semialata</i> . <i>Plant, Cell and Environment</i> , 2016 , 39, 1874-85	8.4	43
50	Determinants of flammability in savanna grass species. <i>Journal of Ecology</i> , 2016 , 104, 138-148	6	82
49	Phylogeny and generic delimitation in Molluginaceae, new pigment data in Caryophyllales, and the new family Corbichoniaceae. <i>Taxon</i> , 2016 , 65, 775-793	0.8	29
48	Genetic enablers underlying the clustered evolutionary origins of C4 photosynthesis in angiosperms. <i>Molecular Biology and Evolution</i> , 2015 , 32, 846-58	8.3	46
47	Were Fertile Crescent crop progenitors higher yielding than other wild species that were never domesticated?. <i>New Phytologist</i> , 2015 , 207, 905-13	9.8	15

46	Photosynthetic innovation broadens the niche within a single species. <i>Ecology Letters</i> , 2015 , 18, 1021-9	10	52
45	Fire ecology of C3 and C4 grasses depends on evolutionary history and frequency of burning but not photosynthetic type. <i>Ecology</i> , 2015 , 96, 2679-91	4.6	45
44	Molecular dating, evolutionary rates, and the age of the grasses. <i>Systematic Biology</i> , 2014 , 63, 153-65	8.4	128
43	The evolutionary ecology of C4 plants. <i>New Phytologist</i> , 2014 , 204, 765-81	9.8	69
42	Shared origins of a key enzyme during the evolution of C4 and CAM metabolism. <i>Journal of Experimental Botany</i> , 2014 , 65, 3609-21	7	59
41	Deconstructing Kranz anatomy to understand C4 evolution. <i>Journal of Experimental Botany</i> , 2014 , 65, 3357-69	7	70
40	On the disintegration of Molluginaceae: a new genus and family (Kewa, Kewaceae) segregated from Hypertelis, and placement of Macarthuria in Macarthuraceae. <i>Phytotaxa</i> , 2014 , 181, 238	0.7	16
39	C4 photosynthesis promoted species diversification during the Miocene grassland expansion. <i>PLoS ONE</i> , 2014 , 9, e97722	3.7	73
38	From museums to genomics: old herbarium specimens shed light on a C3 to C4 transition. <i>Journal of Experimental Botany</i> , 2014 , 65, 6711-21	7	66
37	Stability-activity tradeoffs constrain the adaptive evolution of RubisCO. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 2223-8	11.5	108
36	The recurrent assembly of C4 photosynthesis, an evolutionary tale. <i>Photosynthesis Research</i> , 2013 , 117, 163-75	3.7	35
35	Anatomical enablers and the evolution of C4 photosynthesis in grasses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1381-6	11.5	173
34	Phylogenomics and taxonomy of Lecomtelleae (Poaceae), an isolated panicoid lineage from Madagascar. <i>Annals of Botany</i> , 2013 , 112, 1057-66	4.1	42
33	Parallel recruitment of multiple genes into c4 photosynthesis. <i>Genome Biology and Evolution</i> , 2013 , 5, 2174-87	3.9	49
32	Adaptive evolution of C(4) photosynthesis through recurrent lateral gene transfer. <i>Current Biology</i> , 2012 , 22, 445-9	6.3	96
31	Effect of genetic convergence on phylogenetic inference. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 62, 921-7	4.1	14
30	Photosynthetic pathway and ecological adaptation explain stomatal trait diversity amongst grasses. <i>New Phytologist</i> , 2012 , 193, 387-96	9.8	90
29	New grass phylogeny resolves deep evolutionary relationships and discovers C4 origins. <i>New Phytologist</i> , 2012 , 193, 304-12	9.8	334

28	Multiple photosynthetic transitions, polyploidy, and lateral gene transfer in the grass subtribe Neurachninae. <i>Journal of Experimental Botany</i> , 2012 , 63, 6297-308	7	40
27	The C(4) plant lineages of planet Earth. <i>Journal of Experimental Botany</i> , 2011 , 62, 3155-69	7	390
26	Seasonal Net Ecosystem Carbon Exchange of a Regenerating Cutaway Bog: How Long Does it Take to Restore the C-Sequestration Function?. <i>Restoration Ecology</i> , 2011 , 19, 480-489	3.1	33
25	Complex evolutionary transitions and the significance of c(3)-c(4) intermediate forms of photosynthesis in Molluginaceae. <i>Evolution; International Journal of Organic Evolution</i> , 2011 , 65, 643-60	3.8	97
24	Contemporaneous and recent radiations of the world's major succulent plant lineages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 8379-84	11.5	314
23	Molecular phylogenies disprove a hypothesized C4 reversion in <i>Eragrostis walteri</i> (Poaceae). <i>Annals of Botany</i> , 2011 , 107, 321-5	4.1	21
22	C(4) eudicots are not younger than C(4) monocots. <i>Journal of Experimental Botany</i> , 2011 , 62, 3171-81	7	86
21	The origins of C4 grasslands: integrating evolutionary and ecosystem science. <i>Science</i> , 2010 , 328, 587-91	33.3	698
20	Evolutionary genomics of C4 photosynthesis in grasses requires a large species sampling. <i>Comptes Rendus - Biologies</i> , 2010 , 333, 577-81	1.4	5
19	Can phylogenetics identify C(4) origins and reversals?. <i>Trends in Ecology and Evolution</i> , 2010 , 25, 403-9	10.9	63
18	Causes and evolutionary significance of genetic convergence. <i>Trends in Genetics</i> , 2010 , 26, 400-5	8.5	132
17	Phylogenomics of C(4) photosynthesis in sedges (Cyperaceae): multiple appearances and genetic convergence. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1909-19	8.3	115
16	Phylogenetics of <i>Olea</i> (Oleaceae) based on plastid and nuclear ribosomal DNA sequences: tertiary climatic shifts and lineage differentiation times. <i>Annals of Botany</i> , 2009 , 104, 143-60	4.1	100
15	Integrating phylogeny into studies of C4 variation in the grasses. <i>Plant Physiology</i> , 2009 , 149, 82-7	6.6	67
14	Two independent C4 origins in Aristidoideae (Poaceae) revealed by the recruitment of distinct phosphoenolpyruvate carboxylase genes. <i>American Journal of Botany</i> , 2009 , 96, 2234-9	2.7	31
13	Evolutionary insights on C4 photosynthetic subtypes in grasses from genomics and phylogenetics. <i>Genome Biology and Evolution</i> , 2009 , 1, 221-30	3.9	53
12	Evolution of C(4) phosphoenolpyruvate carboxykinase in grasses, from genotype to phenotype. <i>Molecular Biology and Evolution</i> , 2009 , 26, 357-65	8.3	54
11	The influence of environmental spatial structure on the life-history traits and diversity of species in a metacommunity. <i>Ecological Modelling</i> , 2009 , 220, 2857-2864	3	16

10	Thlaspi caerulescens (Brassicaceae) population genetics in western Switzerland: is the genetic structure affected by natural variation of soil heavy metal concentrations?. <i>New Phytologist</i> , 2009 , 181, 974-984	9.8	28
9	Genome-wide association to fine-scale ecological heterogeneity within a continuous population of <i>Biscutella laevigata</i> (Brassicaceae). <i>New Phytologist</i> , 2008 , 178, 436-447	9.8	58
8	Oligocene CO2 decline promoted C4 photosynthesis in grasses. <i>Current Biology</i> , 2008 , 18, 37-43	6.3	268
7	Evolutionary switch and genetic convergence on <i>rbcL</i> following the evolution of C4 photosynthesis. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2361-8	8.3	102
6	Spatial genetic structure in the Laperrine's olive (<i>Olea europaea</i> subsp. <i>laperrinei</i>), a long-living tree from the central Saharan mountains. <i>Heredity</i> , 2007 , 99, 649-57	3.6	32
5	Can microsatellite data allow identification of oleaster Plio-Pleistocene refuge zones in the Mediterranean Basin?. <i>Journal of Biogeography</i> , 2007 , 34, 559-560	4.1	2
4	C4 Photosynthesis evolved in grasses via parallel adaptive genetic changes. <i>Current Biology</i> , 2007 , 17, 1241-7	6.3	159
3	Widespread lateral gene transfer among grasses		1
2	Phylogenomics supports a Cenozoic rediversification of the living fossil Isoetes		1
1	Hybridisation boosts dispersal of two contrasted ecotypes in a grass species		1