Miguel A Gonzalez-Gay

List of Publications by Citations

 $\textbf{Source:} \ \text{https://exaly.com/author-pdf/} 6187873/miguel-a-gonzalez-gay-publications-by-citations.pdf$

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

537	20,676	79	124
papers	citations	h-index	g-index
634	24,924	4.4	6.62
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
537	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
536	Identification of multiple risk variants for ankylosing spondylitis through high-density genotyping of immune-related loci. <i>Nature Genetics</i> , 2013 , 45, 730-8	36.3	551
535	High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , 2012 , 44, 1336-40	36.3	436
534	Epidemiology of giant cell arteritis and polymyalgia rheumatica. Arthritis and Rheumatism, 2009, 61, 14	54-61	327
533	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. <i>Nature Genetics</i> , 2010 , 42, 426-9	36.3	301
532	Henoch-Schälein purpura in adulthood and childhood: two different expressions of the same syndrome. <i>Arthritis and Rheumatism</i> , 1997 , 40, 859-64		289
531	HLA-DRB1 and persistent chronic inflammation contribute to cardiovascular events and cardiovascular mortality in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 125-	32	271
530	Permanent visual loss and cerebrovascular accidents in giant cell arteritis: predictors and response to treatment. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1497-504		266
529	Leptin in the interplay of inflammation, metabolism and immune system disorders. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 100-109	8.1	259
528	Visual manifestations of giant cell arteritis. Trends and clinical spectrum in 161 patients. <i>Medicine</i> (<i>United States</i>), 2000 , 79, 283-92	1.8	243
527	Rheumatoid arthritis: a disease associated with accelerated atherogenesis. <i>Seminars in Arthritis and Rheumatism</i> , 2005 , 35, 8-17	5.3	237
526	Association of a functional single-nucleotide polymorphism of PTPN22, encoding lymphoid protein phosphatase, with rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005 , 52, 219-24		234
525	High prevalence of subclinical atherosclerosis in psoriatic arthritis patients without clinically evident cardiovascular disease or classic atherosclerosis risk factors. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1074-80		198
524	Carotid intima-media thickness predicts the development of cardiovascular events in patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2009 , 38, 366-71	5.3	187
523	Giant cell arteritis: disease patterns of clinical presentation in a series of 240 patients. <i>Medicine</i> (United States), 2005 , 84, 269-276	1.8	187
522	Henoch-Schfilein purpura in children from northwestern Spain: a 20-year epidemiologic and clinical study. <i>Medicine (United States)</i> , 2001 , 80, 279-90	1.8	185
521	Increased prevalence of severe subclinical atherosclerotic findings in long-term treated rheumatoid arthritis patients without clinically evident atherosclerotic disease. <i>Medicine (United States)</i> , 2003 , 82, 407-13	1.8	174

520	Obesity, Fat Mass and Immune System: Role for Leptin. Frontiers in Physiology, 2018, 9, 640	4.6	166
519	Major histocompatibility complex associations of ankylosing spondylitis are complex and involve further epistasis with ERAP1. <i>Nature Communications</i> , 2015 , 6, 7146	17.4	164
518	Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. <i>PLoS Genetics</i> , 2011 , 7, e1002178	6	164
517	Could HLA-DRB1 be the protective locus in rheumatoid arthritis?. <i>Trends in Immunology</i> , 1995 , 16, 274-8		164
516	High-grade C-reactive protein elevation correlates with accelerated atherogenesis in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1219-23	4.1	160
515	Biopsy-negative giant cell arteritis: clinical spectrum and predictive factors for positive temporal artery biopsy. <i>Seminars in Arthritis and Rheumatism</i> , 2001 , 30, 249-56	5.3	158
514	Endothelial dysfunction in psoriatic arthritis patients without clinically evident cardiovascular disease or classic atherosclerosis risk factors. <i>Arthritis and Rheumatism</i> , 2007 , 57, 287-93		156
513	Aortic aneurysm and dissection in patients with biopsy-proven giant cell arteritis from northwestern Spain: a population-based study. <i>Medicine (United States)</i> , 2004 , 83, 335-341	1.8	155
512	Systemic vasculitis in adults in northwestern Spain, 1988-1997. Clinical and epidemiologic aspects. <i>Medicine (United States)</i> , 1999 , 78, 292-308	1.8	155
511	Active but transient improvement of endothelial function in rheumatoid arthritis patients undergoing long-term treatment with anti-tumor necrosis factor alpha antibody. <i>Arthritis and Rheumatism</i> , 2004 , 51, 447-50		152
510	Immunochip analysis identifies multiple susceptibility loci for systemic sclerosis. <i>American Journal of Human Genetics</i> , 2014 , 94, 47-61	11	151
509	Carotid ultrasound is useful for the cardiovascular risk stratification of patients with rheumatoid arthritis: results of a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 722-7	2.4	149
508	The epidemiology of the primary systemic vasculitides in northwest Spain: implications of the Chapel Hill Consensus Conference definitions. <i>Arthritis and Rheumatism</i> , 2003 , 49, 388-93		147
507	Epidemiology of the vasculitides. Rheumatic Disease Clinics of North America, 2001, 27, 729-49	2.4	147
506	Strokes at time of disease diagnosis in a series of 287 patients with biopsy-proven giant cell arteritis. <i>Medicine (United States)</i> , 2009 , 88, 227-235	1.8	146
505	HLA-DRB1 status affects endothelial function in treated patients with rheumatoid arthritis. <i>American Journal of Medicine</i> , 2003 , 114, 647-52	2.4	138
504	Henoch-Schilein purpura in children and adults: clinical differences in a defined population. <i>Seminars in Arthritis and Rheumatism</i> , 2002 , 32, 149-56	5.3	135
503	Fine mapping seronegative and seropositive rheumatoid arthritis to shared and distinct HLA alleles by adjusting for the effects of heterogeneity. <i>American Journal of Human Genetics</i> , 2014 , 94, 522-32	11	132

502	Impact of risk factors associated with cardiovascular outcomes in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 48-54	2.4	131
501	Giant cell arteritis in northwestern Spain: a 25-year epidemiologic study. <i>Medicine (United States)</i> , 2007 , 86, 61-68	1.8	124
500	Influence of traditional risk factors of atherosclerosis in the development of severe ischemic complications in giant cell arteritis. <i>Medicine (United States)</i> , 2004 , 83, 342-347	1.8	124
499	Genetic markers of disease susceptibility and severity in giant cell arteritis and polymyalgia rheumatica. <i>Seminars in Arthritis and Rheumatism</i> , 2003 , 33, 38-48	5.3	120
498	Polymyalgia rheumatica. <i>Lancet, The</i> , 2017 , 390, 1700-1712	40	116
497	Rheumatoid arthritis and metabolic syndrome. <i>Nature Reviews Rheumatology</i> , 2014 , 10, 691-6	8.1	114
496	Protection against anti-citrullinated protein antibody-positive rheumatoid arthritis is predominantly associated with HLA-DRB1*1301: a meta-analysis of HLA-DRB1 associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative		114
495	rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1236-45 Giant cell arteritis: laboratory tests at the time of diagnosis in a series of 240 patients. <i>Medicine</i> (<i>United States</i>), 2005 , 84, 277-290	1.8	110
494	Association of the C8orf13-BLK region with systemic sclerosis in North-American and European populations. <i>Journal of Autoimmunity</i> , 2010 , 34, 155-62	15.5	108
493	TNFA -308 (rs1800629) polymorphism is associated with a higher risk of cardiovascular disease in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 216, 125-30	3.1	105
492	Carotid intima media thickness in rheumatoid arthritis as compared to control subjects: a meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2011 , 40, 389-97	5.3	105
491	The high prevalence of subclinical atherosclerosis in patients with ankylosing spondylitis without clinically evident cardiovascular disease. <i>Medicine (United States)</i> , 2009 , 88, 358-365	1.8	102
490	Cardiovascular risk stratification in rheumatic diseases: carotid ultrasound is more sensitive than Coronary Artery Calcification Score to detect subclinical atherosclerosis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1764-70	2.4	101
489	Insulin resistance in rheumatoid arthritis: the impact of the anti-TNF-alpha therapy. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1193, 153-9	6.5	100
488	Anti-Interleukin-6 Receptor Tocilizumab for Severe Juvenile Idiopathic Arthritis-Associated Uveitis Refractory to Anti-Tumor Necrosis Factor Therapy: A Multicenter Study of Twenty-Five Patients. <i>Arthritis and Rheumatology</i> , 2017 , 69, 668-675	9.5	97
487	Comparative clinical and epidemiological study of hypersensitivity vasculitis versus Henoch-Schilein purpura in adults. <i>Seminars in Arthritis and Rheumatism</i> , 1999 , 28, 404-12	5.3	97
486	A large-scale genetic analysis reveals a strong contribution of the HLA class II region to giant cell arteritis susceptibility. <i>American Journal of Human Genetics</i> , 2015 , 96, 565-80	11	96
485	Clinical outcomes of hospitalised patients with COVID-19 and chronic inflammatory and autoimmune rheumatic diseases: a multicentric matched cohort study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1544-1549	2.4	96

(2020-2009)

484	A loss-of-function variant of PTPN22 is associated with reduced risk of systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2009 , 18, 569-79	5.6	92
483	Henoch-Schölein purpura in northern Spain: clinical spectrum of the disease in 417 patients from a single center. <i>Medicine (United States)</i> , 2014 , 93, 106-113	1.8	91
482	Clinical Spectrum Time Course in Anti Jo-1 Positive Antisynthetase Syndrome: Results From an International Retrospective Multicenter Study. <i>Medicine (United States)</i> , 2015 , 94, e1144	1.8	91
481	Systemic sclerosis in northwestern Spain: a 19-year epidemiologic study. <i>Medicine (United States)</i> , 2008 , 87, 272-280	1.8	91
480	Critical role of interleukin (IL)-17 in inflammatory and immune disorders: An updated review of the evidence focusing in controversies. <i>Autoimmunity Reviews</i> , 2020 , 19, 102429	13.6	91
479	Validated methods for assessment of subclinical atherosclerosis in rheumatology. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 224-34	8.1	90
47 ⁸	Erythema nodosum: etiologic and predictive factors in a defined population. <i>Arthritis and Rheumatism</i> , 2000 , 43, 584-92		90
477	Relapses and recurrences in giant cell arteritis: a population-based study of patients with biopsy-proven disease from northwestern Spain. <i>Medicine (United States)</i> , 2011 , 90, 186-193	1.8	89
476	Association of STAT4 with rheumatoid arthritis: a replication study in three European populations. <i>Arthritis and Rheumatism</i> , 2008 , 58, 1974-80		85
475	Short-term improvement of endothelial function in rituximab-treated rheumatoid arthritis patients refractory to tumor necrosis factor alpha blocker therapy. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1821-4		85
474	Echocardiographic and Doppler findings in long-term treated rheumatoid arthritis patients without clinically evident cardiovascular disease. <i>Seminars in Arthritis and Rheumatism</i> , 2004 , 33, 231-8	5.3	85
473	Efficacy of tocilizumab in conventional treatment-refractory adult-onset Still@disease: multicenter retrospective open-label study of thirty-four patients. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1659-65	9.5	84
472	Cardiovascular safety findings in patients with rheumatoid arthritis treated with tofacitinib, an oral Janus kinase inhibitor. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 261-271	5.3	84
471	Cardiovascular Safety During Treatment With Baricitinib in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1042-1055	9.5	82
470	A systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. <i>Human Molecular Genetics</i> , 2013 , 22, 4021-9	5.6	81
469	Tocilizumab in giant cell arteritis: Multicenter open-label study of 22 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 717-23	5.3	80
468	Cardiovascular morbidity and associated risk factors in Spanish patients with chronic inflammatory rheumatic diseases attending rheumatology clinics: Baseline data of the CARMA Project. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 618-26	5.3	80
467	Prevalence of hospital PCR-confirmed COVID-19 cases in patients with chronic inflammatory and autoimmune rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1170-1173	2.4	79

Adipokines and inflammation: is it a question of weight?. British Journal of Pharmacology, 2018, 175, 1569:657979 466 Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter 465 5.3 79 study of 63 patients. Seminars in Arthritis and Rheumatism, 2018, 48, 22-27 Can suppression of inflammation by anti-TNF prevent progression of subclinical atherosclerosis in 464 3.9 79 inflammatory arthritis?. Rheumatology, 2014, 53, 1108-19 Correlation between endothelial function and carotid atherosclerosis in rheumatoid arthritis 463 5.7 79 patients with long-standing disease. Arthritis Research and Therapy, 2011, 13, R101 Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association 462 5.6 79 Study follow-up. Human Molecular Genetics, 2012, 21, 2825-35 Cardiovascular risk assessment in patients with rheumatoid arthritis: The relevance of clinical, 461 78 13.6 genetic and serological markers. Autoimmunity Reviews, 2016, 15, 1013-1030 Adipokines: Linking metabolic syndrome, the immune system, and arthritic diseases. Biochemical 460 6 76 Pharmacology, **2019**, 165, 196-206 High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid 459 2.4 76 arthritis risk loci. Annals of the Rheumatic Diseases, 2015, 74, e13 Anti-TNF-Itherapy in patients with refractory uveitis due to Behilt@ disease: a 1-year follow-up 458 3.9 75 study of 124 patients. Rheumatology, 2014, 53, 2223-31 Rheumatic manifestations of infective endocarditis in non-addicts. A 12-year study. Medicine 1.8 457 74 (United States), 2001, 80, 9-19 Effect of anti-tumor necrosis factor alpha therapy on the progression of subclinical atherosclerosis 456 71 in severe rheumatoid arthritis. Arthritis and Rheumatism, 2006, 55, 150-3 Adult-onset Still@ disease: Advances in the treatment. Best Practice and Research in Clinical 455 70 5.3 Rheumatology, **2016**, 30, 222-238 Cardiovascular disease in inflammatory rheumatic diseases. Best Practice and Research in Clinical 69 454 5.3 Rheumatology, 2016, 30, 851-869 Giant cell arteritis: epidemiology, diagnosis, and management. Current Rheumatology Reports, 2010, 68 453 4.9 12, 436-42 Association of giant cell arteritis and polymyalgia rheumatica with different tumor necrosis factor 67 452 microsatellite polymorphisms. Arthritis and Rheumatism, 2000, 43, 1749-55 Analysis of a functional BTNL2 polymorphism in type 1 diabetes, rheumatoid arthritis, and systemic 2.3 65 451 lupus erythematosus. Human Immunology, 2005, 66, 1235-41 NFKB1-94ATTG ins/del polymorphism (rs28362491) is associated with cardiovascular disease in 64 450 3.1 patients with rheumatoid arthritis. Atherosclerosis, 2012, 224, 426-9 Genetic component of giant cell arteritis. Rheumatology, 2014, 53, 6-18 449 62 3.9

(2012-2010)

448	A1298C polymorphism in the MTHFR gene predisposes to cardiovascular risk in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R71	5.7	62	
447	A replication study confirms the association of TNFSF4 (OX40L) polymorphisms with systemic sclerosis in a large European cohort. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 638-41	2.4	61	
446	HO-1 promoter polymorphism associated with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3953-8		61	
445	Audiovestibular manifestations in giant cell arteritis: a prospective study. <i>Medicine (United States)</i> , 2003 , 82, 13-26	1.8	61	
444	Effects of tofacitinib and other DMARDs on lipid profiles in rheumatoid arthritis: implications for the rheumatologist. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 71-80	5.3	61	
443	The PTPN22 R263Q polymorphism is a risk factor for rheumatoid arthritis in Caucasian case-control samples. <i>Arthritis and Rheumatism</i> , 2011 , 63, 365-72		59	
442	Risk factors and predictive models of giant cell arteritis in polymyalgia rheumatica. <i>American Journal of Medicine</i> , 1997 , 102, 331-6	2.4	59	
441	Anti-TNF-Itherapy in refractory uveitis associated with sarcoidosis: Multicenter study of 17 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 361-8	5.3	58	
440	Cutaneous vasculitis as a paraneoplastic syndrome in adults. Arthritis and Rheumatism, 1998, 41, 1133-5	5	57	
439	Golimumab in refractory uveitis related to spondyloarthritis. Multicenter study of 15 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 95-101	5.3	57	
438	A functional variant of vascular endothelial growth factor is associated with severe ischemic complications in giant cell arteritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1737-41	4.1	57	
437	Metabolic syndrome in rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2013 , 2013, 710928	4.3	56	
436	Prevalence of hepatitis C serum antibody in autoimmune diseases. <i>Journal of Autoimmunity</i> , 2009 , 32, 261-6	15.5	56	
435	Recommendations for the management of cardiovascular risk in patients with rheumatoid arthritis: scientific evidence and expert opinion. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 1-8	5.3	55	
434	Anti-interleukin 6 receptor tocilizumab in refractory uveitis associated with Behlet disease: multicentre retrospective study. <i>Rheumatology</i> , 2018 , 57, 856-864	3.9	53	
433	Confirmation of TNIP1 but not RHOB and PSORS1C1 as systemic sclerosis risk factors in a large independent replication study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 602-7	2.4	51	
432	Genetics of immunoglobulin-A vasculitis (Henoch-Schilein purpura): An updated review. <i>Autoimmunity Reviews</i> , 2018 , 17, 301-315	13.6	50	
431	Particle repositioning maneuver versus Brandt-Daroff exercise for treatment of unilateral idiopathic BPPV of the posterior semicircular canal: a randomized prospective clinical trial with short- and long-term outcome. <i>Otology and Neurotology</i> , 2012 , 33, 1401-7	2.6	50	

430	Anti-IL6-Receptor Tocilizumab in Refractory and Noninfectious Uveitic Cystoid Macular Edema: Multicenter Study of 25 Patients. <i>American Journal of Ophthalmology</i> , 2019 , 200, 85-94	4.9	49
429	A genome-wide association study of rheumatoid arthritis without antibodies against citrullinated peptides. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e15	2.4	49
428	Tocilizumab in refractory aortitis: study on 16 patients and literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S79-89	2.2	49
427	Serum Jo-1 Autoantibody and Isolated Arthritis in the Antisynthetase Syndrome: Review of the Literature and Report of the Experience of AENEAS Collaborative Group. <i>Clinical Reviews in Allergy and Immunology</i> , 2017 , 52, 71-80	12.3	48
426	Clinical features and outcomes of COVID-19 in patients with rheumatic diseases treated with biological and synthetic targeted therapies. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 988-990	2.4	48
425	New insight on the Xq28 association with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 2032-8	2.4	48
424	Asymptomatic hyperuricemia and serum uric acid concentration correlate with subclinical atherosclerosis in psoriatic arthritis patients without clinically evident cardiovascular disease. <i>Seminars in Arthritis and Rheumatism</i> , 2009 , 39, 157-62	5.3	48
423	Influence of Antisynthetase Antibodies Specificities on Antisynthetase Syndrome Clinical Spectrum Time Course. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	48
422	Relapses in patients with Henoch-Schilein purpura: Analysis of 417 patients from a single center. <i>Medicine (United States)</i> , 2016 , 95, e4217	1.8	46
421	Analysis of IRF5 gene functional polymorphisms in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3815-9		46
420	Meta-analysis of Immunochip data of four autoimmune diseases reveals novel single-disease and cross-phenotype associations. <i>Genome Medicine</i> , 2018 , 10, 97	14.4	46
419	Identification of a new putative functional IL18 gene variant through an association study in systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2009 , 18, 3739-48	5.6	45
418	Genetic epidemiology. Giant cell arteritis and polymyalgia rheumatica. Arthritis Research, 2001, 3, 154-7		45
417	The spectrum of paraneoplastic cutaneous vasculitis in a defined population: incidence and clinical features. <i>Medicine (United States)</i> , 2013 , 92, 331-343	1.8	44
416	Systemic lupus erythematosus in northwestern Spain: a 20-year epidemiologic study. <i>Medicine</i> (United States), 2011 , 90, 350-358	1.8	44
4 ¹ 5	Study of functional variants of the BANK1 gene in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 60, 372-9		44
414	A Genome-wide Association Study Identifies Risk Alleles in Plasminogen and P4HA2 Associated with Giant Cell Arteritis. <i>American Journal of Human Genetics</i> , 2017 , 100, 64-74	11	43
413	The erythrocyte sedimentation rate is associated with the development of visual complications in biopsy-proven giant cell arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2008 , 38, 116-23	5.3	42

(1996-2005)

412	Calcium pyrophosphate deposition disease mimicking polymyalgia rheumatica: a prospective followup study of predictive factors for this condition in patients presenting with polymyalgia symptoms. <i>Arthritis and Rheumatism</i> , 2005 , 53, 931-8		42	
411	Polymorphism of the MHC class II Eb gene determines the protection against collagen-induced arthritis. <i>Immunogenetics</i> , 1995 , 42, 35-40	3.2	42	
410	Biomechanics, obesity, and osteoarthritis. The role of adipokines: When the levee breaks. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 594-604	3.8	41	
409	Molecular Relationships among Obesity, Inflammation and Intervertebral Disc Degeneration: Are Adipokines the Common Link?. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	41	
408	Anti-tumor necrosis factor-alpha therapy improves endothelial function and arterial stiffness in patients with moderate to severe psoriasis: A 6-month prospective study. <i>Journal of Dermatology</i> , 2016 , 43, 1267-1272	1.6	41	
407	Giant cell arteritis and polymyalgia rheumatica: an update. Current Rheumatology Reports, 2015, 17, 6	4.9	41	
406	Anti-TNF-alpha-adalimumab therapy is associated with persistent improvement of endothelial function without progression of carotid intima-media wall thickness in patients with rheumatoid arthritis refractory to conventional therapy. <i>Mediators of Inflammation</i> , 2012 , 2012, 674265	4.3	41	
405	Association of a CD24 gene polymorphism with susceptibility to systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3080-6		41	
404	Association of FCGR2A and FCGR2A-FCGR3A haplotypes with susceptibility to giant cell arteritis. <i>Arthritis Research and Therapy</i> , 2006 , 8, R109	5.7	40	
403	The diagnosis and management of patients with giant cell arteritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1186-8	4.1	40	
402	A combined large-scale meta-analysis identifies COG6 as a novel shared risk locus for rheumatoid arthritis and systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 286-294	2.4	39	
401	Cardiovascular disease in rheumatoid arthritis. <i>Biomedicine and Pharmacotherapy</i> , 2006 , 60, 673-7	7.5	39	
400	Human leukocyte antigen-DRB1*1502 (DR2Dw12) transgene reduces incidence and severity of arthritis in mice. <i>Human Immunology</i> , 1996 , 50, 54-60	2.3	39	
399	Golimumab as rescue therapy for refractory immune-mediated uveitis: a three-center experience. <i>Mediators of Inflammation</i> , 2014 , 2014, 717598	4.3	38	
398	Urticarial vasculitis in northern Spain: clinical study of 21 cases. <i>Medicine (United States)</i> , 2014 , 93, 53-60	1.8	38	
397	Clinical follow-up predictors of disease pattern change in anti-Jo1 positive anti-synthetase syndrome: Results from a multicenter, international and retrospective study. <i>Autoimmunity Reviews</i> , 2017 , 16, 253-257	13.6	37	
396	HLA and non-HLA genes in Behlet disease: a multicentric study in the Spanish population. <i>Arthritis Research and Therapy</i> , 2013 , 15, R145	5.7	36	
395	Acute febrile toxic reaction in patients with refractory rheumatoid arthritis who are receiving combined therapy with methotrexate and azathioprine. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1016-20		36	

394	Comparative Study of Infliximab Versus Adalimumab in Refractory Uveitis due to Behët@ Disease: National Multicenter Study of 177 Cases. <i>Arthritis and Rheumatology</i> , 2019 , 71, 2081-2089	9.5	35
393	Giant cell arteritis without clinically evident vascular involvement in a defined population. <i>Arthritis and Rheumatism</i> , 2004 , 51, 274-7		35
392	Analysis of the common genetic component of large-vessel vasculitides through a meta-Immunochip strategy. <i>Scientific Reports</i> , 2017 , 7, 43953	4.9	34
391	Genetics of vasculitis. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 10-7	5.3	34
390	Atherosclerosis in patients with biopsy-proven giant cell arteritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1481-6		34
389	Fever in biopsy-proven giant cell arteritis: clinical implications in a defined population. <i>Arthritis and Rheumatism</i> , 2004 , 51, 652-5		34
388	Tocilizumab in uveitis refractory to other biologic drugs: a study of 3 cases and a literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S54-7	2.2	34
387	SCORE and REGICOR function charts underestimate the cardiovascular risk in Spanish patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R91	5.7	33
386	CCR5B2 variant and cardiovascular disease in patients with rheumatoid arthritis: a cohort study. <i>Arthritis Research and Therapy</i> , 2011 , 13, R133	5.7	33
385	Successful Optimization of Adalimumab Therapy in Refractory Uveitis Due to Behato Disease. <i>Ophthalmology</i> , 2018 , 125, 1444-1451	7.3	32
384	Increased prevalence of subclinical atherosclerosis in patients with hidradenitis suppurativa (HS). <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 329-35	4.5	32
383	Predictors of positive F-FDG PET/CT-scan for large vessel vasculitis in patients with persistent polymyalgia rheumatica. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 720-727	5.3	32
382	Risk factors associated with renal lithiasis during uricosuric treatment of hyperuricemia in patients with gout. <i>Arthritis Care and Research</i> , 2010 , 62, 1299-305	4.7	32
381	Lack of echocardiographic and Doppler abnormalities in psoriatic arthritis patients without clinically evident cardiovascular disease or classic atherosclerosis risk factors. <i>Seminars in Arthritis and Rheumatism</i> , 2006 , 35, 333-9	5.3	32
380	Study of association of CD40-CD154 gene polymorphisms with disease susceptibility and cardiovascular risk in Spanish rheumatoid arthritis patients. <i>PLoS ONE</i> , 2012 , 7, e49214	3.7	32
379	Tocilizumab in giant cell arteritis. Observational, open-label multicenter study of 134 patients in clinical practice. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, 126-135	5.3	32
378	A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017 , 7, 5088	4.9	31
377	HLA-B35 association with nephritis in Henoch-Schfilein purpura. <i>Journal of Rheumatology</i> , 2002 , 29, 948-9	4.1	31

(2013-2015)

376	Hill Consensus Conference Nomenclature of Vasculitides: a study of 60 patients from a series of 766 cutaneous vasculitis cases. <i>Rheumatology</i> , 2015 , 54, 77-82	3.9	30	
375	IgA Vasculitis: Genetics and Clinical and Therapeutic Management. <i>Current Rheumatology Reports</i> , 2018 , 20, 24	4.9	30	
374	Short-term improvement following dry needle stimulation of tender points in fibromyalgia. <i>Rheumatology International</i> , 2014 , 34, 861-6	3.6	30	
373	An audit of the variability of diagnosis and management of gout in the rheumatology setting: the gout evaluation and management study. <i>Journal of Clinical Rheumatology</i> , 2011 , 17, 349-55	1.1	30	
372	Cancer in biopsy-proven giant cell arteritis. A population-based study. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 156-63	5.3	30	
371	Interleukin 12 (IL12B) and interleukin 12 receptor (IL12RB1) gene polymorphisms in rheumatoid arthritis. <i>Human Immunology</i> , 2005 , 66, 710-5	2.3	30	
370	Association between functional haplotypes of vascular endothelial growth factor and renal complications in Henoch-Schülein purpura. <i>Journal of Rheumatology</i> , 2006 , 33, 69-73	4.1	30	
369	Clinical association between Kikuchi?s disease and systemic lupus erythematosus: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 46-52	5.3	29	
368	Aplasia cutis congenita in a defined population from northwest Spain. <i>Pediatric Dermatology</i> , 2006 , 23, 528-32	1.9	29	
367	Tocilizumab in patients with Takayasu arteritis: a retrospective study and literature review. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S44-53	2.2	29	
366	Timing of onset affects arthritis presentation pattern in antisyntethase syndrome. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 44-49	2.2	29	
365	Adipokines, biomarkers of endothelial activation, and metabolic syndrome in patients with ankylosing spondylitis. <i>BioMed Research International</i> , 2014 , 2014, 860651	3	28	
364	Implication of IL-2/IL-21 region in systemic sclerosis genetic susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1233-8	2.4	28	
363	Late onset undifferentiated spondyloarthritis presenting with polymyalgia rheumatica features: description of seven cases. <i>Rheumatology International</i> , 2007 , 27, 927-33	3.6	28	
362	Endothelial dysfunction in rheumatoid arthritis: influence of HLA-DRB1 alleles. <i>Autoimmunity Reviews</i> , 2004 , 3, 301-4	13.6	28	
361	HLA-DRB1 association with Henoch-Schonlein purpura. Arthritis and Rheumatology, 2015, 67, 823-827	9.5	27	
360	Systemic and cerebral endothelial dysfunction in chronic migraine. A case-control study with an active comparator. <i>Cephalalgia</i> , 2016 , 36, 552-60	6.1	27	
359	Short-term efficacy of topical capsaicin therapy in severely affected fibromyalgia patients. <i>Rheumatology International</i> , 2013 , 33, 2665-70	3.6	27	

358	Deletion of LCE3C and LCE3B is a susceptibility factor for psoriatic arthritis: a study in Spanish and Italian populations and meta-analysis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1860-5		27
357	Carotid ultrasound in the cardiovascular risk stratification of patients with rheumatoid arthritis: when and for whom?. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 796-8	2.4	27
356	Integrative Analysis Reveals a Molecular Stratification of Systemic Autoimmune Diseases. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1073-1085	9.5	27
355	High triglycerides and low high-density lipoprotein cholesterol lipid profile in rheumatoid arthritis: A potential link among inflammation, oxidative status, and dysfunctional high-density lipoprotein. Journal of Clinical Lipidology, 2017 , 11, 1043-1054.e2	4.9	26
354	F-FDG PET/CT in the follow-up of large-vessel vasculitis: A study of 37 consecutive patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 530-537	5.3	26
353	Independent relationship of osteoprotegerin concentrations with endothelial activation and carotid atherosclerosis in patients with severe rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 429-36	4.1	26
352	Influence of the IL6 gene in susceptibility to systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2294	1- ₂ 3.02	26
351	A multicenter study confirms CD226 gene association with systemic sclerosis-related pulmonary fibrosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R85	5.7	26
350	CARD8 rs2043211 (p.C10X) polymorphism is not associated with disease susceptibility or cardiovascular events in Spanish rheumatoid arthritis patients. <i>DNA and Cell Biology</i> , 2013 , 32, 28-33	3.6	26
349	Audiovestibular manifestations in patients with limited systemic sclerosis and centromere protein-B (CENP-B) antibodies. <i>Medicine (United States)</i> , 2008 , 87, 131-141	1.8	26
348	Giant cell arteritis and polymyalgia rheumatica: pathophysiology and management. <i>Drugs and Aging</i> , 2006 , 23, 627-49	4.7	26
347	Giant cell arteritis: a new association with benign paroxysmal positional vertigo. <i>Laryngoscope</i> , 2004 , 114, 1420-5	3.6	26
346	Clinical spectrum time course of interstitial pneumonia with autoimmune features in patients positive for antisynthetase antibodies. <i>Respiratory Medicine</i> , 2017 , 132, 265-266	4.6	25
345	Assessment of cardiovascular risk in rheumatoid arthritis: impact of the new EULAR recommendations on the score cardiovascular risk index. <i>Clinical Rheumatology</i> , 2012 , 31, 35-9	3.9	25
344	Sex differences in patients with systemic lupus erythematosus from Northwest Spain. <i>Rheumatology International</i> , 2014 , 34, 11-24	3.6	25
343	Genetic markers of cardiovascular disease in rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2012 , 2012, 574817	4.3	25
342	Nailfold Capillaroscopy Characteristics of Antisynthetase Syndrome and Possible Clinical Associations: Results of a Multicenter International Study. <i>Journal of Rheumatology</i> , 2019 , 46, 279-284	4.1	25
341	Carotid artery plaque in women with rheumatoid arthritis and low estimated cardiovascular disease risk: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 55	5.7	24

(2016-2020)

340	COVID-19 patients with psoriasis and psoriatic arthritis on biologic immunosuppressant therapy vs apremilast in North Spain. <i>Dermatologic Therapy</i> , 2020 , 33, e13961	2.2	24	
339	Anti-citrullinated peptide antibodies and their value for predicting responses to biologic agents: a review. <i>Rheumatology International</i> , 2016 , 36, 1043-63	3.6	24	
338	Influence of the STAT3 genetic variants in the susceptibility to psoriatic arthritis and Behcet@ disease. <i>Human Immunology</i> , 2013 , 74, 230-3	2.3	24	
337	Persistent chronic inflammation contributes to the development of cancer in patients with rheumatoid arthritis from a defined population of northwestern Spain. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 31-8	5.3	24	
336	HDL cholesterol efflux capacity in rheumatoid arthritis patients: contributing factors and relationship with subclinical atherosclerosis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 113	5.7	23	
335	Lipoprotein(a) concentrations in rheumatoid arthritis on biologic therapy: Results from the CARdiovascular in rheuMAtology study project. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 749-756.e3	4.9	23	
334	Osteoprotegerin concentrations relate independently to established cardiovascular disease in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 39-45	4.1	23	
333	Epistatic interaction of ERAP1 and HLA-B in Behät disease: a replication study in the Spanish population. <i>PLoS ONE</i> , 2014 , 9, e102100	3.7	23	
332	Audiovestibular manifestations in patients with ankylosing spondylitis. <i>Medicine (United States)</i> , 2011 , 90, 99-109	1.8	23	
331	Association between toll-like receptor 4 gene polymorphism and biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1501-6	4.1	23	
330	Deletion of the late cornified envelope genes, LCE3C and LCE3B, is associated with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1246-51		23	
329	IL-6: linking chronic inflammation and vascular calcification. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 457-459	8.1	22	
328	Efficacy of Anti-IL6-Receptor Tocilizumab in Refractory Cystoid Macular Edema of Birdshot Retinochoroidopathy Report of Two Cases and Literature Review. <i>Ocular Immunology and Inflammation</i> , 2017 , 25, 604-609	2.8	22	
327	Tubulointerstitial nephritis and uveitis syndrome in Southern Spain. <i>Seminars in Arthritis and Rheumatism</i> , 2002 , 32, 125-9	5.3	22	
326	Evidence of new risk genetic factor to systemic lupus erythematosus: the UBASH3A gene. <i>PLoS ONE</i> , 2013 , 8, e60646	3.7	22	
325	Association of CD24 gene polymorphisms with susceptibility to biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2008 , 35, 850-4	4.1	22	
324	Tocilizumab for the treatment of adult-onset Still@ disease. <i>Expert Opinion on Biological Therapy</i> , 2019 , 19, 273-286	5.4	21	
323	Paraoxonase 1 Activity Is Modulated by the rs662 Polymorphism and IgG Anti-High-Density Lipoprotein Antibodies in Patients With Rheumatoid Arthritis: Potential Implications for Cardiovascular Disease. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1367-76	9.5	21	

322	The ZC3HC1 rs11556924 polymorphism is associated with increased carotid intima-media thickness in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R152	5.7	21
321	Association of HLA-B*41:02 with Henoch-Schälein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015 , 17, 102	5.7	21
320	Association of acid phosphatase locus 1*C allele with the risk of cardiovascular events in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2011 , 13, R116	5.7	21
319	Lack of association between IL6 single nucleotide polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 219, 655-8	3.1	20
318	Association between IL-18 gene polymorphisms and biopsy-proven giant cell arteritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R51	5.7	20
317	Epistatic interaction between BANK1 and BLK in rheumatoid arthritis: results from a large trans-ethnic meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e61044	3.7	20
316	The effect of JAK1/JAK2 inhibition in rheumatoid arthritis: efficacy and safety of baricitinib. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 694-704	2.2	20
315	Anti-TNF-I herapy reduces endothelial cell activation in non-diabetic ankylosing spondylitis patients. <i>Rheumatology International</i> , 2015 , 35, 2069-78	3.6	19
314	Drug-associated cutaneous vasculitis: study of 239 patients from a single referral center. <i>Journal of Rheumatology</i> , 2014 , 41, 2201-7	4.1	19
313	Lack of association between ABO, PPAP2B, ADAMST7, PIK3CG, and EDNRA and carotid intima-media thickness, carotid plaques, and cardiovascular disease in patients with rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 756279	4.3	19
312	Marked independent relationship between circulating interleukin-6 concentrations and endothelial activation in rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2013 , 2013, 510243	4.3	19
311	Anomalies of vertebrae and ribs: Jarcho Levin syndrome. Description of a case and literature review. <i>Joint Bone Spine</i> , 2005 , 72, 275-7	2.9	19
310	Interferon regulatory factor 5 genetic variants are associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014 , 16, R146	5.7	18
309	Serum Levels of Anti-PON1 and Anti-HDL Antibodies as Potential Biomarkers of Premature Atherosclerosis in Systemic Lupus Erythematosus. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2194-2206	7	18
308	Lack of association between TLR4 rs4986790 polymorphism and risk of cardiovascular disease in patients with rheumatoid arthritis. <i>DNA and Cell Biology</i> , 2012 , 31, 1214-20	3.6	18
307	Study of six X-linked tetranucleotide microsatellites: population data from five Spanish regions. <i>International Journal of Legal Medicine</i> , 2006 , 120, 147-50	3.1	18
306	Antisynthetase syndrome or what else? Different perspectives indicate the need for new classification criteria. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, e50	2.4	18
305	Impact of Comorbidity on Physical Function in Patients With Ankylosing Spondylitis and Psoriatic Arthritis Attending Rheumatology Clinics: Results From a Cross-Sectional Study. <i>Arthritis Care and Research</i> , 2020 , 72, 822-828	4.7	18

304	Anakinra for the treatment of adult-onset Still® disease. <i>Expert Review of Clinical Immunology</i> , 2018 , 14, 979-992	5.1	18	
303	Atherosclerotic disease in axial spondyloarthritis: increased frequency of carotid plaques. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 315-20	2.2	18	
302	Rapid beneficial effect of the IL-6 receptor blockade on insulin resistance and insulin sensitivity in non-diabetic patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 465-4	4 73	18	
301	Early large vessel systemic vasculitis in adults. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101424	5.3	17	
300	Vitamin D deficiency in chronic inflammatory rheumatic diseases: results of the cardiovascular in rheumatology [CARMA] study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 211	5.7	17	
299	Successful effect of tocilizumab in anti-TNF-Induced palmoplantar pustulosis in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2012 , 79, 510-3	2.9	17	
298	Efficacy of a multidisciplinary treatment program in patients with severe fibromyalgia. <i>Rheumatology International</i> , 2012 , 32, 2497-502	3.6	17	
297	Influence of CD40 rs1883832 polymorphism in susceptibility to and clinical manifestations of biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 2076-80	4.1	17	
296	Role of rs1343151 IL23R and rs3790567 IL12RB2 polymorphisms in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2011 , 38, 889-92	4.1	17	
295	Benign paroxysmal positional vertigo and clinical test of sensory interaction and balance in systemic sclerosis. <i>Otology and Neurotology</i> , 2008 , 29, 1155-61	2.6	17	
294	Giant cell arteritis: diagnosis and therapeutic management. Current Rheumatology Reports, 2006, 8, 299	-34092	17	
293	Austrian syndrome: report of two new cases and literature review. <i>International Journal of Cardiology</i> , 2006 , 108, 273-5	3.2	17	
292	Orlistat-induced cutaneous leukocytoclastic vasculitis. Arthritis and Rheumatism, 2002, 47, 567		17	
291	Influence of interleukin 10 promoter polymorphisms in susceptibility to giant cell arteritis in Northwestern Spain. <i>Journal of Rheumatology</i> , 2007 , 34, 1535-9	4.1	17	
290	Golimumab in uveitis previously treated with other anti-TNF-alpha drugs: a retrospective study of three cases from a single centre and literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 864-8	2.2	17	
289	Cross-phenotype analysis of Immunochip data identifies as a relevant for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 589-595	2.4	16	
288	Identification of secreted phosphoprotein 1 gene as a new rheumatoid arthritis susceptibility gene. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e19	2.4	16	
287	Evidence of association of the NLRP1 gene with giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 628-30	2.4	16	

286	Association of CD247 polymorphisms with rheumatoid arthritis: a replication study and a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e68295	3.7	16
285	Evidence for PTPN22 R620W polymorphism as the sole common risk variant for rheumatoid arthritis in the 1p13.2 region. <i>Journal of Rheumatology</i> , 2011 , 38, 2290-6	4.1	16
284	Localized vasculitis of the gastrointestinal tract. Seminars in Arthritis and Rheumatism, 2006, 35, 403-6	5.3	16
283	New insights into the pathogenesis of giant cell arteritis and hopes for the clinic. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 57-66	5.1	15
282	Impaired HDL cholesterol efflux capacity in systemic lupus erythematosus patients is related to subclinical carotid atherosclerosis. <i>Rheumatology</i> , 2020 , 59, 2847-2856	3.9	15
281	Analysis of the REL polymorphism rs13031237 in autoimmune diseases. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 711-2	2.4	15
280	Identification of a 3©Untranslated Genetic Variant of RARB Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 351-360	9.5	15
279	Cardiovascular risk stratification in axial spondyloarthritis: carotid ultrasound is more sensitive than coronary artery calcification score to detect high-cardiovascular risk axial spondyloarthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 73-80	2.2	15
278	Rheumatoid arthritis: genetic variants as biomarkers of cardiovascular disease. <i>Current Pharmaceutical Design</i> , 2015 , 21, 182-201	3.3	14
277	Association of a non-synonymous functional variant of the ITGAM gene with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2050-2	2.4	14
276	CD4+CD25+ T cell-dependent inhibition of autoimmunity in transgenic mice overexpressing human Bcl-2 in T lymphocytes. <i>Journal of Immunology</i> , 2007 , 178, 2778-86	5.3	14
275	A candidate gene approach identifies an IL33 genetic variant as a novel genetic risk factor for GCA. <i>PLoS ONE</i> , 2014 , 9, e113476	3.7	14
274	Efficacy and safety of abatacept in interstitial lung disease of rheumatoid arthritis: A systematic literature review. <i>Autoimmunity Reviews</i> , 2021 , 20, 102830	13.6	14
273	Bone mass and vitamin D in patients with systemic sclerosis from two Spanish regions. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 905-11	2.2	14
272	The Framingham Score and the Systematic Coronary Risk Evaluation at Low Cutoff Values Are Useful Surrogate Markers of High-risk Subclinical Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 486-94	4.1	13
271	GIMAP and Behät disease: no association in the European population. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1433-4	2.4	13
270	Kidney function, endothelial activation and atherosclerosis in black and white Africans with rheumatoid arthritis. <i>PLoS ONE</i> , 2015 , 10, e0121693	3.7	13
269	Cholesteryl ester transfer protein in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1040-7	4.1	13

268	Identification of the oxidative stress-related gene MSRA as a rheumatoid arthritis susceptibility locus by genome-wide pathway analysis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3183-90		13
267	Systemic vasculitides. <i>Best Practice and Research in Clinical Rheumatology</i> , 2002 , 16, 833-45	5.3	13
266	Osteitis pubis after Marshall-Marchetti-Krantz urethropexy. <i>Joint Bone Spine</i> , 2003 , 70, 61-3	2.9	13
265	Carotid plaques as predictors of cardiovascular events in patients with Rheumatoid Arthritis. Results from a 5-year-prospective follow-up study. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 1333-	- 1 338	13
264	Smoking cessation is associated with lower disease activity and predicts cardiovascular risk reduction in rheumatoid arthritis patients. <i>Rheumatology</i> , 2020 , 59, 1997-2004	3.9	13
263	Current and emerging diagnosis tools and therapeutics for giant cell arteritis. <i>Expert Review of Clinical Immunology</i> , 2018 , 14, 593-605	5.1	12
262	Investigations into audiovestibular manifestations in patients with psoriatic arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 2018-26	4.1	12
261	Antitumour necrosis factor treatment reduces retinol-binding protein 4 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 941-3	2.4	12
260	Impaired beta cell function is present in nondiabetic rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2013 , 15, R17	5.7	12
259	Medical management of polymyalgia rheumatica. Expert Opinion on Pharmacotherapy, 2010, 11, 1077-87	' 4	12
258	Replication of association of the interleukin 23 receptor rs1343151 variant with rheumatoid arthritis in Caucasian sample sets. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 155-7	2.4	12
257	The increased risk of ventricular diastolic dysfunction and congestive heart failure in patients with rheumatoid arthritis is independent of the duration of the disease. <i>Seminars in Arthritis and Rheumatism</i> , 2005 , 35, 132-3	5.3	12
256	Human leukocyte antigen-DQB1 and -DRB1 associations in patients with idiopathic sudden sensorineural hearing loss from a defined population of Northwest Spain. <i>Acta Oto-Laryngologica</i> , 2005 , 125, 1277-82	1.6	12
255	Analysis of ancestral and functionally relevant CD5 variants in systemic lupus erythematosus patients. <i>PLoS ONE</i> , 2014 , 9, e113090	3.7	12
254	A new immunometabolic perspective of intervertebral disc degeneration. <i>Nature Reviews Rheumatology</i> , 2021 ,	8.1	12
253	Antibodies to paraoxonase 1 are associated with oxidant status and endothelial activation in rheumatoid arthritis. <i>Clinical Science</i> , 2016 , 130, 1889-99	6.5	12
252	Interleukin 1 beta (IL1) rs16944 genetic variant as a genetic marker of severe renal manifestations	2.2	12
	and renal sequelae in Henoch-Schilein purpura. Clinical and Experimental Rheumatology, 2016 , 34, S84-8	<u> </u>	

250	Genetic risk scores and number of autoantibodies in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 762-8	2.4	11
249	Cutaneous vasculitis: a rheumatologist perspective. Current Allergy and Asthma Reports, 2013, 13, 545-5	54 .6	11
248	Biologic therapy in ANCA-negative vasculitis. <i>International Immunopharmacology</i> , 2015 , 27, 213-9	5.8	11
247	Association study of MIA3 rs17465637 polymorphism with cardiovascular disease in rheumatoid arthritis patients. <i>DNA and Cell Biology</i> , 2012 , 31, 1412-7	3.6	11
246	Analysis of the interferon gamma (rs2430561, +874T/A) functional gene variant in relation to the presence of cardiovascular events in rheumatoid arthritis. <i>PLoS ONE</i> , 2012 , 7, e47166	3.7	11
245	The lp13.3 genomic region -rs599839- is associated with endothelial dysfunction in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R42	5.7	11
244	SMAD3 rs17228212 gene polymorphism is associated with reduced risk to cerebrovascular accidents and subclinical atherosclerosis in anti-CCP negative Spanish rheumatoid arthritis patients. <i>PLoS ONE</i> , 2013 , 8, e77695	3.7	11
243	Inflammatory Arthritis and Heart Disease. Current Pharmaceutical Design, 2018, 24, 262-280	3.3	11
242	Biologic therapy in severe and refractory peripheral ulcerative keratitis (PUK). Multicenter study of 34 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 608-615	5.3	11
241	Golimumab in refractory uveitis associated to juvenile idiopathic arthritis: multicentre study of 7 cases and literature review. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 652-657	2.2	11
240	New Criteria Needed for Antisynthetase Syndrome. <i>JAMA Neurology</i> , 2018 , 75, 258-259	17.2	10
239	Investigation of a PON1 gene polymorphism (rs662 polymorphism) as predictor of subclinical atherosclerosis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1749-5	5 ∂ ·4	10
238	Isolated pulmonary vasculitis: case report and literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 514-517	5.3	10
237	Retinol-binding protein 4 in rheumatoid arthritis-related insulin resistance and Etell function. Journal of Rheumatology, 2014 , 41, 658-65	4.1	10
236	Analysis of the association between CD40 and CD40 ligand polymorphisms and systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R154	5.7	10
235	Association of Trabecular Bone Score with Inflammation and Adiposity in Patients with Psoriasis: Effect of Adalimumab Therapy. <i>Journal of Osteoporosis</i> , 2016 , 2016, 5747852	2.8	10
234	Asymmetric dimethylarginine but not osteoprotegerin correlates with disease severity in patients with moderate-to-severe psoriasis undergoing anti-tumor necrosis factor-Itherapy. <i>Journal of Dermatology</i> , 2016 , 43, 389-94	1.6	10
233	Sex and Cardiovascular Involvement in Inflammatory Joint Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2019 , 56, 278-292	12.3	10

232	Insulin resistance in systemic lupus erythematosus patients: contributing factors and relationship with subclinical atherosclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 885-892	2.2	10
231	Inflammation: NSAIDs and cardiovascular risk in arthritis. <i>Nature Reviews Cardiology</i> , 2017 , 14, 69-70	14.8	9
230	Vitamin D receptor GATG haplotype association with atherosclerotic disease in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2016 , 245, 139-42	3.1	9
229	Cardiovascular risk assessment according to a national calibrated score risk index in psoriatic arthritis patients without clinically evident cardiovascular disease or classic atherosclerosis risk factors. <i>Joint Bone Spine</i> , 2014 , 81, 164-8	2.9	9
228	NPSR1 gene is associated with reduced risk of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1166-70	4.1	9
227	Antitumour necrosis factor-Itherapy modulates angiopoietin-2 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1265-7	2.4	9
226	Functional variants of Fc gamma receptor (FCGR2A) and FCGR3A are not associated with susceptibility to systemic sclerosis in a large European Study (EUSTAR). <i>Journal of Rheumatology</i> , 2010 , 37, 1673-9	4.1	9
225	Osteoprotegerin CGA haplotype protection against cerebrovascular complications in anti-CCP negative patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e106823	3.7	9
224	Levels of the Novel Endogenous Antagonist of Ghrelin Receptor, Liver-Enriched Antimicrobial Peptide-2, in Patients with Rheumatoid Arthritis. <i>Nutrients</i> , 2020 , 12,	6.7	9
223	Association of a rare variant of the TNFSF13B gene with susceptibility to Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>Scientific Reports</i> , 2018 , 8, 8195	4.9	9
222	The effect of biologic therapy different from infliximab or adalimumab in patients with refractory uveitis due to Behët@ disease: results of a multicentre open-label study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S34-S40	2.2	9
221	Proprotein convertase subtilisin/kexin type 9 in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1013-1019	2.2	9
220	Treatment of giant cell arteritis. Biochemical Pharmacology, 2019, 165, 230-239	6	8
219	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-Schilein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015 , 17, 286	5.7	8
218	The Spectrum of Interstitial Lung Disease Associated with Autoimmune Diseases: Data of a 3.6-Year Prospective Study from a Referral Center of Interstitial Lung Disease and Lung Transplantation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
217	Disease Activity Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2020 , 47, 1344-1353	4.1	8
216	Incretins in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2017, 19, 229	5.7	8
215	Giant cell arteritis: is the clinical spectrum of the disease changing?. <i>BMC Geriatrics</i> , 2019 , 19, 200	4.1	8

214	Polymorphisms in the interleukin 4, interleukin 13, and corresponding receptor genes are not associated with systemic sclerosis and do not influence gene expression. <i>Journal of Rheumatology</i> , 2012 , 39, 112-8	4.1	8
213	Role of the CCR5/B2CCR5 polymorphism in biopsy-proven giant cell arteritis. <i>Human Immunology</i> , 2011 , 72, 458-61	2.3	8
212	Benign paroxysmal positional vertigo and clinical test of sensory interaction and balance in ankylosing spondylitis. <i>Otology and Neurotology</i> , 2011 , 32, 278-83	2.6	8
211	Functional capacity in rheumatoid arthritis patients: comparison between Spanish and Brazilian sample. <i>Rheumatology International</i> , 2011 , 31, 221-6	3.6	8
210	Role of the C8orf13-BLK region in biopsy-proven giant cell arteritis. <i>Human Immunology</i> , 2010 , 71, 525-9	92.3	8
209	Arthritis in the right great toe as the clinical presentation of tuberculosis. <i>Arthritis and Rheumatism</i> , 1998 , 41, 374-5		8
208	CXCL5 gene polymorphism association with diabetes mellitus. <i>Molecular Diagnosis and Therapy</i> , 2008 , 12, 391-4	4.5	8
207	The clinical implication of cervical interspinous bursitis in the diagnosis of polymyalgia rheumatica. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 733-4	2.4	8
206	Molecular screening and association study of IL15 gene polymorphisms in rheumatoid arthritis. <i>Cytokine</i> , 2007 , 38, 84-9	4	8
205	Circulating levels of adiponectin, leptin, resistin and visfatin in non-diabetics patients with hidradenitis suppurativa. <i>Archives of Dermatological Research</i> , 2020 , 312, 595-600	3.3	8
204	Cardiovascular mortality and cardiovascular event rates in patients with inflammatory rheumatic diseases in the CARdiovascular in rheuMAtology (CARMA) prospective study-results at 5 years of follow-up. <i>Rheumatology</i> , 2021 , 60, 2906-2915	3.9	8
203	Disease Damage Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2019 , 46, 483-491	4.1	8
202	Novel association of acid phosphatase locus 1*C allele with systemic lupus erythematosus. <i>Human Immunology</i> , 2012 , 73, 107-10	2.3	7
201	C-reactive protein gene polymorphisms in biopsy-proven giant cell arteritis from Northwestern Spain. <i>Journal of Rheumatology</i> , 2009 , 36, 341-6	4.1	7
200	Giant left atrial myxoma mimicking severe mitral valve stenosis. <i>International Journal of Cardiology</i> , 2008 , 127, e110-2	3.2	7
199	Multiple parosteal lipoma associated to polyarthritis. <i>Joint Bone Spine</i> , 2006 , 73, 202-4	2.9	7
198	Pacemaker infection due to Aspergillus: report of two cases and literature review. <i>Clinical Cardiology</i> , 2005 , 28, 36-8	3.3	7
197	Trends in the inflammatory response in biopsy-proven giant cell arteritis: comment on the article by Cid et al, and the letters by Nesher and Sonnenblick and Liozon et al. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1427-8		7

196	Optic neuritis following treatment with isoniazid in a hemodialyzed patient. <i>Nephron</i> , 1993 , 63, 360	3.3	7
195	Influence of MUC5B gene on antisynthetase syndrome. Scientific Reports, 2020, 10, 1415	4.9	7
194	Unmet needs in the management of cardiovascular risk in inflammatory joint diseases. <i>Expert Review of Clinical Immunology</i> , 2020 , 16, 23-36	5.1	7
193	Long-term Follow-up and Optimization of Infliximab in Refractory Uveitis Due to Behët Disease: National Study of 103 White Patients. <i>Journal of Rheumatology</i> , 2021 , 48, 741-750	4.1	7
192	An Update on the Role of Leptin in the Immuno-Metabolism of Cartilage. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
191	Relationship of abdominal adiposity and body composition with endothelial dysfunction in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 516-23	2.2	7
190	The Spanish version of the 2010 American College of Rheumatology Preliminary Diagnostic Criteria for fibromyalgia: reliability and validity assessment. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S55-8	2.2	7
189	Serum cathepsin S and cystatin C: relationship to subclinical carotid atherosclerosis in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 230-5	2.2	7
188	Treatment of polymyalgia rheumatica. <i>Biochemical Pharmacology</i> , 2019 , 165, 221-229	6	6
187	Prediction of cardiovascular events in rheumatoid arthritis using risk age calculations: evaluation of concordance across risk age models. <i>Arthritis Research and Therapy</i> , 2020 , 22, 90	5.7	6
186	Patients with ankylosing spondylitis and low disease activity because of anti-TNF-alpha therapy have higher TRAIL levels than controls: a potential compensatory effect. <i>Mediators of Inflammation</i> , 2014 , 2014, 798060	4.3	6
185	Lack of association between STAT4 gene polymorphism and biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1021-5	4.1	6
184	Neovascularization around the optic nerve in giant cell arteritis. <i>Arthritis and Rheumatism</i> , 2003 , 49, 73	7-8	6
183	HLA-DRB1*04 may be a marker of severity in giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 574-5	2.4	6
182	Henoch-Schilein purpura with hemorrhagic ascites and intestinal serositis. <i>Gastrointestinal Endoscopy</i> , 1996 , 44, 624-5	5.2	6
181	Giant cell arteritis in Mediterranean countries: comment on the article by Salvarani et al. <i>Arthritis and Rheumatism</i> , 1992 , 35, 1249-50		6
180	EULAR recommendations for cardiovascular risk management in rheumatic and musculoskeletal diseases, including systemic lupus erythematosus and antiphospholipid syndrome <i>Annals of the Rheumatic Diseases</i> , 2022 ,	2.4	6
179	Combined use of QRISK3 and SCORE as predictors of carotid plaques in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 2801-2807	3.9	6

178	Proprotein convertase subtilisin/kexin type 9 is related to disease activity and damage in patients with systemic erythematosus lupus. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020 , 12, 1759720	x209	75904
177	Subclinical atherosclerotic disease in ankylosing spondylitis and non-radiographic axial spondyloarthritis. A multicenter study on 806 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 395-403	5.3	6
176	HLA-B*08 Identified as the Most Prominently Associated Major Histocompatibility Complex Locus for Anti-Carbamylated Protein Antibody-Positive/Anti-Cyclic Citrullinated Peptide-Negative Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 963-969	9.5	6
175	Managing of giant cell arteritis and polymyalgia rheumatica. <i>Expert Opinion on Orphan Drugs</i> , 2016 , 4, 1133-1144	1.1	6
174	Relationship Between Insulin Sensitivity and ECell Secretion in Nondiabetic Subjects with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 229-236	4.1	6
173	Relationship between endothelial dysfunction and osteoprotegerin, vitamin D, and bone mineral density in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 241-9	2.2	6
172	TNF-related apoptosis-inducing ligand and cardiovascular disease in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 491-7	2.2	6
171	Incidence of first cardiovascular event in Spanish patients with inflammatory rheumatic diseases: prospective data from the CARMA project. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 731-739	2.2	6
170	Efficacy and safety of certolizumab pegol in pregnant women with uveitis. Recommendations on the management with immunosuppressive and biologic therapies in uveitis during pregnancy. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 105-114	2.2	6
169	Leveraging Genetic Findings for Precision Medicine in Vasculitis. Frontiers in Immunology, 2019 , 10, 1796	58.4	5
168	Points to consider in cardiovascular disease risk management among patients with rheumatoid arthritis living in South Africa, an unequal middle income country. <i>BMC Rheumatology</i> , 2020 , 4, 42	2.9	5
167	Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>BioMed Research International</i> , 2015 , 2015, 318364	3	5
166	KCNA5 gene is not confirmed as a systemic sclerosis-related pulmonary arterial hypertension genetic susceptibility factor. <i>Arthritis Research and Therapy</i> , 2012 , 14, R273	5.7	5
165	Lack of association between TRAF1/C5 gene polymorphisms and biopsy-proven giant cell arteritis. Journal of Rheumatology, 2010 , 37, 131-5	4.1	5
164	Predictors of positive temporal artery biopsy in patients with giant cell arteritis and polymyalgia rheumatica (comment on the article by Marlet al.). European Journal of Internal Medicine, 2010, 21, 51	3.9	5
163	Carotid intima-media thickness and endothelial function: useful surrogate markers for establishing cardiovascular risk in patients with inflammatory rheumatic disease. <i>Arthritis Research and Therapy</i> , 2008 , 10, 403; author reply 404	5.7	5
162	Potential role of mitral valve strands on stroke recurrence in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 49, 866-7		5
161	Two polymorphisms in the epithelial cell-derived neutrophil-activating peptide (ENA-78) gene. <i>Disease Markers</i> , 2005 , 21, 75-7	3.2	5

(2011-1996)

160	H2-A polymorphism contributes to H2-EEmediated protection in collagen-induced arthritis. <i>Immunogenetics</i> , 1996 , 44, 377-384	3.2	5	
159	Carotid ultrasound is useful for the cardiovascular risk stratification in patients with hidradenitis suppurativa. <i>PLoS ONE</i> , 2018 , 13, e0190568	3.7	5	
158	Rituximab in the Treatment of Interstitial Lung Disease Associated with Autoimmune Diseases: Experience from a Single Referral Center and Literature Review. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5	
157	Differences in Capacity of High-Density Lipoprotein Cholesterol Efflux Between Patients With Systemic Lupus Erythematosus and Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1590-15	5 96 7	5	
156	Anti-IL-6 Receptor Tocilizumab in Refractory Graves Orbitopathy: National Multicenter Observational Study of 48 Patients. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5	
155	Effects of disease activity on lipoprotein levels in patients with early arthritis: can oxidized LDL cholesterol explain the lipid paradox theory?. <i>Arthritis Research and Therapy</i> , 2020 , 22, 213	5.7	5	
154	Endothelial Progenitor Cells as a Potential Biomarker in Interstitial Lung Disease Associated with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5	
153	The role of biologics in the treatment of giant cell arteritis. <i>Expert Opinion on Biological Therapy</i> , 2019 , 19, 65-72	5.4	5	
152	Implication of osteoprotegerin and sclerostin in axial spondyloarthritis cardiovascular disease: study of 163 Spanish patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 302-309	2.2	5	
151	Anti-IL-6 therapy reduces leptin serum levels in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 1201-1205	2.2	5	
150	The presence of both HLA-DRB1[*]04:01 and HLA-B[*]15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 21-26	2.2	5	
149	Consideration of Antisynthetase Syndrome Features in Classifying Patients as Having Idiopathic Inflammatory Myopathy: Comment on the Article by Lundberg et al. <i>Arthritis and Rheumatology</i> , 2018 , 70, 975-976	9.5	4	
148	Drug therapies for polymyalgia rheumatica: a pharmacotherapeutic update. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1235-1244	4	4	
147	The influence of inflammation in the development of subclinical atherosclerosis in psoriatic arthritis: comment on ©ardiovascular comorbidities in patients with psoriatic arthritis: a systematic review (by Jamnistki et al. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, e27	2.4	4	
146	IGF-1 and ADMA levels are inversely correlated in nondiabetic ankylosing spondylitis patients undergoing anti-TNF-alpha therapy. <i>BioMed Research International</i> , 2014 , 2014, 671061	3	4	
145	Lack of association between the CXCL12 rs501120 polymorphism and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Human Immunology</i> , 2012 , 73, 543-6	2.3	4	
144	Role of asymptomatic hyperuricemia and serum uric acid levels in the pathogenesis of subclinical atherosclerosis in psoriatic arthritis: comment on the article by Chen et al. <i>Arthritis and Rheumatism</i> , 2009 , 61, 856-7; author reply 857-8		4	
143	The functional polymorphism 844 A>G in FcRI (CD89) does not contribute to systemic sclerosis or rheumatoid arthritis susceptibility. <i>Journal of Rheumatology</i> , 2011 , 38, 446-9	4.1	4	

142	Contribution of HLA-DRB1 shared epitope alleles and chronic inflammation to the increased incidence of cardiovascular disease in rheumatoid arthritis: comment on the article by Farragher et al. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2584; author reply 2584-5		4
141	Septic discitis as initial manifestation of streptococcus bovis endocarditis. <i>International Journal of Cardiology</i> , 2006 , 108, 128-9	3.2	4
140	Long-term rheumatoid arthritis and endothelial dysfunction. <i>Atherosclerosis</i> , 2004 , 176, 197-8; author reply 199	3.1	4
139	Cranial and extracranial giant cell arteritis share similar HLA-DRB1 association. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 897-901	5.3	4
138	The Number of Traditional Cardiovascular Risk Factors Is Independently Correlated with Disease Activity in Patients with Psoriatic Arthritis. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	4
137	Interleukin-6 receptor blockade or TNFInhibition for reducing glycaemia in patients with RA and diabetes: post hoc analyses of three randomised, controlled trials. <i>Arthritis Research and Therapy</i> , 2020 , 22, 206	5.7	4
136	Tocilizumab in refractory giant cell arteritis. Monotherapy versus combined therapy with conventional immunosuppressive drugs. Observational multicenter study of 134 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 387-394	5.3	4
135	Diabetes mellitus and cardiovascular risk management in patients with rheumatoid arthritis: an international audit. <i>RMD Open</i> , 2021 , 7,	5.9	4
134	Beta-cell function is disrupted in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2021 , 60, 3826-3833	3.9	4
133	Pharmacological Interactions of Nintedanib and Pirfenidone in Patients with Idiopathic Pulmonary Fibrosis in Times of COVID-19 Pandemic. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	4
132	Body Mass Index and Disease Activity in Chronic Inflammatory Rheumatic Diseases: Results of the Cardiovascular in Rheumatology (Carma) Project. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
131	Lack of association between IFNGR1 gene polymorphisms and biopsy-proven giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, 31-4	2.2	4
130	Role of the rs6822844 gene polymorphism at the IL2-IL21 region in biopsy-proven giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S12-6	2.2	4
129	Lack of association between carotid intima-media wall thickness and carotid plaques and markers of endothelial cell activation in rheumatoid arthritis patients undergoing anti-TNF therapy. <i>Acta Reumatol</i> g ica Portuguesa, 2012 , 37, 155-9	0.7	4
128	Confirmation of CCR6 as a risk factor for anti-topoisomerase I antibodies in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S31-5	2.2	4
127	Subclinical atherosclerosis is not increased in patients with non-radiographic axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 159-60	2.2	4
126	Reclassification into very-high cardiovascular risk after carotid ultrasound in patients with axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 724-731	2.2	4
125	Evidence for uncoupling of clinical and 18-FDG activity of PET/CT scan improvement in tocilizumab-treated patients with large-vessel giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 69-75	2.2	4

124	Leptin in Osteoarthritis and Rheumatoid Arthritis: Player or Bystander?. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	4
123	Relative Risk Chart Score for the Assessment of the Cardiovascular Risk in Young Patients with Ankylosing Spondylitis. <i>International Journal of Rheumatology</i> , 2018 , 2018, 1847894	2	3
122	Refractory highly disfiguring lupus pernio: a dramatic and prolonged response to infliximab. <i>International Journal of Dermatology</i> , 2015 , 54, e321-2	1.7	3
121	No evidence of association of the KLF12 gene with rheumatoid arthritis in Spanish and Dutch cohorts and a meta-analysis of published data. <i>Human Immunology</i> , 2011 , 72, 779-82	2.3	3
120	Lack of association between IRF5 gene polymorphisms and biopsy-proven giant cell arteritis. Journal of Rheumatology, 2010 , 37, 136-40	4.1	3
119	A nonsynonymous functional variant of the ITGAM gene is not involved in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2011 , 38, 2598-601	4.1	3
118	Magnetic resonance imaging in optic neuritis due to giant cell arteritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 313-4		3
117	Supraclavicular pulsatile mass as presenting sign of brachiocephalic trunk aneurysm in the long-term followup of giant cell arteritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 475-6		3
116	D-penicillamine-induced crescentic glomerulonephritis in a patient with scleroderma. <i>Nephron</i> , 2000 , 84, 101-2	3.3	3
115	Monomeric C reactive protein (mCRP) regulates inflammatory responses in human and mouse chondrocytes. <i>Laboratory Investigation</i> , 2021 , 101, 1550-1560	5.9	3
114	Disease activity influences the reclassification of rheumatoid arthritis into very high cardiovascular risk. <i>Arthritis Research and Therapy</i> , 2021 , 23, 162	5.7	3
113	An international audit of the management of dyslipidaemia and hypertension in patients with rheumatoid arthritis-results from 19 countries. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 ,	6.4	3
112	HLA association with the susceptibility to anti-synthetase syndrome. <i>Joint Bone Spine</i> , 2021 , 88, 105115	2.9	3
111	Proprotein convertase subtilisin/kexin type 9 in the dyslipidaemia of patients with axial spondyloarthritis is related to disease activity. <i>Rheumatology</i> , 2021 , 60, 2296-2306	3.9	3
110	Tocilizumab in refractory Caucasian Takayasu@ arteritis: a multicenter study of 54 patients and literature review. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211020917	3.8	3
109	A TNFSF13B functional variant is not involved in systemic sclerosis and giant cell arteritis susceptibility. <i>PLoS ONE</i> , 2018 , 13, e0209343	3.7	3
108	Imaging Tests in the Early Diagnosis of Giant Cell Arteritis. Journal of Clinical Medicine, 2021, 10,	5.1	3
107	Autoimmune disease-associated CD226 gene variants are not involved in giant cell arteritis susceptibility in the Spanish population. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S29-33	2.2	3

106	FGF23-Klotho axis in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 50-57	2.2	3
105	Long-term survival of lung transplantation for interstitial lung disease associated with connective tissue diseases: a study of 26 cases from a referral centre. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 615-620	2.2	3
104	Tocilizumab in giant cell arteritis: differences between the GiACTA trial and a multicentre series of patients from the clinical practice. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 112-119	2.2	3
103	Efficacy and safety of certolizumab pegol in pregnant women with uveitis. Recommendations on the management with immunosuppressive and biologic therapies in uveitis during pregnancy. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 105-114	2.2	3
102	Role of targeted therapies in rheumatic patients on COVID-19 outcomes: results from the COVIDSER study. <i>RMD Open</i> , 2021 , 7,	5.9	3
101	Genetic Basis of Vasculitides with Neurologic Involvement. <i>Neurologic Clinics</i> , 2019 , 37, 219-234	4.5	2
100	Dickkopf-3 (DKK3) Signaling in IL-1EChallenged Chondrocytes: Involvement of the NF- B Pathway. <i>Cartilage</i> , 2020 , 1947603520933328	3	2
99	Usefulness of 18F-FDG-PET/CT imaging in a patient with neurosarcoidosis. <i>Medicina Claica</i> , 2018 , 151, 464-465	1	2
98	Rituximab in Takayasu arteritis: an unmet hope. <i>Rheumatology</i> , 2018 , 57, 1133-1134	3.9	2
97	Brucellosis is not only responsible for monoarthritis but it is also associated with other osteoarticular complications. <i>Rheumatology International</i> , 2014 , 34, 133	3.6	2
	Association study of BAK1 gene polymorphisms in Spanish rheumatoid arthritis and systemic lupus		2
96	erythematosus cohorts. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 314-6	2.4	4
95	erythematosus cohorts. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 314-6 Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013 , 79, 432-3	2.4 0.8	2
	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis.	ŕ	
95	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. Indian Journal of Dermatology, Venereology and Leprology, 2013, 79, 432-3 Response to Onfliximab therapy increases body fat mass in early rheumatoid arthritis independently of changes in disease activity and levels of leptin and adiponectin: a randomized	0.8	2
95 94	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. <i>Indian Journal of Dermatology, Venereology and Leprology,</i> 2013 , 79, 432-3 Response to Onfliximab therapy increases body fat mass in early rheumatoid arthritis independently of changes in disease activity and levels of leptin and adiponectin: a randomized study over 21 monthsO <i>Arthritis Research and Therapy,</i> 2011 , 13, 404 Influence of IL2RA rs2104286 polymorphism in the risk of biopsy-proven giant cell arteritis. <i>Journal</i>	o.8 5·7	2
95 94 93	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. <i>Indian Journal of Dermatology, Venereology and Leprology,</i> 2013 , 79, 432-3 Response to Onfliximab therapy increases body fat mass in early rheumatoid arthritis independently of changes in disease activity and levels of leptin and adiponectin: a randomized study over 21 monthsO <i>Arthritis Research and Therapy,</i> 2011 , 13, 404 Influence of IL2RA rs2104286 polymorphism in the risk of biopsy-proven giant cell arteritis. <i>Journal of Rheumatology,</i> 2010 , 37, 2331-3 Role of BANK1 gene polymorphisms in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology,</i>	o.8 5·7 4·1	2 2
95 94 93 92	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013 , 79, 432-3 Response to Onfliximab therapy increases body fat mass in early rheumatoid arthritis independently of changes in disease activity and levels of leptin and adiponectin: a randomized study over 21 monthsO <i>Arthritis Research and Therapy</i> , 2011 , 13, 404 Influence of IL2RA rs2104286 polymorphism in the risk of biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 2331-3 Role of BANK1 gene polymorphisms in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1502-4 Evaluation of a shared autoimmune disease-associated polymorphism of TRAF6 in systemic	0.85.74.14.1	2 2 2

88	Rheumatoid arthritis and anti-TNF-alpha therapy. Atherosclerosis, 2005, 181, 209	3.1	2
87	Rheumatoid arthritis and accelerated atherogenesis. <i>Circulation</i> , 2004 , 109, e328; author reply e328	16.7	2
86	Fatigue fractures suggesting clinical monarthritis. Arthritis and Rheumatism, 2003, 49, 741-4		2
85	Anterior crural neuralgia as a presenting manifestation of lymphocele. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1183-4		2
84	Apremilast in refractory orogenital ulcers and other manifestations of Beh@t@ disease. National multicenter study of 51 cases in clinical practice.		2
83	Prevalence of Hospital PCR Confirmed COVID-19 Cases in Patients with Chronic Inflammatory and Autoimmune Rheumatic Diseases		2
82	Experts document on methotrexate use in combined therapy with biological or targeted synthetic disease modifying drugs in patients with rheumatoid arthritis. <i>Reumatologa Claica</i> , 2020 , 18, 33-33	0.9	2
81	Treating multidrug-resistant psoriasis with brodalumab, apremilast, methotrexate and prednisone combination therapy in the COVID-19 pandemic. <i>Dermatologic Therapy</i> , 2020 , 33, e14464	2.2	2
80	Biologic Therapy in Refractory Non-Multiple Sclerosis Optic Neuritis Isolated or Associated to Immune-Mediated Inflammatory Diseases. A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
79	A Review of the Dermatological Complications of Giant Cell Arteritis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021 , 14, 303-312	2.9	2
7 ⁸	Carotid Plaque Assessment Reclassifies Patients with Inflammatory Bowel Disease into Very-High Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
77	Vaspin in atherosclerotic disease and cardiovascular risk in axial spondyloarthritis: a genetic and serological study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 111	5.7	2
76	BAFF, APRIL and BAFFR on the pathogenesis of Immunoglobulin-A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 11510	4.9	2
75	Additional proposals to reduce comorbidity in patients with chronic inflammatory rheumatic diseases: comment on P oints to consider for reporting, screening for and preventing selected comorbidities in chronic inflammatory rheumatic diseases in daily practice: a EULAR initiative D y	2.4	2
74	Higher Prevalence and Degree of Insulin Resistance in Patients With Rheumatoid Arthritis Than in Patients With Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2021 , 48, 339-347	4.1	2
73	Validation of the Spanish version of the fibromyalgia rapid screening tool to detect fibromyalgia in primary care health centres. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S125-8	2.2	2
72	Amylin in the insulin resistance of patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 421-427	2.2	2
71	Subclinical aortitis after starting nivolumab in a patient with metastatic melanoma. A case of drug-associated aortitis?. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 111, 171	2.2	2

70	Implication of CXCL5 (epithelial neutrophil-activating peptide 78) in the development of insulin resistance in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 373	-3 79	2
69	Hyperlipoproteinaemia(a) in patients with spondyloarthritis: results of the Cardiovascular in Rheumatology (CARMA) project. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 774-782	2.2	2
68	Apremilast in refractory orogenital ulcers and other manifestations of Behlet@ disease. A national multicentre study of 51 cases in clinical practice. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 127, 69-75	2.2	2
67	The presence of both HLA-DRB1*04:01 and HLA-B*15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 129, 21-26	2.2	2
66	Tocilizumab in Behat@ disease with refractory ocular and/or neurological involvement: response according to different clinical phenotypes. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 37-42	2.2	2
65	Why is Rheumatoid Arthritis Mortality Still High Despite the Advent of New Therapies? Comment on the Article by Widdifield et al. <i>Arthritis Care and Research</i> , 2016 , 68, 726-7	4.7	1
64	Response to Adipokines, inflammation, insulin resistance, and carotid atherosclerosis in patients with rheumatoid arthritisO <i>Arthritis Research and Therapy</i> , 2014 , 16, 401	5.7	1
63	Is the Homeostatic Model Assessment of Insulin Resistance a Poor Predictor of Cardiovascular Disease in Rheumatoid Arthritis? Comment on the Article by Giles et al. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2548-50	9.5	1
62	Lack of association between flow-mediated endothelium-dependent vasodilatation and biomarkers of endothelial dysfunction in patients with severe rheumatoid arthritis. <i>Rheumatology International</i> , 2012 , 32, 4071-2	3.6	1
61	Disparate results in studies of adalimumab in the treatment of hidradenitis suppurativa: comment on the article by Amano et´al. <i>International Journal of Dermatology</i> , 2013 , 52, 380-1	1.7	1
60	Lack of association between the rs6920220 (G/A) polymorphism of the 6q23 region and biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1020-3	4.1	1
59	Subclinical atherosclerosis in ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2011 , 38, 2073; author reply 2074	4.1	1
58	Polymyalgia Rheumatica vs Rheumatoid Arthritis in the Elderly. <i>Archives of Internal Medicine</i> , 1997 , 157, 2016		1
57	Re: Autoimmunity in sudden sensorineural hearing lossIby Cadoni et al. <i>Acta Oto-Laryngologica</i> , 2003 , 123, 1115-1115	1.6	1
56	Uncommon arthritis as presenting manifestation of silent Crohn@ disease. <i>Joint Bone Spine</i> , 2000 , 67, 553-4	2.9	1
55	Successful response to captopril in severe nephrotic syndrome secondary to lupus nephritis. <i>Nephron</i> , 1998 , 80, 353-4	3.3	1
54	Pleural and Pericardial Effusion as the Only Manifestation of IgG4-Related Disease. <i>Archivos De Bronconeumologia</i> , 2020 , 56, 597-599	0.7	1
53	Misperception of the Cardiovascular Risk in Patients with Rheumatoid Arthritis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1

52	Predicting the risk of relapse in polymyalgia rheumatica: novel insights. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 225-232	5.1	1
51	Rheumatoid arthritis related interstitial lung disease. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 485-497	5.1	1
50	Identification of a shared genetic risk locus for Kawasaki disease and IgA vasculitis by a cross-phenotype meta-analysis. <i>Rheumatology</i> , 2021 ,	3.9	1
49	Endothelial Progenitor Cells: Relevant Players in the Vasculopathy and Lung Fibrosis Associated with the Presence of Interstitial Lung Disease in Systemic Sclerosis Patients. <i>Biomedicines</i> , 2021 , 9,	4.8	1
48	Potential relation of cardiovascular risk factors to disease activity in patients with axial spondyloarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211033755	3.8	1
47	Evaluation of serum omentin-1 and apelin concentrations in patients with hidradenitis suppurativa. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 450-454	1.5	1
46	Detection of high cardiovascular risk patients with ankylosing spondylitis based on the assessment of abdominal aortic calcium as compared to carotid ultrasound. <i>Arthritis Research and Therapy</i> , 2018 , 20, 195	5.7	1
45	QRISK3 Relation to Carotid Plaque is Higher than that of SCORE In Patients with Systemic Lupus Erythematosus. <i>Rheumatology</i> , 2021 ,	3.9	1
44	Role of the IL33 and IL1RL1 pathway in the pathogenesis of Immunoglobulin A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 16163	4.9	1
43	Letter to the editor. Low-dose corticosteroids and blindness in giant cell arteritis. <i>British Journal of Rheumatology</i> , 1996 , 35, 702-3		1
42	Histopathologic differences between cutaneous vasculitis associated with severe bacterial infection and cutaneous vasculitis secondary to other causes: study of 52 patients. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S93-7	2.2	1
41	Association of apolipoprotein B/apolipoprotein A1 ratio and cardiovascular events in rheumatoid arthritis: results of the CARMA study. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 662-669	2.2	1
40	Comparable effects of traditional cardiovascular risk factors on subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 917-924	2.2	1
39	The role of a functional variant of TYK2 in vasculitides and infections. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 949-955	2.2	1
38	Evidence for uncoupling of clinical and 18-FDG activity of PET/CT scan improvement in tocilizumab-treated patients with large-vessel giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 129, 69-75	2.2	1
37	Intravenous methylprednisolone induces rapid improvement in non-infectious uveitis: a multicentre study of 112 patients. <i>Clinical and Experimental Rheumatology</i> , 2021 ,	2.2	1
36	Tocilizumab in Behāt@ disease with refractory ocular and/or neurological involvement: response according to different clinical phenotypes. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 132, 37-42	2.2	1
35	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2	1

34	The angiopoietin-like protein 4, apolipoprotein C3, and lipoprotein lipase axis is disrupted in patients with rheumatoid arthritis <i>Arthritis Research and Therapy</i> , 2022 , 24, 99	5.7	1
33	Factors associated with atherosclerosis in radiographic and non-radiographic axial spondyloarthritis. A multicenter study on 838 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2022 , 152	:0 3 7	1
32	Role of MUC1 rs4072037 polymorphism and serum KL-6 levels in patients with antisynthetase syndrome. <i>Scientific Reports</i> , 2021 , 11, 22574	4.9	0
31	Gastrointestinal involvement in adult IGA vasculitis. <i>Rheumatology</i> , 2020 , 59, 2659-2660	3.9	O
30	Atypical presentation of immunoglobulin G4-related disease as subglottic stenosis: a case-based review. <i>Rheumatology International</i> , 2021 , 41, 1161-1167	3.6	O
29	Epidemiology of sarcoidosis in northern Spain, 1999-2019: A population-based study. <i>European Journal of Internal Medicine</i> , 2021 , 91, 63-69	3.9	O
28	Intravenous methylprednisolone induces rapid improvement in non-infectious uveitis: a multicentre study of 112 patients. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 142-149	2.2	О
27	Long-term survival of renal transplantation in patients with lupus nephritis: experience from a single university centre. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 581-588	2.2	O
26	Defining anti-synthetase syndrome: a systematic literature review <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 309-319	2.2	0
25	Apolipoprotein C-III in patients with systemic lupus erythematosus <i>Arthritis Research and Therapy</i> , 2022 , 24, 104	5.7	O
24	Reply. <i>Medicina Clūica</i> , 2017 , 148, e15-e16	1	
23	Sex disparities in systemic lupus erythematosus in Northwestern Spain are not due to ethnic diversity. <i>Rheumatology International</i> , 2015 , 35, 939-40	3.6	
22	Cardiovascular risk assessment in rheumatoid arthritis: What goals should be achieved?. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, e20-1	5.3	
21	Images in clinical medicine. Cold hands associated with scleroderma. <i>New England Journal of Medicine</i> , 2013 , 369, 1638	59.2	
20	Role of carotid ultrasonography in the evaluation of cardiovascular risk in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, 409	5.7	
19	Two coincidental neurological complications as a presenting form of infectious endocarditis. <i>International Journal of Cardiology</i> , 2007 , 117, e107-8	3.2	
18	Can HLA-DR explain the varying frequency of synovitis in polymyalgia rheumatica? Comment on the article by Salvarani et al. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1561-2		
17	Giant cell arteritis and amyloidosis: comment on the article by Salvarani et al. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1073-4		

LIST OF PUBLICATIONS

16	Experts document on methotrexate use in combined therapy with biological or targeted synthetic disease modifying drugs in patients with rheumatoid arthritis <i>Reumatologa Claica (English Edition)</i> , 2022 , 18, 33-41	0.1
15	Cranial and extracranial giant cell arteritis do not have different HLA-DRB1 and HLA-B association in Caucasian individuals. <i>Arthritis Research and Therapy</i> , 2021 , 23, 268	5.7
14	Treatment With Tofacitinib in Refractory Psoriatic Arthritis: A National Multicenter Study of the First 87 Patients in Clinical Practice. <i>Journal of Rheumatology</i> , 2021 , 48, 1552-1558	4.1
13	Vitamin D and autoimmune rheumatic diseases. <i>Reumatologa Claica</i> , 2016 , 12, 356-357	0.9
12	Comment on: Proprotein convertase subtilisin/kexin type 9 in the dyslipidaemia of patients with axial spondyloarthritis is related to disease activity: reply. <i>Rheumatology</i> , 2021 , 60, e268-e269	3.9
11	Efficacy and safety of biological drugs in interstitial lung disease associated with connective tissue diseases. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-23	4.1
10	LILRA3 deficiency is not involved in the giant cell arteritis and systemic sclerosis predisposition. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 208-209	2.2
9	Influence of IL17A gene on the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 166-170	2.2
8	Role of IRF5 in the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 182-187	2.2
7	Reply to: Comment on: Reclassification into very-high cardiovascular risk in psoriatic arthritis as well as axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 1268	2.2
6	Association between homocysteine levels and arterial stiffness in women with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 125, 92-97	2.2
5	Immune-related adverse events in patients with solid-organ tumours treated with immunotherapy: a 3-year study of 102 cases from a single centre. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 612-	626
4	Coexisting sarcoidosis and systemic lupus erythematosus: a case report and literature review. <i>Acta Reumatolgica Portuguesa</i> , 2021 , 46, 177-185	0.7
3	SCORE2 SCORE in patients with systemic lupus erythematosus <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022 , 14, 1759720X221092373	3.8
2	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2
1	Clinical and immunological study of Tofacitinib and Baricitinib in refractory Blau syndrome: case report and literature review <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022 , 14, 1759720X2210	93211