

# Chujun Zhao

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6187968/chujun-zhao-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144  
papers

7,086  
citations

37  
h-index

83  
g-index

158  
ext. papers

8,000  
ext. citations

3.4  
avg, IF

5.81  
L-index

#	Paper	IF	Citations
144	Mechanically exfoliated black phosphorus as a new saturable absorber for both Q-switching and Mode-locking laser operation. <i>Optics Express</i> , <b>2015</b> , 23, 12823-33	3.3	734
143	Broadband nonlinear optical response in multi-layer black phosphorus: an emerging infrared and mid-infrared optical material. <i>Optics Express</i> , <b>2015</b> , 23, 11183-94	3.3	541
142	Ultra-short pulse generation by a topological insulator based saturable absorber. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 211106	3.4	469
141	Wavelength-tunable picosecond soliton fiber laser with Topological Insulator: Bi <sub>2</sub> Se <sub>3</sub> as a mode locker. <i>Optics Express</i> , <b>2012</b> , 20, 27888-95	3.3	355
140	2 GHz passively harmonic mode-locked fiber laser by a microfiber-based topological insulator saturable absorber. <i>Optics Letters</i> , <b>2013</b> , 38, 5212-5	3	347
139	Ytterbium-doped fiber laser passively mode locked by few-layer Molybdenum Disulfide (MoS <sub>2</sub> ) saturable absorber functioned with evanescent field interaction. <i>Scientific Reports</i> , <b>2014</b> , 4, 6346	4.9	323
138	Third order nonlinear optical property of Bi <sub>2</sub> Se <sub>3</sub> . <i>Optics Express</i> , <b>2013</b> , 21, 2072-82	3.3	231
137	Black phosphorus as saturable absorber for the Q-switched Er:ZBLAN fiber laser at 2.8 $\mu$ m. <i>Optics Express</i> , <b>2015</b> , 23, 24713-8	3.3	222
136	Femtosecond pulse generation from a topological insulator mode-locked fiber laser. <i>Optics Express</i> , <b>2014</b> , 22, 6868-73	3.3	211
135	Microwave and optical saturable absorption in graphene. <i>Optics Express</i> , <b>2012</b> , 20, 23201-14	3.3	196
134	Topological insulator as an optical modulator for pulsed solid-state lasers. <i>Laser and Photonics Reviews</i> , <b>2013</b> , 7, L77-L83	8.3	185
133	Large Energy, Wavelength Widely Tunable, Topological Insulator Q-Switched Erbium-Doped Fiber Laser. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2014</b> , 20, 315-322	3.8	171
132	Broadband optical and microwave nonlinear response in topological insulator. <i>Optical Materials Express</i> , <b>2014</b> , 4, 587	2.6	170
131	Switchable Dual-Wavelength Synchronously Q-Switched Erbium-Doped Fiber Laser Based on Graphene Saturable Absorber. <i>IEEE Photonics Journal</i> , <b>2012</b> , 4, 869-876	1.8	165
130	Mid-infrared mode-locked pulse generation with multilayer black phosphorus as saturable absorber. <i>Optics Letters</i> , <b>2016</b> , 41, 56-9	3	142
129	3- $\mu$ m Mid-infrared pulse generation using topological insulator as the saturable absorber. <i>Optics Letters</i> , <b>2015</b> , 40, 3659-62	3	132
128	Self-Assembled Topological Insulator: Bi <sub>2</sub> Se <sub>3</sub> Membrane as a Passive Q-Switcher in an Erbium-Doped Fiber Laser. <i>Journal of Lightwave Technology</i> , <b>2013</b> , 31, 2857-2863	4	132

127	Dual-Wavelength Harmonically Mode-Locked Fiber Laser With Topological Insulator Saturable Absorber. <i>IEEE Photonics Technology Letters</i> , <b>2014</b> , 26, 983-986	2.2	118
126	Topological Insulator: $\text{Bi}_2\text{Te}_3$ Saturable Absorber for the Passive Q-Switching Operation of an in-Band Pumped 1645-nm Er:YAG Ceramic Laser. <i>IEEE Photonics Journal</i> , <b>2013</b> , 5, 1500707-1500707	1.8	118
125	Generation and evolution of mode-locked noise-like square-wave pulses in a large-anomalous-dispersion Er-doped ring fiber laser. <i>Optics Express</i> , <b>2015</b> , 23, 6418-27	3.3	109
124	The formation of various multi-soliton patterns and noise-like pulse in a fiber laser passively mode-locked by a topological insulator based saturable absorber. <i>Laser Physics Letters</i> , <b>2014</b> , 11, 055101-1.5	1.5	108
123	Wide spectral and wavelength-tunable dissipative soliton fiber laser with topological insulator nano-sheets self-assembly films sandwiched by PMMA polymer. <i>Optics Express</i> , <b>2015</b> , 23, 7681-93	3.3	96
122	Few-Layer Topological Insulator for All-Optical Signal Processing Using the Nonlinear Kerr Effect. <i>Advanced Optical Materials</i> , <b>2015</b> , 3, 1769-1778	8.1	76
121	Broadband ultrafast nonlinear optical response of few-layers graphene: toward the mid-infrared regime. <i>Photonics Research</i> , <b>2015</b> , 3, 214	6	74
120	Highly stable femtosecond pulse generation from a MXene $\text{Ti}_3\text{C}_2\text{Tx}$ (T = F, O, or OH) mode-locked fiber laser. <i>Photonics Research</i> , <b>2019</b> , 7, 260	6	70
119	Molecular nonlinear optics: recent advances and applications. <i>Advances in Optics and Photonics</i> , <b>2016</b> , 8, 328	16.7	69
118	Broadband ultrafast spatial self-phase modulation for topological insulator $\text{Bi}_2\text{Te}_3$ dispersions. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 151101	3.4	64
117	Soliton fiber laser mode locked with two types of film-based $\text{Bi}_2\text{Te}_3$ saturable absorbers. <i>Photonics Research</i> , <b>2015</b> , 3, A43	6	58
116	2.8- $\mu\text{m}$ Pulsed Er <sup>3+</sup> : ZBLAN Fiber Laser Modulated by Topological Insulator. <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 1573-1576	2.2	55
115	Unleashing the potential of $\text{Ti}_3\text{C}_2\text{x}$ MXene as a pulse modulator for mid-infrared fiber lasers. <i>2D Materials</i> , <b>2019</b> , 6, 045038	5.9	54
114	Watt-level passively mode-locked Er(3+)-doped ZBLAN fiber laser at 2.8 $\mu\text{m}$ . <i>Optics Letters</i> , <b>2015</b> , 40, 4855-8	3	52
113	Ultrafast nonlinear absorption and nonlinear refraction in few-layer oxidized black phosphorus. <i>Photonics Research</i> , <b>2016</b> , 4, 286	6	52
112	Improved transfer quality of CVD-grown graphene by ultrasonic processing of target substrates: applications for ultra-fast laser photonics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 10288-93	9.5	51
111	Third-order nonlinear optical response of $\text{CH}_3\text{NH}_3\text{PbI}_3$ perovskite in the mid-infrared regime. <i>Optical Materials Express</i> , <b>2017</b> , 7, 3894	2.6	44
110	(Q)-Switched Mode-Locked Nd:YVO <sub>4</sub> Laser by Topological Insulator $\text{Bi}_2\text{Te}_3$ Saturable Absorber. <i>IEEE Photonics Technology Letters</i> , <b>2014</b> , 26, 1912-1915	2.2	40

109	Broadband third order nonlinear optical responses of bismuth telluride nanosheets. <i>Optical Materials Express</i> , <b>2016</b> , 6, 2244	2.6	40
108	Stable Q-switched Erbium-Doped Fiber Laser Based on Topological Insulator Covered Microfiber. <i>IEEE Photonics Technology Letters</i> , <b>2014</b> , 26, 987-990	2.2	38
107	Bi <sub>2</sub> Te <sub>3</sub> -switched Nd:YAG ceramic waveguide laser. <i>Optics Letters</i> , <b>2015</b> , 40, 637-40	3	37
106	Graphene-Bi <sub>2</sub> Te <sub>3</sub> Heterostructure as Broadband Saturable Absorber for Ultra-Short Pulse Generation in Er-Doped and Yb-Doped Fiber Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2017</b> , 23, 195-199	3.8	36
105	Few-layer rhenium diselenide: an ambient-stable nonlinear optical modulator. <i>Optical Materials Express</i> , <b>2018</b> , 8, 926	2.6	32
104	High-power and highly efficient operation of wavelength-tunable Raman fiber lasers based on volume Bragg gratings. <i>Optics Express</i> , <b>2014</b> , 22, 6605-12	3.3	29
103	Thermally switchable bifunctional plasmonic metasurface for perfect absorption and polarization conversion based on VO. <i>Optics Express</i> , <b>2020</b> , 28, 4563-4570	3.3	29
102	Ti <sub>2</sub> CTx MXene-based all-optical modulator. <i>Information Materials</i> , <b>2020</b> , 2, 601-609	23.1	28
101	Large-energy, narrow-bandwidth laser pulse at 1645 nm in a diode-pumped Er:YAG solid-state laser passively Q-switched by a monolayer graphene saturable absorber. <i>Applied Optics</i> , <b>2014</b> , 53, 254-8	1.7	27
100	Soliton trapping of dispersive waves in photonic crystal fiber with two zero dispersive wavelengths. <i>Optics Express</i> , <b>2013</b> , 21, 11215-26	3.3	27
99	Field electron emission of layered Bi <sub>2</sub> Te <sub>3</sub> nanosheets with atom-thick sharp edges. <i>Nanoscale</i> , <b>2014</b> , 6, 8306-10	7.7	26
98	Black Phosphorus Quantum Dots as an Efficient Saturable Absorber for Bound Soliton Operation in an Erbium Doped Fiber Laser. <i>IEEE Photonics Journal</i> , <b>2016</b> , 8, 1-10	1.8	25
97	Bulk-structured PtSe for femtosecond fiber laser mode-locking. <i>Optics Express</i> , <b>2019</b> , 27, 2604-2611	3.3	25
96	Topological Insulator Simultaneously Q-Switched Dual-Wavelength Nd:Lu <sub>2</sub> O <sub>3</sub> Laser. <i>IEEE Photonics Journal</i> , <b>2014</b> , 6, 1-7	1.8	24
95	Ultrafast pulse generation from erbium-doped fiber laser modulated by hybrid organic-organic halide perovskites. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 161111	3.4	23
94	Plasmonic Cu <sub>1.8</sub> S nanocrystals as saturable absorbers for passively Q-switched erbium-doped fiber lasers. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 4034-4039	7.1	23
93	Wavelength-locked vectorial fiber laser manipulated by Pancharatnam-Berry phase. <i>Optics Express</i> , <b>2017</b> , 25, 30-38	3.3	23
92	Ultrafast nonlinear optical response in solution dispersions of black phosphorus. <i>Scientific Reports</i> , <b>2017</b> , 7, 3352	4.9	19

91	Highly efficient tunable mid-infrared optical parametric oscillator pumped by a wavelength locked, Q-switched Er:YAG laser. <i>Optics Express</i> , <b>2015</b> , 23, 20812-9	3.3	19
90	Harmonic mode-locking and wavelength-tunable Q-switching operation in the grapheneBi <sub>2</sub> Te <sub>3</sub> heterostructure saturable absorber-based fiber laser. <i>Optical Engineering</i> , <b>2016</b> , 55, 081314	1.1	18
89	Stable and wavelength-locked Q-switched narrow-linewidth Er:YAG laser at 1645 nm. <i>Optics Express</i> , <b>2015</b> , 23, 11037-42	3.3	17
88	Multilayer graphene for Q-switched mode-locking operation in an erbium-doped fiber laser. <i>Optics Communications</i> , <b>2013</b> , 300, 17-21	2	17
87	Gold nanostars as a Q-switcher for the mid-infrared erbium-doped fluoride fiber laser. <i>Optics Letters</i> , <b>2018</b> , 43, 5459-5462	3	17
86	Z-scan measurement of the nonlinear refractive index of Nd(3+), Y(3+)-codoped CaF(2) and SrF(2) crystals. <i>Applied Optics</i> , <b>2015</b> , 54, 953-8	1.7	16
85	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2018</b> , 24, 1-7	3.8	16
84	Field and dispersion properties of subwavelength-diameter hollow optical fiber. <i>Optics Express</i> , <b>2007</b> , 15, 6629-34	3.3	16
83	Stable Single-Longitudinal-Mode Fiber Ring Laser Using Topological Insulator-Based Saturable Absorber. <i>Journal of Lightwave Technology</i> , <b>2014</b> , 32, 4438-4444	4	15
82	Graphene Q-Switched Vectorial Fiber Laser With Switchable Polarized Output. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2017</b> , 23, 26-32	3.8	14
81	Broadband spatial self-phase modulation and ultrafast response of MXene Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> (T=O, OH or F). <i>Nanophotonics</i> , <b>2020</b> , 9, 2415-2424	6.3	14
80	Enhancing the saturable absorption and carrier dynamics of graphene with plasmonic nanowires. <i>Physica Status Solidi (B): Basic Research</i> , <b>2015</b> , 252, 2159-2166	1.3	14
79	Controlled generation of high-intensity optical rogue waves by induced modulation instability. <i>Scientific Reports</i> , <b>2017</b> , 7, 39926	4.9	13
78	Erbium-Doped Fiber Laser Mode-Locked by Halide Perovskite via Evanescent Field Interaction. <i>IEEE Photonics Technology Letters</i> , <b>2018</b> , 30, 577-580	2.2	13
77	Trapping and controlling the dispersive wave within a solitonic well. <i>Optics Express</i> , <b>2016</b> , 24, 10302-12	3.3	13
76	Harnessing rogue wave for supercontinuum generation in cascaded photonic crystal fiber. <i>Optics Express</i> , <b>2017</b> , 25, 7192-7202	3.3	13
75	Bismuth Telluride nanocrystal: broadband nonlinear response and its application in ultrafast photonics. <i>Scientific Reports</i> , <b>2018</b> , 8, 2355	4.9	12
74	Broadband mid-infrared nonlinear optical modulator enabled by gold nanorods: towards the mid-infrared regime. <i>Photonics Research</i> , <b>2019</b> , 7, 699	6	12

73	Nonlinear Optical Response in Natural van der Waals Heterostructures. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 2000382	8.1	11
72	Broadband Nonlinear Optical Response of Single-Crystalline Bismuth Thin Film. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 35863-35870	9.5	11
71	Active control of adiabatic soliton fission by external dispersive wave at optical event horizon. <i>Optics Express</i> , <b>2017</b> , 25, 28556	3.3	11
70	Passively Q-switched vectorial fiber laser modulated by hybrid organic/inorganic perovskites. <i>Optical Materials Express</i> , <b>2017</b> , 7, 1220	2.6	11
69	Stable high-energy Q-switched resonantly diode-pumped Er:YAG laser at 1645 nm. <i>Applied Optics</i> , <b>2014</b> , 53, 7773-7	0.2	11
68	Tunable Gold Nanorods Q-Switcher for Pulsed Er-Doped Fiber Laser. <i>IEEE Photonics Journal</i> , <b>2017</b> , 9, 1-9	1.8	10
67	Smoothing effect in the broadband laser through a dispersive wedge. <i>Optics Communications</i> , <b>2006</b> , 265, 106-110	2	10
66	Sub-hundred nanosecond pulse generation from a black phosphorus Q-switched Er-doped fiber laser. <i>Optics Express</i> , <b>2020</b> , 28, 4708-4716	3.3	10
65	Electrically optical phase controlling for millimeter wave orbital angular momentum multi-modulation communication. <i>Optics Communications</i> , <b>2017</b> , 393, 49-55	2	9
64	Resonantly pumped Er:YAG laser Q-switched by topological insulator nanosheets at 1617 nm. <i>Optical Materials</i> , <b>2017</b> , 71, 74-77	3.3	9
63	Graded-index breathing solitons from Airy pulses in multimode fibers. <i>Optics Express</i> , <b>2019</b> , 27, 483-493	3.3	9
62	The correlation between phase transition and photoluminescence properties of CsPbX (X= Cl, Br, I) perovskite nanocrystals. <i>Nanoscale Advances</i> , <b>2020</b> , 2, 4390-4394	5.1	8
61	Drop-Casted Self-Assembled Topological Insulator Membrane as an Effective Saturable Absorber for Ultrafast Laser Photonics. <i>IEEE Photonics Journal</i> , <b>2015</b> , 7, 1-11	1.8	7
60	Negative refraction in a honeycomb-lattice photonic crystal. <i>Solid State Communications</i> , <b>2007</b> , 141, 183-187	1.87	7
59	Experimental study on the multisoliton pattern formation in an erbium-doped fiber laser passively mode-locked by graphene saturable absorber. <i>Optical Engineering</i> , <b>2013</b> , 52, 044201	1.1	6
58	An improved shooting algorithm and its application to high-power fiber lasers. <i>Optics Communications</i> , <b>2010</b> , 283, 3764-3767	2	6
57	Antimony Thin Film as a Robust Broadband Saturable Absorber. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2021</b> , 27, 1-7	3.8	6
56	Controlled higher-order transverse mode conversion from a fiber laser by polarization manipulation. <i>Journal of Optics (United Kingdom)</i> , <b>2018</b> , 20, 024016	1.7	5

55	Modeling the Broadband Mid-Infrared Dispersion Compensator Based on ZBLAN Microfiber. <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 728-731	2.2	5
54	Dark solitons manipulation using optical event horizon. <i>Optics Express</i> , <b>2018</b> , 26, 16535-16546	3.3	5
53	Saturable absorption in graphene at 800-nm band <b>2012</b> ,		5
52	Wavelength-tunable picosecond soliton fiber laser with Topological Insulator: Bi <sub>2</sub> Se <sub>3</sub> as a mode locker: erratum. <i>Optics Express</i> , <b>2013</b> , 21, 444	3.3	5
51	Metamaterial-based polarization control plate for producing incoherent laser irradiation. <i>Applied Optics</i> , <b>2012</b> , 51, 4749-53	1.7	5
50	Modal fields and bending loss analyses of three-layer large flattened mode fibers. <i>Optics Communications</i> , <b>2006</b> , 266, 175-180	2	5
49	Robust hybrid mode-locking operation with bulk-like transition metal pentatellurides. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 6445-6451	7.1	5
48	Systemic optimization of linear cavity Yb-doped double-clad fiber laser. <i>Optik</i> , <b>2013</b> , 124, 793-797	2.5	4
47	Voltage-on-Type RTP Pockels Cell for Q-switch of an Er:YAG Laser at 1,617 nm. <i>Journal of Russian Laser Research</i> , <b>2017</b> , 38, 339-343	0.7	4
46	Emission of multiple resonant radiations by spatiotemporal oscillation of multimode dark pulses. <i>Optics Express</i> , <b>2019</b> , 27, 36022-36033	3.3	4
45	Stable Dissipative Soliton Generation From Yb-Doped Fiber Laser Modulated via Evanescent Field Interaction With Gold Nanorods. <i>IEEE Photonics Journal</i> , <b>2018</b> , 10, 1-8	1.8	4
44	All-Optical Signal Processing: Few-Layer Topological Insulator for All-Optical Signal Processing Using the Nonlinear Kerr Effect (Advanced Optical Materials 12/2015). <i>Advanced Optical Materials</i> , <b>2015</b> , 3, 1768-1768	8.1	3
43	Volume Bragg grating narrowed high-power and highly efficient cladding-pumped Raman fiber laser. <i>Applied Optics</i> , <b>2014</b> , 53, 8256-60	0.2	3
42	Synchronization and Relative Timing Jitter Measurement of Femtosecond and Picosecond Laser Regenerative Amplifiers. <i>IEEE Journal of Quantum Electronics</i> , <b>2010</b> , 46, 1354-1359	2	3
41	Smoothing the side lobes of a focused pattern by spectral dispersion in the broadband laser. <i>Optik</i> , <b>2007</b> , 118, 594-598	2.5	3
40	Field enhancement and power distribution characteristics of subwavelength-diameter terahertz hollow optical fiber. <i>Optics Communications</i> , <b>2008</b> , 281, 1129-1133	2	3
39	Optical properties of a square-lattice photonic crystal within the partial bandgap. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2007</b> , 24, 379-84	1.8	3
38	Optical event horizon-based complete transformation and control of dark solitons. <i>Optics Letters</i> , <b>2018</b> , 43, 5327-5330	3	3



37	Broadband optical response of layered nickel ditelluride towards the mid-infrared regime. <i>Optical Materials Express</i> , <b>2020</b> , 10, 1335	2.6	3
36	Passive photonic diodes based on natural van der Waals heterostructures. <i>Nanophotonics</i> , <b>2020</b> , 10, 927-935	3.5	3
35	Duration Switchable High-Energy Passively Mode-Locked Raman Fiber Laser Based on Nonlinear Polarization Evolution. <i>IEEE Photonics Journal</i> , <b>2015</b> , 7, 1-7	1.8	2
34	~3.5 $\mu\text{m}$ Er <sup>3+</sup> : ZBLAN Fiber Laser in Dual-End Pumping Regime. <i>IEEE Access</i> , <b>2019</b> , 7, 147238-147243	3.5	2
33	Tailoring the dispersion behavior of optical nanowires with intercore-cladding lithium niobate thin film. <i>Optics Express</i> , <b>2015</b> , 23, 27085-93	3.3	2
32	The optimum length of linear cavity Yb <sup>3+</sup> -doped double-clad fiber laser. <i>Optics Communications</i> , <b>2010</b> , 283, 1449-1453	2	2
31	Design guidelines and characteristics for a kind of four-layer large flattened mode fibers. <i>Optik</i> , <b>2008</b> , 119, 749-754	2.5	2
30	Subwavelength imaging by a dielectric-tube photonic crystal. <i>Journal of Optics</i> , <b>2006</b> , 8, 831-834		2
29	Highly stable soliton and bound soliton generation from a fiber laser mode-locked by VSe nanosheets.. <i>Optics Express</i> , <b>2022</b> , 30, 6838-6845	3.3	2
28	Self-Defocusing of Light in Ethanol Around 1550 nm. <i>IEEE Photonics Journal</i> , <b>2020</b> , 12, 1-8	1.8	2
27	Dissipative Soliton Generation From Yb-Doped Fiber Laser Modulated by Mechanically Exfoliated NbSe <sub>2</sub> . <i>Frontiers in Physics</i> , <b>2020</b> , 8,	3.9	2
26	Highly Efficient Vectorial Fiber Laser With Switchable Output. <i>IEEE Photonics Technology Letters</i> , <b>2017</b> , 29, 1852-1855	2.2	1
25	Selective interaction between graphene and a multifunctional metamirror in the near-infrared region. <i>Journal Physics D: Applied Physics</i> , <b>2019</b> , 52, 495104	3	1
24	Robust wavelength-locked narrow-linewidth Er-doped yttrium aluminum garnet laser. <i>Applied Physics Express</i> , <b>2015</b> , 8, 012703	2.4	1
23	Soliton Trapping of Dispersive Waves in Photonic Crystal Fiber With Three Zero-Dispersive Wavelengths. <i>IEEE Photonics Journal</i> , <b>2015</b> , 7, 1-9	1.8	1
22	Broadband Passive Photonic Diodes With the Saturable Absorption in Antimony Thin Film. <i>IEEE Photonics Journal</i> , <b>2020</b> , 12, 1-7	1.8	1
21	Third-order nonlinear optical response of Yb:YAG ceramics under femtosecond laser irradiation. <i>Optical Materials</i> , <b>2019</b> , 98, 109435	3.3	1
20	Response to Comment on Ultra-short pulse generation by a topological insulator based saturable absorber[Appl. Phys. Lett. 103, 106101 (2013)]. <i>Applied Physics Letters</i> , <b>2013</b> , 103, 106102	3.4	1



19	Spatiotemporal behaviors and singularity of ultrashort pulsed Elegant Hermite-Gaussian beams. <i>Optik</i> , <b>2009</b> , 120, 51-55	2.5	1
18	The slope efficiency of 2 <sup>th</sup> thulium doped fiber laser <b>2010</b> ,		1
17	Broadband saturable absorption of multilayer MoSSe alloy and its application in mid-infrared Q-switched fiber laser. <i>Optical Fiber Technology</i> , <b>2022</b> , 68, 102798	2.4	1
16	Q-switched lasing at the 2 μm wavelength induced by Cu18S nanocrystals. <i>OSA Continuum</i> , <b>2019</b> , 2, 28091.4	1.4	1
15	Robust nanosecond laser passively Q-switched by tin selenide nanoflowers. <i>Optics Express</i> , <b>2021</b> , 29, 41388	3.3	1
14	Watt-level superfluorescent fiber source near 3 μm. <i>Optics Letters</i> , <b>2021</b> , 46, 2778-2781	3	1
13	Nonlinear optical responses of erbium-doped YAG ceramics. <i>Optical Materials</i> , <b>2016</b> , 57, 231-235	3.3	1
12	Correlation between geometric parametric instability sidebands in graded-index multimode fibers. <i>Chaos</i> , <b>2021</b> , 31, 013109	3.3	1
11	Dual-Wavelength Nanosecond Nd:YVO4 Laser With Switchable Inhomogeneous Polarization Output. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2018</b> , 24, 1-5	3.8	0
10	Stable Q-switched operation of a resonantly diode pumped Er:YAG laser at 1617 and 1645 nm by Cr <sup>2+</sup> :ZnSe crystal. <i>Journal of Nonlinear Optical Physics and Materials</i> , <b>2017</b> , 26, 1750047	0.8	0
9	Enhancement of Optical Nonlinearity in the Triangular Gold Nanoplates on Indium Tin Oxide. <i>IEEE Photonics Journal</i> , <b>2021</b> , 13, 1-8	1.8	0
8	Layered Ta <sub>2</sub> Ni <sub>5</sub> S Q-Switcher for Mid-Infrared Fluoride Fiber Laser. <i>IEEE Photonics Journal</i> , <b>2021</b> , 13, 1-4	1.8	0
7	Nonlinear-dependent h-shaped pulse generation in a Raman fiber laser. <i>Optics and Laser Technology</i> , <b>2022</b> , 151, 108055	4.2	0
6	Review of self-focusing of high power lasers in large-mode-area optical fibers. <i>Journal of Physics: Conference Series</i> , <b>2011</b> , 276, 012010	0.3	
5	Subwavelength imaging with two symmetrical interfaces by dielectric-tube photonic crystals. <i>Applied Physics A: Materials Science and Processing</i> , <b>2007</b> , 87, 223-225	2.6	
4	Spatio-temporal control of dispersive waves trapping by solitons in graded-index multimode fibers. <i>Applied Physics Express</i> , <b>2020</b> , 13, 112003	2.4	
3	Modelling the broadband mid-infrared dispersion compensator with hybrid silicon and lithium niobate nanowire. <i>OSA Continuum</i> , <b>2018</b> , 1, 736	1.4	
2	New Method for Eliminating Background Noise in Characteristic Spectral Imaging. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2020</b> , 711, 012086	0.4	

- 1 Propagation Characteristics of Anisotropic a-Axis Hollow Lithium Niobate Nanowire. *Journal of Lightwave Technology*, **2016**, 34, 4028-4035

4