Elke Schffner

List of Publications by Year in Descending Order

55 papers	1,295 citations	18 h-index	35 g-index
61 ext. papers	1,811 ext. citations	4.5 avg, IF	4.12 L-index

#	Paper	IF	Citations
55	Educational Attainment Is Associated With Kidney and Cardiovascular Outcomes in the German CKD (GCKD) Cohort.. *Kidney International Reports*, **2022**, 7, 1004-1015	4.1	2
54	Gender differences in frailty transition and its prediction in community-dwelling old adults.. *Scientific Reports*, **2022**, 12, 7341	4.9	0
53	The rural Uganda non-communicable disease (RUNCD) study: prevalence and risk factors of self-reported NCDs from a cross sectional survey. *BMC Public Health*, **2021**, 21, 2036	4.1	1
52	Advancement of pharmacokinetic models of iohexol in patients aged 70 years or older with impaired kidney function. *Scientific Reports*, **2021**, 11, 22656	4.9	0
51	Performance of creatinine-based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. *British Journal of Clinical Pharmacology*, **2021**,	3.8	4
50	Control of blood pressure in older patients with heart failure and the risk of mortality: a population-based prospective cohort study. *Age and Ageing*, **2021**, 50, 1173-1181	3	
49	Iohexol plasma clearance for measuring glomerular filtration rate: effect of different ways to calculate the area under the curve. *BMC Nephrology*, **2021**, 22, 166	2.7	2
48	Development of a prediction model for mortality and cardiovascular outcomes in older adults taking into account AZGP1. *Scientific Reports*, **2021**, 11, 11792	4.9	0
47	Thyroid function, renal events and mortality in chronic kidney disease patients: the German Chronic Kidney Disease study. *CKJ: Clinical Kidney Journal*, **2021**, 14, 959-968	4.5	1
46	Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate : A Cross-sectional Analysis of Pooled Data. *Annals of Internal Medicine*, **2021**, 174, 183-191	8	40
45	Assessment of kidney function: clinical indications for measured GFR. *CKJ: Clinical Kidney Journal*, **2021**, 14, 1861-1870	4.5	9
44	Incorporating kidney disease measures into cardiovascular risk prediction: Development and validation in 9 million adults from 72 datasets. *EClinicalMedicine*, **2020**, 27, 100552	11.3	15
43	Is there an association between social determinants and care dependency risk? A multi-state model analysis of a longitudinal study. *Research in Nursing and Health*, **2020**, 43, 230-240	2	3
42	Comparison of Early-Compartment Correction Equations for GFR Measurements. *Kidney International Reports*, **2020**, 5, 1079-1081	4.1	6
41	GFR in Healthy Aging: an Individual Participant Data Meta-Analysis of Iohexol Clearance in European Population-Based Cohorts. *Journal of the American Society of Nephrology: JASN*, **2020**, 31, 1602-1615	12.7	22
40	Self-reported medication in community-dwelling older adults in Germany: results from the Berlin Initiative Study. *BMC Geriatrics*, **2020**, 20, 22	4.1	11
39	Estimating the Fraction of First-Year Hemodialysis Deaths Attributable to Potentially Modifiable Risk Factors: Results from the DOPPS. *Clinical Epidemiology*, **2020**, 12, 51-60	5.9	6

38	Performance of risk prediction scores for cardiovascular mortality in older persons: External validation of the SCORE OP and appraisal. *PLoS ONE*, **2020**, 15, e0231097	3.7	3
37	Comparability of Plasma Iohexol Clearance Across Population-Based Cohorts. *American Journal of Kidney Diseases*, **2020**, 76, 54-62	7.4	6
36	Association Between Dietary Patterns and Kidney Function in Patients With Chronic Kidney Disease: A Cross-Sectional Analysis of the German Chronic Kidney Disease Study. *Journal of Renal Nutrition*, **2020**, 30, 296-304	3	14
35	Inflammation and Erythropoiesis-Stimulating Agent Response in Hemodialysis Patients: A Self-matched Longitudinal Study of Anemia Management in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Kidney Medicine*, **2020**, 2, 286-296	2.8	9
34	Awareness, usage and perceptions of authorship guidelines: an international survey of biomedical authors. *BMJ Open*, **2020**, 10, e036899	3	8
33	Prospects for improved glomerular filtration rate estimation based on creatinine-results from a transnational multicentre study. *CKJ: Clinical Kidney Journal*, **2020**, 13, 674-683	4.5	5
32	Risk Profiles for Care Dependency: Cross-Sectional Findings of a Population-Based Cohort Study in Germany. *Journal of Aging and Health*, **2020**, 32, 352-360	2.6	12
31	Control of blood pressure and risk of mortality in a cohort of older adults: the Berlin Initiative Study. *European Heart Journal*, **2019**, 40, 2021-2028	9.5	20
30	CKD: A Call for an Age-Adapted Definition. *Journal of the American Society of Nephrology: JASN*, **2019**, 30, 1785-1805	12.7	82
29	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. *American Journal of Kidney Diseases*, **2019**, 73, 206-217	7.4	25
28	Single- versus multiple-sample method to measure glomerular filtration rate. *Nephrology Dialysis Transplantation*, **2018**, 33, 1778-1785	4.3	12
27	Evaluating the diagnostic value of rescaled Ⱡrace protein in combination with serum creatinine and serum cystatin C in older adults. *Clinica Chimica Acta*, **2018**, 480, 206-213	6.2	10
26	GFR estimation based on standardized creatinine and cystatin C: a European multicenter analysis in older adults. *Clinical Chemistry and Laboratory Medicine*, **2018**, 56, 422-435	5.9	22
25	Using a three-compartment model improves the estimation of iohexol clearance to assess glomerular filtration rate. *Scientific Reports*, **2018**, 8, 17723	4.9	11
24	FO029HYPERTENSION CONTROL AND MORTALITY IN A COHORT OF OLDER ADULTS. *Nephrology Dialysis Transplantation*, **2018**, 33, i30-i31	4.3	
23	Genetics of serum urate concentrations and gout in a high-risk population, patients with chronic kidney disease. *Scientific Reports*, **2018**, 8, 13184	4.9	6
22	FP356PREDICITIVE PROPERTIES OF EGFR EQUATIONS AND FUTURE STROKES - A COMPARISON. *Nephrology Dialysis Transplantation*, **2018**, 33, i151-i152	4.3	
21	FP292MEASUREMENT OF GLOMERULAR FILTRATION RATE BY PLASMA IOHEXOL CLEARANCE WITH DIFFERENT SINGLE-SAMPLE METHODS. *Nephrology Dialysis Transplantation*, **2018**, 33, i129-i129	4.3	

20	Estimating glomerular filtration rate for the full age spectrum from serum creatinine and cystatin C. *Nephrology Dialysis Transplantation*, **2017**, 32, 497-507	4.3	109
19	The diagnostic value of rescaled renal biomarkers serum creatinine and serum cystatin C and their relation with measured glomerular filtration rate. *Clinica Chimica Acta*, **2017**, 471, 164-170	6.2	6
18	Beta Trace Protein does not outperform Creatinine and Cystatin C in estimating Glomerular Filtration Rate in Older Adults. *Scientific Reports*, **2017**, 7, 12656	4.9	6
17	Determining the Glomerular Filtration Rate-An Overview. *Journal of Renal Nutrition*, **2017**, 27, 375-380	3	7
16	Data on the relation between renal biomarkers and measured glomerular filtration rate. *Data in Brief*, **2017**, 14, 763-772	1.2	5
15	Two elderly patients with normal creatinine and elevated cystatin C - a case report. *BMC Nephrology*, **2017**, 18, 87	2.7	6
14	Bestimmung der Glomerulären Filtrationsrate. *Klinikarzt*, **2017**, 46, 74-78	0	
13	An estimated glomerular filtration rate equation for the full age spectrum. *Nephrology Dialysis Transplantation*, **2016**, 31, 798-806	4.3	234
12	Cystatin C standardization decreases assay variation and improves assessment of glomerular filtration rate. *Clinica Chimica Acta*, **2016**, 456, 115-121	6.2	27
11	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 1: How to measure glomerular filtration rate with iohexol?. *CKJ: Clinical Kidney Journal*, **2016**, 9, 682-99	4.5	96
10	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 2: Why to measure glomerular filtration rate with iohexol?. *CKJ: Clinical Kidney Journal*, **2016**, 9, 700-4	4.5	71
9	Iohexol plasma clearance measurement in older adults with chronic kidney disease-sampling time matters. *Nephrology Dialysis Transplantation*, **2015**, 30, 1307-14	4.3	30
8	Estimating kidney function and use of oral antidiabetic drugs in elderly. *Fundamental and Clinical Pharmacology*, **2015**, 29, 321-8	3.1	14
7	A Lifetime of Allograft Function with Kidneys from Older Donors. *Journal of the American Society of Nephrology: JASN*, **2015**, 26, 2483-93	12.7	35
6	Adult patients with sporadic polycystic kidney disease: the importance of screening for mutations in the PKD1 and PKD2 genes. *International Urology and Nephrology*, **2012**, 44, 1753-62	2.3	15
5	Normal reference values for glomerular filtration rate: what do we really know?. *Nephrology Dialysis Transplantation*, **2012**, 27, 2664-72	4.3	84
4	Characteristics of intracranial aneurysms in the else krüger-fresenius registry of autosomal dominant polycystic kidney disease. *Cerebrovascular Diseases Extra*, **2012**, 2, 71-9	2.1	18
3	The German Chronic Kidney Disease (GCKD) study: design and methods. *Nephrology Dialysis Transplantation*, **2012**, 27, 1454-60	4.3	89

2	New primary renal diagnosis codes for the ERA-EDTA. *Nephrology Dialysis Transplantation*, **2012**, 27, 4414-9	43	54
1	The challenge of Wegener's granulomatosis after kidney transplantation. *Transplant International*, **2009**, 22, 503-5	3	0