

Petra Denig

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6190084/petra-denig-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

2,221
citations

24
h-index

37
g-index

153
ext. papers

2,625
ext. citations

4.2
avg, IF

4.91
L-index

#	Paper	IF	Citations
148	How physicians choose drugs. <i>Social Science and Medicine</i> , 1988 , 27, 1381-6	5.1	113
147	Medication beliefs, treatment complexity, and non-adherence to different drug classes in patients with type 2 diabetes. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 134-8	4.1	84
146	Primary prevention of major cardiovascular and cerebrovascular events with statins in diabetic patients: a meta-analysis. <i>Drugs</i> , 2012 , 72, 2365-73	12.1	69
145	Computerized extraction of information on the quality of diabetes care from free text in electronic patient records of general practitioners. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2007 , 14, 349-54	8.6	68
144	Review: relation between quality-of-care indicators for diabetes and patient outcomes: a systematic literature review. <i>Medical Care Research and Review</i> , 2011 , 68, 263-89	3.7	63
143	Evaluating an educational intervention to improve the treatment of asthma in four European countries. Drug Education Project Group. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 1254-62	10.2	63
142	Comparison of various measures for assessing medication refill adherence using prescription data. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 159-65	2.6	57
141	Sex differences in adverse drug reactions reported to the National Pharmacovigilance Centre in the Netherlands: An explorative observational study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1507-1515	3.8	51
140	Physician, organizational, and patient factors associated with suboptimal blood pressure management in type 2 diabetic patients in primary care. <i>Diabetes Care</i> , 2004 , 27, 123-8	14.6	46
139	Effects of a patient oriented decision aid for prioritising treatment goals in diabetes: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2014 , 349, g5651	5.9	43
138	Reasons of general practitioners for not prescribing lipid-lowering medication to patients with diabetes: a qualitative study. <i>BMC Family Practice</i> , 2009 , 10, 24	2.6	43
137	A longitudinal study examining adherence to guidelines in diabetes care according to different definitions of adequacy and timeliness. <i>PLoS ONE</i> , 2011 , 6, e24278	3.7	40
136	Improving drug treatment in general practice. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 762-72	5.7	39
135	Towards understanding treatment preferences of hospital physicians. <i>Social Science and Medicine</i> , 1993 , 36, 915-24	5.1	39
134	Identifying general practice patients diagnosed with asthma and their exacerbation episodes from prescribing data. <i>European Journal of Clinical Pharmacology</i> , 2002 , 57, 819-25	2.8	35
133	Efficacy of standard and intensive statin treatment for the secondary prevention of cardiovascular and cerebrovascular events in diabetes patients: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e111247	3.7	32
132	Trends in polypharmacy and dispensed drugs among adults in the Netherlands as compared to the United States. <i>PLoS ONE</i> , 2019 , 14, e0214240	3.7	30

131	Prescribing quality indicators of type 2 diabetes mellitus ambulatory care. <i>Quality and Safety in Health Care</i> , 2008 , 17, 318-23		29
130	Scope and nature of prescribing decisions made by general practitioners. <i>Quality and Safety in Health Care</i> , 2002 , 11, 137-43		29
129	Therapeutic decision making of physicians. <i>Pharmaceutisch Weekblad Scientific Edition</i> , 1992 , 14, 9-15		29
128	Cross-sectional versus sequential quality indicators of risk factor management in patients with type 2 diabetes. <i>Medical Care</i> , 2008 , 46, 133-41	3.1	25
127	Determinants for the adoption of angiotensin II receptor blockers by general practitioners. <i>Social Science and Medicine</i> , 2006 , 63, 2890-8	5.1	25
126	Impact of a drug bulletin on the knowledge, perception of drug utility, and prescribing behavior of physicians. <i>DICP: the Annals of Pharmacotherapy</i> , 1990 , 24, 87-93		25
125	Medication adherence affects treatment modifications in patients with type 2 diabetes. <i>Clinical Therapeutics</i> , 2011 , 33, 121-34	3.5	24
124	Relationship between guideline treatment and health-related quality of life in asthma. <i>European Respiratory Journal</i> , 2004 , 23, 718-22	13.6	24
123	Validity of performance indicators for assessing prescribing quality: the case of asthma. <i>European Journal of Clinical Pharmacology</i> , 2004 , 59, 833-40	2.8	24
122	Communication on Safety of Medicines in Europe: Current Practices and General Practitioners' Awareness and Preferences. <i>Drug Safety</i> , 2017 , 40, 729-742	5.1	23
121	Post-approval safety issues with innovative drugs: a European cohort study. <i>Drug Safety</i> , 2013 , 36, 1105-15	4.5	23
120	Differential effects of comorbidity on antihypertensive and glucose-regulating treatment in diabetes mellitus--a cohort study. <i>PLoS ONE</i> , 2012 , 7, e38707	3.7	23
119	An educational programme for peer review groups to improve treatment of chronic heart failure and diabetes mellitus type 2 in general practice. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 613-21	2.5	23
118	The Ethics of Deprescribing in Older Adults. <i>Journal of Bioethical Inquiry</i> , 2016 , 13, 581-590	1.9	22
117	Physicians' views on joint treatment guidelines for primary and secondary care. <i>International Journal for Quality in Health Care</i> , 2004 , 16, 229-36	1.9	22
116	The value of clinical judgement analysis for improving the quality of doctors' prescribing decisions. <i>Medical Education</i> , 2002 , 36, 770-80	3.7	22
115	Do physicians take cost into account when making prescribing decisions?. <i>Pharmacoeconomics</i> , 1995 , 8, 282-90	4.4	22
114	Outcome prioritisation tool for medication review in older patients with multimorbidity: a pilot study in general practice. <i>British Journal of General Practice</i> , 2017 , 67, e501-e506	1.6	21

113	Development and Initial Validation of a Patient-Reported Adverse Drug Event Questionnaire. <i>Drug Safety</i> , 2013 , 36, 765-77	5.1	20
112	Perceived medication adverse effects and coping strategies reported by chronic heart failure patients. <i>International Journal of Clinical Practice</i> , 2009 , 63, 233-42	2.9	20
111	Perceived barriers for treatment of chronic heart failure in general practice; are they affecting performance?. <i>BMC Family Practice</i> , 2005 , 6, 19	2.6	20
110	Predictors of response in initial users of metformin and sulphonylurea derivatives: a systematic review. <i>Diabetic Medicine</i> , 2015 , 32, 853-64	3.5	19
109	Physician, organisational and patient characteristics explaining the use of angiotensin converting enzyme inhibitors in heart failure treatment: a multilevel study. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 145-51	2.8	19
108	Variations in general practitioners' views of asthma management in four European countries. <i>Social Science and Medicine</i> , 2001 , 53, 507-18	5.1	18
107	A systematic literature review: prescribing indicators related to type 2 diabetes mellitus and cardiovascular risk management. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 319-34	2.6	17
106	Trends in hyperlipidemia and hypertension management in type 2 diabetes patients from 1998-2004: a longitudinal observational study. <i>Cardiovascular Diabetology</i> , 2007 , 6, 25	8.7	17
105	The impact of new insights and revised practice guidelines on prescribing drugs in the treatment of Type 2 diabetes mellitus. <i>British Journal of Clinical Pharmacology</i> , 2006 , 62, 660-5	3.8	17
104	Variations in asthma treatment in five European countries—judgement analysis of case simulations. <i>Family Practice</i> , 2002 , 19, 452-60	1.9	17
103	Comparison of indicators assessing the quality of drug prescribing for asthma. <i>Health Services Research</i> , 2001 , 36, 143-61	3.4	17
102	Development and initial validation of prescribing quality indicators for patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1876-1886	4.3	16
101	A review of methods used in assessing non-serious adverse drug events in observational studies among type 2 diabetes mellitus patients. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 83	3	16
100	Impact of clinical trials on the adoption of new drugs within a university hospital. <i>European Journal of Clinical Pharmacology</i> , 1991 , 41, 325-8	2.8	16
99	Potential overtreatment and undertreatment of diabetes in different patient age groups in primary care after the introduction of performance measures. <i>Diabetes Care</i> , 2014 , 37, 1312-20	14.6	15
98	Application of the STOPP/START criteria to a medical record database. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1242-1247	2.6	14
97	Methods to identify the target population: implications for prescribing quality indicators. <i>BMC Health Services Research</i> , 2010 , 10, 137	2.9	14
96	Influence of elevated cardiometabolic risk factor levels on treatment changes in type 2 diabetes. <i>Diabetes Care</i> , 2008 , 31, 501-3	14.6	14

95	Limited effect of patient and disease characteristics on compliance with hospital antimicrobial guidelines. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 297-305	2.8	14
94	Treatment of uncomplicated urinary tract infections: exploring differences in adherence to guidelines between three European countries. Drug Education Project Group. <i>Annals of Pharmacotherapy</i> , 2000 , 34, 19-26	2.9	14
93	Patients' Attitudes Towards Deprescribing Alpha-Blockers and Their Willingness to Participate in a Discontinuation Trial. <i>Drugs and Aging</i> , 2019 , 36, 1133-1139	4.7	13
92	Understanding drug preferences, different perspectives. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 978-87	3.8	13
91	Treatment quality indicators predict short-term outcomes in patients with diabetes: a prospective cohort study using the GIANTT database. <i>BMJ Quality and Safety</i> , 2013 , 22, 339-47	5.4	13
90	Physicians' attitudes towards treatment guidelines: differences between teaching and nonteaching hospitals. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 129-33	2.8	13
89	Sex Differences in Adverse Drug Reactions of Metformin: A Longitudinal Survey Study. <i>Drug Safety</i> , 2020 , 43, 489-495	5.1	12
88	Pharmacy-based predictors of non-persistence with and non-adherence to statin treatment among patients on oral diabetes medication in the Netherlands. <i>Current Medical Research and Opinion</i> , 2018 , 34, 1013-1019	2.5	12
87	Is albuminuria screening and treatment optimal in patients with type 2 diabetes in primary care? Observational data of the GIANTT cohort. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 706-15	4.3	12
86	Association between performance measures and glycemic control among patients with diabetes in a community-wide primary care cohort. <i>Medical Care</i> , 2013 , 51, 172-9	3.1	12
85	Self-reported adverse drug events and the role of illness perception and medication beliefs in ambulatory heart failure patients: A cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2011 , 48, 1540-50	5.8	12
84	Coping with adverse drug events in patients with heart failure: Exploring the role of medication beliefs and perceptions. <i>Psychology and Health</i> , 2012 , 27, 570-87	2.9	12
83	Trends in prescribing for heart failure in Dutch primary care from 1996 to 2000. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 327-34	2.6	12
82	Does comorbidity explain trends in prescribing of newer antihypertensive agents?. <i>Journal of Hypertension</i> , 2004 , 22, 2209-15	1.9	12
81	Role of Patient and Practice Characteristics in Variance of Treatment Quality in Type 2 Diabetes between General Practices. <i>PLoS ONE</i> , 2016 , 11, e0166012	3.7	12
80	A systematic review finds inconsistency in the measures used to estimate adherence and persistence to multiple cardiometabolic medications. <i>Journal of Clinical Epidemiology</i> , 2019 , 108, 44-53	5.7	12
79	Interest in a Mobile App for Two-Way Risk Communication: A Survey Study Among European Healthcare Professionals and Patients. <i>Drug Safety</i> , 2018 , 41, 697-712	5.1	11
78	Specialists' expectations regarding joint treatment guidelines for primary and secondary care. <i>International Journal for Quality in Health Care</i> , 2002 , 14, 509-18	1.9	11

77	Drug expectations and drug choices of hospital physicians. <i>Journal of Internal Medicine</i> , 1993 , 234, 155-63	0.8	11
76	Do treatment quality indicators predict cardiovascular outcomes in patients with diabetes?. <i>PLoS ONE</i> , 2013 , 8, e78821	3.7	11
75	Predicting short- and long-term glycosylated haemoglobin response after insulin initiation in patients with type 2 diabetes mellitus using machine-learning algorithms. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2704-2711	6.7	10
74	Construct and concurrent validity of a patient-reported adverse drug event questionnaire: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 103	3	10
73	Cost-effectiveness of statins for primary prevention in patients newly diagnosed with type 2 diabetes in the Netherlands. <i>Value in Health</i> , 2014 , 17, 223-30	3.3	10
72	The effect of a patient-oriented treatment decision aid for risk factor management in patients with diabetes (PORTDA-diab): study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 219	2.8	10
71	Comparing adverse event rates of oral blood glucose-lowering drugs reported by patients and healthcare providers: a post-hoc analysis of observational studies published between 1999 and 2011. <i>Drug Safety</i> , 2011 , 34, 1191-202	5.1	10
70	GPs' treatment of uncomplicated urinary tract infections--a clinical judgement analysis in four European countries. DEP group. Drug Education Project. <i>Family Practice</i> , 1999 , 16, 605-7	1.9	10
69	Inconsistent prescribing behaviour by physicians: Its effect on the validity of written case simulations. <i>European Journal of General Practice</i> , 1996 , 2, 153-156	2.8	10
68	Safety Communication Tools and Healthcare Professionals' Awareness of Specific Drug Safety Issues in Europe: A Survey Study. <i>Drug Safety</i> , 2018 , 41, 713-724	5.1	9
67	The Role of Patients' Age on Their Preferences for Choosing Additional Blood Pressure-Lowering Drugs: A Discrete Choice Experiment in Patients with Diabetes. <i>PLoS ONE</i> , 2015 , 10, e0139755	3.7	9
66	Claims in advertisements for antihypertensive drugs in a Dutch medical journal. <i>Journal of Hypertension</i> , 2007 , 25, 713-22	1.9	9
65	'Thinking aloud' as a method of analysing the treatment decisions of physicians. <i>European Journal of Public Health</i> , 1994 , 4, 55-59	2.1	9
64	Does a cardiovascular event change adherence to statin treatment in patients with type 2 diabetes? A matched cohort design. <i>Current Medical Research and Opinion</i> , 2015 , 31, 595-602	2.5	8
63	HbA1c response after insulin initiation in patients with type 2 diabetes mellitus in real life practice: Identifying distinct subgroups. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1957-1964	6.7	8
62	Pharmacy-based predictors of non-adherence, non-persistence and reinitiation of antihypertensive drugs among patients on oral diabetes drugs in the Netherlands. <i>PLoS ONE</i> , 2019 , 14, e0225390	3.7	8
61	The impact of perceived adverse effects on medication changes in heart failure patients. <i>Journal of Cardiac Failure</i> , 2010 , 16, 135-41.e2	3.3	8
60	Barriers and Enablers of Older Patients to Deprescribing of Cardiometabolic Medication: A Focus Group Study. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1268	5.6	8

59	Trends in polypharmacy and potentially inappropriate medication (PIM) in older and middle-aged people treated for diabetes. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2807-2817	3.8	8
58	Identification of major cardiovascular events in patients with diabetes using primary care data. <i>BMC Health Services Research</i> , 2016 , 16, 110	2.9	7
57	The validity of a patient-reported adverse drug event questionnaire using different recall periods. <i>Quality of Life Research</i> , 2014 , 23, 2439-45	3.7	7
56	Representativeness of diabetes patients participating in a web-based adverse drug reaction monitoring system. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 250-5	2.6	7
55	Cardiometabolic treatment decisions in patients with type 2 diabetes: the role of repeated measurements and medication burden. <i>BMJ Quality and Safety</i> , 2010 , 19, 411-5	5.4	7
54	Identifying targets to improve treatment in type 2 diabetes; the Groningen Initiative to aNalyse Type 2 diabetes Treatment (GIANTT) observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1078-86	2.6	7
53	Prescribing pattern in a Dutch university hospital. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1991 , 16, 423-33	2.2	7
52	Adherence to standard-dose or low-dose statin treatment and low-density lipoprotein cholesterol response in type 2 diabetes patients. <i>Current Medical Research and Opinion</i> , 2015 , 31, 2197-206	2.5	6
51	Individual variability in response to renin angiotensin aldosterone system inhibition predicts cardiovascular outcome in patients with type 2 diabetes: A primary care cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1377-1383	6.7	6
50	Connecting pre-marketing clinical research and medical practice: opinion-based study of core issues and possible changes in drug regulation. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 202-19	1.8	6
49	Uptake of angiotensin II receptor blockers in the treatment of hypertension. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 461-6	2.8	6
48	ASSESSMENT OF NEW CARDIOVASCULAR DRUGS: Relationships Between Considerations, Professional Characteristics, and Prescribing. <i>International Journal of Technology Assessment in Health Care</i> , 2001 , 17, 559-570	1.8	6
47	Prescribing patterns, adherence and LDL-cholesterol response of type 2 diabetes patients initiating statin on low-dose versus standard-dose treatment: a descriptive study. <i>International Journal of Clinical Practice</i> , 2016 , 70, 482-92	2.9	6
46	Development and validation of prescribing quality indicators for patients with type 2 diabetes. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12922	2.9	5
45	Adverse drug event patterns experienced by patients with diabetes: A diary study in primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1175-1179	2.6	5
44	Predictors of HbA1c levels in patients initiating metformin. <i>Current Medical Research and Opinion</i> , 2016 , 32, 2021-2028	2.5	5
43	Process quality indicators for chronic kidney disease risk management: a systematic literature review. <i>International Journal of Clinical Practice</i> , 2016 , 70, 861-869	2.9	5
42	Effectiveness of a targeted and tailored pharmacist-led intervention to improve adherence to antihypertensive drugs among patients with type 2 diabetes in Indonesia: A cluster randomised controlled trial. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2032-2042	3.8	5

41	Rates, determinants and success of implementing deprescribing in people with type 2 diabetes: A scoping review. <i>Diabetic Medicine</i> , 2021 , 38, e14408	3.5	5
40	Prescribing Quality and Prediction of Clinical Outcomes in Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2017 , 40, e83-e84	14.6	4
39	Views of general practice staff about the use of a patient-oriented treatment decision aid in shared decision making for patients with type 2 diabetes: A mixed-methods study. <i>Health Expectations</i> , 2018 , 21, 64-74	3.7	4
38	A pilot qualitative study to explore stakeholder opinions regarding prescribing quality indicators. <i>BMC Health Services Research</i> , 2012 , 12, 191	2.9	4
37	Older people's attitudes towards deprescribing cardiometabolic medication. <i>BMC Geriatrics</i> , 2021 , 21, 366	4.1	4
36	Targeted and tailored pharmacist-led intervention to improve adherence to antihypertensive drugs among patients with type 2 diabetes in Indonesia: study protocol of a cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034507	3	4
35	No significant association of type 2 diabetes-related genetic risk scores with glycated haemoglobin levels after initiating metformin or sulphonylurea derivatives. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2267-2273	6.7	3
34	Use of a Patient-Friendly Terms List in the Adverse Drug Reaction Report Form: A Database Study. <i>Drug Safety</i> , 2019 , 42, 881-886	5.1	3
33	Development and Piloting of an Algorithm to Select Older Patients for Different Types of Medication Review. <i>Frontiers in Pharmacology</i> , 2019 , 10, 217	5.6	3
32	Population-based screen-detected type 2 diabetes mellitus is associated with less need for insulin therapy after 10 years. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
31	Precision medicine approaches for diabetic kidney disease: opportunities and challenges. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 3-9	4.3	3
30	Modifiable Factors Associated with Non-adherence to Antihypertensive or Antihyperlipidemic Drugs Are Dissimilar: a Multicenter Study Among Patients with Diabetes in Indonesia. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2897-2906	4	3
29	Drug Safety Issues Covered by Lay Media: A Cohort Study of Direct Healthcare Provider Communications Sent between 2001 and 2015 in The Netherlands. <i>Drug Safety</i> , 2020 , 43, 677-690	5.1	2
28	Development of a minimal set of prescribing quality indicators for diabetes management on a general practice level. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1053-9	2.6	2
27	Identifying patients at increased risk of hypoglycaemia in primary care: Development of a machine learning-based screening tool. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3426	7.5	2
26	Assessment of quality of prescribing using quality indicators 2016 , 433-442		1
25	Is guideline-adherent prescribing associated with quality of life in patients with type 2 diabetes?. <i>PLoS ONE</i> , 2018 , 13, e0202319	3.7	1
24	Do we need individualised prescribing quality assessment? The case of diabetes treatment. <i>International Journal of Clinical Pharmacy</i> , 2011 , 33, 145-9	2.3	1

23	Sex Differences in Lipid Profile across the Life Span in Patients with Type 2 Diabetes: A Primary Care-Based Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
22	Prescribing quality in secondary care patients with different stages of chronic kidney disease: a retrospective study in the Netherlands. <i>BMJ Open</i> , 2019 , 9, e025784	3	1
21	Trends in HbA thresholds for initiation of hypoglycemic agents: Impact of changed recommendations for older and frail patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 37-44	2.6	1
20	Non-LDL dyslipidemia is prevalent in the young and determined by lifestyle factors and age: The LifeLines cohort. <i>Atherosclerosis</i> , 2018 , 274, 191-198	3.1	1
19	Motives to Report Adverse Drug Reactions to the National Agency: A Survey Study among Healthcare Professionals and Patients in Croatia, The Netherlands, and the UK. <i>Drug Safety</i> , 2021 , 44, 1073-1083	5.1	1
18	Barriers and Enablers of Healthcare Providers to Deprescribe Cardiometabolic Medication in Older Patients: A Focus Group Study.. <i>Drugs and Aging</i> , 2022 , 39, 209	4.7	1
17	When drug treatments bias genetic studies: Mediation and interaction. <i>PLoS ONE</i> , 2019 , 14, e0221209	3.7	0
16	Differences in Older Patients' Attitudes Toward Deprescribing at Contextual and Individual Level.. <i>Frontiers in Public Health</i> , 2022 , 10, 795043	6	0
15	Changes in blood pressure thresholds for initiating antihypertensive medication in patients with diabetes: a repeated cross-sectional study focusing on the impact of age and frailty. <i>BMJ Open</i> , 2020 , 10, e037694	3	0
14	Process Evaluation of Implementing a Pharmacist-Led Intervention to Improve Adherence to Antihypertensive Drugs Among Patients with Type 2 Diabetes in Indonesian Community Health Centers. <i>Frontiers in Pharmacology</i> , 2021 , 12, 652018	5.6	0
13	Type 2 diabetes patients' views on prevention of hypoglycaemia - a mixed methods study investigating self-management issues and self-identified causes of hypoglycaemia. <i>BMC Family Practice</i> , 2021 , 22, 114	2.6	0
12	Handling of New Drug Safety Information in the Dutch Hospital Setting: A Mixed Methods Approach.. <i>Drug Safety</i> , 2022 , 1	5.1	0
11	Emotional Distress is Associated with Lower Health-Related Quality of Life Among Patients with Diabetes Using Antihypertensive and/or Antihyperlipidemic Medications: A Multicenter Study in Indonesia.. <i>Therapeutics and Clinical Risk Management</i> , 2021 , 17, 1333-1342	2.9	0
10	Prediction of the Effects of Liraglutide on Kidney and Cardiovascular Outcomes Based on Short-Term Changes in Multiple Risk Markers.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 786767	5.6	0
9	Older Age, Polypharmacy, and Low Systolic Blood Pressure Are Associated With More Hypotension-Related Adverse Events in Patients With Type 2 Diabetes Treated With Antihypertensives. <i>Frontiers in Pharmacology</i> , 2021 , 12, 728911	5.6	0
8	New renal guidelines; is more better?. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 720-1	4.3	
7	PS3 - 5. Do treatment quality indicators predict cardiovascular outcomes in patients with diabetes?. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013 , 11, 142-142	0	
6	PS14 - 2. Potential overtreatment and undertreatment of diabetes in primary care after the introduction of performance measures. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013 , 11, 175-175	0	

- 5 PS12 - 60. Not all performance measures of diabetes management predict better glycemic control. *Nederlands Tijdschrift Voor Diabetologie*, **2012**, 10, 140-141 ○
- 4 PS12 Contd - 62. Prescribing of aliskiren in practice: findings from the GIANTT diabetes. *Nederlands Tijdschrift Voor Diabetologie*, **2012**, 10, 142-143 ○
- 3 Healthcare quality improvement programme improves monitoring of people with diabetes. *Evidence-Based Healthcare and Public Health*, **2004**, 8, 122-124
- 2 Healthcare quality improvement programme improves monitoring of people with diabetes*1. *Evidence-Based Healthcare and Public Health*, **2004**, 8, 122-124
- 1 Older Age, Polypharmacy, and Low Systolic Blood Pressure Are Associated With More Hypotension-Related Adverse Events in Patients With Type 2 Diabetes Treated With Antihypertensives. *Frontiers in Pharmacology*, **2021**, 12, 728911 5.6