Marius G Kaschner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/619036/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prediction of outcome after aneurysmal subarachnoid haemorrhage using data from patient admission. European Radiology, 2018, 28, 4949-4958.	4.5	38
2	Safety of bridging antiplatelet therapy with the gpIIb-IIIa inhibitor tirofiban after emergency stenting in stroke. PLoS ONE, 2017, 12, e0190218.	2.5	27
3	Systematic evaluation of computed tomography angiography collateral scores for estimation of long-term outcome after mechanical thrombectomy in acute ischaemic stroke. Neuroradiology Journal, 2019, 32, 277-286.	1.2	21
4	Endovascular treatment of intracranial â€~blister' and dissecting aneurysms. Neuroradiology Journal, 2019, 32, 353-365.	1.2	11
5	Single-center experience with the new generation Derivo Embolization Device in ruptured dissecting and blister aneurysms. Acta Radiologica, 2020, 61, 37-46.	1.1	11
6	The New Fully Radiopaque Aperio Hybrid Stent Retriever: Efficient and Safe? An Early Multicenter Experience. World Neurosurgery, 2020, 141, e278-e288.	1.3	10
7	One-year single-center experience with the Aperio thrombectomy device inÂlarge vessel occlusion in the anterior circulation: safety, efficacy, and clinical outcome. Neurological Sciences, 2019, 40, 1443-1451.	1.9	8
8	Mechanical thrombectomy in acute middle cerebral artery M2 segment occlusion with regard to vessel involvement. Neurological Sciences, 2020, 41, 3165-3173.	1.9	6
9	Rupture of intracranial aneurysms in patients with blunt head trauma: Review of the literature. Clinical Neurology and Neurosurgery, 2020, 199, 106208.	1.4	5
10	Consequences of COVID-19 pandemic lockdown on emergency and stroke care in a German tertiary stroke center. Neurological Research and Practice, 2021, 3, 21.	2.0	5
11	Single-center experience with the new-generation Derivo embolization device for ruptured and unruptured intracranial aneurysms. Journal of Neurosurgical Sciences, 2020, 64, 353-363.	0.6	4
12	Asymmetry of P1 and vertebral arteries is not related to basilar tip aneurysm development or rupture. Acta Neurochirurgica, 2021, 163, 805-812.	1.7	3
13	Mechanical thrombectomy in stroke patients with acute occlusion of the M1- compared to the M2-segment: safety, efficacy and clinical outcome. Neuroradiology Journal, 2022, , 197140092110674.	1.2	2
14	A fully radiopaque hybrid stent retriever versus a precursor device: Outcome, efficacy, and safety in large vessel stroke. Journal of Neuroimaging, 2022, , .	2.0	1