

Ola Forslund

List of Publications by Citations

Source: <https://exaly.com/author-pdf/619089/ola-forslund-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,694
citations

28
h-index

51
g-index

80
ext. papers

3,002
ext. citations

5.5
avg, IF

4.82
L-index

#	Paper	IF	Citations
76	A broad range of human papillomavirus types detected with a general PCR method suitable for analysis of cutaneous tumours and normal skin. <i>Journal of General Virology</i> , 1999 , 80 (Pt 9), 2437-2443	4.9	383
75	The ubiquity and impressive genomic diversity of human skin papillomaviruses suggest a commensalic nature of these viruses. <i>Journal of Virology</i> , 2000 , 74, 11636-41	6.6	326
74	Cutaneous human papillomaviruses found in sun-exposed skin: Beta-papillomavirus species 2 predominates in squamous cell carcinoma. <i>Journal of Infectious Diseases</i> , 2007 , 196, 876-83	7	152
73	High prevalence of cutaneous human papillomavirus DNA on the top of skin tumors but not in "Stripped" biopsies from the same tumors. <i>Journal of Investigative Dermatology</i> , 2004 , 123, 388-94	4.3	116
72	Cutaneous human papillomaviruses persist on healthy skin. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 116-9	4.3	82
71	ICTV Virus Taxonomy Profile: Papillomaviridae. <i>Journal of General Virology</i> , 2018 , 99, 989-990	4.9	76
70	Deep sequencing extends the diversity of human papillomaviruses in human skin. <i>Scientific Reports</i> , 2014 , 4, 5807	4.9	72
69	Seroreactivity to cutaneous human papillomaviruses among patients with nonmelanoma skin cancer or benign skin lesions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 189-95	4	71
68	Improved detection of cutaneous human papillomavirus DNA by single tube nested hanging dropletPCR. <i>Journal of Virological Methods</i> , 2003 , 110, 129-36	2.6	70
67	High throughput sequencing reveals diversity of Human Papillomaviruses in cutaneous lesions. <i>International Journal of Cancer</i> , 2011 , 129, 2643-50	7.5	65
66	Metagenomic sequencing of "HPV-negative" condylomas detects novel putative HPV types. <i>Virology</i> , 2013 , 440, 1-7	3.6	60
65	The nasal mucosa contains a large spectrum of human papillomavirus types from the Betapapillomavirus and Gammapapillomavirus genera. <i>Journal of Infectious Diseases</i> , 2013 , 208, 1335-41	7	60
64	Genetic diversity of cutaneous human papillomaviruses. <i>Journal of General Virology</i> , 2007 , 88, 2662-2669	4.9	54
63	Population-based type-specific prevalence of high-risk human papillomavirus infection in middle-aged Swedish women. <i>Journal of Medical Virology</i> , 2002 , 66, 535-41	19.7	53
62	A prospective pilot study of antibodies against human papillomaviruses and cutaneous squamous cell carcinoma nested in the Oxford component of the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1862-8	7.5	52
61	Identification of human papillomavirus in keratoacanthomas. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 423-9	1.7	47
60	Unbiased approach for virus detection in skin lesions. <i>PLoS ONE</i> , 2013 , 8, e65953	3.7	45

59	Human papillomavirus typing in reporting of condyloma. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 123-9	2.4	44
58	Human papillomavirus type 197 is commonly present in skin tumors. <i>International Journal of Cancer</i> , 2015 , 136, 2546-55	7.5	43
57	Prospective study of human papillomavirus seropositivity and risk of nonmelanoma skin cancer. <i>American Journal of Epidemiology</i> , 2012 , 175, 685-95	3.8	43
56	Four novel human betapapillomaviruses of species 2 preferentially found in actinic keratosis. <i>Journal of General Virology</i> , 2008 , 89, 2467-2474	4.9	43
55	Comparison of use of vaginal HPV self-sampling and offering flexible appointments as strategies to reach long-term non-attending women in organized cervical screening. <i>Journal of Clinical Virology</i> , 2013 , 58, 155-60	14.5	42
54	Three novel papillomaviruses (HPV109, HPV112 and HPV114) and their presence in cutaneous and mucosal samples. <i>Virology</i> , 2010 , 397, 331-6	3.6	37
53	Staphylococcus aureus and squamous cell carcinoma of the skin. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 472-8	4	36
52	Human Papillomavirus neutralizing and cross-reactive antibodies induced in HIV-positive subjects after vaccination with quadrivalent and bivalent HPV vaccines. <i>Vaccine</i> , 2016 , 34, 1559-1565	4.1	31
51	Nucleotide sequence and phylogenetic classification of candidate human papilloma virus type 92. <i>Virology</i> , 2003 , 312, 255-60	3.6	31
50	Subtype HPV38b[FA125] demonstrates heterogeneity of human papillomavirus type 38. <i>International Journal of Cancer</i> , 2006 , 119, 1073-7	7.5	30
49	Does human papillomavirus-negative condylomata exist?. <i>Virology</i> , 2015 , 485, 283-8	3.6	29
48	Validation of multiplexed human papillomavirus serology using pseudovirions bound to heparin-coated beads. <i>Journal of General Virology</i> , 2010 , 91, 1840-8	4.9	27
47	Characterization of two novel cutaneous human papillomaviruses, HPV93 and HPV96. <i>Journal of General Virology</i> , 2007 , 88, 1479-1483	4.9	27
46	Self-sampling with HPV mRNA analyses from vagina and urine compared with cervical samples. <i>Journal of Clinical Virology</i> , 2018 , 101, 69-73	14.5	26
45	Diversity of human papillomaviruses in skin lesions. <i>Virology</i> , 2013 , 447, 300-11	3.6	26
44	Array comparative genomic hybridization of keratoacanthomas and squamous cell carcinomas: different patterns of genetic aberrations suggest two distinct entities. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2060-6	4.3	26
43	The Bcl-xL inhibitor of apoptosis is preferentially expressed in cutaneous squamous cell carcinoma compared with that in keratoacanthoma. <i>International Journal of Cancer</i> , 2009 , 124, 2361-6	7.5	25
42	Continuing global improvement in human papillomavirus DNA genotyping services: The 2013 and 2014 HPV LabNet international proficiency studies. <i>Journal of Clinical Virology</i> , 2018 , 101, 74-85	14.5	24

41	Detection of human papilloma virus DNA in lymph nodes extirpated at radical surgery for cervical cancer is not predictive of recurrence. <i>Journal of Medical Virology</i> , 1998 , 54, 183-185	19.7	23
40	Presence of High-Risk HPV mRNA in Relation to Future High-Grade Lesions among High-Risk HPV DNA Positive Women with Minor Cytological Abnormalities. <i>PLoS ONE</i> , 2015 , 10, e0124460	3.7	22
39	Prospective study of genital human papillomaviruses and nonmelanoma skin cancer. <i>International Journal of Cancer</i> , 2013 , 133, 1840-5	7.5	19
38	TPL2 Is an Oncogenic Driver in Keratocanthoma and Squamous Cell Carcinoma. <i>Cancer Research</i> , 2016 , 76, 6712-6722	10.1	18
37	Follow up with HPV test and cytology as test of cure, 6 months after conization, is reliable. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 1251-1257	3.8	17
36	HPV 16 DNA and mRNA in cervical brush samples quantified by PCR and microwell hybridization. <i>Journal of Virological Methods</i> , 1997 , 69, 209-22	2.6	17
35	Prevalence of human papillomavirus types, viral load and physical status of HPV16 in head and neck squamous cell carcinoma from the South Swedish Health Care Region. <i>Journal of General Virology</i> , 2016 , 97, 2949-2956	4.9	15
34	Human papillomavirus subtypes are not uncommon. <i>Virology</i> , 2007 , 362, 6-9	3.6	13
33	Cutaneous human papillomavirus 88: remarkable differences in viral load. <i>International Journal of Cancer</i> , 2008 , 122, 477-80	7.5	13
32	HPV-mRNA and HPV-DNA detection in samples taken up to seven years before severe dysplasia of cervix uteri. <i>International Journal of Cancer</i> , 2019 , 144, 1073-1081	7.5	12
31	Characterization of human papillomavirus type 154 and tissue tropism of gammapapillomaviruses. <i>PLoS ONE</i> , 2014 , 9, e89342	3.7	12
30	<i>Mycoplasma genitalium</i> and Macrolide Resistance-associated Mutations in the Skåne Region of Southern Sweden 2015. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1235-1238	2.2	11
29	Serological relationship between cutaneous human papillomavirus types 5, 8 and 92. <i>Journal of General Virology</i> , 2009 , 90, 136-43	4.9	11
28	Intralesional EBV-DNA load as marker of prognosis for nasopharyngeal cancer. <i>Scientific Reports</i> , 2019 , 9, 15432	4.9	10
27	A novel human in vitro papillomavirus type 16 positive tonsil cancer cell line with high sensitivity to radiation and cisplatin. <i>BMC Cancer</i> , 2019 , 19, 265	4.8	9
26	Population-based primary HPV mRNA cervical screening compared with cytology screening. <i>Preventive Medicine</i> , 2019 , 124, 61-66	4.3	8
25	Pseudovirion-binding and neutralizing antibodies to cutaneous human papillomaviruses (HPV) correlated with the presence of HPV DNA in skin. <i>Journal of General Virology</i> , 2013 , 94, 1096-1103	4.9	8
24	Lack of methylation in the upstream region of human papillomavirus type 6 from aerodigestive tract papillomas. <i>Journal of Virology</i> , 2012 , 86, 13790-4	6.6	8

23	Cervical cancer prevention among long-term screening non-attendees by vaginal self-collected samples for hr-HPV mRNA detection. <i>Infectious Agents and Cancer</i> , 2020 , 15, 10	3.5	7
22	Absence of Epstein-Barr and cytomegalovirus infection in neuroblastoma cells by standard detection methodologies. <i>Pediatric Blood and Cancer</i> , 2013 , 60, E91-3	3	7
21	Age influences the clinical significance of atypical glandular cells on cytology. <i>Anticancer Research</i> , 2015 , 35, 913-9	2.3	7
20	Viral load and mRNA expression of HPV type 6 among cases with recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2016 , 126, 122-7	3.6	6
19	Increased HPV detection by the use of a pre-heating step on vaginal self-samples analysed by Aptima HPV assay. <i>Journal of Virological Methods</i> , 2019 , 270, 18-20	2.6	5
18	Detecting TP53 mutations in diagnostic and archival liquid-based Pap samples from ovarian cancer patients using an ultra-sensitive ddPCR method. <i>Scientific Reports</i> , 2019 , 9, 15506	4.9	5
17	Establishment and characterization of a human papillomavirus type 16-positive tonsillar carcinoma xenograft in BALB/c nude mice. <i>Head and Neck</i> , 2016 , 38, 417-25	4.2	5
16	Detection of HPV mRNA in Self-collected Vaginal Samples Among Women at 69-70 Years of Age. <i>Anticancer Research</i> , 2019 , 39, 381-386	2.3	5
15	Regarding human cytomegalovirus in neuroblastoma. <i>Cancer Medicine</i> , 2014 , 3, 1038-40	4.8	4
14	Differences in transcriptional activity of cutaneous human papillomaviruses. <i>Virus Research</i> , 2008 , 137, 213-9	6.4	4
13	Immune Phenotypes of Nasopharyngeal Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
12	Short half-life of HPV16 E6 and E7 mRNAs sensitizes HPV16-positive tonsillar cancer cell line HN26 to DNA-damaging drugs. <i>International Journal of Cancer</i> , 2019 , 144, 297-310	7.5	3
11	Complete genome sequences of three novel human papillomavirus types, 175, 178, and 180. <i>Genome Announcements</i> , 2014 , 2,		2
10	14-type HPV mRNA test in triage of HPV DNA-positive postmenopausal women with normal cytology. <i>BMC Cancer</i> , 2020 , 20, 1025	4.8	2
9	Promotion of Cervical Screening among Long-term Non-attendees by Human Papillomavirus Self-sampling. <i>Journal of Cancer Prevention</i> , 2021 , 26, 25-31	3	2
8	Penile intraepithelial neoplasia, penile cancer precursors and human papillomavirus prevalence in symptomatic preputium: a cross-sectional study of 351 circumcised men in Sweden. <i>BJU International</i> , 2021 , 127, 428-434	5.6	2
7	Immune delineation of laryngeal papilloma reveals enhanced neutrophil associated gene profile. <i>European Journal of Immunology</i> , 2021 , 51, 2535-2539	6.1	2
6	Spectrum of HPV types before and after treatment of cervical intraepithelial neoplasia grade 2 and 3. <i>Journal of Clinical Virology</i> , 2017 , 97, 38-43	14.5	1

5	Characterization of human papillomavirus subtype 72b. <i>Genome Announcements</i> , 2014 , 2,		1
4	HPV73 in cervical cancer and distribution of HPV73 variants in cervical dysplasia. <i>International Journal of Cancer</i> , 2021 , 149, 936	7.5	○
3	Equal prevalence of severe cervical dysplasia by HPV self-sampling and by midwife-collected samples for primary HPV screening: a randomised controlled trial. <i>European Journal of Cancer Prevention</i> , 2021 , 30, 334-340	2	○
2	Detection of HPV mRNA in Self-collected Vaginal Samples Among Urban Ethiopian Women. <i>Anticancer Research</i> , 2020 , 40, 1513-1517	2.3	○
1	The 2019 HPV Labnet international proficiency study: Need of global Human Papillomavirus Proficiency Testing. <i>Journal of Clinical Virology</i> , 2021 , 141, 104902	14.5	○