

Ola Forslund

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/619089/ola-forslund-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,694
citations

28
h-index

51
g-index

80
ext. papers

3,002
ext. citations

5.5
avg, IF

4.82
L-index

#	Paper	IF	Citations
76	Promotion of Cervical Screening among Long-term Non-attendees by Human Papillomavirus Self-sampling. <i>Journal of Cancer Prevention</i> , 2021 , 26, 25-31	3	2
75	HPV73 in cervical cancer and distribution of HPV73 variants in cervical dysplasia. <i>International Journal of Cancer</i> , 2021 , 149, 936	7.5	0
74	Equal prevalence of severe cervical dysplasia by HPV self-sampling and by midwife-collected samples for primary HPV screening: a randomised controlled trial. <i>European Journal of Cancer Prevention</i> , 2021 , 30, 334-340	2	0
73	Penile intraepithelial neoplasia, penile cancer precursors and human papillomavirus prevalence in symptomatic preputium: a cross-sectional study of 351 circumcised men in Sweden. <i>BJU International</i> , 2021 , 127, 428-434	5.6	2
72	Immune delineation of laryngeal papilloma reveals enhanced neutrophil associated gene profile. <i>European Journal of Immunology</i> , 2021 , 51, 2535-2539	6.1	2
71	The 2019 HPV Labnet international proficiency study: Need of global Human Papillomavirus Proficiency Testing. <i>Journal of Clinical Virology</i> , 2021 , 141, 104902	14.5	0
70	Cervical cancer prevention among long-term screening non-attendees by vaginal self-collected samples for hr-HPV mRNA detection. <i>Infectious Agents and Cancer</i> , 2020 , 15, 10	3.5	7
69	Immune Phenotypes of Nasopharyngeal Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
68	14-type HPV mRNA test in triage of HPV DNA-positive postmenopausal women with normal cytology. <i>BMC Cancer</i> , 2020 , 20, 1025	4.8	2
67	Detection of HPV mRNA in Self-collected Vaginal Samples Among Urban Ethiopian Women. <i>Anticancer Research</i> , 2020 , 40, 1513-1517	2.3	0
66	Population-based primary HPV mRNA cervical screening compared with cytology screening. <i>Preventive Medicine</i> , 2019 , 124, 61-66	4.3	8
65	Increased HPV detection by the use of a pre-heating step on vaginal self-samples analysed by Aptima HPV assay. <i>Journal of Virological Methods</i> , 2019 , 270, 18-20	2.6	5
64	A novel human in vitro papillomavirus type 16 positive tonsil cancer cell line with high sensitivity to radiation and cisplatin. <i>BMC Cancer</i> , 2019 , 19, 265	4.8	9
63	HPV-mRNA and HPV-DNA detection in samples taken up to seven years before severe dysplasia of cervix uteri. <i>International Journal of Cancer</i> , 2019 , 144, 1073-1081	7.5	12
62	Intralesional EBV-DNA load as marker of prognosis for nasopharyngeal cancer. <i>Scientific Reports</i> , 2019 , 9, 15432	4.9	10
61	Detecting TP53 mutations in diagnostic and archival liquid-based Pap samples from ovarian cancer patients using an ultra-sensitive ddPCR method. <i>Scientific Reports</i> , 2019 , 9, 15506	4.9	5
60	Detection of HPV mRNA in Self-collected Vaginal Samples Among Women at 69-70 Years of Age. <i>Anticancer Research</i> , 2019 , 39, 381-386	2.3	5

59	Short half-life of HPV16 E6 and E7 mRNAs sensitizes HPV16-positive tonsillar cancer cell line HN26 to DNA-damaging drugs. <i>International Journal of Cancer</i> , 2019 , 144, 297-310	7.5	3
58	Continuing global improvement in human papillomavirus DNA genotyping services: The 2013 and 2014 HPV LabNet international proficiency studies. <i>Journal of Clinical Virology</i> , 2018 , 101, 74-85	14.5	24
57	Self-sampling with HPV mRNA analyses from vagina and urine compared with cervical samples. <i>Journal of Clinical Virology</i> , 2018 , 101, 69-73	14.5	26
56	ICTV Virus Taxonomy Profile: Papillomaviridae. <i>Journal of General Virology</i> , 2018 , 99, 989-990	4.9	76
55	Spectrum of HPV types before and after treatment of cervical intraepithelial neoplasia grade 2 and 3. <i>Journal of Clinical Virology</i> , 2017 , 97, 38-43	14.5	1
54	Mycoplasma genitalium and Macrolide Resistance-associated Mutations in the Skåne Region of Southern Sweden 2015. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1235-1238	2.2	11
53	Follow up with HPV test and cytology as test of cure, 6 months after conization, is reliable. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 1251-1257	3.8	17
52	Human Papillomavirus neutralizing and cross-reactive antibodies induced in HIV-positive subjects after vaccination with quadrivalent and bivalent HPV vaccines. <i>Vaccine</i> , 2016 , 34, 1559-1565	4.1	31
51	Prevalence of human papillomavirus types, viral load and physical status of HPV16 in head and neck squamous cell carcinoma from the South Swedish Health Care Region. <i>Journal of General Virology</i> , 2016 , 97, 2949-2956	4.9	15
50	Establishment and characterization of a human papillomavirus type 16-positive tonsillar carcinoma xenograft in BALB/c nude mice. <i>Head and Neck</i> , 2016 , 38, 417-25	4.2	5
49	TPL2 Is an Oncogenic Driver in Keratocanthoma and Squamous Cell Carcinoma. <i>Cancer Research</i> , 2016 , 76, 6712-6722	10.1	18
48	Viral load and mRNA expression of HPV type 6 among cases with recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2016 , 126, 122-7	3.6	6
47	Does human papillomavirus-negative condylomata exist?. <i>Virology</i> , 2015 , 485, 283-8	3.6	29
46	Human papillomavirus type 197 is commonly present in skin tumors. <i>International Journal of Cancer</i> , 2015 , 136, 2546-55	7.5	43
45	Presence of High-Risk HPV mRNA in Relation to Future High-Grade Lesions among High-Risk HPV DNA Positive Women with Minor Cytological Abnormalities. <i>PLoS ONE</i> , 2015 , 10, e0124460	3.7	22
44	Age influences the clinical significance of atypical glandular cells on cytology. <i>Anticancer Research</i> , 2015 , 35, 913-9	2.3	7
43	Regarding human cytomegalovirus in neuroblastoma. <i>Cancer Medicine</i> , 2014 , 3, 1038-40	4.8	4
42	Deep sequencing extends the diversity of human papillomaviruses in human skin. <i>Scientific Reports</i> , 2014 , 4, 5807	4.9	72

41	Complete genome sequences of three novel human papillomavirus types, 175, 178, and 180. <i>Genome Announcements</i> , 2014 , 2,		2
40	Characterization of human papillomavirus subtype 72b. <i>Genome Announcements</i> , 2014 , 2,		1
39	Characterization of human papillomavirus type 154 and tissue tropism of gammapapillomaviruses. <i>PLoS ONE</i> , 2014 , 9, e89342	3.7	12
38	Pseudovirion-binding and neutralizing antibodies to cutaneous human papillomaviruses (HPV) correlated with the presence of HPV DNA in skin. <i>Journal of General Virology</i> , 2013 , 94, 1096-1103	4.9	8
37	Diversity of human papillomaviruses in skin lesions. <i>Virology</i> , 2013 , 447, 300-11	3.6	26
36	Comparison of use of vaginal HPV self-sampling and offering flexible appointments as strategies to reach long-term non-attending women in organized cervical screening. <i>Journal of Clinical Virology</i> , 2013 , 58, 155-60	14.5	42
35	Metagenomic sequencing of "HPV-negative" condylomas detects novel putative HPV types. <i>Virology</i> , 2013 , 440, 1-7	3.6	60
34	The nasal mucosa contains a large spectrum of human papillomavirus types from the Betapapillomavirus and Gammapapillomavirus genera. <i>Journal of Infectious Diseases</i> , 2013 , 208, 1335-41 ⁷		60
33	Prospective study of genital human papillomaviruses and nonmelanoma skin cancer. <i>International Journal of Cancer</i> , 2013 , 133, 1840-5	7.5	19
32	Absence of Epstein-Barr and cytomegalovirus infection in neuroblastoma cells by standard detection methodologies. <i>Pediatric Blood and Cancer</i> , 2013 , 60, E91-3	3	7
31	Human papillomavirus typing in reporting of condyloma. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 123-9	2.4	44
30	Unbiased approach for virus detection in skin lesions. <i>PLoS ONE</i> , 2013 , 8, e65953	3.7	45
29	Array comparative genomic hybridization of keratoacanthomas and squamous cell carcinomas: different patterns of genetic aberrations suggest two distinct entities. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2060-6	4.3	26
28	Prospective study of human papillomavirus seropositivity and risk of nonmelanoma skin cancer. <i>American Journal of Epidemiology</i> , 2012 , 175, 685-95	3.8	43
27	Lack of methylation in the upstream region of human papillomavirus type 6 from aerodigestive tract papillomas. <i>Journal of Virology</i> , 2012 , 86, 13790-4	6.6	8
26	High throughput sequencing reveals diversity of Human Papillomaviruses in cutaneous lesions. <i>International Journal of Cancer</i> , 2011 , 129, 2643-50	7.5	65
25	Validation of multiplexed human papillomavirus serology using pseudovirions bound to heparin-coated beads. <i>Journal of General Virology</i> , 2010 , 91, 1840-8	4.9	27
24	Three novel papillomaviruses (HPV109, HPV112 and HPV114) and their presence in cutaneous and mucosal samples. <i>Virology</i> , 2010 , 397, 331-6	3.6	37

23	Staphylococcus aureus and squamous cell carcinoma of the skin. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 472-8	4	36
22	Serological relationship between cutaneous human papillomavirus types 5, 8 and 92. <i>Journal of General Virology</i> , 2009 , 90, 136-43	4.9	11
21	The Bcl-xL inhibitor of apoptosis is preferentially expressed in cutaneous squamous cell carcinoma compared with that in keratoacanthoma. <i>International Journal of Cancer</i> , 2009 , 124, 2361-6	7.5	25
20	Differences in transcriptional activity of cutaneous human papillomaviruses. <i>Virus Research</i> , 2008 , 137, 213-9	6.4	4
19	Seroreactivity to cutaneous human papillomaviruses among patients with nonmelanoma skin cancer or benign skin lesions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 189-95	4	71
18	Cutaneous human papillomavirus 88: remarkable differences in viral load. <i>International Journal of Cancer</i> , 2008 , 122, 477-80	7.5	13
17	Four novel human betapapillomaviruses of species 2 preferentially found in actinic keratosis. <i>Journal of General Virology</i> , 2008 , 89, 2467-2474	4.9	43
16	A prospective pilot study of antibodies against human papillomaviruses and cutaneous squamous cell carcinoma nested in the Oxford component of the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1862-8	7.5	52
15	Cutaneous human papillomaviruses persist on healthy skin. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 116-9	4.3	82
14	Human papillomavirus subtypes are not uncommon. <i>Virology</i> , 2007 , 362, 6-9	3.6	13
13	Genetic diversity of cutaneous human papillomaviruses. <i>Journal of General Virology</i> , 2007 , 88, 2662-2669	4.9	54
12	Cutaneous human papillomaviruses found in sun-exposed skin: Beta-papillomavirus species 2 predominates in squamous cell carcinoma. <i>Journal of Infectious Diseases</i> , 2007 , 196, 876-83	7	152
11	Characterization of two novel cutaneous human papillomaviruses, HPV93 and HPV96. <i>Journal of General Virology</i> , 2007 , 88, 1479-1483	4.9	27
10	Subtype HPV38b[FA125] demonstrates heterogeneity of human papillomavirus type 38. <i>International Journal of Cancer</i> , 2006 , 119, 1073-7	7.5	30
9	High prevalence of cutaneous human papillomavirus DNA on the top of skin tumors but not in "Stripped" biopsies from the same tumors. <i>Journal of Investigative Dermatology</i> , 2004 , 123, 388-94	4.3	116
8	Nucleotide sequence and phylogenetic classification of candidate human papilloma virus type 92. <i>Virology</i> , 2003 , 312, 255-60	3.6	31
7	Improved detection of cutaneous human papillomavirus DNA by single tube nested hanging droplet PCR. <i>Journal of Virological Methods</i> , 2003 , 110, 129-36	2.6	70
6	Identification of human papillomavirus in keratoacanthomas. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 423-9	1.7	47

5	Population-based type-specific prevalence of high-risk human papillomavirus infection in middle-aged Swedish women. <i>Journal of Medical Virology</i> , 2002 , 66, 535-41	19.7	53
4	The ubiquity and impressive genomic diversity of human skin papillomaviruses suggest a commensalic nature of these viruses. <i>Journal of Virology</i> , 2000 , 74, 11636-41	6.6	326
3	A broad range of human papillomavirus types detected with a general PCR method suitable for analysis of cutaneous tumours and normal skin. <i>Journal of General Virology</i> , 1999 , 80 (Pt 9), 2437-2443	4.9	383
2	Detection of human papilloma virus DNA in lymph nodes extirpated at radical surgery for cervical cancer is not predictive of recurrence. <i>Journal of Medical Virology</i> , 1998 , 54, 183-185	19.7	23
1	HPV 16 DNA and mRNA in cervical brush samples quantified by PCR and microwell hybridization. <i>Journal of Virological Methods</i> , 1997 , 69, 209-22	2.6	17