Ã%klis Nogueira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6191024/publications.pdf

Version: 2024-02-01

1162367 1125271 21 183 8 13 citations g-index h-index papers 22 22 22 384 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison between in vitro embryo production using Y-sorted sperm and timed artificial insemination with non-sorted sperm to produce crossbred calves. Animal Reproduction Science, 2019, 208, 106101.	0.5	6
2	Timed artificial insemination plus heat I: effect of estrus expression scores on pregnancy of cows subjected to progesterone–estradiol-based protocols. Animal, 2019, 13, 2305-2312.	1.3	22
3	Timed artificial insemination plus heat II: gonadorelin injection in cows with low estrus expression scores increased pregnancy in progesterone/estradiol-based protocol. Animal, 2019, 13, 2313-2318.	1.3	8
4	Could bovine livestock intensification in Pantanal be neutral regarding enteric methane emissions?. Science of the Total Environment, 2019, 655, 463-472.	3.9	23
5	Supplementation of cows with linseed: effects on antral follicle count, oocyte quality, and nutritional and plasma metabolite parameters. Semina:Ciencias Agrarias, 2019, 40, 2637.	0.1	2
6	Reproductive performance of Nellore heifers raised in extensive system undergoing different vaccination protocols in fixed-time artificial insemination (FTAI). Ciencia Rural, 2019, 49, .	0.3	0
7	Performance and digestive characteristics in dairy cattle maintained under grazing regime and supplemented with linseed. Semina:Ciencias Agrarias, 2018, 39, 1805.	0.1	1
8	Different protocols using PGF2α as ovulation inducer in Nelore cows subjected to estradiol-progesterone timed AI based protocols. Theriogenology, 2018, 120, 56-60.	0.9	12
9	Membrane lipid profile of in vitro-produced embryos is affected by vitrification but not by long-term dietary supplementation of polyunsaturated fatty acids for oocyte donor beef heifers. Reproduction, Fertility and Development, 2017, 29, 1217.	0.1	5
10	Anti-MÃ $\frac{1}{4}$ llerian hormone (AMH) as a predictor of antral follicle population in heifers. Animal Reproduction, 2017, 15, 12-16.	0.4	13
11	Terminação de novilhos Nelore, castrados e não castrados, em confinamento com dieta alto grão. Revista Brasileira De Saude E Producao Animal, 2016, 17, 45-54.	0.3	2
12	Cooled semen for fixed-time artificial insemination in beef cattle. Reproduction, Fertility and Development, 2016, 28, 1004.	0.1	14
13	Effects of gaseous atmosphere and antioxidants on the development and cryotolerance of bovine embryos at different periods of <i>in vitro</i> culture. Zygote, 2015, 23, 159-168.	0.5	15
14	Reduced levels of intracellular reactive oxygen species and apoptotic status are not correlated with increases in cryotolerance of bovine embryos produced in vitro in the presence of antioxidants. Reproduction, Fertility and Development, 2014, 26, 797.	0.1	31
15	Comparação entre protocolos de sincronização de cio para receptoras de embriões bovinos. Revista Brasileira De Saude E Producao Animal, 2013, 14, 558-564.	0.3	1
16	Effect of breed and corpus luteum on pregnancy rate of bovine embryo recipients. Revista Brasileira De Zootecnia, 2012, 41, 2129-2133.	0.3	12
17	Ruminal parameters of bovines fed diets based on sugar cane with doses of calcium hydroxide. Revista Brasileira De Zootecnia, 2012, 41, 963-969.	0.3	2
18	Follicular dynamics and production of oocytes in young Nellore heifers with energetic supplementation. Revista Brasileira De Zootecnia, 2012, 41, 2012-2017.	0.3	3

#	Article	IF	CITATIONS
19	Sugar cane treated with calcium hydroxide in diet for cattle: intake, digestibility of nutrients and ingestive behaviour. Revista Brasileira De Zootecnia, 2011, 40, 1799-1806.	0.3	7
20	Desempenho de vacas jovens nelore em pastagens de Brachiaria brizantha suplementadas ou não com fósforo/cálcio e ração durante a seca. Revista Brasileira De Zootecnia, 2004, 33, 2151-2160.	0.3	2
21	PRODUCTIVE PERFORMANCE OF PRE-WEANED CALVES REARED IN THE PANTANAL. Ciencia Animal Brasileira, 0, 20, .	0.3	2