

# Zheng Ouyang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6191321/zheng-ouyang-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

9,300  
citations

45  
h-index

95  
g-index

130  
ext. papers

10,137  
ext. citations

7  
avg, IF

6.32  
L-index

#	Paper	IF	Citations
126	Detection Technologies. Ambient mass spectrometry. <i>Science</i> , <b>2006</b> , 311, 1566-70	33.3	1151
125	Low-temperature plasma probe for ambient desorption ionization. <i>Analytical Chemistry</i> , <b>2008</b> , 80, 9097-1004	10.4	580
124	Development, characterization, and application of paper spray ionization. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 2463-71	7.8	535
123	Paper spray for direct analysis of complex mixtures using mass spectrometry. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 877-80	16.4	532
122	Miniature and Fieldable Mass Spectrometers: Recent Advances. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 2-29	7.8	271
121	Miniature mass spectrometers. <i>Annual Review of Analytical Chemistry</i> , <b>2009</b> , 2, 187-214	12.5	251
120	Preparing protein microarrays by soft-landing of mass-selected ions. <i>Science</i> , <b>2003</b> , 301, 1351-4	33.3	241
119	Rectilinear ion trap: concepts, calculations, and analytical performance of a new mass analyzer. <i>Analytical Chemistry</i> , <b>2004</b> , 76, 4595-605	7.8	221
118	Mini 12, miniature mass spectrometer for clinical and other applications--introduction and characterization. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 2909-16	7.8	215
117	Handheld rectilinear ion trap mass spectrometer. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 5994-6002	7.8	214
116	Identification and quantitation of lipid C=C location isomers: A shotgun lipidomics approach enabled by photochemical reaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 2573-8	11.5	201
115	Direct analysis of biological tissue by paper spray mass spectrometry. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 1197-201	7.8	197
114	Breaking the pumping speed barrier in mass spectrometry: discontinuous atmospheric pressure interface. <i>Analytical Chemistry</i> , <b>2008</b> , 80, 4026-32	7.8	195
113	Leaf spray: direct chemical analysis of plant material and living plants by mass spectrometry. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 7608-13	7.8	194
112	Quantitative analysis of therapeutic drugs in dried blood spot samples by paper spray mass spectrometry: an avenue to therapeutic drug monitoring. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2011</b> , 22, 1501-7	3.5	177
111	Silica coated paper substrate for paper-spray analysis of therapeutic drugs in dried blood spots. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 931-8	7.8	167
110	Design and characterization of a multisource hand-held tandem mass spectrometer. <i>Analytical Chemistry</i> , <b>2008</b> , 80, 7198-205	7.8	162

109	Paper spray ionization devices for direct, biomedical analysis using mass spectrometry. <i>International Journal of Mass Spectrometry</i> , <b>2012</b> , 312, 201-207	1.9	156
108	Assessment of paper spray ionization for quantitation of pharmaceuticals in blood spots. <i>International Journal of Mass Spectrometry</i> , <b>2011</b> , 300, 123-129	1.9	156
107	Paper spray and extraction spray mass spectrometry for the direct and simultaneous quantification of eight drugs of abuse in whole blood. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 7712-8	7.8	146
106	Ambient Ionization Mass Spectrometry for Point-of-Care Diagnostics and Other Clinical Measurements. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 99-110	5.5	138
105	Autonomous in situ analysis and real-time chemical detection using a backpack miniature mass spectrometer: concept, instrumentation development, and performance. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 2900-8	7.8	130
104	Rapid analysis of whole blood by paper spray mass spectrometry for point-of-care therapeutic drug monitoring. <i>Analyst, The</i> , <b>2012</b> , 137, 2344-9	5	122
103	Mass spectrometric imaging of lipids using desorption electrospray ionization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2009</b> , 877, 2883-9	3.2	119
102	Paper Spray for Direct Analysis of Complex Mixtures Using Mass Spectrometry. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 889-892	3.6	118
101	Quantitative paper spray mass spectrometry analysis of drugs of abuse. <i>Analyst, The</i> , <b>2013</b> , 138, 4443-7	5	106
100	New ionization methods and miniature mass spectrometers for biomedicine: DESI imaging for cancer diagnostics and paper spray ionization for therapeutic drug monitoring. <i>Faraday Discussions</i> , <b>2011</b> , 149, 247-67; discussion 333-56	3.6	104
99	Online photochemical derivatization enables comprehensive mass spectrometric analysis of unsaturated phospholipid isomers. <i>Nature Communications</i> , <b>2019</b> , 10, 79	17.4	91
98	Direct analysis of melamine in complex matrices using a handheld mass spectrometer. <i>Analyst, The</i> , <b>2010</b> , 135, 705-11	5	90
97	Ambient ionization and miniature mass spectrometry system for chemical and biological analysis. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2016</b> , 85, 10-19	14.6	82
96	Direct quantitative analysis of nicotine alkaloids from biofluid samples using paper spray mass spectrometry. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 11540-4	7.8	76
95	Biological tissue diagnostics using needle biopsy and spray ionization mass spectrometry. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 9221-5	7.8	76
94	Neuroprotective ferulic acid (FA)-glycol chitosan (GC) nanoparticles for functional restoration of traumatically injured spinal cord. <i>Biomaterials</i> , <b>2014</b> , 35, 2355-2364	15.6	72
93	Direct mass spectrometry analysis of biofluid samples using slug-flow microextraction nano-electrospray ionization. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 14124-7	16.4	67
92	Chemical Mass Shifts in Ion Trap Mass Spectrometry: Experiments and Simulations. <i>Analytical Chemistry</i> , <b>1999</b> , 71, 3405-3415	7.8	67

91	Photochemical Tagging for Quantitation of Unsaturated Fatty Acids by Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 8931-5	7.8	66
90	High throughput paper spray mass spectrometry analysis. <i>Clinica Chimica Acta</i> , <b>2013</b> , 420, 28-33	6.2	63
89	Design of portable mass spectrometers with handheld probes: aspects of the sampling and miniature pumping systems. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2015</b> , 26, 240-7	3.5	57
88	Large-scale lipid analysis with C=C location and sn-position isomer resolving power. <i>Nature Communications</i> , <b>2020</b> , 11, 375	17.4	53
87	Rapid analysis of synthetic cannabinoids using a miniature mass spectrometer with ambient ionization capability. <i>Talanta</i> , <b>2015</b> , 142, 190-6	6.2	53
86	Study of Discontinuous Atmospheric Pressure Interfaces for Mass Spectrometry Instrumentation Development. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 6584-6592	7.8	51
85	Ion trap mass analysis at high pressure: a theoretical view. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2009</b> , 20, 2144-53	3.5	50
84	Analysis of pesticide residues by leaf spray mass spectrometry. <i>Analytical Methods</i> , <b>2012</b> , 4, 1913	3.2	47
83	Characterization of a serial array of miniature cylindrical ion trap mass analyzers. <i>Rapid Communications in Mass Spectrometry</i> , <b>1999</b> , 13, 2444-9	2.2	47
82	Rectilinear ion trap mass spectrometer with atmospheric pressure interface and electrospray ionization source. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 718-25	7.8	46
81	Ambient Ionization and Miniature Mass Spectrometry Systems for Disease Diagnosis and Therapeutic Monitoring. <i>Theranostics</i> , <b>2017</b> , 7, 2968-2981	12.1	45
80	Direct identification of prohibited substances in cosmetics and foodstuffs using ambient ionization on a miniature mass spectrometry system. <i>Analytica Chimica Acta</i> , <b>2016</b> , 912, 65-73	6.6	44
79	Gas-flow assisted ion transfer for mass spectrometry. <i>Journal of Mass Spectrometry</i> , <b>2012</b> , 47, 201-7	2.2	44
78	Gentle protein ionization assisted by high-velocity gas flow. <i>Analytical Chemistry</i> , <b>2005</b> , 77, 6174-83	7.8	43
77	Rapid In Situ Profiling of Lipid C=C Location Isomers in Tissue Using Ambient Mass Spectrometry with Photochemical Reactions. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 5612-5619	7.8	39
76	In Situ Explosive Detection Using a Miniature Plasma Ion Source and a Portable Mass Spectrometer. <i>Analytical Letters</i> , <b>2012</b> , 45, 1440-1446	2.2	39
75	Mitigation of sensory and motor deficits by acrolein scavenger phenelzine in a rat model of spinal cord contusive injury. <i>Journal of Neurochemistry</i> , <b>2016</b> , 138, 328-38	6	39
74	Direct sampling mass spectrometry for clinical analysis. <i>Analyst, The</i> , <b>2019</b> , 144, 1034-1051	5	35

73	Real-time sample analysis using a sampling probe and miniature mass spectrometer. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 8867-73	7.8	35
72	Enabling quantitative analysis in ambient ionization mass spectrometry: internal standard coated capillary samplers. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 5632-6	7.8	35
71	Ion trajectory simulation for electrode configurations with arbitrary geometries. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2006</b> , 17, 1216-28	3.5	33
70	Locating Carbon-Carbon Double Bonds in Unsaturated Phospholipids by Epoxidation Reaction and Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 10286-10292	7.8	32
69	Direct Mass Spectrometry Analysis of Untreated Samples of Ultralow Amounts Using Extraction Nano-Electrospray. <i>Analytical Methods</i> , <b>2013</b> , 5,	3.2	32
68	Tandem Analysis by a Dual-Trap Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 1391-1398	7.8	32
67	Paper-capillary spray for direct mass spectrometry analysis of biofluid samples. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 1385-90	4.4	31
66	Rapid discrimination of bacteria using a miniature mass spectrometer. <i>Analyst, The</i> , <b>2016</b> , 141, 1633-6	5	30
65	Ion trap mass analysis at high pressure: an experimental characterization. <i>Journal of Mass Spectrometry</i> , <b>2010</b> , 45, 26-34	2.2	29
64	Point-of-Care Tissue Analysis Using Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 1157-1163	7.8	29
63	Synchronized discharge ionization for analysis of volatile organic compounds using a hand-held ion trap mass spectrometer. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 1767-72	7.8	27
62	Miniature Monolithic Rectilinear Ion Trap Arrays by Stereolithography on Printed Circuit Board. <i>Journal of Microelectromechanical Systems</i> , <b>2010</b> , 19, 951-960	2.5	26
61	Sampling wand for an ion trap mass spectrometer. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 1857-61	7.8	26
60	A lipidomic workflow capable of resolving - and C[double bond, length as m-dash]C location isomers of phosphatidylcholines. <i>Chemical Science</i> , <b>2019</b> , 10, 10740-10748	9.4	25
59	Single-cell lipidomics with high structural specificity by mass spectrometry. <i>Nature Communications</i> , <b>2021</b> , 12, 2869	17.4	24
58	Development of miniature mass spectrometry systems for bioanalysis outside the conventional laboratories. <i>Bioanalysis</i> , <b>2014</b> , 6, 1497-508	2.1	23
57	Accelerated simulation study of space charge effects in quadrupole ion traps using GPU techniques. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2012</b> , 23, 1799-807	3.5	23
56	High efficiency tandem mass spectrometry analysis using dual linear ion traps. <i>Analyst, The</i> , <b>2014</b> , 139, 4779-84	5	22

55	Novel linear ion trap mass analyzer composed of four planar electrodes. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2006</b> , 17, 631-639	3.5	22
54	A Polymer Coating Transfer Enrichment Method for Direct Mass Spectrometry Analysis of Lipids in Biofluid Samples. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 6064-6069	16.4	20
53	Direct Analysis of Nonvolatile Chemical Compounds on Surfaces Using a Hand-Held Mass Spectrometer with Synchronized Discharge Ionization Function. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 826-31	7.8	20
52	Flowing gas in mass spectrometer: method for characterization and impact on ion processing. <i>Analyst, The</i> , <b>2014</b> , 139, 5215-22	5	20
51	Simulation of rarefied gas flows in atmospheric pressure interfaces for mass spectrometry systems. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2013</b> , 24, 1890-9	3.5	20
50	A pulsed pinhole atmospheric pressure interface for simplified mass spectrometry instrumentation with enhanced sensitivity. <i>Rapid Communications in Mass Spectrometry</i> , <b>2015</b> , 29, 701-6	2.2	18
49	Evaluation of a differential mobility spectrometer/miniature mass spectrometer system. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2010</b> , 21, 1477-81	3.5	18
48	Rapid identification of regulated organic chemical compounds in toys using ambient ionization and a miniature mass spectrometry system. <i>Talanta</i> , <b>2018</b> , 180, 182-192	6.2	18
47	Visible-Light-Driven [2 + 2] Photocycloadditions between Benzophenone and C=C Bonds in Unsaturated Lipids. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 3499-3505	16.4	17
46	Following the Ions through a Mass Spectrometer with Atmospheric Pressure Interface: Simulation of Complete Ion Trajectories from Ion Source to Mass Analyzer. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 7033-40	7.8	17
45	Single-Cell Mass Spectrometry Analysis of Metabolites Facilitated by Cell Electro-Migration and Electroporation. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 10138-10144	7.8	16
44	Enhanced Phospholipid Isomer Analysis by Online Photochemical Derivatization and RPLC-MS. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 6719-6726	7.8	16
43	Polymer-Based Ion Trap Chemical Sensor. <i>IEEE Sensors Journal</i> , <b>2006</b> , 6, 1429-1434	4	16
42	Ion sponge: a 3-dimensional array of quadrupole ion traps for trapping and mass-selectively processing ions in gas phase. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 4102-9	7.8	14
41	Rapid and on-site detection of multiple fentanyl compounds by dual-ion trap miniature mass spectrometry system. <i>Talanta</i> , <b>2020</b> , 217, 121057	6.2	13
40	In-capillary microextraction for direct mass spectrometry analysis of biological samples. <i>Talanta</i> , <b>2018</b> , 189, 451-457	6.2	12
39	Using miniature MS system with automatic blood sampler for preclinical pharmacokinetics study. <i>Bioanalysis</i> , <b>2017</b> , 9, 1633-1641	2.1	12
38	Nondestructive ion trap mass analysis at high pressure. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 685-9	7.8	12

37	Direct quantitation of tenofovir diphosphate in human blood with mass spectrometry for adherence monitoring. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 1243-1249	4.4	12
36	Polydopamine-Modified Substrates for High-Sensitivity Laser Desorption Ionization Mass Spectrometry Imaging. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 46140-46148	9.5	12
35	Antireflection Surfaces for Biological Analysis Using Laser Desorption Ionization Mass Spectrometry. <i>Research</i> , <b>2018</b> , 2018, 5439729	7.8	11
34	Dual buffer gases for ion manipulation in a miniature ion trap mass spectrometer with a discontinuous atmospheric pressure interface. <i>Rapid Communications in Mass Spectrometry</i> , <b>2011</b> , 25, 3274-80	2.2	10
33	Synchronized Inductive Desorption Electrospray Ionization Mass Spectrometry. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 2551-2554	3.6	10
32	Intraoperative detection of isocitrate dehydrogenase mutations in human gliomas using a miniature mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , <b>2019</b> , 411, 7929-7933	4.4	10
31	On-site testing of multiple drugs of abuse in urine by a miniature dual-LIT mass spectrometer. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1101, 74-80	6.6	9
30	Rapid determination of isocitrate dehydrogenase mutation status of human gliomas by extraction nanoelectrospray using a miniature mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , <b>2019</b> , 411, 1503-1508	4.4	8
29	High-Precision Quantitation of Biofluid Samples Using Direct Mass Spectrometry Analysis. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 6986-6990	7.8	8
28	Ion transfer between ion source and mass spectrometer inlet: electro-hydrodynamic simulation and experimental validation. <i>Rapid Communications in Mass Spectrometry</i> , <b>2016</b> , 30 Suppl 1, 29-33	2.2	8
27	Direct Mass Spectrometry Analysis of Biofluid Samples Using Slug-Flow Microextraction Nano-Electrospray Ionization. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 14348-14351	3.6	8
26	Ion Mobility Separation Using a Dual-LIT Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 2573-2579	7.8	7
25	On-Demand Mass Spectrometry Analysis by Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 6003-6007	7.8	7
24	Power Normalization for Mass Spectrometry Data Analysis and Analytical Method Assessment. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 3156-63	7.8	6
23	Mapping Lipid C=C Location Isomers in Organ Tissues by Coupling Photochemical Derivatization and Rapid Extractive Mass Spectrometry. <i>International Journal of Mass Spectrometry</i> , <b>2019</b> , 445, 116206-116206	1.9	6
22	A multiquadrupole tandem mass spectrometer for the study of ion/surface collision processes. <i>Review of Scientific Instruments</i> , <b>2002</b> , 73, 2375-2391	1.7	6
21	Ion-Neutral Collision Effects on Ion Trapping and Pseudopotential Depth in Ion Trap Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2019</b> , 30, 2750-2755	3.5	5
20	Handheld Mass Spectrometer with Intelligent Adaptability for On-Site and Point-of-Care Analysis. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 15607-15616	7.8	5

19	Accelerated air-assisted in-syringe extraction and needle spray ionization coupled with miniature mass spectrometry: A streamlined platform for rapid on-site analysis. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1136, 106-114	6.6	5
18	Coupling the Paterni-Biagi (PB) Reaction With Mass Spectrometry to Study Unsaturated Fatty Acids in Mouse Model of Multiple Sclerosis. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 807	5	5
17	Enabling High Structural Specificity to Lipidomics by Coupling Photochemical Derivatization with Tandem Mass Spectrometry. <i>Accounts of Chemical Research</i> , <b>2021</b> , 54, 3873-3882	24.3	5
16	Targeted Quantification of Peptides Using Miniature Mass Spectrometry. <i>Journal of Proteome Research</i> , <b>2020</b> , 19, 2043-2052	5.6	4
15	Statistical Algorithm Enables Rapid Computation of Space Charge Effect and Spectral Correction in a Miniature Ion Trap Mass Spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2020</b> , 31, 429-433	3.5	4
14	Carbon-Carbon Bond Activation in Saturated Hydrocarbons by Field-Assisted Nitrogen Fixation. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 1074-1077	3.6	4
13	Fast protein analysis enabled by high-temperature hydrolysis. <i>Chemical Science</i> , <b>2020</b> , 11, 10506-10516	9.4	3
12	Study of In-Trap Ion Clouds by Ion Trajectory Simulations. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2018</b> , 29, 223-229	3.5	3
11	Stimulated Motion Suppression (STMS): a New Approach to Break the Resolution Barrier for Ion Trap Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2018</b> , 29, 1738-1744	3.5	3
10	A Polymer Coating Transfer Enrichment Method for Direct Mass Spectrometry Analysis of Lipids in Biofluid Samples. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 6125-6130	3.6	2
9	Recent advances in on-site mass spectrometry analysis for clinical applications.. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2022</b> , 149, 116548	14.6	2
8	Mass Analysis Using Collective Interaction of Ions in an Ion Trap. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 5998-6002	28	2
7	Tandem-in-time mass spectrometry analysis facilitated by real-time pressure adjustments. <i>International Journal of Mass Spectrometry</i> , <b>2021</b> , 462, 116523	1.9	2
6	Direct Analysis Using Miniature Mass Spectrometers: A Fast On-Site Analytical Tool for Toxicology. <i>Chemical Research in Toxicology</i> , <b>2021</b> , 34, 681-683	4	1
5	Characterization of a serial array of miniature cylindrical ion trap mass analyzers <b>1999</b> , 13, 2444		1
4	Site-Specific Photochemical Reaction for Improved C=C Location Analysis of Unsaturated Lipids by Ultraviolet Photodissociation.. <i>Research</i> , <b>2022</b> , 2022, 9783602	7.8	0
3	On-site quantitation of morphine in urine by fast derivatization and miniature mass spectrometry analysis <b>2022</b> , 1, 100013		0
2	Innenrücktitelbild: Direct Mass Spectrometry Analysis of Biofluid Samples Using Slug-Flow Microextraction Nano-Electrospray Ionization (Angew. Chem. 51/2014). <i>Angewandte Chemie</i> , <b>2014</b> , 126, 14499-14499	3.6	



- 1 Introduction to Mass Spectrometry **2011**, 1-57