

Scott A Langenecker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6191525/scott-a-langenecker-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

4,884
citations

38
h-index

62
g-index

169
ext. papers

5,834
ext. citations

5.2
avg, IF

5.52
L-index

#	Paper	IF	Citations
163	Low rate of performance validity failures among individuals with bipolar disorder.. <i>Journal of the International Neuropsychological Society</i> , 2022 , 1-8	3.1	
162	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 739022	5	3
161	Naturalistic smartphone keyboard typing reflects processing speed and executive function. <i>Brain and Behavior</i> , 2021 , 11, e2363	3.4	4
160	Mechanisms of rumination change in adolescent depression (RuMeChange): study protocol for a randomised controlled trial of rumination-focused cognitive behavioural therapy to reduce ruminative habit and risk of depressive relapse in high-ruminating adolescents. <i>BMC Psychiatry</i> , 2021 , 21, 206	4.2	2
159	Set Shifting and Inhibition Deficits as Potential Endophenotypes for Depression. <i>Psychiatry Research</i> , 2021 , 300, 113931	9.9	1
158	Striatal activation to monetary reward is associated with alcohol reward sensitivity. <i>Neuropsychopharmacology</i> , 2021 , 46, 343-350	8.7	6
157	Neural activation during anticipation of monetary gain or loss does not associate with positive subjective response to alcohol in binge drinkers. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108432	4.9	0
156	Resting state functional connectivity correlates of rumination and worry in internalizing psychopathologies. <i>Depression and Anxiety</i> , 2021 , 38, 488-497	8.4	7
155	Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 ,	3.4	1
154	Risk factors for alcohol, marijuana, and cigarette polysubstance use during adolescence and young adulthood: A 7-year longitudinal study of youth at high risk for smoking escalation. <i>Addictive Behaviors</i> , 2021 , 119, 106944	4.2	3
153	Sex-specific effects of low-dose hydrocortisone on threat detection in HIV. <i>Journal of NeuroVirology</i> , 2021 , 27, 716-726	3.9	
152	Sleep quality and neuropsychological functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2021 , 293, 133-140	6.6	0
151	Inflammation, depressive symptoms, and emotion perception in adolescence. <i>Journal of Affective Disorders</i> , 2021 , 295, 717-723	6.6	0
150	Effects of mood and aging on keystroke dynamics metadata and their diurnal patterns in a large open-science sample: A BiAffect iOS study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 1007-1018	8.6	14
149	Rumination-focused cognitive behavioral therapy decreases anxiety and increases behavioral activation among remitted adolescents. <i>Journal of Child and Family Studies</i> , 2020 , 29, 1982-1991	2.3	1
148	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. <i>Neuropsychology Review</i> , 2020 , 30, 477-498	7.7	12
147	Innovations in Clinical Neuroscience: Tools, Techniques, and Transformative Frameworks. <i>Biological Psychiatry</i> , 2020 , 87, 308-311	7.9	1

146	Anticipation of monetary reward in amygdala, insula, caudate are predictors of pleasure sensitivity to d-Amphetamine administration. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107725	4.9	7
145	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. <i>Journal of Affective Disorders</i> , 2020 , 266, 387-393	6.6	
144	Malleability of rumination: An exploratory model of CBT-based plasticity and long-term reduced risk for depressive relapse among youth from a pilot randomized clinical trial. <i>PLoS ONE</i> , 2020 , 15, e0233539	3.7	2
143	Common neural responses to romantic rejection and acceptance in healthy adults. <i>Social Neuroscience</i> , 2020 , 15, 571-583	2	2
142	Development of a patient decision aid for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2020 , 275, 299-306	6.6	2
141	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. <i>Assessment</i> , 2020 , 27, 787-802	3.7	6
140	Memory differences by sex, but not by previous diagnosis of major depressive disorder. <i>Applied Neuropsychology Adult</i> , 2020 , 27, 134-142	1.9	1
139	Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. <i>Psychological Medicine</i> , 2020 , 50, 2324-2334	6.9	7
138	Influence of childhood adversity, approach motivation traits, and depression on individual differences in brain activation during reward anticipation. <i>Biological Psychology</i> , 2019 , 146, 107709	3.2	9
137	Emotion-based brain mechanisms and predictors for SSRI and CBT treatment of anxiety and depression: a randomized trial. <i>Neuropsychopharmacology</i> , 2019 , 44, 1639-1648	8.7	32
136	Pre-scan cortisol is differentially associated with enhanced connectivity to the cognitive control network in young adults with a history of depression. <i>Psychoneuroendocrinology</i> , 2019 , 104, 219-227	5	4
135	Self-reported affective biases, but not all affective performance biases, are present in depression remission. <i>British Journal of Clinical Psychology</i> , 2019 , 58, 274-288	3.6	3
134	Cognitive Control as a 5-HT-Based Domain That Is Disrupted in Major Depressive Disorder. <i>Frontiers in Psychology</i> , 2019 , 10, 691	3.4	11
133	The Titrated Monetary Incentive Delay Task: Sensitivity, convergent and divergent validity, and neural correlates in an RDoC sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019 , 41, 512-529	2.1	6
132	Interplay between pro-inflammatory cytokines, childhood trauma, and executive function in depressed adolescents. <i>Journal of Psychiatric Research</i> , 2019 , 114, 1-10	5.2	21
131	Examining HPA-axis functioning as a mediator of the relationship between depression and cognition across the adult lifespan. <i>Aging, Neuropsychology, and Cognition</i> , 2019 , 26, 507-520	2.1	6
130	Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 91, 38-48	5.5	7
129	Dissociable Neural Responses to Monetary and Social Gain and Loss in Women With Major Depressive Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 149	3.5	9

128	Passive Sensing of Affective and Cognitive Functioning in Mood Disorders by Analyzing Keystroke Kinematics and Speech Dynamics. <i>Studies in Neuroscience, Psychology and Behavioral Economics</i> , 2019 , 161-183	1.8	2
127	Transdiagnostic neural correlates of volitional emotion regulation in anxiety and depression. <i>Depression and Anxiety</i> , 2019 , 36, 453-464	8.4	21
126	Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. <i>Depression and Anxiety</i> , 2019 , 36, 141-152	8.4	10
125	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. <i>Bipolar Disorders</i> , 2018 , 20, 285-288	3.8	24
124	Abnormal emotional and neural responses to romantic rejection and acceptance in depressed women. <i>Journal of Affective Disorders</i> , 2018 , 234, 231-238	6.6	7
123	Pathways to Neuroprediction: Opportunities and Challenges to Prediction of Treatment Response in Depression. <i>Current Behavioral Neuroscience Reports</i> , 2018 , 5, 48-60	1.7	7
122	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. <i>International Journal of Epidemiology</i> , 2018 , 47, 28-28n	7.8	26
121	Trait attentional control modulates neurofunctional response to threat distractors in anxiety and depression. <i>Journal of Psychiatric Research</i> , 2018 , 102, 87-95	5.2	7
120	An Interactive Developmental Neuroscience Perspective on Adolescent Resilience to Familial Depression. <i>JAMA Psychiatry</i> , 2018 , 75, 503-504	14.5	4
119	Individuals with more severe depression fail to sustain nucleus accumbens activity to preferred music over time. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 275, 21-27	2.9	16
118	Neural activation to monetary reward is associated with amphetamine reward sensitivity. <i>Neuropsychopharmacology</i> , 2018 , 43, 1738-1744	8.7	11
117	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 183-191	6.6	14
116	Considering sex differences clarifies the effects of depression on facial emotion processing during fMRI. <i>Journal of Affective Disorders</i> , 2018 , 225, 129-136	6.6	12
115	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. <i>Journal of Affective Disorders</i> , 2018 , 241, 371-380	6.6	6
114	Reliability, Convergent Validity and Time Invariance of Default Mode Network Deviations in Early Adult Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 244	5	18
113	A pilot investigation of differential neuroendocrine associations with fronto-limbic activation during semantically-cued list learning in mood disorders. <i>Journal of Affective Disorders</i> , 2018 , 239, 180-191	6.6	2
112	Pathways to Neuroprediction: Opportunities and challenges to prediction of treatment response in depression. <i>Current Behavioral Neuroscience Reports</i> , 2018 , 5, 48-60	1.7	6
111	Predicting Mood Disturbance Severity with Mobile Phone Keystroke Metadata: A BiAffect Digital Phenotyping Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e241	7.6	110

110	Neural Responsiveness to Reward as an Index of Depressive Symptom Change Following Cognitive-Behavioral Therapy and SSRI Treatment. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	20
109	Family support: A possible buffer against disruptive events for individuals with and without remitted depression. <i>Journal of Family Psychology</i> , 2018 , 32, 926-935	2.7	7
108	Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. <i>Brain Connectivity</i> , 2018 , 8, 527-536	2.7	4
107	Cognitive control neuroimaging measures differentiate between those with and without future recurrence of depression. <i>NeuroImage: Clinical</i> , 2018 , 20, 1001-1009	5.3	17
106	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. <i>Social Cognitive and Affective Neuroscience</i> , 2018 , 13, 1081-1090	4	10
105	Cluster analysis with MOODS-SR illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. <i>Bipolar Disorders</i> , 2018 , 20, 697-707	3.8	6
104	Global mental health and the National Institute of Mental Health Research Domain Criteria. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 436-442	8.5	5
103	Multivariate pattern analysis strategies in detection of remitted major depressive disorder using resting state functional connectivity. <i>NeuroImage: Clinical</i> , 2017 , 16, 390-398	5.3	35
102	Domain-specific impairment in cognitive control among remitted youth with a history of major depression. <i>Microbial Biotechnology</i> , 2017 , 11, 383-392	3.3	30
101	Affective and cognitive correlates of PTSD: Electro cortical processing of threat and perseverative errors on the WCST in combat-related PTSD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 63-69	5.5	10
100	Emotion regulation related neural predictors of cognitive behavioral therapy response in social anxiety disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 106-112	5.5	25
99	Multidimensional prediction of treatment response to antidepressants with cognitive control and functional MRI. <i>Brain</i> , 2017 , 140, 472-486	11.2	44
98	Predicting cognitive behavioral therapy response in social anxiety disorder with anterior cingulate cortex and amygdala during emotion regulation. <i>NeuroImage: Clinical</i> , 2017 , 15, 25-34	5.3	37
97	Prefrontal and amygdala engagement during emotional reactivity and regulation in generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2017 , 218, 398-406	6.6	29
96	Transdiagnostic neural correlates of affective face processing in anxiety and depression. <i>Depression and Anxiety</i> , 2017 , 34, 621-631	8.4	23
95	Reactivity to unpredictable threat as a treatment target for fear-based anxiety disorders. <i>Psychological Medicine</i> , 2017 , 47, 2450-2460	6.9	18
94	Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. <i>Human Brain Mapping</i> , 2017 , 38, 2939-2954	5.9	57
93	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5-year longitudinal study. <i>Bipolar Disorders</i> , 2017 , 19, 50-59	3.8	21

92	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017 , 39, 979-987	2.1	11
91	Neural correlates of rumination in adolescents with remitted major depressive disorder and healthy controls. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017 , 17, 394-405	3.5	64
90	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5 years. <i>Bipolar Disorders</i> , 2017 , 19, 689-697	3.8	7
89	PTSD symptoms are associated with visual retrieval performance in OEF/OIF/OND veterans. <i>Psychiatry Research</i> , 2017 , 257, 156-162	9.9	3
88	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017 , 17, 1242-1254	3.5	17
87	Can't Stop Remembering: Neural Decoding of Representations of the Deceased Predicts Subsequent Intrusive Thinking and Coping Strategies. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 384-385	3.4	
86	Affective traits and history of depression are related to ventral striatum connectivity. <i>Journal of Affective Disorders</i> , 2017 , 221, 72-80	6.6	13
85	Relationships among attention networks and physiological responding to threat. <i>Brain and Cognition</i> , 2017 , 111, 63-72	2.7	22
84	Preliminary Evidence for Disrupted Nucleus Accumbens Reactivity and Connectivity to Reward in Binge Drinkers. <i>Alcohol and Alcoholism</i> , 2017 , 52, 647-654	3.5	12
83	Executive Functioning at Baseline Prospectively Predicts Depression Treatment Response. <i>primary care companion for CNS disorders, The</i> , 2017 , 19,	1.2	17
82	Patterns of frontoparietal activation as a marker for unsuccessful visuospatial processing in healthy aging. <i>Brain Imaging and Behavior</i> , 2016 , 10, 686-96	4.1	6
81	Decreased Fronto-Limbic Activation and Disrupted Semantic-Cued List Learning in Major Depressive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 412-25	3.1	9
80	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. <i>Journal of Affective Disorders</i> , 2016 , 199, 87-94	6.6	14
79	NEURAL REACTIVITY TO REWARD AS A PREDICTOR OF COGNITIVE BEHAVIORAL THERAPY RESPONSE IN ANXIETY AND DEPRESSION. <i>Depression and Anxiety</i> , 2016 , 33, 281-8	8.4	64
78	Amygdala and dorsomedial hyperactivity to emotional faces in youth with remitted Major Depression. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 736-45	4	11
77	Deficient inhibitory control as an outcome of childhood trauma. <i>Psychiatry Research</i> , 2016 , 235, 7-12	9.9	32
76	Trajectories of Functioning Into Emerging Adulthood Following Treatment for Adolescent Depression. <i>Journal of Adolescent Health</i> , 2016 , 58, 253-9	5.8	17
75	Targeting Ruminative Thinking in Adolescents at Risk for Depressive Relapse: Rumination-Focused Cognitive Behavior Therapy in a Pilot Randomized Controlled Trial with Resting State fMRI. <i>PLoS ONE</i> , 2016 , 11, e0163952	3.7	53

74	Taking an RDoC lens to the study of panic disorder: A commentary on Hamm et al. and other thoughts on RDoC. <i>Psychophysiology</i> , 2016 , 53, 328-31	4.1	2
73	Adolescent respiratory sinus arrhythmia is associated with smoking rate five years later. <i>Biological Psychology</i> , 2016 , 118, 107-113	3.2	4
72	Decoupling of the amygdala to other salience network regions in adolescent-onset recurrent major depressive disorder. <i>Psychological Medicine</i> , 2016 , 46, 1055-67	6.9	70
71	Differential Resting State Connectivity Patterns and Impaired Semantically Cued List Learning Test Performance in Early Course Remitted Major Depressive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 225-39	3.1	14
70	Aberrant resting-state functional connectivity in limbic and cognitive control networks relates to depressive rumination and mindfulness: A pilot study among adolescents with a history of depression. <i>Journal of Affective Disorders</i> , 2016 , 200, 178-81	6.6	32
69	Pharmacological modulation of pulvinar resting-state regional oscillations and network dynamics in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 252, 10-18	2.9	10
68	Shared white matter alterations across emotional disorders: A voxel-based meta-analysis of fractional anisotropy. <i>NeuroImage: Clinical</i> , 2016 , 12, 1022-1034	5.3	88
67	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. <i>Psychoneuroendocrinology</i> , 2016 , 73, 67-78	5	16
66	Comorbid anxiety increases cognitive control activation in Major Depressive Disorder. <i>Depression and Anxiety</i> , 2016 , 33, 967-977	8.4	23
65	Smoking history, and not depression, is related to deficits in detection of happy and sad faces. <i>Addictive Behaviors</i> , 2015 , 41, 210-7	4.2	7
64	The double burden of age and major depressive disorder on the cognitive control network. <i>Psychology and Aging</i> , 2015 , 30, 475-85	3.6	17
63	Biomarkers of intergenerational risk for depression: a review of mechanisms in longitudinal high-risk (LHR) studies. <i>Journal of Affective Disorders</i> , 2015 , 175, 494-506	6.6	19
62	Stress Response to the Functional Magnetic Resonance Imaging Environment in Healthy Adults Relates to the Degree of Limbic Reactivity during Emotion Processing. <i>Neuropsychobiology</i> , 2015 , 71, 85-96	4	11
61	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. <i>Brain</i> , 2015 , 138, 1424-34	11.2	13
60	Association Between Placebo-Activated Neural Systems and Antidepressant Responses: Neurochemistry of Placebo Effects in Major Depression. <i>JAMA Psychiatry</i> , 2015 , 72, 1087-94	14.5	92
59	Affective personality predictors of disrupted reward learning and pursuit in major depressive disorder. <i>Psychiatry Research</i> , 2015 , 230, 56-64	9.9	14
58	A new semantic list learning task to probe functioning of the Papez circuit. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015 , 37, 816-33	2.1	8
57	Age and gender modulate the neural circuitry supporting facial emotion processing in adults with major depressive disorder. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 304-13	6.5	20

56	Gender differences in the associations among marijuana use, cigarette use, and symptoms of depression during adolescence and young adulthood. <i>Addictive Behaviors</i> , 2015 , 49, 33-9	4.2	31
55	It still hurts: altered endogenous opioid activity in the brain during social rejection and acceptance in major depressive disorder. <i>Molecular Psychiatry</i> , 2015 , 20, 193-200	15.1	119
54	Openness predicts cognitive functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 168, 51-7	6.6	5
53	Current Neural and Behavioral Dimensional Constructs across Mood Disorders. <i>Current Behavioral Neuroscience Reports</i> , 2014 , 1, 144-153	1.7	33
52	Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 15		54
51	Functional genetic variants in the vesicular monoamine transporter 1 modulate emotion processing. <i>Molecular Psychiatry</i> , 2014 , 19, 129-39	15.1	22
50	Differential prefrontal and subcortical circuitry engagement during encoding of semantically related words in patients with late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1104-15	3.9	15
49	The double burden of age and disease on cognition and quality of life in bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 952-61	3.9	25
48	Reduced emotion processing efficiency in healthy males relative to females. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 316-25	4	31
47	Increased coupling of intrinsic networks in remitted depressed youth predicts rumination and cognitive control. <i>PLoS ONE</i> , 2014 , 9, e104366	3.7	73
46	Gender differences, clinical correlates, and longitudinal outcome of bipolar disorder with comorbid migraine. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 512-9	4.6	46
45	Emotion perception and executive functioning predict work status in euthymic bipolar disorder. <i>Psychiatry Research</i> , 2013 , 210, 472-8	9.9	27
44	Sleep quality during euthymia in bipolar disorder: the role of clinical features, personality traits, and stressful life events. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 16	5.4	28
43	Response of the Opioid system to social rejection and acceptance. <i>Molecular Psychiatry</i> , 2013 , 18, 1211-7	15.1	150
42	Factor structure, construct validity, and age- and education-based normative data for the Parametric Go/No-Go Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 132-46	2.1	48
41	Emotion regulation through execution, observation, and imagery of emotional movements. <i>Brain and Cognition</i> , 2013 , 82, 219-27	2.7	32
40	DRD2 polymorphisms modulate reward and emotion processing, dopamine neurotransmission and openness to experience. <i>Cortex</i> , 2013 , 49, 877-90	3.8	88
39	Personality differences among patients with chronic aphasia predict improvement in speech-language therapy. <i>Topics in Stroke Rehabilitation</i> , 2013 , 20, 421-31	2.6	17

38	Shifted inferior frontal laterality in women with major depressive disorder is related to emotion-processing deficits. <i>Psychological Medicine</i> , 2013 , 43, 1433-45	6.9	27
37	C9ORF72 expansion in a family with bipolar disorder. <i>Bipolar Disorders</i> , 2013 , 15, 326-32	3.8	50
36	Social feedback activates the endogenous opioid system. <i>Molecular Psychiatry</i> , 2013 , 18, 1147	15.1	5
35	Associations between suicide attempts and elevated bedtime salivary cortisol levels in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012 , 136, 350-8	6.6	45
34	Differential executive functioning performance by phase of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 527-36	3.8	57
33	Greater executive and visual memory dysfunction in comorbid bipolar disorder and substance use disorder. <i>Psychiatry Research</i> , 2012 , 200, 252-7	9.9	24
32	Impact of chronic hypercortisolemia on affective processing. <i>Neuropharmacology</i> , 2012 , 62, 217-25	5.5	41
31	Modality-specific alterations in the perception of emotional stimuli in Bipolar Disorder compared to Healthy Controls and Major Depressive Disorder. <i>Cortex</i> , 2012 , 48, 1027-34	3.8	36
30	Variation in the corticotropin-releasing hormone receptor 1 (CRHR1) gene influences fMRI signal responses during emotional stimulus processing. <i>Journal of Neuroscience</i> , 2012 , 32, 3253-60	6.6	51
29	Abnormal anterior cingulate cortical activity during emotional n-back task performance distinguishes bipolar from unipolar depressed females. <i>Psychological Medicine</i> , 2012 , 42, 1417-28	6.9	102
28	Abnormal left-sided orbitomedial prefrontal cortical-amygdala connectivity during happy and fear face processing: a potential neural mechanism of female MDD. <i>Frontiers in Psychiatry</i> , 2011 , 2, 69	5	49
27	Emotion processing, major depression, and functional genetic variation of neuropeptide Y. <i>Archives of General Psychiatry</i> , 2011 , 68, 158-66		85
26	Identifying a cognitive impairment subgroup in adults with mood disorders. <i>Journal of Affective Disorders</i> , 2011 , 132, 360-7	6.6	94
25	Auditory memory decrements, without dissimulation, among patients with major depressive disorder. <i>Archives of Clinical Neuropsychology</i> , 2011 , 26, 445-53	2.7	19
24	fMRI BOLD responses to negative stimuli in the prefrontal cortex are dependent on levels of recent negative life stress in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 202-8	2.9	33
23	Intermediate: cognitive phenotypes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010 , 122, 285-93	6.6	85
22	Cognitive functioning, retirement status, and age: results from the Cognitive Changes and Retirement among Senior Surgeons study. <i>Journal of the American College of Surgeons</i> , 2010 , 211, 303-7	4.4	53
21	Substance use, trait measures, and subjective response to nicotine in never-smokers stratified on parental smoking history and sex. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 1055-66	4.9	4

20	Results from the cognitive changes and retirement among senior surgeons self-report survey. <i>Journal of the American College of Surgeons</i> , 2009 , 209, 668-671.e2	4.4	31
19	Gender-specific disruptions in emotion processing in younger adults with depression. <i>Depression and Anxiety</i> , 2009 , 26, 182-9	8.4	42
18	Cognitive changes and retirement among senior surgeons (CCRASS): results from the CCRASS Study. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 69-78; discussion 78-9	4.4	38
17	Surgeons outperform normative controls on neuropsychologic tests, but age-related decay of skills persists. <i>American Journal of Surgery</i> , 2008 , 195, 205-9	2.7	31
16	Monoamine oxidase A genotype predicts human serotonin 1A receptor availability in vivo. <i>Journal of Neuroscience</i> , 2008 , 28, 11354-9	6.6	40
15	Circadian preference and facial emotion recognition among rehabilitation inpatients.. <i>Rehabilitation Psychology</i> , 2008 , 53, 46-53	2.7	4
14	Impulsivity and traumatic brain injury: the relations among behavioral observation, performance measures, and rating scales. <i>Journal of Head Trauma Rehabilitation</i> , 2008 , 23, 65-73	3	28
13	A task to manipulate attentional load, set-shifting, and inhibitory control: convergent validity and test-retest reliability of the Parametric Go/No-Go Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007 , 29, 842-53	2.1	101
12	Frontal and limbic activation during inhibitory control predicts treatment response in major depressive disorder. <i>Biological Psychiatry</i> , 2007 , 62, 1272-80	7.9	155
11	An evaluation of distinct volumetric and functional MRI contributions toward understanding age and task performance: a study in the basal ganglia. <i>Brain Research</i> , 2007 , 1135, 58-68	3.7	28
10	Patterns of cognitive change over time and relationship to age following successful treatment of Cushing's disease. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 21-9	3.1	59
9	The sensitivity and psychometric properties of a brief computer-based cognitive screening battery in a depression clinic. <i>Psychiatry Research</i> , 2007 , 152, 143-54	9.9	39
8	Face emotion perception and executive functioning deficits in depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2005 , 27, 320-33	2.1	127
7	fMRI of healthy older adults during Stroop interference. <i>NeuroImage</i> , 2004 , 21, 192-200	7.9	199
6	Comparability of functional MRI response in young and old during inhibition. <i>NeuroReport</i> , 2004 , 15, 1291-3	3.3	33
5	Frontal recruitment during response inhibition in older adults replicated with fMRI. <i>NeuroImage</i> , 2003 , 20, 1384-92	7.9	88
4	Differences in the functional neuroanatomy of inhibitory control across the adult life span.. <i>Psychology and Aging</i> , 2002 , 17, 56-71	3.6	287
3	Differences in the functional neuroanatomy of inhibitory control across the adult life span. <i>Psychology and Aging</i> , 2002 , 17, 56-71	3.6	123

2	Predicting Mood Disturbance Severity with Mobile Phone Keystroke Metadata: A BiAffect Digital Phenotyping Study (Preprint)	2
1	Neuroscience of functional outcomes and treatment targets in major depressive disorder257-273	1