

# Heiko J Luhmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6192633/publications.pdf>

Version: 2024-02-01

231  
papers

14,124  
citations

20036

63  
h-index

31191

106  
g-index

238  
all docs

238  
docs citations

238  
times ranked

14140  
citing authors

#	ARTICLE	IF	CITATIONS
1	Layer- and cell-type-specific differences in neural activity in mouse barrel cortex during a whisker detection task. <i>Cerebral Cortex</i> , 2023, 33, 1361-1382.	1.6	4
2	Translational Model of Cortical Premotor-Motor Networks. <i>Cerebral Cortex</i> , 2022, 32, 2621-2634.	1.6	1
3	Early brain activity: Translations between bedside and laboratory. <i>Progress in Neurobiology</i> , 2022, 213, 102268.	2.8	13
4	OUP accepted manuscript. <i>Cerebral Cortex</i> , 2022, , .	1.6	1
5	Identification of a Developmental Switch in Information Transfer between Whisker S1 and S2 Cortex in Mice. <i>Journal of Neuroscience</i> , 2022, 42, 4435-4448.	1.7	4
6	A comment on "The growth of cognition: Free energy minimization and the embryogenesis of cortical computation". <i>Physics of Life Reviews</i> , 2021, 36, 71-73.	1.5	1
7	Functional and directed connectivity of the cortico-limbic network in mice in vivo. <i>Brain Structure and Function</i> , 2021, 226, 685-700.	1.2	5
8	Coincident glutamatergic depolarizations enhance GABAA receptor-dependent Cl <sup>-</sup> influx in mature and suppress Cl <sup>-</sup> efflux in immature neurons. <i>PLoS Computational Biology</i> , 2021, 17, e1008573.	1.5	13
9	Rapid nucleus-scale reorganization of chromatin in neurons enables transcriptional adaptation for memory consolidation. <i>PLoS ONE</i> , 2021, 16, e0244038.	1.1	9
10	Optogenetically Controlled Activity Pattern Determines Survival Rate of Developing Neocortical Neurons. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6575.	1.8	13
11	Presynaptic GABAB receptor-mediated network excitation in the medial prefrontal cortex of <i>Tsc2</i> <sup>+/-</sup> mice. <i>Pflügers Archiv European Journal of Physiology</i> , 2021, 473, 1261-1271.	1.3	11
12	TRESK channel contributes to depolarization-induced shunting inhibition and modulates epileptic seizures. <i>Cell Reports</i> , 2021, 36, 109404.	2.9	8
13	Effects of Mutations in TSC Genes on Neurodevelopment and Synaptic Transmission. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7273.	1.8	15
14	Clustering and control for adaptation uncovers time-warped spike time patterns in cortical networks in vivo. <i>Scientific Reports</i> , 2021, 11, 15066.	1.6	5
15	Pathology-selective antiepileptic effects in the focal freeze-lesion rat model of malformation of cortical development. <i>Experimental Neurology</i> , 2021, 343, 113776.	2.0	4
16	Modelling the spatial and temporal constraints of the GABAergic influence on neuronal excitability. <i>PLoS Computational Biology</i> , 2021, 17, e1009199.	1.5	6
17	Neurophysiology of the Developing Cerebral Cortex: What We Have Learned and What We Need to Know. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 814012.	1.8	6
18	Cell type specific impact of cannabinoid receptor signaling in somatosensory barrel map formation in mice. <i>Journal of Comparative Neurology</i> , 2020, 528, 7-17.	0.9	4

#	ARTICLE	IF	CITATIONS
19	Transient cortical circuits match spontaneous and sensory-driven activity during development. <i>Science</i> , 2020, 370, .	6.0	168
20	Cajalâ€™Retzius and subplate cells: transient cortical neurons and circuits with long-term impact. , 2020, , 485-505.		1
21	Haploinsufficiency of Tsc2 Leads to Hyperexcitability of Medial Prefrontal Cortex via Weakening of Tonic GABAB Receptor-mediated Inhibition. <i>Cerebral Cortex</i> , 2020, 30, 6313-6324.	1.6	8
22	NKCC-1 mediated Cl <sup>-</sup> uptake in immature CA3 pyramidal neurons is sufficient to compensate phasic GABAergic inputs. <i>Scientific Reports</i> , 2020, 10, 18399.	1.6	5
23	Ryanodine receptor- and sodium-calcium exchanger-mediated spontaneous calcium activity in immature oligodendrocytes in cultures. <i>Neuroscience Letters</i> , 2020, 732, 134913.	1.0	4
24	Can we understand human brain development from experimental studies in rodents?. <i>Pediatrics International</i> , 2020, 62, 1139-1144.	0.2	6
25	Spikeâ€™wave discharges in absence epilepsy: segregation of electrographic components reveals distinct pathways of seizure activity. <i>Journal of Physiology</i> , 2020, 598, 2397-2414.	1.3	25
26	Unraveling In Vivo Brain Transport of Proteinâ€™Coated Fluorescent Nanodiamonds. <i>Small</i> , 2019, 15, e1902992.	5.2	35
27	Taurine potentiates the anticonvulsive effect of the <sc>GABA</sc> agonist muscimol and pentobarbital in the immature mouse hippocampus. <i>Epilepsia</i> , 2019, 60, 464-474.	2.6	11
28	Gadd45 <sup>1±</sup> modulates aversive learning through postâ€™transcriptional regulation of memoryâ€™related <sc>mRNA</sc> s. <i>EMBO Reports</i> , 2019, 20, .	2.0	11
29	Interactions between Membrane Resistance, GABA-A Receptor Properties, Bicarbonate Dynamics and Cl <sup>-</sup> -Transport Shape Activity-Dependent Changes of Intracellular Cl <sup>-</sup> Concentration. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1416.	1.8	16
30	Temporal refinement of sensoryâ€™evoked activity across layers in developing mouse barrel cortex. <i>European Journal of Neuroscience</i> , 2019, 50, 2955-2969.	1.2	10
31	Allopregnanolone augments epileptiform activity of an in-vitro mouse hippocampal preparation in the first postnatal week. <i>Epilepsy Research</i> , 2019, 157, 106196.	0.8	3
32	Coincident Activation of Glutamate Receptors Enhances GABA <sub>A</sub> Receptor-Induced Ionic Plasticity of the Intracellular Cl <sup>-</sup> -Concentration in Dissociated Neuronal Cultures. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 497.	1.8	6
33	Brain Delivery of Multifunctional Dendrimer Protein Bioconjugates. <i>Advanced Science</i> , 2018, 5, 1700897.	5.6	44
34	Î±2 isoform of Na <sup>+</sup> ,K <sup>+</sup> -ATPase via Na <sup>+</sup> ,Ca <sup>2+</sup> exchanger modulates myelin basic protein synthesis in oligodendrocyte lineage cells in vitro. <i>Cell Calcium</i> , 2018, 73, 1-10.	1.1	14
35	Neuronal Activity Patterns in the Developing Barrel Cortex. <i>Neuroscience</i> , 2018, 368, 256-267.	1.1	114
36	Autism Related Neuroligin-4 Knockout Impairs Intracortical Processing but not Sensory Inputs in Mouse Barrel Cortex. <i>Cerebral Cortex</i> , 2018, 28, 2873-2886.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Giant Depolarizing Potentials Trigger Transient Changes in the Intracellular Cl <sup>-</sup> Concentration in CA3 Pyramidal Neurons of the Immature Mouse Hippocampus. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 420.	1.8	19
38	The Superior Function of the Subplate in Early Neocortical Development. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 97.	0.9	60
39	Synaptic phospholipids as a new target for cortical hyperexcitability and E/I balance in psychiatric disorders. <i>Molecular Psychiatry</i> , 2018, 23, 1699-1710.	4.1	33
40	Development of the whisker-to-barrel cortex system. <i>Current Opinion in Neurobiology</i> , 2018, 53, 29-34.	2.0	27
41	Combining Optogenetics with MEA, Depth-Resolved LFPs and Assessing the Scope of Optogenetic Network Modulation. <i>Neuromethods</i> , 2018, , 133-152.	0.2	5
42	Barrel Cortex Function Special Issue Editorial. <i>Neuroscience</i> , 2018, 368, 1-2.	1.1	4
43	Neocortical Layer 6B as a Remnant of the Subplate - A Morphological Comparison. <i>Cerebral Cortex</i> , 2017, 27, bhv279.	1.6	56
44	Layer-Specific Refinement of Sensory Coding in Developing Mouse Barrel Cortex. <i>Cerebral Cortex</i> , 2017, 27, 4835-4850.	1.6	62
45	NKCC1-Mediated GABAergic Signaling Promotes Postnatal Cell Death in Neocortical Cajal-Retzius Cells. <i>Cerebral Cortex</i> , 2017, 27, bhw004.	1.6	45
46	Synaptic Phospholipid Signaling Modulates Axon Outgrowth via Glutamate-dependent Ca <sup>2+</sup> -mediated Molecular Pathways. <i>Cerebral Cortex</i> , 2017, 27, 131-145.	1.6	11
47	Optogenetic Modulation of a Minor Fraction of Parvalbumin-Positive Interneurons Specifically Affects Spatiotemporal Dynamics of Spontaneous and Sensory-Evoked Activity in Mouse Somatosensory Cortex in Vivo. <i>Cerebral Cortex</i> , 2017, 27, 5784-5803.	1.6	37
48	Homeostatic interplay between electrical activity and neuronal apoptosis in the developing neocortex. <i>Neuroscience</i> , 2017, 358, 190-200.	1.1	49
49	Modulation of Neocortical Development by Early Neuronal Activity: Physiology and Pathophysiology. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 379.	1.8	63
50	Electrical activity controls area-specific expression of neuronal apoptosis in the mouse developing cerebral cortex. <i>ELife</i> , 2017, 6, .	2.8	91
51	Spindle Bursts in Neonatal Rat Cerebral Cortex. <i>Neural Plasticity</i> , 2016, 2016, 1-11.	1.0	49
52	Spontaneous Neuronal Activity in Developing Neocortical Networks: From Single Cells to Large-Scale Interactions. <i>Frontiers in Neural Circuits</i> , 2016, 10, 40.	1.4	201
53	Review of imaging network activities in developing rodent cerebral cortex <i>in vivo</i> . <i>Neurophotonics</i> , 2016, 4, 031202.	1.7	18
54	Propagation of spontaneous slow-wave activity across columns and layers of the adult rat barrel cortex in vivo. <i>Brain Structure and Function</i> , 2016, 221, 4429-4449.	1.2	30

#	ARTICLE	IF	CITATIONS
55	Plasticity-Related Gene 1 Affects Mouse Barrel Cortex Function via Strengthening of Glutamatergic Thalamocortical Transmission. <i>Cerebral Cortex</i> , 2016, 26, 3260-3272.	1.6	24
56	Precise Somatotopic Thalamocortical Axon Guidance Depends on LPA-Mediated PRG-2/Radixin Signaling. <i>Neuron</i> , 2016, 92, 126-142.	3.8	15
57	Intracellular ion signaling influences myelin basic protein synthesis in oligodendrocyte precursor cells. <i>Cell Calcium</i> , 2016, 60, 322-330.	1.1	36
58	Molecular cause and functional impact of altered synaptic lipid signaling due to a <i>prg1</i> gene <i>scn1b</i> SNP. <i>EMBO Molecular Medicine</i> , 2016, 8, 25-38.	3.3	40
59	MOBP levels are regulated by Fyn kinase and affect the morphological differentiation of oligodendrocytes. <i>Journal of Cell Science</i> , 2016, 129, 930-42.	1.2	26
60	Mild systemic inflammation and moderate hypoxia transiently alter neuronal excitability in mouse somatosensory cortex. <i>Neurobiology of Disease</i> , 2016, 88, 29-43.	2.1	9
61	A critical role for VEGF and VEGFR2 in NMDA receptor synaptic function and fear-related behavior. <i>Molecular Psychiatry</i> , 2016, 21, 1768-1780.	4.1	68
62	Models of cortical malformation—Chemical and physical. <i>Journal of Neuroscience Methods</i> , 2016, 260, 62-72.	1.3	47
63	Cannabinoid receptor-interacting protein Crip1a modulates CB1 receptor signaling in mouse hippocampus. <i>Brain Structure and Function</i> , 2016, 221, 2061-2074.	1.2	33
64	Traumatic brain injury results in rapid pericyte loss followed by reactive pericytosis in the cerebral cortex. <i>Scientific Reports</i> , 2015, 5, 13497.	1.6	81
65	Control of cortical neuronal migration by glutamate and GABA. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 4.	1.8	119
66	Response: Commentary: Comparison of spike parameters from optically identified GABAergic and glutamatergic neurons in sparse cortical cultures. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 224.	1.8	0
67	Oligodendroglial Argonaute protein Ago2 associates with molecules of the Mbp mRNA localization machinery and is a downstream target of Fyn kinase. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 328.	1.8	9
68	High Stimulus-Related Information in Barrel Cortex Inhibitory Interneurons. <i>PLoS Computational Biology</i> , 2015, 11, e1004121.	1.5	23
69	SncRNA715 Inhibits Schwann Cell Myelin Basic Protein Synthesis. <i>PLoS ONE</i> , 2015, 10, e0136900.	1.1	8
70	Long-range intralaminar noise correlations in the barrel cortex. <i>Journal of Neurophysiology</i> , 2015, 113, 3410-3420.	0.9	4
71	Methylxanthine-evoked perturbation of spontaneous and evoked activities in isolated newborn rat hippocampal networks. <i>Neuroscience</i> , 2015, 301, 106-120.	1.1	11
72	A Polyphenylene Dendrimer Drug Transporter with Precisely Positioned Amphiphilic Surface Patches. <i>Advanced Healthcare Materials</i> , 2015, 4, 377-384.	3.9	28

#	ARTICLE	IF	CITATIONS
73	Glutamatergic system controls synchronization of spontaneous neuronal activity in the murine neonatal entorhinal cortex. <i>Pflugers Archiv European Journal of Physiology</i> , 2015, 467, 1565-1575.	1.3	16
74	GABA transporters control GABAergic neurotransmission in the mouse subplate. <i>Neuroscience</i> , 2015, 304, 217-227.	1.1	11
75	Monitoring brain activity in preterms: mathematics helps to predict clinical outcome: Figure 1. <i>Brain</i> , 2015, 138, 2114-2116.	3.7	7
76	Laminar and Columnar Structure of Sensory-Evoked Multineuronal Spike Sequences in Adult Rat Barrel Cortex In Vivo. <i>Cerebral Cortex</i> , 2015, 25, 2001-2021.	1.6	82
77	Oligodendroglial p130Cas Is a Target of Fyn Kinase Involved in Process Formation, Cell Migration and Survival. <i>PLoS ONE</i> , 2014, 9, e89423.	1.1	14
78	Taurine activates GABAergic networks in the neocortex of immature mice. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 26.	1.8	16
79	Activity-dependent endogenous taurine release facilitates excitatory neurotransmission in the neocortical marginal zone of neonatal rats. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 33.	1.8	17
80	BDNF-induced nitric oxide signals in cultured rat hippocampal neurons: time course, mechanism of generation, and effect on neurotrophin secretion. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 323.	1.8	24
81	Sensory-Evoked and Spontaneous Gamma and Spindle Bursts in Neonatal Rat Motor Cortex. <i>Journal of Neuroscience</i> , 2014, 34, 10870-10883.	1.7	84
82	Comment on "Local impermeant anions establish the neuronal chloride concentration". <i>Science</i> , 2014, 345, 1130-1130.	6.0	15
83	Malformations of Cortical Development and Neocortical Focus. <i>International Review of Neurobiology</i> , 2014, 114, 35-61.	0.9	11
84	Resonance properties of GABAergic interneurons in immature GAD67-GFP mouse neocortex. <i>Brain Research</i> , 2014, 1548, 1-11.	1.1	10
85	Early GABAergic circuitry in the cerebral cortex. <i>Current Opinion in Neurobiology</i> , 2014, 26, 72-78.	2.0	76
86	Activation of glycine receptors modulates spontaneous epileptiform activity in the immature rat hippocampus. <i>Journal of Physiology</i> , 2014, 592, 2153-2168.	1.3	30
87	Cajal's "Retzius cells": Update on structural and functional properties of these mystic neurons that bridged the 20th century. <i>Neuroscience</i> , 2014, 275, 33-46.	1.1	60
88	Multifaceted effects of oligodendroglial exosomes on neurons: impact on neuronal firing rate, signal transduction and gene regulation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130510.	1.8	232
89	Inhibition of different GABA transporter systems is required to attenuate epileptiform activity in the CA3 region of the immature rat hippocampus. <i>Epilepsy Research</i> , 2014, 108, 182-189.	0.8	5
90	Comparison of spike parameters from optically identified GABAergic and glutamatergic neurons in sparse cortical cultures. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 460.	1.8	48

#	ARTICLE	IF	CITATIONS
91	A Neurovascular Bloodâ€“Brain Barrier In Vitro Model. <i>Methods in Molecular Biology</i> , 2014, 1135, 403-413.	0.4	27
92	Cajalâ€™s Retzius and Subplate Cells. , 2013, , 843-856.		5
93	Barrel cortex function. <i>Progress in Neurobiology</i> , 2013, 103, 3-27.	2.8	304
94	An Alternative Pathway of Imiquimod-Induced Psoriasis-Like Skin Inflammation in the Absence of Interleukin-17 Receptor A Signaling. <i>Journal of Investigative Dermatology</i> , 2013, 133, 441-451.	0.3	143
95	Polymer Complexes in Biological Applications. <i>Advances in Polymer Science</i> , 2013, , 211-235.	0.4	1
96	LPS-Induced Microglial Secretion of TNF $\alpha$ Increases Activity-Dependent Neuronal Apoptosis in the Neonatal Cerebral Cortex. <i>Cerebral Cortex</i> , 2013, 23, 1742-1755.	1.6	59
97	Thalamic Network Oscillations Synchronize Ontogenetic Columns in the Newborn Rat Barrel Cortex. <i>Cerebral Cortex</i> , 2013, 23, 1299-1316.	1.6	157
98	A Simple and Novel Method to Monitor Breathing and Heart Rate in Awake and Urethane-Anesthetized Newborn Rodents. <i>PLoS ONE</i> , 2013, 8, e62628.	1.1	46
99	Developmental Switch in Neurovascular Coupling in the Immature Rodent Barrel Cortex. <i>PLoS ONE</i> , 2013, 8, e80749.	1.1	29
100	A Novel In Vitro Model to Study Pericytes in the Neurovascular Unit of the Developing Cortex. <i>PLoS ONE</i> , 2013, 8, e81637.	1.1	23
101	Moderate Hypoxia Followed by Reoxygenation Results in Blood-Brain Barrier Breakdown via Oxidative Stress-Dependent Tight-Junction Protein Disruption. <i>PLoS ONE</i> , 2013, 8, e82823.	1.1	72
102	Role of tonic GABAergic currents during pre- and early postnatal rodent development. <i>Frontiers in Neural Circuits</i> , 2013, 7, 139.	1.4	57
103	Long-Term Potentiation in the Neonatal Rat Barrel Cortex In Vivo. <i>Journal of Neuroscience</i> , 2012, 32, 9511-9516.	1.7	43
104	Myelin Basic Protein synthesis is regulated by small nonâ€“coding RNA 715. <i>EMBO Reports</i> , 2012, 13, 827-834.	2.0	31
105	Heterogeneous Nuclear Ribonucleoprotein (hnRNP) F Is a Novel Component of Oligodendroglial RNA Transport Granules Contributing to Regulation of Myelin Basic Protein (MBP) Synthesis. <i>Journal of Biological Chemistry</i> , 2012, 287, 1742-1754.	1.6	51
106	Volatile Anesthetics Influence Blood-Brain Barrier Integrity by Modulation of Tight Junction Protein Expression in Traumatic Brain Injury. <i>PLoS ONE</i> , 2012, 7, e50752.	1.1	84
107	Refuting the challenges of the developmental shift of polarity of GABA actions: GABA more exciting than ever!. <i>Frontiers in Cellular Neuroscience</i> , 2012, 6, 35.	1.8	139
108	Dopaminergic modulation of lowâ€“Mg <sup>2+</sup> -induced epileptiform activity in the intact hippocampus of the newborn mouse in vitro. <i>Journal of Neuroscience Research</i> , 2012, 90, 2020-2033.	1.3	6

#	ARTICLE	IF	CITATIONS
109	Activity-dependent survival of developing neocortical neurons depends on PI3K signalling. <i>Journal of Neurochemistry</i> , 2012, 120, 495-501.	2.1	17
110	Phasic GABA <sub>A</sub> -receptor activation is required to suppress epileptiform activity in the CA3 region of the immature rat hippocampus. <i>Epilepsia</i> , 2012, 53, 888-896.	2.6	19
111	Resonance properties of different neuronal populations in the immature mouse neocortex. <i>European Journal of Neuroscience</i> , 2012, 36, 2753-2762.	1.2	15
112	Intact In Vitro Preparations of the Neonatal Rodent Cortex: Analysis of Cellular Properties and Network Activity. <i>Neuromethods</i> , 2012, , 301-314.	0.2	12
113	Caspase-3 Contributes to ZO-1 and Cl-5 Tight-Junction Disruption in Rapid Anoxic Neurovascular Unit Damage. <i>PLoS ONE</i> , 2011, 6, e16760.	1.1	75
114	Glycine receptors influence radial migration in the embryonic mouse neocortex. <i>NeuroReport</i> , 2011, 22, 509-513.	0.6	21
115	Electrical activity patterns and the functional maturation of the neocortex. <i>European Journal of Neuroscience</i> , 2011, 34, 1677-1686.	1.2	116
116	The expression mechanism of the residual LTP in the CA1 region of BDNF k.o. mice is insensitive to NO synthase inhibition. <i>Brain Research</i> , 2011, 1391, 14-23.	1.1	10
117	Activity-dependent scaling of GABAergic excitation by dynamic Cl <sup>-</sup> changes in Cajal-Retzius cells. <i>Pflügers Archiv European Journal of Physiology</i> , 2011, 461, 557-565.	1.3	26
118	Effect of depolarizing GABA <sub>A</sub> -mediated membrane responses on excitability of Cajal-Retzius cells in the immature rat neocortex. <i>Journal of Neurophysiology</i> , 2011, 106, 2034-2044.	0.9	38
119	Pro-Inflammatory Effects of Interleukin-17A on Vascular Smooth Muscle Cells Involve NAD(P)H-Oxidase Derived Reactive Oxygen Species. <i>Journal of Vascular Research</i> , 2011, 48, 52-58.	0.6	68
120	Control of Programmed Cell Death by Distinct Electrical Activity Patterns. <i>Cerebral Cortex</i> , 2011, 21, 1192-1202.	1.6	62
121	Allostatic regulation of neuronal excitability by transient ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1821-1822.	2.4	0
122	Fine-tuning DNA/albumin polyelectrolyte interactions to produce the efficient transfection agent cBSA-147. <i>Biomaterials</i> , 2010, 31, 8789-8801.	5.7	63
123	In vivo imaging of dopamine receptors in a model of temporal lobe epilepsy. <i>Epilepsia</i> , 2010, 51, 415-422.	2.6	43
124	Intrinsic activation of GABA <sub>A</sub> receptors suppresses epileptiform activity in the cerebral cortex of immature mice. <i>Epilepsia</i> , 2010, 51, 1483-1492.	2.6	14
125	Inhibition of myosin light chain kinase reduces brain edema formation after traumatic brain injury. <i>Journal of Neurochemistry</i> , 2010, 112, 1015-1025.	2.1	52
126	Self-organization of repetitive spike patterns in developing neuronal networks <i>in vitro</i> . <i>European Journal of Neuroscience</i> , 2010, 32, 1289-1299.	1.2	75



#	ARTICLE	IF	CITATIONS
127	Spontaneous Epileptic Manifestations in a DCX Knockdown Model of Human Double Cortex. <i>Cerebral Cortex</i> , 2010, 20, 2694-2701.	1.6	30
128	Cellular mechanisms of IL-17 $\alpha$ -induced blood-brain barrier disruption. <i>FASEB Journal</i> , 2010, 24, 1023-1034.	0.2	389
129	The Subplate and Early Cortical Circuits. <i>Annual Review of Neuroscience</i> , 2010, 33, 23-48.	5.0	409
130	CRP-induced levels of oxidative stress are higher in brain than aortic endothelial cells. <i>Cytokine</i> , 2010, 50, 117-120.	1.4	24
131	GABAC receptors are functionally expressed in the intermediate zone and regulate radial migration in the embryonic mouse neocortex. <i>Neuroscience</i> , 2010, 167, 124-134.	1.1	41
132	Electrophysiological and morphological properties of Cajal-Retzius cells with different ontogenetic origins. <i>Neuroscience</i> , 2010, 167, 724-734.	1.1	32
133	Cortical GABAergic neurons: stretching it remarks, main conclusions and discussion. <i>Frontiers in Neuroanatomy</i> , 2010, 4, 7.	0.9	11
134	Subplate cells: amplifiers of neuronal activity in the developing cerebral cortex. <i>Frontiers in Neuroanatomy</i> , 2009, 3, 19.	0.9	90
135	Cellular Mechanisms of Subplate-Driven and Cholinergic Input-Dependent Network Activity in the Neonatal Rat Somatosensory Cortex. <i>Cerebral Cortex</i> , 2009, 19, 89-105.	1.6	86
136	Three Patterns of Oscillatory Activity Differentially Synchronize Developing Neocortical Networks In Vivo. <i>Journal of Neuroscience</i> , 2009, 29, 9011-9025.	1.7	251
137	Mechanisms of C-Reactive Protein-Induced Blood-Brain Barrier Disruption. <i>Stroke</i> , 2009, 40, 1458-1466.	1.0	106
138	Oxidative stress upregulates the NMDA receptor on cerebrovascular endothelium. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1212-1220.	1.3	100
139	Local circuits targeting parvalbumin-containing interneurons in layer IV of rat barrel cortex. <i>Brain Structure and Function</i> , 2009, 214, 1-13.	1.2	43
140	Studying the Neurovascular Unit: An Improved Blood-Brain Barrier Model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1879-1884.	2.4	25
141	Stimulus-induced gamma activity in the electrocorticogram of freely moving rats: The neuronal signature of novelty detection. <i>Behavioural Brain Research</i> , 2009, 199, 350-354.	1.2	11
142	MK801 blocks hypoxic blood-brain-barrier disruption and leukocyte adhesion. <i>Neuroscience Letters</i> , 2009, 449, 168-172.	1.0	44
143	Impaired calcium homeostasis in aged hippocampal neurons. <i>Neuroscience Letters</i> , 2009, 451, 119-123.	1.0	40
144	A novel miniature telemetric system for recording EEG activity in freely moving rats. <i>Journal of Neuroscience Methods</i> , 2008, 168, 119-126.	1.3	38

#	ARTICLE	IF	CITATIONS
145	Fluvastatin prevents glutamate-induced blood-brain-barrier disruption in vitro. <i>Life Sciences</i> , 2008, 82, 1281-1287.	2.0	45
146	Pathway-specificity in N-methyl-d-aspartate receptor-mediated synaptic inputs onto subplate neurons. <i>Neuroscience</i> , 2008, 153, 1092-1102.	1.1	32
147	Novel Fluorescent Core-Shell Nanocontainers for Cell Membrane Transport. <i>Biomacromolecules</i> , 2008, 9, 1381-1389.	2.6	61
148	The Functional Role of the Second NPXY Motif of the LRP1 $\beta$ -Chain in Tissue-type Plasminogen Activator-mediated Activation of N-Methyl-D-aspartate Receptors. <i>Journal of Biological Chemistry</i> , 2008, 283, 12004-12013.	1.6	89
149	Activity-Dependent Regulation of Neuronal Apoptosis in Neonatal Mouse Cerebral Cortex. <i>Cerebral Cortex</i> , 2008, 18, 1335-1349.	1.6	117
150	Glycine Receptors Mediate Excitation of Subplate Neurons in Neonatal Rat Cerebral Cortex. <i>Journal of Neurophysiology</i> , 2008, 100, 698-707.	0.9	34
151	Kinetic Properties of $\text{Cl}^-$ Uptake Mediated by $\text{Na}^+$ -Dependent $\text{K}^+$ - $2\text{Cl}^-$ Cotransport in Immature Rat Neocortical Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 8616-8627.	1.7	150
152	Model-specific effects of bumetanide on epileptiform activity in the in-vitro intact hippocampus of the newborn mouse. <i>Neuropharmacology</i> , 2007, 53, 524-533.	2.0	82
153	Changes in the expression of cation- $\text{Cl}^-$ cotransporters, NKCC1 and KCC2, during cortical malformation induced by neonatal freeze-lesion. <i>Neuroscience Research</i> , 2007, 59, 288-295.	1.0	40
154	A new technique for real-time analysis of caspase-3 dependent neuronal cell death. <i>Journal of Neuroscience Methods</i> , 2007, 161, 234-243.	1.3	12
155	Spatio-temporal dynamics of oscillatory network activity in the neonatal mouse cerebral cortex. <i>European Journal of Neuroscience</i> , 2007, 26, 1995-2004.	1.2	54
156	Inhibition of the myosin light chain kinase prevents hypoxia-induced blood-brain barrier disruption. <i>Journal of Neurochemistry</i> , 2007, 102, 501-507.	2.1	70
157	Activation of metabotropic glutamate receptors induces propagating network oscillations in the intact cerebral cortex of the newborn mouse. <i>Neuropharmacology</i> , 2006, 51, 848-857.	2.0	17
158	Fluvastatin stabilizes the blood-brain barrier in vitro by nitric oxide-dependent dephosphorylation of myosin light chains. <i>Neuropharmacology</i> , 2006, 51, 907-913.	2.0	25
159	Early patterns of electrical activity in the developing cerebral cortex of humans and rodents. <i>Trends in Neurosciences</i> , 2006, 29, 414-418.	4.2	417
160	Rapid developmental switch in the mechanisms driving early cortical columnar networks. <i>E-Neuroforum</i> , 2006, 12, 203-206.	0.2	0
161	Rapid developmental switch in the mechanisms driving early cortical columnar networks. <i>Nature</i> , 2006, 439, 79-83.	13.7	296
162	Early developmental alterations of low- $\text{Mg}^{2+}$ -induced epileptiform activity in the intact corticohippocampal formation of the newborn mouse in vitro. <i>Brain Research</i> , 2006, 1077, 170-177.	1.1	24

#	ARTICLE	IF	CITATIONS
163	Hypoosmolar conditions reduce extracellular volume fraction and enhance epileptiform activity in the CA3 region of the immature rat hippocampus. <i>Journal of Neuroscience Research</i> , 2006, 84, 119-129.	1.3	56
164	GABA-A Receptors Regulate Neocortical Neuronal Migration In Vitro and In Vivo. <i>Cerebral Cortex</i> , 2006, 17, 138-148.	1.6	118
165	The Cortical Freeze Lesion Model. , 2006, , 295-303.		4
166	Morphology, Electrophysiology and Functional Input Connectivity of Pyramidal Neurons Characterizes a Genuine Layer Va in the Primary Somatosensory Cortex. <i>Cerebral Cortex</i> , 2006, 16, 223-236.	1.6	133
167	CoCoDat: a database system for organizing and selecting quantitative data on single neurons and neuronal microcircuitry. <i>Journal of Neuroscience Methods</i> , 2005, 141, 291-308.	1.3	21
168	Optical release of caged glutamate for stimulation of neurons in the in vitro slice preparation. <i>Journal of Biomedical Optics</i> , 2005, 10, 011003.	1.4	17
169	Neuronal precursor-specific activity of a human doublecortin regulatory sequence. <i>Journal of Neurochemistry</i> , 2005, 92, 264-282.	2.1	87
170	Oxygen and glucose deprivation induces major dysfunction in the somatosensory cortex of the newborn rat. <i>European Journal of Neuroscience</i> , 2005, 22, 2295-2305.	1.2	26
171	Contralateral increase in thigmotactic scanning following unilateral barrel-cortex lesion in mice. <i>Behavioural Brain Research</i> , 2005, 157, 39-43.	1.2	17
172	Functional Nicotinic Acetylcholine Receptors on Subplate Neurons in Neonatal Rat Somatosensory Cortex. <i>Journal of Neurophysiology</i> , 2004, 92, 189-198.	0.9	30
173	Impaired Synaptic Plasticity in the Surround of Perinatally Acquired Dysplasia in Rat Cerebral Cortex. <i>Cerebral Cortex</i> , 2004, 14, 1081-1087.	1.6	17
174	Functional Diversity of Layer IV Spiny Neurons in Rat Somatosensory Cortex: Quantitative Morphology of Electrophysiologically Characterized and Biocytin Labeled Cells. <i>Cerebral Cortex</i> , 2004, 14, 690-701.	1.6	186
175	Neonatal NMDA Receptor Blockade Disturbs Neuronal Migration in Rat Somatosensory Cortex In Vivo. <i>Cerebral Cortex</i> , 2004, 15, 349-358.	1.6	69
176	Behavioural parameters in aged rats are related to LTP and gene expression of ChAT and NMDA-NR2 subunits in the striatum. <i>European Journal of Neuroscience</i> , 2004, 19, 1373-1383.	1.2	29
177	Altered morphological and electrophysiological properties of Cajal-Retzius cells in cerebral cortex of embryonic Presenilin-1 knockout mice. <i>European Journal of Neuroscience</i> , 2004, 20, 2749-2756.	1.2	20
178	Functional Magnetic Resonance Imaging and Somatosensory Evoked Potentials in Rats with a Neonatally Induced Freeze Lesion of the Somatosensory Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 1409-1418.	2.4	17
179	Cl <sup>-</sup> uptake promoting depolarizing GABA actions in immature rat neocortical neurones is mediated by NKCC1. <i>Journal of Physiology</i> , 2004, 557, 829-841.	1.3	476
180	Homogenous glycine receptor expression in cortical plate neurons and cajal-retzius cells of neonatal rat cerebral cortex. <i>Neuroscience</i> , 2004, 123, 715-724.	1.1	33

#	ARTICLE	IF	CITATIONS
181	Guiding the modeller: organizing and selecting experimental data for single cell models using the CoCoDat database. <i>Neurocomputing</i> , 2003, 52-54, 239-245.	3.5	0
182	Distribution of glutamate receptor subunits in experimentally induced cortical malformations. <i>Neuroscience</i> , 2003, 117, 991-1002.	1.1	38
183	Cellular physiology of the neonatal rat cerebral cortex. <i>Brain Research Bulletin</i> , 2003, 60, 345-353.	1.4	37
184	Carbachol-induced Network Oscillations in the Intact Cerebral Cortex of the Newborn Rat. <i>Cerebral Cortex</i> , 2003, 13, 409-421.	1.6	37
185	Cell Type-Specific Circuits of Cortical Layer IV Spiny Neurons. <i>Journal of Neuroscience</i> , 2003, 23, 2961-2970.	1.7	164
186	Layer-specific expression of Cl <sup>-</sup> transporters and differential [Cl <sup>-</sup> ] <sub>i</sub> in newborn rat cortex. <i>NeuroReport</i> , 2002, 13, 2433-2437.	0.6	56
187	Depolarizing glycine responses in Cajal-Retzius cells of neonatal rat cerebral cortex. <i>Neuroscience</i> , 2002, 112, 299-307.	1.1	62
188	Functional Synaptic Projections onto Subplate Neurons in Neonatal Rat Somatosensory Cortex. <i>Journal of Neuroscience</i> , 2002, 22, 7165-7176.	1.7	149
189	Innervation of interneurons immunoreactive for VIP by intrinsically bursting pyramidal cells and fast-spiking interneurons in infragranular layers of juvenile rat neocortex. <i>European Journal of Neuroscience</i> , 2002, 16, 11-20.	1.2	32
190	Water maze performance, exploratory activity, inhibitory avoidance and hippocampal plasticity in aged superior and inferior learners. <i>European Journal of Neuroscience</i> , 2002, 16, 2175-2185.	1.2	57
191	Layer-Specific Intracolumnar and Transcolumnar Functional Connectivity of Layer V Pyramidal Cells in Rat Barrel Cortex. <i>Journal of Neuroscience</i> , 2001, 21, 3580-3592.	1.7	211
192	Metabolic and electrophysiological alterations in an animal model of neocortical neuronal migration disorder. <i>NeuroReport</i> , 2001, 12, 2001-2006.	0.6	12
193	Spontaneous GABAergic postsynaptic currents in Cajal-Retzius cells in neonatal rat cerebral cortex. <i>European Journal of Neuroscience</i> , 2001, 13, 1387-1390.	1.2	56
194	Optical recording of spreading depression in rat neocortical slices. <i>Brain Research</i> , 2001, 898, 288-296.	1.1	51
195	Cellular physiology of the neonatal rat cerebral cortex: Intrinsic membrane properties, sodium and calcium currents. <i>Journal of Neuroscience Research</i> , 2000, 62, 574-584.	1.3	90
196	Generation and propagation of 4-AP-induced epileptiform activity in neonatal intact limbic structures in vitro. <i>European Journal of Neuroscience</i> , 2000, 12, 2757-2768.	1.2	61
197	Characterization of Neuronal Migration Disorders in Neocortical Structures: Loss or Preservation of Inhibitory Interneurons?. <i>Epilepsia</i> , 2000, 41, 781-787.	2.6	32
198	Characterization of a Hyperpolarization-Activated Inward Current in Cajal-Retzius Cells in Rat Neonatal Neocortex. <i>Journal of Neurophysiology</i> , 2000, 84, 1681-1691.	0.9	57

#	ARTICLE	IF	CITATIONS
199	Differential Downregulation of GABA <sub>A</sub> Receptor Subunits in Widespread Brain Regions in the Freeze-Lesion Model of Focal Cortical Malformations. <i>Journal of Neuroscience</i> , 2000, 20, 5045-5053.	1.7	132
200	Laminar characteristics of functional connectivity in rat barrel cortex revealed by stimulation with caged-glutamate. <i>Neuroscience Research</i> , 2000, 37, 49-58.	1.0	42
201	Impairment of Neocortical Long-Term Potentiation in Mice Deficient of Endothelial Nitric Oxide Synthase. <i>Journal of Neurophysiology</i> , 1999, 81, 494-497.	0.9	85
202	Inhibition of collagen IV deposition promotes regeneration of injured CNS axons. <i>European Journal of Neuroscience</i> , 1999, 11, 632-646.	1.2	153
203	Cellular Morphology and Physiology of the Perinatal Rat Cerebral Cortex. <i>Developmental Neuroscience</i> , 1999, 21, 298-309.	1.0	13
204	Effects of ionotropic glutamate receptor blockade and 5-HT <sub>1A</sub> receptor activation on spreading depression in rat neocortical slices. <i>NeuroReport</i> , 1999, 10, 2651-2656.	0.6	45
205	Characterization of neuronal migration disorders in neocortical structures: extracellular in vitro recordings. <i>European Journal of Neuroscience</i> , 1998, 10, 3085-3094.	1.2	68
206	Characterization of neuronal migration disorders in neocortical structures: quantitative receptor autoradiography of ionotropic glutamate, GABA <sub>A</sub> and GABA <sub>B</sub> receptors. <i>European Journal of Neuroscience</i> , 1998, 10, 3095-3106.	1.2	81
207	Involvement of GABA <sub>B</sub> receptors in convulsant-induced epileptiform activity in rat neocortex in vitro. <i>European Journal of Neuroscience</i> , 1998, 10, 3417-3427.	1.2	32
208	Long-term cellular dysfunction after focal cerebral ischemia: in vitro analyses. <i>Neuroscience</i> , 1998, 85, 15-27.	1.1	67
209	Long-term changes of ionotropic glutamate and GABA receptors after unilateral permanent focal cerebral ischemia in the mouse brain. <i>Neuroscience</i> , 1998, 85, 29-43.	1.1	100
210	Pattern and Pharmacology of Propagating Epileptiform Activity in Mouse Cerebral Cortex. <i>Experimental Neurology</i> , 1998, 153, 113-122.	2.0	25
211	Characterization of Neuronal Migration Disorders in Neocortical Structures. II. Intracellular In Vitro Recordings. <i>Journal of Neurophysiology</i> , 1998, 80, 92-102.	0.9	89
212	Hypoxia-Induced Dysfunction in Developing Rat Neocortex. <i>Journal of Neurophysiology</i> , 1997, 78, 1212-1221.	0.9	25
213	Morphology, Electrophysiology and Pathophysiology of Supragranular Neurons in Rat Primary Somatosensory Cortex. <i>European Journal of Neuroscience</i> , 1997, 9, 163-176.	1.2	36
214	Ischemia and lesion induced imbalances in cortical function. <i>Progress in Neurobiology</i> , 1996, 48, 131-166.	2.8	94
215	Repetitive spreading depression causes selective suppression of GABAergic function. <i>NeuroReport</i> , 1996, 7, 2733-2736.	0.6	66
216	Characterization of neuronal migration disorders in neocortical structures: I. Expression of epileptiform activity in an animal model. <i>Epilepsy Research</i> , 1996, 26, 67-74.	0.8	114

#	ARTICLE	IF	CITATIONS
217	Ischaemia-induced Long-term Hyperexcitability in Rat Neocortex. <i>European Journal of Neuroscience</i> , 1995, 7, 180-191.	1.2	76
218	Impairment of intracortical GABAergic inhibition in a rat model of absence epilepsy. <i>Epilepsy Research</i> , 1995, 22, 43-51.	0.8	124
219	Development of Cortical Excitation and Inhibition. , 1995, , 230-246.		6
220	Dextromethorphan attenuates hypoxia-induced neuronal dysfunction in rat neocortical slices. <i>Neuroscience Letters</i> , 1994, 178, 171-174.	1.0	12
221	Lesion-induced transient suppression of inhibitory function in rat neocortex in vitro. <i>Neuroscience</i> , 1994, 60, 891-906.	1.1	91
222	Influence of hypoxia on excitation and GABAergic inhibition in mature and developing rat neocortex. <i>Experimental Brain Research</i> , 1993, 97, 209-24.	0.7	48
223	Role of NMDA receptors and voltage-activated calcium channels in an in vitro model of cerebral ischemia. <i>Brain Research</i> , 1993, 612, 278-288.	1.1	43
224	Postnatal maturation of the GABAergic system in rat neocortex. <i>Journal of Neurophysiology</i> , 1991, 65, 247-263.	0.9	531
225	Horizontal Interactions in Cat Striate Cortex: I. Anatomical Substrate and Postnatal Development. <i>European Journal of Neuroscience</i> , 1990, 2, 344-357.	1.2	106
226	Horizontal Interactions in Cat Striate Cortex: II. A Current Source-Density Analysis. <i>European Journal of Neuroscience</i> , 1990, 2, 358-368.	1.2	48
227	Burst generating and regular spiking layer 5 pyramidal neurons of rat neocortex have different morphological features. <i>Journal of Comparative Neurology</i> , 1990, 296, 598-613.	0.9	414
228	Transient expression of polysynaptic NMDA receptor-mediated activity during neocortical development. <i>Neuroscience Letters</i> , 1990, 111, 109-115.	1.0	124
229	Control of NMDA receptor-mediated activity by GABAergic mechanisms in mature and developing rat neocortex. <i>Developmental Brain Research</i> , 1990, 54, 287-290.	2.1	122
230	Pharmacological induction of use-dependent receptive field modifications in the visual cortex. <i>Science</i> , 1988, 242, 74-77.	6.0	260
231	Development of horizontal intrinsic connections in cat striate cortex. <i>Experimental Brain Research</i> , 1986, 63, 443-8.	0.7	121