

Sarah Steeg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6192767/publications.pdf>

Version: 2024-02-01

46
papers

1,914
citations

361045

20
h-index

264894

42
g-index

51
all docs

51
docs citations

51
times ranked

2047
citing authors

#	ARTICLE	IF	CITATIONS
1	Premature death after self-harm: a multicentre cohort study. <i>Lancet</i> , The, 2012, 380, 1568-1574.	6.3	246
2	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 1212-1219.	3.1	226
3	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e124-e135.	4.7	201
4	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. <i>BMJ Open</i> , 2013, 3, e003444.	0.8	102
5	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. <i>PLoS ONE</i> , 2013, 8, e70434.	1.1	101
6	How do methods of non-fatal self-harm relate to eventual suicide?. <i>Journal of Affective Disorders</i> , 2012, 136, 526-533.	2.0	100
7	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 369-377.	2.8	89
8	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990-2005. <i>Psychological Medicine</i> , 2013, 43, 1415-1422.	2.7	88
9	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. <i>Psychological Medicine</i> , 2012, 42, 2383-2394.	2.7	63
10	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , 2018, 18, 113.	1.1	59
11	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , the, 2015, 2, 809-816.	3.7	55
12	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. <i>BMJ Open</i> , 2014, 4, e004732.	0.8	53
13	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , 2012, 42, 727-741.	2.7	51
14	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. <i>Emergency Medicine Journal</i> , 2015, 32, 793-799.	0.4	48
15	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016, 11, e0149713.	1.1	43
16	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021, 4, e2134803.	2.8	39
17	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016, 190, 522-528.	2.0	34
18	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. <i>Psychological Medicine</i> , 2018, 48, 315-326.	2.7	33

#	ARTICLE	IF	CITATIONS
19	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry</i> , 2021, 8, e4.	3.7	27
20	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , 2021, 41, 101175.	3.2	25
21	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015, 174, 101-105.	2.0	22
22	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
23	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , 2019, 4, e220-e228.	4.7	17
24	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. <i>British Journal of Psychiatry</i> , 2022, 221, 603-612.	1.7	17
25	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , 2018, 13, e0204670.	1.1	15
26	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013, 148, 435-439.	2.0	14
27	Assessment Rates and Compliance With Assertive Follow-up After Self-Harm: Cohort Study. <i>Archives of Suicide Research</i> , 2010, 14, 120-134.	1.2	12
28	First Episode of Self-Harm in Older Age. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 737-743.	1.1	12
29	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—Dual Harm. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9409.	1.2	11
30	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixed-methods, longitudinal study protocol. <i>Health Expectations</i> , 2021, 24, 47-53.	1.1	11
31	A systematic review and meta-analysis of disease burden of healthcare-associated infections in China: an economic burden perspective from general hospitals. <i>Journal of Hospital Infection</i> , 2022, 123, 1-11.	1.4	11
32	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , 2019, 9, e023978.	0.8	10
33	High-Volume Repeaters of Self-Harm. <i>Crisis</i> , 2016, 37, 427-437.	0.9	9
34	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014, 5, 205427041453332.	0.2	8
35	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <i>Journal of Affective Disorders</i> , 2019, 249, 208-215.	2.0	8
36	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <i>BJPsych Open</i> , 2021, 7, e2.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. BJPsych Open, 2020, 6, e57.	0.3	4
38	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	0.8	4
39	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015, 15, 79.	1.1	2
40	Advance decisions to refuse treatment and suicidal behaviour in emergency care: "it's very much a step into the unknown"™. BJPsych Open, 2019, 5, e50.	0.3	2
41	Screening for suicide - Reply. Psychological Medicine, 2012, 42, 2012-2013.	2.7	1
42	Authors' reply. British Journal of Psychiatry, 2017, 211, 183-184.	1.7	1
43	Self-harm in adolescence: a marker for psychosocial problems in early adulthood. The Lancet Child and Adolescent Health, 2017, 1, 163-164.	2.7	1
44	Substance misuse disorder linked to high risk of self-harm. Lancet Psychiatry, 2020, 7, 110-111.	3.7	1
45	Factors associated with psychiatric admission and subsequent self-harm repetition: a cohort study of high-risk hospital-presenting self-harm. Journal of Mental Health, 2021, 30, 751-759.	1.0	1
46	Psychosocial therapy after self-harm associated with reduced repetition, suicide, and all-cause mortality in Denmark. Evidence-Based Mental Health, 2015, 18, 91-91.	2.2	0