Petra Hellwig

List of Publications by Citations

Source: https://exaly.com/author-pdf/619460/petra-hellwig-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175 3,723 32 50 h-index g-index citations papers 4,065 195 5.21 4.9 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|-------|-----------|
| 175 | Infrared spectra and molar absorption coefficients of the 20 alpha amino acids in aqueous solutions in the spectral range from 1800 to 500 cm(-1). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006 , 64, 987-1001 | 4.4 | 199 |
| 174 | Involvement of glutamic acid 278 in the redox reaction of the cytochrome c oxidase from Paracoccus denitrificans investigated by FTIR spectroscopy. <i>Biochemistry</i> , 1998 , 37, 7390-9 | 3.2 | 169 |
| 173 | Role of phospholipids in respiratory cytochrome bc(1) complex catalysis and supercomplex formation. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2009 , 1787, 609-16 | 4.6 | 121 |
| 172 | Redox dependent changes at the heme propionates in cytochrome c oxidase from Paracoccus denitrificans: direct evidence from FTIR difference spectroscopy in combination with heme propionate 13C labeling. <i>Biochemistry</i> , 1998 , 37, 7400-6 | 3.2 | 106 |
| 171 | Carboxyl group protonation upon reduction of the Paracoccus denitrificans cytochrome c oxidase: direct evidence by FTIR spectroscopy. <i>FEBS Letters</i> , 1996 , 385, 53-7 | 3.8 | 103 |
| 170 | Purification and characterization of the recombinant Na(+)-translocating NADH:quinone oxidoreductase from Vibrio cholerae. <i>Biochemistry</i> , 2002 , 41, 3781-9 | 3.2 | 99 |
| 169 | Enhanced Raman Scattering from Vibro-Polariton Hybrid States. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 7971-5 | 16.4 | 88 |
| 168 | Electrochemical and ultraviolet/visible/infrared spectroscopic analysis of heme a and a3 redox reactions in the cytochrome c oxidase from Paracoccus denitrificans: separation of heme a and a3 contributions and assignment of vibrational modes. <i>Biochemistry</i> , 1999 , 38, 1685-94 | 3.2 | 88 |
| 167 | FT-IR spectroscopic characterization of NADH:ubiquinone oxidoreductase (complex I) from Escherichia coli: oxidation of FeS cluster N2 is coupled with the protonation of an aspartate or glutamate side chain. <i>Biochemistry</i> , 2000 , 39, 10884-91 | 3.2 | 86 |
| 166 | Functional properties of the heme propionates in cytochrome c oxidase from Paracoccus denitrificans. Evidence from FTIR difference spectroscopy and site-directed mutagenesis. <i>Biochemistry</i> , 2000 , 39, 1356-63 | 3.2 | 69 |
| 165 | Methods and techniques to study the bioinorganic chemistry of metalpeptide complexes linked to neurodegenerative diseases. <i>Coordination Chemistry Reviews</i> , 2012 , 256, 2381-2396 | 23.2 | 68 |
| 164 | Time-resolved FT-IR studies on the CO adduct of Paracoccus denitrificans cytochrome c oxidase: comparison of the fully reduced and the mixed valence form. <i>Biochemistry</i> , 1999 , 38, 7565-71 | 3.2 | 64 |
| 163 | Active site rearrangement and structural divergence in prokaryotic respiratory oxidases. <i>Science</i> , 2019 , 366, 100-104 | 33.3 | 53 |
| 162 | Vibrational modes of tyrosines in cytochrome c oxidase from Paracoccus denitrificans: FTIR and electrochemical studies on Tyr-D4-labeled and on Tyr280His and Tyr35Phe mutant enzymes. <i>Biochemistry</i> , 2002 , 41, 9116-25 | 3.2 | 52 |
| 161 | Mutational analysis of cytochrome b at the ubiquinol oxidation site of yeast complex III. <i>Journal of Biological Chemistry</i> , 2007 , 282, 3977-88 | 5.4 | 49 |
| 160 | Vibrational modes of ubiquinone in cytochrome bo(3) from Escherichia coli identified by Fourier transform infrared difference spectroscopy and specific (13)C labeling. <i>Biochemistry</i> , 1999 , 38, 14683-9 | 3.2 | 49 |
| 159 | A D-pathway mutation decouples the Paracoccus denitrificans cytochrome c oxidase by altering the side-chain orientation of a distant conserved glutamate. <i>Journal of Molecular Biology</i> , 2008 , 384, 865-77 | , 6.5 | 46 |

(2007-2003)

| 158 | Paracoccus denitrificans: evidence for protonation reactions coupled to quinone binding. Biochemistry, 2003 , 42, 12391-9 | 3.2 | 45 | |
|-----|---|------------------|----|--|
| 157 | Structural basis of enzymatic benzene ring reduction. <i>Nature Chemical Biology</i> , 2015 , 11, 586-91 | 11.7 | 44 | |
| 156 | The CO and CN(-) ligands to the active site Fe in [NiFe]-hydrogenase of Escherichia coli have different metabolic origins. <i>FEBS Letters</i> , 2007 , 581, 3317-21 | 3.8 | 44 | |
| 155 | Sulfur oxidation in Paracoccus pantotrophus: interaction of the sulfur-binding protein SoxYZ with the dimanganese SoxB protein. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 1011- | 8 ^{3.4} | 43 | |
| 154 | Probing the role of E272 in quinol oxidation of mitochondrial complex III. <i>Biochemistry</i> , 2006 , 45, 9042-5 | 523.2 | 42 | |
| 153 | Electrochemical, FTIR, and UV/VIS spectroscopic properties of the ba(3) oxidase from Thermus thermophilus. <i>Biochemistry</i> , 1999 , 38, 9648-58 | 3.2 | 41 | |
| 152 | Characterization of two novel redox groups in the respiratory NADH:ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2000 , 1459, 305-9 | 4.6 | 39 | |
| 151 | The obligate respiratory supercomplex from Actinobacteria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016 , 1857, 1705-14 | 4.6 | 37 | |
| 150 | Mutation of Arg-54 strongly influences heme composition and rate and directionality of electron transfer in Paracoccus denitrificans cytochrome c oxidase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 37974-81 | 5.4 | 37 | |
| 149 | Differences in protonation of ubiquinone and menaquinone in fumarate reductase from Escherichia coli. <i>Journal of Biological Chemistry</i> , 2006 , 281, 26655-64 | 5.4 | 36 | |
| 148 | Similarities and dissimilarities in the structure-function relation between the cytochrome c oxidase from bovine heart and from Paracoccus denitrificans as revealed by FT-IR difference spectroscopy. <i>FEBS Letters</i> , 1999 , 458, 83-6 | 3.8 | 36 | |
| 147 | Immobilization of CotA, an extremophilic laccase from Bacillus subtilis, on glassy carbon electrodes for biofuel cell applications. <i>Electrochemistry Communications</i> , 2011 , 13, 24-27 | 5.1 | 34 | |
| 146 | Identification of the residues involved in stabilization of the semiquinone radical in the high-affinity ubiquinone binding site in cytochrome bo(3) from Escherichia coli by site-directed mutagenesis and EPR spectroscopy. <i>Biochemistry</i> , 2002 , 41, 10675-9 | 3.2 | 34 | |
| 145 | The unusal redox centers of SoxXA, a novel c-type heme-enzyme essential for chemotrophic sulfur-oxidation of Paracoccus pantotrophus. <i>Biochemistry</i> , 2007 , 46, 7804-10 | 3.2 | 33 | |
| 144 | Site-directed mutation of the highly conserved region near the Q-loop of the cytochrome bd quinol oxidase from Escherichia coli specifically perturbs heme b595. <i>Biochemistry</i> , 2001 , 40, 8548-56 | 3.2 | 32 | |
| 143 | Biomimetic environment to study E. coli complex I through surface-enhanced IR absorption spectroscopy. <i>Biochemistry</i> , 2014 , 53, 6340-7 | 3.2 | 30 | |
| 142 | Involvement of tyrosines 114 and 139 of subunit NuoB in the proton pathway around cluster N2 in Escherichia coli NADH:ubiquinone oxidoreductase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3055-62 | 5.4 | 30 | |
| 141 | Glutamate 107 in subunit I of the cytochrome bd quinol oxidase from Escherichia coli is protonated and near the heme d/heme b595 binuclear center. <i>Biochemistry</i> , 2007 , 46, 3270-8 | 3.2 | 29 | |

| 140 | Spectroscopic analysis of tyrosine derivatives: on the role of the tyrosine-histidine covalent linkage in cytochrome c oxidase. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 13429-36 | 3.4 | 28 |
|-----|--|-------------------|----|
| 139 | Sulfur dehydrogenase of Paracoccus pantotrophus: the heme-2 domain of the molybdoprotein cytochrome c complex is dispensable for catalytic activity. <i>Biochemistry</i> , 2005 , 44, 7024-34 | 3.2 | 28 |
| 138 | FTIR spectroscopic evidence for the involvement of an acidic residue in quinone binding in cytochrome bd from Escherichia coli. <i>Biochemistry</i> , 2002 , 41, 4612-7 | 3.2 | 28 |
| 137 | Recent advances in the electrochemistry and spectroelectrochemistry of membrane proteins. <i>Biological Chemistry</i> , 2013 , 394, 593-609 | 4.5 | 27 |
| 136 | New insights into the coordination of Cu(II) by the amyloid-B 16 peptide from Fourier transform IR spectroscopy and isotopic labeling. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 14812-21 | 3.4 | 27 |
| 135 | The putative assembly factor CcoH is stably associated with the cbb3-type cytochrome oxidase. <i>Journal of Bacteriology</i> , 2010 , 192, 6378-89 | 3.5 | 27 |
| 134 | Electrochemistry of cytochrome c1, cytochrome c552, and CuA from the respiratory chain of Thermus thermophilus immobilized on gold nanoparticles. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 7165-70 | 3.4 | 27 |
| 133 | Vectofusin-1, a potent peptidic enhancer of viral gene transfer forms pH-dependent Helical nanofibrils, concentrating viral particles. <i>Acta Biomaterialia</i> , 2017 , 64, 259-268 | 10.8 | 26 |
| 132 | Spectroscopic characterization of radicals and radical pairs in fruit fly cryptochrome - protonated and nonprotonated flavin radical-states. <i>FEBS Journal</i> , 2015 , 282, 3175-89 | 5.7 | 26 |
| 131 | Zinc inhibition of bacterial cytochrome bc(1) reveals the role of cytochrome b E295 in proton release at the Q(o) site. <i>Biochemistry</i> , 2011 , 50, 4263-72 | 3.2 | 26 |
| 130 | Far infrared spectroscopy on hemoproteins: A model compound study from 1800🛮 00 cm 🗓 . Vibrational Spectroscopy, 2008 , 47, 59-65 | 2.1 | 26 |
| 129 | pK of Glu325 in LacY. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 1530-1535 | 11.5 | 24 |
| 128 | Evidence for distinct electron transfer processes in terminal oxidases from different origin by means of protein film voltammetry. <i>Journal of the American Chemical Society</i> , 2014 , 136, 10854-7 | 16.4 | 24 |
| 127 | Monitoring the redox and protonation dependent contributions of cardiolipin in electrochemically induced FTIR difference spectra of the cytochrome bc(1) complex from yeast. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2009 , 1787, 617-25 | 4.6 | 24 |
| 126 | Heterologous production, isolation, characterization and crystallization of a soluble fragment of the NADH:ubiquinone oxidoreductase (complex I) from Aquifex aeolicus. <i>Biochemistry</i> , 2008 , 47, 13036 | 5-45 ² | 24 |
| 125 | The unusual redox properties of C-type oxidases. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016 , 1857, 1892-1899 | 4.6 | 24 |
| 124 | Infrared spectroscopic evidence of a redox-dependent conformational change involving ion binding residue NqrB-D397 in the Na(+)-pumping NADH:quinone oxidoreductase from Vibrio cholerae. <i>Biochemistry</i> , 2013 , 52, 3085-93 | 3.2 | 23 |
| 123 | Far infrared spectra of solid state aliphatic amino acids in different protonation states. <i>Journal of Chemical Physics</i> , 2010 , 132, 115105 | 3.9 | 22 |

(2002-2010)

| 122 | E6 proteins from diverse papillomaviruses self-associate both in vitro and in vivo. <i>Journal of Molecular Biology</i> , 2010 , 396, 90-104 | 6.5 | 22 |
|-----|--|------|----|
| 121 | The role of glycine residues 140 and 141 of subunit B in the functional ubiquinone binding site of the Na+-pumping NADH:quinone oxidoreductase from Vibrio cholerae. <i>Journal of Biological Chemistry</i> , 2012 , 287, 25678-85 | 5.4 | 22 |
| 120 | Probing the access of protons to the K pathway in the Paracoccus denitrificans cytochrome c oxidase. <i>FEBS Journal</i> , 2005 , 272, 404-12 | 5.7 | 22 |
| 119 | Direct evidence for the protonation of aspartate-75, proposed to be at a quinol binding site, upon reduction of cytochrome bo3 from Escherichia coli. <i>Biochemistry</i> , 2001 , 40, 1077-82 | 3.2 | 22 |
| 118 | De novo design, synthesis, and characterization of quinoproteins. <i>Chemistry - A European Journal</i> , 2006 , 12, 7236-45 | 4.8 | 21 |
| 117 | Redox Properties of the Membrane Proteins from the Respiratory Chain. <i>Chemical Reviews</i> , 2020 , 120, 10244-10297 | 68.1 | 21 |
| 116 | Far infrared spectra of solid state L-serine, L-threonine, L-cysteine, and L-methionine in different protonation states. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 150, 301-7 | 4.4 | 20 |
| 115 | Far- and mid-infrared spectroscopic analysis of the substrate-induced structural dynamics of respiratory complex I. <i>ChemPhysChem</i> , 2011 , 12, 217-24 | 3.2 | 20 |
| 114 | A combined far-infrared spectroscopic and electrochemical approach for the study of iron-sulfur proteins. <i>ChemPhysChem</i> , 2011 , 12, 2669-74 | 3.2 | 20 |
| 113 | Electrochemically induced FT-IR difference spectra of the two- and four-subunit cytochrome c oxidase from P. denitrificans reveal identical conformational changes upon redox transitions. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1998 , 1409, 107-12 | 4.6 | 20 |
| 112 | Chiral recognition in amyloid fiber growth. <i>Journal of Peptide Science</i> , 2016 , 22, 290-304 | 2.1 | 20 |
| 111 | Thermodynamic contribution to the regulation of electron transfer in the Na(+)-pumping NADH:quinone oxidoreductase from Vibrio cholerae. <i>Biochemistry</i> , 2012 , 51, 4072-7 | 3.2 | 19 |
| 110 | A spin crossover (SCO) active graphene-iron(ii) complex hybrid material. <i>Dalton Transactions</i> , 2018 , 47, 35-40 | 4.3 | 19 |
| 109 | Direct Electrochemistry of Cytochrome bo Oxidase at a series of Gold Nanoparticles-Modified Electrodes. <i>Electrochemistry Communications</i> , 2013 , 26, 105-108 | 5.1 | 18 |
| 108 | Steady-state and time resolved fluorescence analysis on tyrosine-histidine model compounds. Journal of Fluorescence, 2009 , 19, 257-66 | 2.4 | 18 |
| 107 | On the specificity of the amide VI band for the secondary structure of proteins. <i>Vibrational Spectroscopy</i> , 2011 , 55, 258-266 | 2.1 | 18 |
| 106 | Arginine 391 in subunit I of the cytochrome bd quinol oxidase from Escherichia coli stabilizes the reduced form of the hemes and is essential for quinol oxidase activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 53980-7 | 5.4 | 18 |
| 105 | Electrochemical, FT-IR and UV/VIS spectroscopic properties of the caa3 oxidase from T. thermophilus. <i>FEBS Journal</i> , 2002 , 269, 4830-8 | | 18 |

| 104 | Identification of a hydrogen bond in the phe M197>Tyr mutant reaction center of the photosynthetic purple bacterium Rhodobacter sphaeroides by X-ray crystallography and FTIR spectroscopy. <i>FEBS Letters</i> , 1999 , 463, 169-74 | 3.8 | 18 |
|-----|---|-----|----|
| 103 | Cu(II) Binding to the Peptide Ala-His-His, a Chimera of the Canonical Cu(II)-Binding Motifs Xxx-His and Xxx-Zzz-His. <i>Inorganic Chemistry</i> , 2017 , 56, 14870-14879 | 5.1 | 17 |
| 102 | Redox-induced conformational changes within the Escherichia coli NADH ubiquinone oxidoreductase (complex I): an analysis by mutagenesis and FT-IR spectroscopy. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010 , 1797, 659-63 | 4.6 | 17 |
| 101 | Nucleotide-induced conformational changes in the Escherichia coli NADH:ubiquinone oxidoreductase (complex I). <i>Biochemical Society Transactions</i> , 2008 , 36, 971-5 | 5.1 | 17 |
| 100 | Direct evidence for the interaction of stigmatellin with a protonated acidic group in the bc(1) complex from Saccharomyces cerevisiae as monitored by FTIR difference spectroscopy and 13C specific labeling. <i>Biochemistry</i> , 2004 , 43, 8439-46 | 3.2 | 17 |
| 99 | Inhibition of Escherichia coli respiratory complex I by Zn(2+). <i>Biochemistry</i> , 2014 , 53, 6332-9 | 3.2 | 16 |
| 98 | The conformational changes induced by ubiquinone binding in the Na+-pumping NADH:ubiquinone oxidoreductase (Na+-NQR) are kinetically controlled by conserved glycines 140 and 141 of the NqrB subunit. <i>Journal of Biological Chemistry</i> , 2014 , 289, 23723-33 | 5.4 | 16 |
| 97 | Infrared spectroscopic characterization of copper-polyhistidine from 1,800 to 50 cm(-1): model systems for copper coordination. <i>Journal of Biological Inorganic Chemistry</i> , 2009 , 14, 23-34 | 3.7 | 16 |
| 96 | The temperature-dependent hydrogen-bonding signature of lipids monitored in the far-infrared domain. <i>ChemPhysChem</i> , 2010 , 11, 435-41 | 3.2 | 16 |
| 95 | Catalytic importance of acidic amino acids on subunit NuoB of the Escherichia coli NADH:ubiquinone oxidoreductase (complex I). <i>Journal of Biological Chemistry</i> , 2006 , 281, 24781-9 | 5.4 | 16 |
| 94 | A possible role for iron-sulfur cluster N2 in proton translocation by the NADH: ubiquinone oxidoreductase (complex I). <i>Journal of Molecular Microbiology and Biotechnology</i> , 2005 , 10, 208-22 | 0.9 | 16 |
| 93 | Infrared spectroscopic markers of quinones in proteins from the respiratory chain. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015 , 1847, 126-33 | 4.6 | 15 |
| 92 | Probing the hydrogen bonding structure in the Rieske protein. <i>ChemPhysChem</i> , 2010 , 11, 3313-9 | 3.2 | 15 |
| 91 | Fourier transform infrared spectroscopic study on the conformational reorganization in Escherichia coli complex I due to redox-driven proton translocation. <i>Biopolymers</i> , 2004 , 74, 69-72 | 2.2 | 15 |
| 90 | Sulfide dehydrogenase activity of the monomeric flavoprotein SoxF of Paracoccus pantotrophus. <i>Biochemistry</i> , 2004 , 43, 14696-703 | 3.2 | 15 |
| 89 | Similarities and differences of copper and zinc cations binding to biologically relevant peptides studied by vibrational spectroscopies. <i>Journal of Biological Inorganic Chemistry</i> , 2017 , 22, 581-589 | 3.7 | 14 |
| 88 | A single-stage functionalization and exfoliation method for the production of graphene in water: stepwise construction of 2D-nanostructured composites with iron oxide nanoparticles. <i>Nanoscale</i> , 2013 , 5, 9073-80 | 7.7 | 14 |
| 87 | Secondary Structure Determination by Means of ATR-FTIR Spectroscopy. <i>Methods in Molecular Biology</i> , 2017 , 1635, 195-203 | 1.4 | 14 |

(2013-2011)

| 86 | Elucidating mechanisms in haem copper oxidases: the high-affinity QH binding site in quinol oxidase as studied by DONUT-HYSCORE spectroscopy and density functional theory. <i>Faraday Discussions</i> , 2011 , 148, 315-44; discussion 421-41 | 3.6 | 14 |
|----|---|------------------------------------|------|
| 85 | A combined fluorescence spectroscopic and electrochemical approach for the study of thioredoxins. <i>Biochemistry</i> , 2011 , 50, 17-24 | 3.2 | 14 |
| 84 | Redox Control of Chemotrophic Sulfur Oxidation of Paracoccus pantotrophus 2008 , 139-150 | | 14 |
| 83 | Far infrared spectroscopy of hydrogen bonding collective motions in complex molecular systems. <i>Chemical Communications</i> , 2017 , 53, 8389-8399 | 5.8 | 13 |
| 82 | Enhanced Raman Scattering from Vibro-Polariton Hybrid States. <i>Angewandte Chemie</i> , 2015 , 127, 8082-8 | 30,866 | 13 |
| 81 | Multiple step assembly of the transmembrane cytochrome b6. <i>Journal of Molecular Biology</i> , 2008 , 382, 1057-65 | 6.5 | 13 |
| 80 | Activation of the heterodimeric central complex SoxYZ of chemotrophic sulfur oxidation is linked to a conformational change and SoxY-Y interprotein disulfide formation. <i>Biochemistry</i> , 2007 , 46, 10990- | -8 ^{3.2} | 13 |
| 79 | FTIR spectroscopic characterization of the cytochrome aa3 from Acidianus ambivalens: evidence for the involvement of acidic residues in redox coupled proton translocation. <i>Biochemistry</i> , 2003 , 42, 6179-8 | 8 ³ .2 | 13 |
| 78 | Spin labeling of the Escherichia coli NADH ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010 , 1797, 1894-900 | 4.6 | 12 |
| 77 | Redox dependent conformational changes in the mixed valence form of the cytochrome c oxidase from p. The reorganization of glutamic acid 278 is coupled to the electron transfer from/to heme a and the binuclear center. denitrificans. Spectrochimica Acta - Part A: Molecular and Biomolecular | 4.4 | 12 |
| 76 | Arg302 governs the pK of Glu325 in LacY. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 4934-4939 | 11.5 | 11 |
| 75 | Mg binding triggers rearrangement of the IM30 ring structure, resulting in augmented exposure of hydrophobic surfaces competent for membrane binding. <i>Journal of Biological Chemistry</i> , 2018 , 293, 823 | 10 ⁵ 8 ⁴ 241 | 1 11 |
| 74 | Creation of a gold nanoparticle based electrochemical assay for the detection of inhibitors of bacterial cytochrome bd oxidases. <i>Bioelectrochemistry</i> , 2016 , 111, 109-14 | 5.6 | 11 |
| 73 | Characterization of two cytochrome b6 proteins from the cyanobacterium Gloeobacter violaceus PCC 7421. <i>Journal of Bioenergetics and Biomembranes</i> , 2010 , 42, 517-26 | 3.7 | 11 |
| 72 | Serum-based differentiation between multiple sclerosis and amyotrophic lateral sclerosis by Random Forest classification of FTIR spectra. <i>Analyst, The</i> , 2019 , 144, 4647-4652 | 5 | 10 |
| 71 | Biofluids and other techniques: general discussion. <i>Faraday Discussions</i> , 2016 , 187, 575-601 | 3.6 | 10 |
| 70 | Comparative studies in series of cytochrome c oxidase models. <i>Journal of Inorganic Biochemistry</i> , 2012 , 108, 196-202 | 4.2 | 10 |
| 69 | Characterization of two quinone radicals in the NADH:ubiquinone oxidoreductase from Escherichia coli by a combined fluorescence spectroscopic and electrochemical approach. <i>Biochemistry</i> , 2013 , 52, 8993-9000 | 3.2 | 10 |

| 68 | Probing the Paracoccus denitrificans cytochrome c(1)-cytochrome c(552) interaction by mutagenesis and fast kinetics. <i>Biochemistry</i> , 2008 , 47, 12974-84 | 3.2 | 10 |
|----|---|-----|----|
| 67 | Characterization of temperature-dependent iron-imidazole vibrational modes in far infrared. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 14418-22 | 3.4 | 10 |
| 66 | Ion translocation by the Escherichia coli NADH:ubiquinone oxidoreductase (complex I). <i>Biochemical Society Transactions</i> , 2005 , 33, 836-9 | 5.1 | 10 |
| 65 | Monitoring redox-dependent contribution of lipids in Fourier transform infrared difference spectra of complex I from Escherichia coli. <i>Biopolymers</i> , 2006 , 82, 291-4 | 2.2 | 9 |
| 64 | Peptide-Protein Binding Investigated by Far-IR Spectroscopy and Molecular Dynamics Simulations. <i>Biophysical Journal</i> , 2017 , 112, 2575-2588 | 2.9 | 8 |
| 63 | Antioxidant activity of phytoestrogen type isoflavones in biomimetic environments. <i>New Journal of Chemistry</i> , 2016 , 40, 606-612 | 3.6 | 8 |
| 62 | Characterization of mutations in crucial residues around the Q(o) binding site of the cytochrome bc complex from Paracoccus denitrificans. <i>FEBS Journal</i> , 2008 , 275, 4773-85 | 5.7 | 8 |
| 61 | Heterologous expression and in vitro assembly of the transmembrane cytochrome b6. <i>Protein Expression and Purification</i> , 2007 , 56, 279-85 | 2 | 8 |
| 60 | Characterization of the CuA center in the cytochrome c oxidase from Thermus thermophilus for the spectral range 1800-500 cm-1 with a combined electrochemical and Fourier transform infrared spectroscopic setup. <i>Biopolymers</i> , 2004 , 74, 73-6 | 2.2 | 8 |
| 59 | The HO-Resistant Fe-S Redox Switch MitoNEET Acts as a pH Sensor To Repair Stress-Damaged Fe-S Protein. <i>Biochemistry</i> , 2018 , 57, 5616-5628 | 3.2 | 8 |
| 58 | Triggering Cu-coordination change in Cu(ii)-Ala-His-His by external ligands. <i>Chemical Communications</i> , 2019 , 55, 8110-8113 | 5.8 | 7 |
| 57 | Specific Far Infrared Spectroscopic Properties of Phospholipids. <i>Spectroscopy</i> , 2012 , 27, 525-532 | | 7 |
| 56 | Spectroscopic study on the communication between a heme a3 propionate, Asp399 and the binuclear center of cytochrome c oxidase from Paracoccus denitrificans. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2008 , 1777, 220-6 | 4.6 | 7 |
| 55 | Covalent Tethering and Residues with Bulky Hydrophobic Side Chains Enable Self-Assembly of Distinct Amyloid Structures. <i>ChemBioChem</i> , 2016 , 17, 2274-2285 | 3.8 | 7 |
| 54 | Study on the redox state dependent gamma(CH) vibrational modes of the c-type heme. <i>Biopolymers</i> , 2006 , 82, 349-52 | 2.2 | 6 |
| 53 | Structural Studies of TSPO, a Mitochondrial Membrane Protein 2014 , 393-421 | | 6 |
| 52 | Acrolein and Copper as Competitive Effectors of Esynuclein. <i>Chemistry - A European Journal</i> , 2020 , 26, 1871-1879 | 4.8 | 6 |
| 51 | A question of flexibility in cytochrome c oxidase models. <i>Inorganica Chimica Acta</i> , 2017 , 468, 232-238 | 2.7 | 5 |

(2014-2020)

| 50 | Following the Chemical Immobilization of Membrane Proteins on Plasmonic Nanoantennas Using Infrared Spectroscopy. <i>ACS Sensors</i> , 2020 , 5, 2191-2197 | 9.2 | 5 | |
|----|---|-------------------------|---|--|
| 49 | Surface-enhanced resonance Raman spectroscopy of heme proteins on a gold grid electrode. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020 , 230, 118081 | 4.4 | 5 | |
| 48 | Non-hydrothermal synthesis and structure determination of two new Ebctamolybdate (VI) stabilized with dialkylammonium counterions. <i>Journal of Molecular Structure</i> , 2018 , 1170, 44-50 | 3.4 | 5 | |
| 47 | Electrochemistry suggests proton access from the exit site to the binuclear center in Paracoccus denitrificans cytochrome c oxidase pathway variants. <i>FEBS Letters</i> , 2015 , 589, 565-8 | 3.8 | 5 | |
| 46 | Visualizing the movement of the amphipathic helix in the respiratory complex I using a nitrile infrared probe and SEIRAS. <i>FEBS Letters</i> , 2020 , 594, 491-496 | 3.8 | 5 | |
| 45 | Role of the tightly bound quinone for the oxygen reaction of cytochrome bo oxidase from Escherichia coli. <i>FEBS Letters</i> , 2018 , 592, 3380-3387 | 3.8 | 5 | |
| 44 | Electrochemical and infrared spectroscopic analysis of the interaction of the Cu(A) domain and cytochrome c(552) from Thermus thermophilus. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012 , 1817, 1950-4 | 4.6 | 4 | |
| 43 | Stabilization of the Highly Hydrophobic Membrane Protein, Cytochrome Oxidase, on Metallic Surfaces for Direct Electrochemical Studies. <i>Molecules</i> , 2020 , 25, | 4.8 | 4 | |
| 42 | Glutamate 95 in NqrE Is an Essential Residue for the Translocation of Cations in Na-NQR. <i>Biochemistry</i> , 2019 , 58, 2167-2175 | 3.2 | 3 | |
| 41 | Monitoring the pH Triggered Collapse of Liposomes in the Far IR Hydrogen Bonding Continuum. Journal of Physical Chemistry B, 2016 , 120, 4047-52 | 3.4 | 3 | |
| 40 | Infrared spectroscopic studies on reaction induced conformational changes in the NADH ubiquinone oxidoreductase (complex I). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016 , 1857, 922-7 | 4.6 | 3 | |
| 39 | Temperature Dependence of the Far Infrared Signature of Internal Hydrogen Bonds in Proteins as Probed for Integrins 2010 , | | 3 | |
| 38 | Structure of Escherichia coli cytochrome bd-II type oxidase with bound aurachin D. <i>Nature Communications</i> , 2021 , 12, 6498 | 17.4 | 3 | |
| 37 | Raman Imaging Reveals Accumulation of Hemoproteins in Plaques from Alzheimerß Diseased Tissues. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 2940-2945 | 5.7 | 3 | |
| 36 | Electrochemical study of an electron shuttle diheme protein: The cytochrome c550 from T. thermophilus. <i>Inorganica Chimica Acta</i> , 2017 , 468, 252-259 | 2.7 | 2 | |
| 35 | One pot-synthesis of the fourth category of dinuclear molybdenum(VI) oxalate series: Structure and study of thermal and redox properties. <i>Inorganica Chimica Acta</i> , 2019 , 491, 84-92 | 2.7 | 2 | |
| 34 | Aggregation and Amyloidogenicity of the Nuclear Coactivator Binding Domain of CREB-Binding Protein. <i>Chemistry - A European Journal</i> , 2020 , 26, 9889-9899 | 4.8 | 2 | |
| 33 | Investigating the thermostability of succinate: quinone oxidoreductase enzymes by direct electrochemistry at SWNTs-modified electrodes and FTIR spectroscopy. <i>ChemPhysChem</i> , 2014 , 15, 3572 | - 3 ² | 2 | |

| 32 | On the Mechanism of the Respiratory Complex I 2012 , 23-59 | | 2 |
|----|--|------|---|
| 31 | Asp drives the protonation state of the glucose/H symporter. <i>Journal of Biological Chemistry</i> , 2020 , 295, 15253-15261 | 5.4 | 2 |
| 30 | Identification and optimization of quinolone-based inhibitors against cytochrome bd oxidase using an electrochemical assay. <i>Electrochimica Acta</i> , 2021 , 381, 138293 | 6.7 | 2 |
| 29 | Extraordinary stability of hemocyanins from L. polyphemus and E. californicum studied using infrared spectroscopy from 294 to 20 K. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 28732-28739 | 3.6 | 2 |
| 28 | Enhancement of photocurrent by incorporation of Preyssler type polyoxometalate protected nanoparticles in polyporphyrin films. <i>Chemical Communications</i> , 2021 , 57, 1482-1485 | 5.8 | 2 |
| 27 | Partially Reversible Thermal-Induced Oxidation During a Dehydration Process in an H-bonded Supramolecular System. <i>ChemPhysChem</i> , 2018 , 19, 3219 | 3.2 | 2 |
| 26 | Electrocatalytic evidence of the diversity of the oxygen reaction in the bacterial bd oxidase from different organisms. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2021 , 1862, 148436 | 4.6 | 2 |
| 25 | Study of Membrane Protein Monolayers Using Surface-Enhanced Infrared Absorption Spectroscopy (SEIRAS): Critical Dependence of Nanostructured Gold Surface Morphology. <i>ACS Sensors</i> , 2021 , 6, 2875- | 2882 | 2 |
| 24 | Raman and infrared spectroscopic evidence for the structural changes of the 2Fe2S cluster and its environment during the interaction of adrenodoxin and adrenodoxin reductase. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 183, 298-305 | 4.4 | 1 |
| 23 | From a bulk solid to thin films of a hybrid material derived from the [Ti10O12(cat)8(py)8] oxo-cluster and poly(4-vinylpyridine). <i>New Journal of Chemistry</i> , 2019 , 43, 1581-1588 | 3.6 | 1 |
| 22 | Involvement of Acidic Amino Acid Residues in Zn(2+) Binding to Respiratory Complex I. <i>ChemBioChem</i> , 2015 , 16, 2080-5 | 3.8 | 1 |
| 21 | Functional Studies on Membrane Proteins by Means of H/D Exchange in Infrared: Structural Changes in Na NQR from V. cholerae in the Presence of Lipids. <i>Methods in Molecular Biology</i> , 2017 , 1635, 247-257 | 1.4 | 1 |
| 20 | Recent Appdtcations of Infrared Spectroscopy and Microscopy in Chemistry, Biology and Medicine. <i>Handbook of Porphyrin Science</i> , 2010 , 437-492 | 0.3 | 1 |
| 19 | Crystal structure of bis-(diiso-propyl-ammonium) molybdate. <i>Acta Crystallographica Section E:</i> Crystallographic Communications, 2018 , 74, 1682-1685 | 0.7 | 1 |
| 18 | A hybrid bioinspired catechol-alloxazine triangular nickel complex stabilizing protons and electrons. <i>Inorganic Chemistry Frontiers</i> , | 6.8 | 1 |
| 17 | Spectroelectrochemical Investigations of Cytochrome C Oxidase on Chemically Modified Semitransparent Electrodes by FTIR-Spectroscopy 1997 , 193-194 | | 1 |
| 16 | Redox Activity of Cytochromes from the Respiratory Chain 2018 , 451-469 | | 1 |
| 15 | Structure of the peripheral arm of a minimalistic respiratory complex I. Structure, 2021, | 5.2 | 1 |

LIST OF PUBLICATIONS

| 14 | Chemical and Electrochemical Alkali Cations Intercalation/Release in an Ionic Hydrogen Bonded Network. <i>Inorganic Chemistry</i> , 2019 , 58, 1541-1547 | 5.1 | O |
|----|---|-----|---|
| 13 | Comparative pH and temperature dependent studies on different types of terminal oxidases by protein film voltammetry. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014 , 1837, e100 | 4.6 | |
| 12 | Creation of a biomimetic environment for the study of Complex I from Escherichia coli through Surface Enhanced IR Absorption Spectroscopy (SEIRAS). <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014 , 1837, e40 | 4.6 | |
| 11 | Combining Electrochemistry and Infrared Spectroscopy for the Study of Proteins 2015 , | | |
| 10 | Study on the catalytic current in the cytochrome c oxidase from P. denitrificans. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012 , 1817, S111 | 4.6 | |
| 9 | Surface enhanced infrared absorption spectroscopy (SEIRAS) of complex I and QFR from Escherichia coli. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010 , 1797, 19-20 | 4.6 | |
| 8 | Characterisation and flash photolysis of carbon monoxide adducts of heme-copper binuclear model compounds. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010 , 1797, 98-99 | 4.6 | |
| 7 | Corrigendum to: identification of a hydrogen bond in the phe-M197>Tyr mutant reaction center of the photosynthetic purple bacterium rhodobacter sphaeroides by X-ray crystallography and FTIR spectroscopy (FEBS 23044). FEBS Letters, 2000, 477, 284 | 3.8 | |
| 6 | Electrochemically Induced FTIR Difference Spectra Show Protonation of ASP and GLU Side Chains of the Cytochrome C Oxidase from Paracoccus Denitrificans 1997 , 197-198 | | |
| 5 | The cytochrome oxidases from P. denitrificans, T. thermophilus, E. coli and bovine heart studied by electrochemistry and FTIR/UV/VIS spectroscopy 1999 , 125-126 | | |
| 4 | Monoclonal antibody 4B1 influences the pK of Glu325 in lactose permease (LacY) from Escherichialtoli: evidence from SEIRAS. <i>FEBS Letters</i> , 2020 , 594, 3356-3362 | 3.8 | |
| 3 | Investigation of cytochrome c dependent nitric oxide reductase (cNOR) from Paracoccus denitrificans. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016 , 1857, e91 | 4.6 | |
| 2 | Two new inorganicBrganic hybrid materials based on Eand Ebctamolybdate clusters: Synthesis, structure determination and solid-state photochromic properties. <i>Polyhedron</i> , 2021 , 194, 114919 | 2.7 | |
| 1 | Probing the reaction of membrane proteins via infrared spectroscopies, plasmonics, and electrochemistry. <i>Current Opinion in Electrochemistry</i> , 2021 , 30, 100770 | 7.2 | |