

Juan Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6195676/publications.pdf>

Version: 2024-02-01

49
papers

1,865
citations

185998

28
h-index

276539

41
g-index

50
all docs

50
docs citations

50
times ranked

2608
citing authors

#	ARTICLE	IF	CITATIONS
1	Erteng Tongbi Decoction ameliorates collagen-induced arthritis in mice via modulating T cell differentiation and cytokines balance. <i>Journal of Ethnopharmacology</i> , 2022, 286, 114928.	2.0	7
2	A review on the applications of Traditional Chinese medicine polysaccharides in drug delivery systems. <i>Chinese Medicine</i> , 2022, 17, 12.	1.6	12
3	Moutan Cortex polysaccharide ameliorates diabetic kidney disease via modulating gut microbiota dynamically in rats. <i>International Journal of Biological Macromolecules</i> , 2022, 206, 849-860.	3.6	29
4	Scutellaria baicalensis Georgi polysaccharide ameliorates DSS-induced ulcerative colitis by improving intestinal barrier function and modulating gut microbiota. <i>International Journal of Biological Macromolecules</i> , 2021, 166, 1035-1045.	3.6	211
5	Characterization of a novel polysaccharide from Moutan Cortex and its ameliorative effect on AGEs-induced diabetic nephropathy. <i>International Journal of Biological Macromolecules</i> , 2021, 176, 589-600.	3.6	23
6	Polysaccharide SAFP from <i>Sarcodon aspratus</i> attenuates oxidative stress-induced cell damage and bleomycin-induced pulmonary fibrosis. <i>International Journal of Biological Macromolecules</i> , 2020, 164, 1215-1236.	3.6	19
7	Reduction of 5-fluorouracil-induced toxicity by <i>Sarcodon aspratus</i> polysaccharides in Lewis tumor-bearing mice. <i>International Journal of Biological Macromolecules</i> , 2020, 163, 232-239.	3.6	3
8	The effect and mechanism of combination of total paeony glycosides and total ligustici phenolic acids against focal cerebral ischemia. <i>Scientific Reports</i> , 2020, 10, 3689.	1.6	7
9	<i>Sarcodon aspratus</i> polysaccharides ameliorated obesity-induced metabolic disorders and modulated gut microbiota dysbiosis in mice fed a high-fat diet. <i>Food and Function</i> , 2020, 11, 2588-2602.	2.1	42
10	Wedelolactone alleviates doxorubicin-induced inflammation and oxidative stress damage of podocytes by I κ B/NF- κ B pathway. <i>Biomedicine and Pharmacotherapy</i> , 2019, 117, 109088.	2.5	53
11	Fabrication of the polyphosphates patched cellulose sulfate-chitosan hydrochloride microcapsules and as vehicles for sustained drug release. <i>International Journal of Pharmaceutics</i> , 2019, 555, 291-302.	2.6	27
12	Structural characterization and in vitro hypoglycemic activity of a glucan from <i>Euryale ferox</i> Salisb. seeds. <i>Carbohydrate Polymers</i> , 2019, 209, 363-371.	5.1	54
13	Paeoniflorin prevents endoplasmic reticulum stress-associated inflammation in lipopolysaccharide-stimulated human umbilical vein endothelial cells via the IRE1 α /NF- κ B signaling pathway. <i>Food and Function</i> , 2018, 9, 2386-2397.	2.1	53
14	Research on the pharmacodynamics and mechanism of Fraxini Cortex on hyperuricemia based on the regulation of URAT1 and GLUT9. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 434-442.	2.5	38
15	Anti-inflammatory effect of miltirone on inflammatory bowel disease via TLR4/NF- κ B/I κ B signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 85, 531-540.	2.5	46
16	Crude terpene glycoside component from <i>Radix paeoniae rubra</i> protects against isoproterenol-induced myocardial ischemic injury via activation of the PI3K/AKT/mTOR signaling pathway. <i>Journal of Ethnopharmacology</i> , 2017, 206, 160-169.	2.0	36
17	Paeoniflorin ameliorates AGEs-induced mesangial cell injury through inhibiting RAGE/mTOR/autophagy pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 1362-1369.	2.5	40
18	Regulation of different components from <i>Ophiopogon japonicus</i> on autophagy in human lung adenocarcinoma A549 Cells through PI3K/Akt/mTOR signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 87, 118-126.	2.5	38

#	ARTICLE	IF	CITATIONS
19	Capture of anti-coagulant active ingredients from Moutan Cortex by platelet immobilized chromatography and evaluation of anticoagulant activity in rats. <i>Biomedicine and Pharmacotherapy</i> , 2017, 95, 235-244.	2.5	21
20	SIRT1 rs10823108 and FOXO1 rs17446614 responsible for genetic susceptibility to diabetic nephropathy. <i>Scientific Reports</i> , 2017, 7, 10285.	1.6	32
21	Î²-elemene regulates endoplasmic reticulum stress to induce the apoptosis of NSCLC cells through PERK/IRE1 α /ATF6 pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 93, 490-497.	2.5	47
22	Combination of Ligusticum chuanxiong and Radix Paeoniae ameliorate focal cerebral ischemic in MCAO rats via endoplasmic reticulum stress-dependent apoptotic signaling pathway. <i>Journal of Ethnopharmacology</i> , 2016, 187, 313-324.	2.0	47
23	Terpene glycoside component from Moutan Cortex ameliorates diabetic nephropathy by regulating endoplasmic reticulum stress-related inflammatory responses. <i>Journal of Ethnopharmacology</i> , 2016, 193, 433-444.	2.0	41
24	Protective effects of organic acid component from <i>Taraxacum mongolicum</i> Hand.-Mazz. against LPS-induced inflammation: Regulating the TLR4/IKK/NF- κ B signal pathway. <i>Journal of Ethnopharmacology</i> , 2016, 194, 395-402.	2.0	28
25	Protection of tauroursodeoxycholic acid on high glucose-induced human retinal microvascular endothelial cells dysfunction and streptozotocin-induced diabetic retinopathy rats. <i>Journal of Ethnopharmacology</i> , 2016, 185, 162-170.	2.0	48
26	Organic acid component from <i>Taraxacum mongolicum</i> Hand.-Mazz alleviates inflammatory injury in lipopolysaccharide-induced acute tracheobronchitis of ICR mice through TLR4/NF- κ B signaling pathway. <i>International Immunopharmacology</i> , 2016, 34, 92-100.	1.7	34
27	Screening for anti-inflammatory components from <i>Corydalis bungeana</i> Turcz. based on macrophage binding combined with HPLC. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 363.	3.7	29
28	Wedelolactone protects human bronchial epithelial cell injury against cigarette smoke extract-induced oxidant stress and inflammation responses through Nrf2 pathway. <i>International Immunopharmacology</i> , 2015, 29, 648-655.	1.7	30
29	Ginseng improves cognitive deficit via the RAGE/NF- κ B pathway in advanced glycation end product-induced rats. <i>Journal of Ginseng Research</i> , 2015, 39, 116-124.	3.0	44
30	Comparison on hypoglycemic and antioxidant activities of the fresh and dried <i>Portulaca oleracea</i> L. in insulin-resistant HepG2 cells and streptozotocin-induced C57BL/6J diabetic mice. <i>Journal of Ethnopharmacology</i> , 2015, 161, 214-223.	2.0	55
31	Hederagenin from the leaves of ivy (<i>Hedera helix</i> L.) induces apoptosis in human LoVo colon cells through the mitochondrial pathway. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 412.	3.7	34
32	Ginsenoside Rg5 improves cognitive dysfunction and beta-amyloid deposition in STZ-induced memory impaired rats via attenuating neuroinflammatory responses. <i>International Immunopharmacology</i> , 2014, 19, 317-326.	1.7	104
33	The anti-inflammation effect of Moutan Cortex on advanced glycation end products-induced rat mesangial cells dysfunction and High-glucose-fat diet and streptozotocin-induced diabetic nephropathy rats. <i>Journal of Ethnopharmacology</i> , 2014, 151, 591-600.	2.0	70
34	The protective effect of <i>Smilax glabra</i> extract on advanced glycation end products-induced endothelial dysfunction in HUVECs via RAGE-ERK1/2-NF- κ B pathway. <i>Journal of Ethnopharmacology</i> , 2014, 155, 785-795.	2.0	16
35	New metabolite profiles of Danshensu in rats by ultraperformance liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 955-956, 20-25.	1.2	13
36	The protection of 4,4'-diphenylmethane-bis(methyl) carbamate from Cortex Mori on advanced glycation end product-induced endothelial dysfunction: Via inhibiting AGE formation or blocking AGEs-RAGE axis?. <i>FÄ-toterapÄ-Äç</i> , 2013, 89, 239-249.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Liquiritin attenuates advanced glycation end products-induced endothelial dysfunction via RAGE/NF- κ B pathway in human umbilical vein endothelial cells. <i>Molecular and Cellular Biochemistry</i> , 2013, 374, 191-201.	1.4	36
38	Amelioration of compound 4,4'-diphenylmethane-bis(methyl)carbamate on high mobility group box1-mediated inflammation and oxidant stress responses in human umbilical vein endothelial cells via RAGE/ERK1/2/NF- κ B pathway. <i>International Immunopharmacology</i> , 2013, 15, 206-216.	1.7	29
39	Protection of glycyrrhizic acid against AGEs-induced endothelial dysfunction through inhibiting RAGE/NF- κ B pathway activation in human umbilical vein endothelial cells. <i>Journal of Ethnopharmacology</i> , 2013, 148, 27-36.	2.0	53
40	Neuroprotective effect of paeonol on cognition deficits of diabetic encephalopathy in streptozotocin-induced diabetic rat. <i>Neuroscience Letters</i> , 2013, 549, 63-68.	1.0	66
41	COMPONENTS SCREENING FROM <i>CURCUMA LONGA</i> LINN. AND THEIR BIOAFFINITY PROPERTY ON HUMAN UMBILICAL VEIN ENDOTHELIAL CELLS BY CELL MEMBRANE CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 2142-2155.	0.5	3
42	The Anti-Lung Cancer Activities of Steroidal Saponins of <i>P. polyphylla</i> Smith var. <i>chinensis</i> (Franch.) Hara through Enhanced Immunostimulation in Experimental Lewis Tumor-Bearing C57BL/6 Mice and Induction of Apoptosis in the A549 Cell Line. <i>Molecules</i> , 2013, 18, 12916-12936.	1.7	46
43	Anti-Lung Cancer Activity through Enhancement of Immunomodulation and Induction of Cell Apoptosis of Total Triterpenes Extracted from <i>Ganoderma lucidum</i> (Leyss. ex Fr.) Karst.. <i>Molecules</i> , 2013, 18, 9966-9981.	1.7	25
44	N-Epsilon-(carboxymethyl)lysine is unable to induce endothelial dysfunction but is able to attenuate Ages-induced endothelium damage in human umbilical vein endothelial cells. <i>Die Pharmazie</i> , 2013, 68, 251-6.	0.3	3
45	Competitive binding between 4,4'-diphenylmethane-bis(methyl) carbamate and RAGE ligand MG-H1 on human umbilical vein endothelial cell by cell membrane chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 881-882, 55-62.	1.2	8
46	Preventative Effects of 4,4'-Diphenylmethane-bis(methyl) Carbamate Isolated from Cortex Mori on Human Umbilical Vein Endothelial Cell Dysfunction Induced by Advanced Glycation End Products. <i>Phytotherapy Research</i> , 2012, 26, 412-419.	2.8	11
47	Combination of Active Components Enhances the Efficacy of <i>Prunella</i> in Prevention and Treatment of Lung Cancer. <i>Molecules</i> , 2010, 15, 7893-7906.	1.7	25
48	Antioxidant Activities of Total Phenols of <i>Prunella vulgaris</i> L. in Vitro and in Tumor-bearing Mice. <i>Molecules</i> , 2010, 15, 9145-9156.	1.7	51
49	Identification of Two Polysaccharides from <i>Prunella vulgaris</i> L. and Evaluation on Their Anti-Lung Adenocarcinoma Activity. <i>Molecules</i> , 2010, 15, 5093-5103.	1.7	71