

# David A Norton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6195906/publications.pdf>

Version: 2024-02-01

55  
papers

4,398  
citations

361413

20  
h-index

189892

50  
g-index

78  
all docs

78  
docs citations

78  
times ranked

6082  
citing authors

#	ARTICLE	IF	CITATIONS
1	Farm scale assessment of the impacts of biodiversity enhancement on the financial and environmental performance of mixed livestock farms in New Zealand. <i>Agricultural Systems</i> , 2021, 187, 103007.	6.1	6
2	Early response of late-successional species to nurse shrub manipulations in degraded high country, New Zealand. <i>New Forests</i> , 2020, 51, 849-868.	1.7	3
3	Regeneration of native woody species following artificial gap formation in an earlyâ€successional forest in New Zealand. <i>Ecological Management and Restoration</i> , 2020, 21, 229-236.	1.5	2
4	The distribution of pine mistletoe ( <i>Viscum album</i> ssp. <i>austriacum</i> ) in Scots pine ( <i>Pinus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 20-28.	1.4	12
5	Post-Fire Resprouting in New Zealand Woody Vegetation: Implications for Restoration. <i>Forests</i> , 2020, 11, 269.	2.1	7
6	The roles of nonâ€production vegetation in agroecosystems: A research framework for filling process knowledge gaps in a socialâ€ecological context. <i>People and Nature</i> , 2020, 2, 292-304.	3.7	14
7	Restoring mature-phase forest tree species through enrichment planting in New Zealandâ€™s lowland landscapes. <i>New Zealand Journal of Ecology</i> , 2020, 44, .	1.1	8
8	Achieving win-win outcomes for pastoral farming and biodiversity conservation in New Zealand. <i>New Zealand Journal of Ecology</i> , 2020, 44, .	1.1	10
9	The New Zealand Beef and Sheep Sectorâ€™s Contribution to Biodiversity and Carbon Sequestration. <i>Proceedings (mdpi)</i> , 2019, 8, 48.	0.2	0
10	Canopy manipulation as a tool for restoring mature forest conifers under an earlyâ€successional angiosperm canopy. <i>Restoration Ecology</i> , 2019, 27, 31-37.	2.9	6
11	Restore, regenerate, revegetate: Restoring ecological processes, ecosystems and landscapes in a changing world. <i>Ecological Management and Restoration</i> , 2018, 19, 3-5.	1.5	0
12	A substantial northward extension of the range of <i>Dracophyllum fiordense</i> W.R.B. Oliv. (Ericaceae), Westland, New Zealand. <i>New Zealand Journal of Botany</i> , 2018, 56, 430-437.	1.1	1
13	Upscaling restoration of native biodiversity: A New Zealand perspective. <i>Ecological Management and Restoration</i> , 2018, 19, 26-35.	1.5	19
14	The database of the <sc>PREDICTS</sc> (Projecting Responses of Ecological Diversity In Changing) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.9	186
15	Ecological Factors Preventing Restoration of Degraded Short Tussock Landscapes in New Zealandâ€™s Dryland Zone. <i>Open Agriculture</i> , 2017, 2, 442-452.	1.7	1
16	How do we restore New Zealand's biological heritage by 2050?. <i>Ecological Management and Restoration</i> , 2016, 17, 170-179.	1.5	28
17	Artificial canopy gaps accelerate restoration within an exotic <i>Pinus radiata</i> plantation. <i>Restoration Ecology</i> , 2016, 24, 336-345.	2.9	33
18	The potential for biodiversity offsetting to fund effective invasive species control. <i>Conservation Biology</i> , 2015, 29, 5-11.	4.7	13

#	ARTICLE	IF	CITATIONS
19	Different arbuscular mycorrhizae and competition with an exotic grass affect the growth of <i>Podocarpus cunninghamii</i> Colenso cuttings. <i>New Forests</i> , 2013, 44, 183-195.	1.7	20
20	Contrasting effects of productivity and disturbance on plant functional diversity at local and metacommunity scales. <i>Journal of Vegetation Science</i> , 2013, 24, 834-842.	2.2	88
21	Can exotic pine trees assist in restoration?. <i>Applied Vegetation Science</i> , 2013, 16, 169-170.	1.9	10
22	Substrate modification for enhanced native forest restoration, Reefton. <i>Ecological Management and Restoration</i> , 2013, 14, 147-150.	1.5	4
23	Ultimate drivers of native biodiversity change in agricultural systems. <i>F1000Research</i> , 2013, 2, 214.	1.6	9
24	Biodegradation of Soluble Organic Matter as Affected by Land-Use and Soil Depth. <i>Soil Science Society of America Journal</i> , 2012, 76, 1667-1677.	2.2	21
25	Which plant traits determine abundance under long-term shifts in soil resource availability and grazing intensity?. <i>Journal of Ecology</i> , 2012, 100, 662-677.	4.0	107
26	Growth and competitiveness of the New Zealand tree species <i>Podocarpus cunninghamii</i> is reduced by ex-agricultural AMF but enhanced by forest AMF. <i>Soil Biology and Biochemistry</i> , 2011, 43, 339-345.	8.8	19
27	Effect of grazing exclusion on the woody weed <i>Rosa rubiginosa</i> in high country short tussock grasslands. <i>New Zealand Journal of Agricultural Research</i> , 2009, 52, 123-128.	1.6	5
28	Biodiversity Offsets: Two New Zealand Case Studies and an Assessment Framework. <i>Environmental Management</i> , 2009, 43, 698-706.	2.7	46
29	Species Invasions and the Limits to Restoration: Learning from the New Zealand Experience. <i>Science</i> , 2009, 325, 569-571.	12.6	100
30	Sheep grazing reduces <i>Hieracium pilosella</i> flowering. <i>New Zealand Journal of Agricultural Research</i> , 2009, 52, 129-131.	1.6	0
31	Comment on "Why Are There So Many Species of Herbivorous Insects in Tropical Rainforests?". <i>Science</i> , 2007, 315, 1666b-1666b.	12.6	6
32	Persistence of a significant population of rare Canterbury mudfish ( <i>Neochanna burrowsius</i> ) in a hydrologically isolated catchment. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2007, 41, 309-316.	2.0	12
33	Ecology of a <i>Ranunculus lyalli</i> population at its dryland distributional limit in Canterbury, New Zealand. <i>New Zealand Journal of Botany</i> , 2007, 45, 81-85.	1.1	0
34	When are alternative stable states more likely to occur?. <i>Oikos</i> , 2006, 113, 357-362.	2.7	14
35	Novel ecosystems: theoretical and management aspects of the new ecological world order. <i>Global Ecology and Biogeography</i> , 2006, 15, 1-7.	5.8	1,528
36	Crown-stem dimension relationships in two New Zealand native forests. <i>New Zealand Journal of Botany</i> , 2005, 43, 673-678.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Are systems with strong underlying abiotic regimes more likely to exhibit alternative stable states?. <i>Oikos</i> , 2005, 110, 409-416.	2.7	103
38	Fire and Vegetation in a Temperate Peat Bog: Implications for the Management of Threatened Species. <i>Conservation Biology</i> , 2003, 17, 138-148.	4.7	32
39	The effect of plant light environment on mycorrhizal colonisation in field-grown seedlings of podocarp-angiosperm forest tree species. <i>New Zealand Journal of Botany</i> , 2002, 40, 65-72.	1.1	16
40	Grazing effects on plant cover, soil and microclimate in fragmented woodlands in south-western Australia: implications for restoration. <i>Austral Ecology</i> , 2000, 25, 36-47.	1.5	293
41	Why might roadside mulgas be better mistletoe hosts?. <i>Austral Ecology</i> , 1999, 24, 193-198.	1.5	29
42	Assessing the Success of Restoration Plantings in a Temperate New Zealand Forest. <i>Restoration Ecology</i> , 1999, 7, 298-308.	2.9	88
43	Mistletoes as parasites: Host specificity and speciation. <i>Trends in Ecology and Evolution</i> , 1998, 13, 101-105.	8.7	226
44	Distribution and population structure of the loranthaceous mistletoes <i>Alepis flavida</i> , <i>Peraxilla colensoi</i> , and <i>Peraxilla tetrapetala</i> within two New Zealand <i>Nothofagus</i> forests. <i>New Zealand Journal of Botany</i> , 1997, 35, 323-336.	1.1	36
45	Development of non-destructive age indices for three New Zealand loranthaceous mistletoes. <i>New Zealand Journal of Botany</i> , 1997, 35, 337-343.	1.1	11
46	Lessons in Ecosystem Management from Management of Threatened and Pest Loranthaceous Mistletoes in New Zealand and Australia. <i>Lecciones de Manejo de Ecosistemas Manejo de Muerdagos Lorantaceos Amenazados y Plagas en Nueva Zelanda y Australia</i> . <i>Conservation Biology</i> , 1997, 11, 759-769.	4.7	62
47	Towards a Conceptual Framework for Restoration Ecology. <i>Restoration Ecology</i> , 1996, 4, 93-110.	2.9	1,009
48	Germination and seedling growth of an endangered native broom, <i>Chordospartium muritai</i> A.W.Purdie (Fabaceae), found in Marlborough, South Island, New Zealand. <i>New Zealand Journal of Botany</i> , 1996, 34, 199-204.	1.1	12
49	Fragmentation, Disturbance, and Plant Distribution: Mistletoes in Woodland Remnants in the Western Australian Wheatbelt. <i>Conservation Biology</i> , 1995, 9, 426-438.	4.7	70
50	Over-collecting: an overlooked factor in the decline of plant taxa. <i>Taxon</i> , 1994, 43, 181-185.	0.7	15
51	Relationships between pteridophytes and topography in a lowland South Westland podocarp forest. <i>New Zealand Journal of Botany</i> , 1994, 32, 401-408.	1.1	7
52	Contrasts in crown development of the mistletoes <i>Alepis flavida</i> (Hook. f.) Tiegh. and <i>Peraxilla tetrapetala</i> (L. f.) Tiegh. (Loranthaceae) parasitic on <i>Nothofagus solandri</i> (Hook. f.) Oerst., Craigieburn Ecological District, New Zealand. <i>New Zealand Journal of Botany</i> , 1994, 32, 497-508.	1.1	11
53	Growth response to light of <i>Carex inopinata</i> Cook, an endangered New Zealand sedge. <i>New Zealand Journal of Botany</i> , 1992, 30, 429-433.	1.1	7
54	Floristics and structure of mire-forest ecotones, west coast South Island, New Zealand. <i>Journal of the Royal Society of New Zealand</i> , 1989, 19, 31-42.	1.9	24

#	ARTICLE	IF	CITATIONS
55	The significance of sheep and beef farms to conservation of native vegetation in New Zealand. New Zealand Journal of Ecology, 0, , .	1.1	2