

Kenji Suetsugu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6196735/kenji-suetsugu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

867
citations

16
h-index

21
g-index

151
ext. papers

1,147
ext. citations

2.5
avg, IF

5.5
L-index

#	Paper	IF	Citations
130	Mammal-mediated seed dispersal in Vanilla: its rewards and clues to the evolution of fleshy fruits in orchids.. <i>Ecology</i> , 2022 , e3701	4.6	0
129	Evolutionary history of mycorrhizal associations between Japanese Oxygyne (Thismiaceae) species and Glomeraceae fungi.. <i>New Phytologist</i> , 2022 ,	9.8	1
128	Squirrel consuming poisonous mushrooms. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 556-556	5.5	
127	A corpse-eating grasshopper. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 125-125	5.5	
126	Partial and full mycoheterotrophy in green and albino phenotypes of the slipper orchid <i>Cypripedium debile</i> . <i>Mycorrhiza</i> , 2021 , 31, 301-312	3.9	4
125	Novel mycorrhizal cheating in a green orchid: <i>Cremastra appendiculata</i> depends on carbon from deadwood through fungal associations. <i>New Phytologist</i> , 2021 ,	9.8	5
124	Detection and dispersal risk of genetically disturbed individuals in endangered wetland plant species <i>Pecteilis radiata</i> (Orchidaceae) in Japan. <i>Biodiversity and Conservation</i> , 2021 , 30, 1913-1927	3.4	2
123	Fairy lanterns may lure pollinators by mimicking fungi. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 233-233	5.5	1
122	Subterranean morphology modulates the degree of mycoheterotrophy in a green orchid <i>Calypso bulbosa</i> exploiting wood-decaying fungi. <i>Functional Ecology</i> , 2021 , 35, 2305	5.6	1
121	Specialized mycorrhizal association between a partially mycoheterotrophic orchid <i>Oreorchis indica</i> and a <i>Tomentella</i> taxon. <i>Mycorrhiza</i> , 2021 , 31, 243-250	3.9	8
120	Mycorrhizal communities of two closely related species, <i>Pyrola subaphylla</i> and <i>P. japonica</i> , with contrasting degrees of mycoheterotrophy in a sympatric habitat. <i>Mycorrhiza</i> , 2021 , 31, 219-229	3.9	1
119	The sterile appendix of two sympatric <i>Arisaema</i> species lures each specific pollinator into deadly trap flowers. <i>Ecology</i> , 2021 , 102, e03242	4.6	1
118	Evidence for mycorrhizal cheating in <i>Apostasia nipponica</i> , an early-diverging member of the Orchidaceae. <i>New Phytologist</i> , 2021 , 229, 2302-2310	9.8	10
117	Consumption of the ectomycorrhizal fungi <i>Rhizopogon roseolus</i> and <i>R. luteolus</i> by <i>Chamaesyphus japonicus</i> (Diptera: Syrphidae). <i>Entomological Science</i> , 2021 , 24, 123-126	1.1	1
116	The Leafless Orchid <i>Cymbidium macrorhizon</i> Performs Photosynthesis in the Pericarp during the Fruiting Season. <i>Plant and Cell Physiology</i> , 2021 , 62, 472-481	4.9	3
115	The ghost orchid mooching off fungi. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 65-65	5.5	
114	<i>Stigmatodactylus sikokianus</i> (Orchidaceae) mainly acquires carbon from decaying litter through association with a specific clade of Serendipitaceae. <i>New Phytologist</i> , 2021 , 231, 1670-1675	9.8	2

113	Palynological study of Asian <i>Thismia</i> (Thismiaceae: Dioscoreales) reveals an unusual pollen type. <i>Plant Systematics and Evolution</i> , 2021 , 307, 1	1.3	0
112	Symbiotic germination and development of fully mycoheterotrophic plants convergently targeting similar Glomeraceae taxa. <i>Environmental Microbiology</i> , 2021 , 23, 6328-6343	5.2	
111	No meal is too big. <i>Frontiers in Ecology and the Environment</i> , 2021 , 19, 378-378	5.5	0
110	A parasitic insect on a parasitic plant: a new species of the genus <i>Takahashi</i> (Hemiptera, Coccothraupidae) from Ishigaki Island, Japan. <i>ZooKeys</i> , 2021 , 1060, 171-182	1.2	1
109	Resurrection and emended description of <i>Sciaphila major</i> (Triuridaceae). <i>Phytotaxa</i> , 2020 , 459, 25-38	0.7	
108	Promiscuity among stick insects. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 158-158	5.5	0
107	Evidence for newly discovered albino mutants in a pyroloid: implication for the nutritional mode in the genus <i>Pyrola</i> . <i>American Journal of Botany</i> , 2020 , 107, 650-657	2.7	5
106	Relative effectiveness of <i>Tulasnella</i> fungal strains in orchid mycorrhizal symbioses between germination and subsequent seedling growth. <i>Symbiosis</i> , 2020 , 81, 53-63	3	9
105	Contribution of thrips to seed production in <i>Habenaria radiata</i> , an orchid morphologically adapted to hawkmoths. <i>Journal of Plant Research</i> , 2020 , 133, 499-506	2.6	2
104	The gleam of a Grim Reaper. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 280-280	5.5	
103	Isotopic evidence of arbuscular mycorrhizal cheating in a grassland gentian species. <i>Oecologia</i> , 2020 , 192, 929-937	2.9	10
102	Isotopic and molecular data support mixotrophy in <i>Ophioglossum</i> at the sporophytic stage. <i>New Phytologist</i> , 2020 , 228, 415-419	9.8	8
101	Flying carp eggs. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 9-9	5.5	1
100	Some mycoheterotrophic orchids depend on carbon from dead wood: novel evidence from a radiocarbon approach. <i>New Phytologist</i> , 2020 , 227, 1519-1529	9.8	22
99	It's a trap!. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 187-187	5.5	1
98	Pollination of <i>Calanthe discolor</i> X <i>C. striata</i> (Orchidaceae) by <i>Eucera nipponensis</i> . <i>Entomological News</i> , 2020 , 129, 213	0.4	
97	Gynomonoeicy in a mycoheterotrophic orchid with autonomous selfing hermaphroditic flowers and putatively outcrossing female flowers. <i>PeerJ</i> , 2020 , 8, e10272	3.1	2
96	Use of radiocarbon for assessing the mycorrhizal status of mycoheterotrophic plants. <i>Plant Signaling and Behavior</i> , 2020 , 15, 1785667	2.5	1

95	A specialized avian seed dispersal system in a dry-fruited nonphotosynthetic plant, <i>Balanophora yakushimensis</i> . <i>Ecology</i> , 2020 , 101, e03129	4.6	1
94	A novel seed dispersal mode of could provide some clues to the early evolution of the seed dispersal system in Orchidaceae. <i>Evolution Letters</i> , 2020 , 4, 457-464	5.3	7
93	Phylogenetics of the mycoheterotrophic genus <i>Thismia</i> (Thismiaceae: Dioscoreales) with a focus on the Old World taxa: delineation of novel natural groups and insights into the evolution of morphological traits. <i>Botanical Journal of the Linnean Society</i> , 2020 , 193, 287-315	2.2	9
92	Comparative study of nutritional mode and mycorrhizal fungi in green and albino variants of <i>Goodyera velutina</i> , an orchid mainly utilizing saprotrophic rhizoctonia. <i>Molecular Ecology</i> , 2019 , 28, 4290-4299	5.7	17
91	Emended description and resurrection of <i>Sciaphila tosaensis</i> and <i>S. megastyla</i> (Triuridaceae). <i>Phytotaxa</i> , 2019 , 413, 231-243	0.7	3
90	<i>Lecanorchis moritae</i> (Orchidaceae, Vanilloideae), a new mycoheterotrophic species from Amami-Oshima Island, Japan, based on morphological and molecular data. <i>Phytotaxa</i> , 2019 , 404, 137	0.7	
89	Development of microsatellite markers for the completely cleistogamous species <i>Gastrodia takeshimensis</i> (Orchidaceae) that are transferable to its chasmogamous sister <i>G. nipponica</i> . <i>Genes and Genetic Systems</i> , 2019 , 94, 95-98	1.4	2
88	Slug pollination in <i>Rohdea japonica</i> ? Testing a one-hundred-year-old hypothesis. <i>Journal of Molluscan Studies</i> , 2019 , 85, 284-285	1.1	0
87	Rain-triggered self-pollination in <i>Liparis kumokiri</i> , an orchid that blooms during the rainy season. <i>Ecology</i> , 2019 , 100, e02683	4.6	4
86	First report that the wasp <i>Gronotoma guamensis</i> (Hymenoptera: Figitidae: Eucoilinae) parasitizes the orchid-feeding fly <i>Japanagromyza tokunagai</i> in Japan. <i>Entomological Science</i> , 2019 , 22, 194-197	1.1	2
85	Mushroom attracts hornets for spore dispersal by a distinctive yeasty scent. <i>Ecology</i> , 2019 , 100, e02718	4.6	2
84	Social wasps, crickets and cockroaches contribute to pollination of the holoparasitic plant <i>Mitrastemon yamamotoi</i> (Mitrastemonaceae) in southern Japan. <i>Plant Biology</i> , 2019 , 21, 176-182	3.7	10
83	<i>Gastrodia amamiana</i> (Orchidaceae; Epidendroideae; Gastrodieae), a new completely cleistogamous species from Japan. <i>Phytotaxa</i> , 2019 , 413, 225-230	0.7	2
82	Infestation of the non-photosynthetic plant <i>Mitrastemon yamamotoi</i> (Ericales: Mitrastemonaceae) by <i>Assara balanophorae</i> (Lepidoptera: Pyralidae). <i>Entomological Science</i> , 2019 , 22, 297-300	1.1	2
81	Infestation of <i>Phalaenopsis aphrodite</i> Rchb.f. (Asparagales: Orchidaceae) flower buds by <i>Japanagromyza tokunagai</i> (Sasakawa) (Diptera: Agromyzidae) in a greenhouse on Shikoku Island, Japan. <i>Journal of Asia-Pacific Entomology</i> , 2019 , 22, 816-819	1.4	
80	Natural hybridization patterns between widespread <i>Calanthe discolor</i> (Orchidaceae) and insular <i>Calanthe izu-insularis</i> on the oceanic Izu Islands. <i>Botanical Journal of the Linnean Society</i> , 2019 , 190, 436-449	2.2	2
79	Fruit- and seed-feeding habit of the crane fly <i>Libnotes puella</i> (Diptera: Limoniidae) in Ryukyu Islands, Japan. <i>Entomological Science</i> , 2019 , 22, 413-417	1.1	0
78	Herbivory on the Holoparasitic Plant <i>Mitrastemon yamamotoi</i> Makino, 1909 (Mitrastemonaceae) by the Bark Beetle <i>Coccotrypes cardamomi</i> Schaufuss, 1905 (Coleoptera: Curculionidae). <i>The Coleopterists Bulletin</i> , 2019 , 73, 1108	0.3	0

77	Emended description and new localities of <i>Oxygyne shinzatoi</i> (Burmanniaceae/Thismiaceae), with discussion of phylogenetic relationships of <i>Oxygyne</i> from Japan and Africa. <i>Phytotaxa</i> , 2019 , 423, 238-246	0.7	1
76	New microsatellite markers recognize differences in tandem repeats among four related <i>Gastrodia</i> species (Orchidaceae). <i>Genes and Genetic Systems</i> , 2019 , 94, 225-229	1.4	0
75	Mating pattern of a distylous primrose in a natural population: unilateral outcrossing and asymmetric selfing between sexual morphs. <i>Evolutionary Ecology</i> , 2019 , 33, 55-69	1.8	1
74	Infestation of the orchid <i>Cephalanthera</i> spp. by <i>Parallelomma vittatum</i> (Meigen, 1826) (Diptera: Scathophagidae) in Japan. <i>Entomological Science</i> , 2019 , 22, 121-125	1.1	2
73	New combinations in the genus <i>Didymoplexis</i> (Orchidaceae; Epidendroideae; Gastrodieae), with a new variety of <i>D. siamensis</i> from Amami-Oshima Island, Japan. <i>Phytotaxa</i> , 2019 , 388, 174	0.7	
72	Thrips as a supplementary pollinator in an orchid with granular pollinia: is this mutualism?. <i>Ecology</i> , 2019 , 100, e02535	4.6	3
71	Sweat Feeding Behavior by the Moth <i>Arthroschista hilaralis</i> (Crambidae) in the Maliau Basin Conservation Area (Sabah, Borneo). <i>Entomological News</i> , 2018 , 127, 386-389	0.4	
70	Effect of historical factors on genetic variation in three terrestrial <i>Cephalanthera</i> species (Orchidaceae) with different breeding system on the Korean Peninsula. <i>Nordic Journal of Botany</i> , 2018 , 36, e01862	1.1	1
69	Seed dispersal in the mycoheterotrophic orchid <i>Yoania japonica</i> : Further evidence for endozoochory by camel crickets. <i>Plant Biology</i> , 2018 , 20, 707-712	3.7	7
68	Achlorophyllous orchid can utilize fungi not only for nutritional demands but also pollinator attraction. <i>Ecology</i> , 2018 , 99, 1498-1500	4.6	8
67	Flora of Bokor National Park VII: <i>Thismia bokorensis</i> (Burmanniaceae), a new species representing a new generic record. <i>Phytotaxa</i> , 2018 , 334, 65	0.7	7
66	Specialized pollination by fungus gnats in the introduced population of <i>Aspidistra elatior</i> . <i>Journal of Plant Research</i> , 2018 , 131, 497-503	2.6	3
65	Transcriptomic and Metabolomic Reprogramming from Roots to Haustoria in the Parasitic Plant, <i>Thesium chinense</i> . <i>Plant and Cell Physiology</i> , 2018 , 59, 724-733	4.9	14
64	<i>Lecanorchis sarawakensis</i> (Orchidaceae, Vanilloideae), a new mycoheterotrophic species from Sarawak, Borneo. <i>Phytotaxa</i> , 2018 , 338, 135	0.7	2
63	<i>Thismia kinabaluensis</i> (Thismiaceae), a new species from Mt. Kinabalu, Sabah, Borneo. <i>Phytotaxa</i> , 2018 , 360, 174	0.7	5
62	Neotypification of <i>Lecanorchis purpurea</i> (Orchidaceae, Vanilloideae) with the discussion on the taxonomic identities of <i>L. trachycaula</i> , <i>L. malaccensis</i> , and <i>L. betung-kerihunensis</i> . <i>Phytotaxa</i> , 2018 , 360, 145	0.7	1
61	Partial mycoheterotrophy in the leafless orchid <i>Cymbidium macrorhizon</i> . <i>American Journal of Botany</i> , 2018 , 105, 1595-1600	2.7	24
60	Epitypification of <i>Gastrodia pubilabiata</i> (Gastrodieae, Epidendroideae, Orchidaceae). <i>Phytotaxa</i> , 2018 , 347, 193	0.7	

59	Identification of Flies Infesting Wild Orchid Flowers and Fruits in Japan. <i>Japanese Journal of Applied Entomology and Zoology</i> , 2018 , 62, 249-255	0.5	2
58	(Thismiaceae), a new species from West Sumatra, Indonesia, with discussions on the taxonomic identity of. <i>PhytoKeys</i> , 2018 , 59-67	0.9	5
57	Taxonomic monograph of (Thismiaceae), rare achlorophyllous mycoheterotrophs with strongly disjunct distribution. <i>PeerJ</i> , 2018 , 6, e4828	3.1	18
56	Independent recruitment of a novel seed dispersal system by camel crickets in achlorophyllous plants. <i>New Phytologist</i> , 2018 , 217, 828-835	9.8	19
55	Subterranean flowers of <i>Aspidistra elatior</i> are mainly pollinated by not terrestrial amphipods but fungus gnats. <i>Ecology</i> , 2018 , 99, 244-246	4.6	6
54	Many Japanese Orchids Produce Few Seeds Due to Heavy Seed Predation by the Agromyzid Fly. <i>Bulletin of the Ecological Society of America</i> , 2018 , 99, e01450	0.7	5
53	The taxonomic identity of three varieties of (Vanilleae, Vanilloideae, Orchidaceae) in Japan. <i>PhytoKeys</i> , 2018 , 17-35	0.9	4
52	Sweat Bee Visitations and Autonomous Self-Pollination in <i>Cyrtosia septentrionalis</i> . <i>Entomological News</i> , 2018 , 128, 87-90	0.4	1
51	Substantial impact of seed-feeding fly on seed production of five endangered Japanese orchids. <i>Ecology</i> , 2018 , 99, 2871-2873	4.6	6
50	<i>Thismia kobensis</i> (Burmanniaceae), a new and presumably extinct species from Hyogo Prefecture, Japan. <i>Phytotaxa</i> , 2018 , 369, 121	0.7	5
49	<i>Pediobius metallicus</i> (Hymenoptera: Eulophidae): First record of a parasitoid wasp of the agromyzid fly <i>Japanagromyza tokunagai</i> , a serious pest of orchids. <i>Journal of Asia-Pacific Entomology</i> , 2018 , 21, 1289-1291	1.4	4
48	A new species of <i>Gastrodia</i> (Gastrodieae, Epidendroideae, Orchidaceae) from the Maliau Basin Conservation Area, Sabah, Borneo. <i>Phytotaxa</i> , 2018 , 367, 78	0.7	5
47	<i>Aphyllorchis maliauensis</i> (Orchidaceae), a new species from the Maliau Basin, Sabah, Borneo. <i>Phytotaxa</i> , 2018 , 367, 85	0.7	0
46	Potential role of bird predation in the dispersal of otherwise flightless stick insects. <i>Ecology</i> , 2018 , 99, 1504-1506	4.6	11
45	Comparative morphological analysis of two parallel mycoheterotrophic transitions reveals divergent and convergent traits in the genus <i>Pyrola</i> (Pyroleae, Ericaceae). <i>Journal of Plant Research</i> , 2018 , 131, 589-597	2.6	3
44	Comparison of green and albino individuals of the partially mycoheterotrophic orchid <i>Epipactis helleborine</i> on molecular identities of mycorrhizal fungi, nutritional modes and gene expression in mycorrhizal roots. <i>Molecular Ecology</i> , 2017 , 26, 1652-1669	5.7	41
43	Time-lapse photography reveals the occurrence of unexpected bee-pollination in <i>Calanthe izuinsularis</i> , an endangered orchid endemic to the Izu archipelago. <i>Journal of Natural History</i> , 2017 , 51, 783-792	0.5	6
42	Two new species of <i>Gastrodia</i> (Gastrodieae, Epidendroideae, Orchidaceae) from Okinawa Island, Ryukyu Islands, Japan. <i>Phytotaxa</i> , 2017 , 302, 251	0.7	15

41	The identity of <i>Lecanorchis flavicans</i> and <i>L. flavicans</i> var. <i>acutiloba</i> (Vanilleae, Vanilloideae, Orchidaceae). <i>Phytotaxa</i> , 2017 , 306, 217	0.7	6
40	<i>Sciaphila sugimotoi</i> (Triuridaceae), a new mycoheterotrophic plant from Ishigaki Island, Japan. <i>Phytotaxa</i> , 2017 , 314, 279	0.7	4
39	<i>Thismia bryndonii</i> (Thismiaceae), a new species from Maliau Basin, Sabah, Borneo. <i>Phytotaxa</i> , 2017 , 312, 135	0.7	4
38	Seed dispersal by ants in the fully mycoheterotrophic plant <i>Sciaphila secundiflora</i> (Triuridaceae). <i>Journal of Asia-Pacific Entomology</i> , 2017 , 20, 914-917	1.4	4
37	<i>Thismia brunneomitroides</i> (Thismiaceae), a new mycoheterotrophic species from southern Thailand. <i>Phytotaxa</i> , 2017 , 314, 103	0.7	10
36	Lectotypification of <i>Lecanorchis ohwii</i> (Vanilleae, Vanilloideae, Orchidaceae) with discussions of its taxonomic identity. <i>Phytotaxa</i> , 2017 , 309, 259	0.7	5
35	Emended description and resurrection of <i>Kadsura matsudae</i> (Schisandraceae). <i>Phytotaxa</i> , 2017 , 311, 255	0.7	1
34	<i>Gastrodia kuroshimensis</i> (Orchidaceae), a new mycoheterotrophic and complete cleistogamous plant from Japan. <i>Phytotaxa</i> , 2016 , 278, 265	0.7	17
33	(Orchidaceae, Vanilloideae), a new mycoheterotrophic plant from Yakushima Island, Japan. <i>PhytoKeys</i> , 2016 , 125-135	0.9	4
32	Technique to detect flower-visiting insects in video monitoring and time-lapse photography data. <i>Plant Species Biology</i> , 2016 , 31, 148-152	1.3	7
31	Epitypification, emendation and synonymy of <i>Lecanorchis taiwaniana</i> (Vanilleae, Vanilloideae, Orchidaceae). <i>Phytotaxa</i> , 2016 , 265, 157	0.7	11
30	The Autotrophic Orchid <i>Calanthe nipponica</i> is a Potential Host Plant of Japanese Populations of the Two-Winged Fly, <i>Chyliza vittata</i> (Diptera: Psilidae). <i>Entomological News</i> , 2016 , 126, 231-236	0.4	1
29	The Sweat Bee <i>Lasioglossum occidensis</i> a Potential Pollinator of <i>Calanthe aristulifera</i> in the Oceanic Izu Islands. <i>Entomological News</i> , 2016 , 125, 368-373	0.4	4
28	The tiny-leaved orchid <i>Cephalanthera subaphylla</i> obtains most of its carbon via mycoheterotrophy. <i>Journal of Plant Research</i> , 2016 , 129, 1013-1020	2.6	8
27	Variation in vegetative morphology tracks the complex genetic diversification of the mycoheterotrophic species <i>Pyrola japonica</i> sensu lato. <i>American Journal of Botany</i> , 2016 , 103, 1618-29	2.7	9
26	Effects of the hemiparasitic plant <i>Pedicularis kansuensis</i> on plant community structure in a degraded grassland. <i>Ecological Research</i> , 2015 , 30, 507-515	1.9	18
25	Diurnal Skipper <i>Pelopidas mathias</i> (Lepidoptera: Hesperiiidae) Pollinates <i>Habenaria radiata</i> (Orchidaceae). <i>Entomological News</i> , 2015 , 125, 7-11	0.4	15
24	Pollination system and the effect of inflorescence size on fruit set in the deceptive orchid <i>Cephalanthera falcata</i> . <i>Journal of Plant Research</i> , 2015 , 128, 585-94	2.6	18

23	Seed dispersal of the hemiparasitic plant <i>Thesium chinense</i> by <i>Tetramorium tsushimae</i> and <i>Pristomyrmex punctatus</i> . <i>Entomological Science</i> , 2015 , 18, 523-526	1.1	4
22	Autonomous self-pollination and insect visitors in partially and fully mycoheterotrophic species of <i>Cymbidium</i> (Orchidaceae). <i>Journal of Plant Research</i> , 2015 , 128, 115-25	2.6	38
21	Autonomous self-pollination in the nectarless orchid <i>Pogonia minor</i> . <i>Plant Species Biology</i> , 2015 , 30, 37-41	3	6
20	Avian seed dispersal in a mycoheterotrophic orchid <i>Cyrtosia septentrionalis</i> . <i>Nature Plants</i> , 2015 , 1,	11.5	25
19	Potential pollinator of <i>Vanda falcata</i> (Orchidaceae): <i>Theretra</i> (Lepidoptera: Sphingidae) hawkmoths are visitors of long spurred orchid. <i>European Journal of Entomology</i> , 2015 , 112, 393-397		5
18	<i>Apis cerana</i> Visiting Flowers of the Holoparasitic Plant <i>Balanophora fungosa</i> ssp. <i>Indica</i> . <i>Entomological News</i> , 2014 , 124, 145-147	0.4	2
17	Pollination biology of the endangered orchid <i>Cypripedium japonicum</i> in a fragmented forest of Japan. <i>Plant Species Biology</i> , 2014 , 29, 294-299	1.3	15
16	Two New Species of <i>Sciaphila</i> (Triuridaceae) from Sarawak (Borneo, Malaysia). <i>Phytotaxa</i> , 2014 , 170, 283	0.7	3
15	<i>Gastrodia flexistylodes</i> (Orchidaceae), a new mycoheterotrophic plant with complete cleistogamy from Japan. <i>Phytotaxa</i> , 2014 , 175, 270	0.7	23
14	Moth floral visitors of the three rewarding <i>Platanthera</i> orchids revealed by interval photography with a digital camera. <i>Journal of Natural History</i> , 2014 , 48, 1103-1109	0.5	12
13	Diurnal butterfly pollination in the orchid <i>Habenaria radiata</i> . <i>Entomological Science</i> , 2014 , 17, 443-445	1.1	10
12	Evidence for specificity to <i>Glomus</i> group <i>Ab</i> in two Asian mycoheterotrophic <i>Burmannia</i> species. <i>Plant Species Biology</i> , 2014 , 29, 57-64	1.3	8
11	<i>Clubiona</i> spider (Araneae: Clubionidae) visiting flowers of nectariferous orchid <i>Neottianthe cucullata</i> . <i>Entomological Science</i> , 2014 , 17, 262-264	1.1	4
10	Bee pollination of the endangered orchid <i>Calanthe discolor</i> through a generalized food-deceptive system. <i>Plant Systematics and Evolution</i> , 2014 , 300, 453-459	1.3	19
9	Consumption of <i>Habenaria sagittifera</i> pollinia by juveniles of the katydid <i>Ducetia japonica</i> . <i>Entomological Science</i> , 2014 , 17, 122-124	1.1	15
8	Autogamous fruit set in a mycoheterotrophic orchid <i>Cyrtosia septentrionalis</i> . <i>Plant Systematics and Evolution</i> , 2013 , 299, 481-486	1.3	31
7	Delayed autonomous self-pollination in two Japanese varieties of <i>Epipactis helleborine</i> (Orchidaceae). <i>Botanical Journal of the Linnean Society</i> , 2013 , 173, 733-743	2.2	16
6	Moths Visiting the Flowers of the Orchid <i>Platanthera japonica</i> . <i>Entomological News</i> , 2013 , 123, 78-80	0.4	10

5	Gastrodia takeshimensis(Orchidaceae), a New Mycoheterotrophic Species from Japan. <i>Annales Botanici Fennici</i> , 2013 , 50, 375-378	0.3	16
4	Pollination of <i>Sedirea japonica</i> (Orchidaceae) by <i>Bombus diversus diversus</i> (Hymenoptera: Apidae). <i>European Journal of Entomology</i> , 2013 , 110, 545-548		10
3	Host selectivity, haustorial anatomy and impact of the invasive parasite <i>Parentucellia viscosa</i> on floodplain vegetative communities in Japan. <i>Botanical Journal of the Linnean Society</i> , 2012 , 170, 69-78	2.2	13
2	Host range and selectivity of the hemiparasitic plant <i>Thesium chinense</i> (Santalaceae). <i>Annals of Botany</i> , 2008 , 102, 49-55	4.1	28
1	Infestation of the mycoheterotrophic orchid <i>Yoania japonica</i> by the two-winged fly, <i>Chyliza vittata</i> (Diptera: Psilidae). <i>European Journal of Entomology</i> , 113, 393-396		5