

# Jaume Padilla

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6197275/jaume-padilla-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170  
papers

5,295  
citations

37  
h-index

67  
g-index

181  
ext. papers

6,251  
ext. citations

4  
avg, IF

5.71  
L-index

#	Paper	IF	Citations
170	Role of the Autonomic Nervous System in the Hemodynamic Response to Hyperinsulinemia-Implications for Obesity and Insulin Resistance.. <i>Current Diabetes Reports</i> , <b>2022</b> , 22, 169	5.6	1
169	Role of the arterial baroreflex in the sympathetic response to hyperinsulinemia in adult humans.. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2022</b> ,	6	2
168	SGLT2 inhibition attenuates arterial dysfunction and decreases vascular F-actin content and expression of proteins associated with oxidative stress in aged mice.. <i>GeroScience</i> , <b>2022</b> , 1	8.9	2
167	Mineralocorticoid Receptor in Myeloid Cells Mediates Angiotensin II-Induced Vascular Dysfunction in Female Mice. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 588358	4.6	0
166	The right ventricular transcriptome signature in Ossabaw swine with cardiometabolic heart failure: implications for the coronary vasculature. <i>Physiological Genomics</i> , <b>2021</b> , 53, 99-115	3.6	2
165	Hyperinsulinemia blunts sympathetic vasoconstriction: a possible role of $\beta$ adrenergic activation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2021</b> , 320, R771-R779	3.2	3
164	Cerebrovascular insufficiency and amyloidogenic signaling in Ossabaw swine with cardiometabolic heart failure. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	2
163	Sympathetic Transduction During Euglycemic-Hyperinsulinemia in Humans. <i>FASEB Journal</i> , <b>2021</b> , 35,	0.9	1
162	Aerobic Exercise Restores Aging-Associated Reductions in Arterial Adropin Levels and Improves Adropin-Induced Nitric Oxide-Dependent Vasorelaxation. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e020641	6	4
161	Leg Fidgeting During Prolonged Sitting Improves Postprandial Glycemic Control in People with Obesity. <i>Obesity</i> , <b>2021</b> , 29, 1146-1154	8	0
160	Role of ER $\alpha$ in adipocyte metabolic response to wheel running following ovariectomy. <i>Journal of Endocrinology</i> , <b>2021</b> , 249, 223-237	4.7	1
159	Voluntary Wheel Running Partially Compensates for the Effects of Global Estrogen Receptor- $\beta$ Knockout on Cortical Bone in Young Male Mice. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
158	Mutation of the 5'-untranslated region stem-loop mRNA structure reduces type I collagen deposition and arterial stiffness in male obese mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2021</b> , 321, H435-H445	5.2	1
157	Recruitment and remodeling of peridroplet mitochondria in human adipose tissue. <i>Redox Biology</i> , <b>2021</b> , 46, 102087	11.3	1
156	Sympathetically mediated increases in cardiac output, not restraint of peripheral vasodilation, contribute to blood pressure maintenance during hyperinsulinemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2020</b> , 319, H162-H170	5.2	7
155	LIMK (LIM Kinase) Inhibition Prevents Vasoconstriction- and Hypertension-Induced Arterial Stiffening and Remodeling. <i>Hypertension</i> , <b>2020</b> , 76, 393-403	8.5	7
154	Skeletal muscle microvascular insulin resistance in type 2 diabetes is not improved by eight weeks of regular walking. <i>Journal of Applied Physiology</i> , <b>2020</b> , 129, 283-296	3.7	7

153	Obesity and cardiovascular disease in women. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 1210-1226	5.5	20
152	Effects of ER $\alpha$ and ER $\beta$ on OVX-induced changes in adiposity and insulin resistance. <i>Journal of Endocrinology</i> , <b>2020</b> , 245, 165-178	4.7	10
151	Eight weeks of fish oil supplementation does not prevent sitting-induced leg endothelial dysfunction. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2020</b> , 45, 55-60	3	3
150	Assessment of resistance vessel function in human skeletal muscle: guidelines for experimental design, Doppler ultrasound, and pharmacology. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2020</b> , 318, H301-H325	5.2	40
149	Reply to "Letter to the editor: Sympathetically mediated increases in cardiac output, or peripheral vasoconstriction as primary regulator of BP during hyperinsulinemia?". <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2020</b> , 319, H394-H395	5.2	
148	High-Intensity Interval Training Decreases Muscle Sympathetic Nerve Activity and Improves Peripheral Vascular Function in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , <b>2020</b> , 13, e007121	7.6	4
147	The Effects of Acute Exposure to Prolonged Sitting, With and Without Interruption, on Vascular Function Among Adults: A Meta-analysis. <i>Sports Medicine</i> , <b>2020</b> , 50, 1929-1942	10.6	27
146	Maintenance of endothelial function following acute resistance exercise in females is associated with a tempered blood pressure response. <i>Journal of Applied Physiology</i> , <b>2020</b> , 129, 792-799	3.7	5
145	TRAF3IP2 (TRAF3 Interacting Protein 2) Mediates Obesity-Associated Vascular Insulin Resistance and Dysfunction in Male Mice. <i>Hypertension</i> , <b>2020</b> , 76, 1319-1329	8.5	6
144	A Thermogenic-Like Brown Adipose Tissue Phenotype Is Dispensable for Enhanced Glucose Tolerance in Female Mice. <i>Diabetes</i> , <b>2019</b> , 68, 1717-1729	0.9	8
143	Beta 3 Adrenergic Receptor Activation Rescues Metabolic Dysfunction in Female Estrogen Receptor Alpha-Null Mice. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 9	4.6	12
142	Western Diet-Fed, Aortic-Banded Ossabaw Swine: A Preclinical Model of Cardio-Metabolic Heart Failure. <i>JACC Basic To Translational Science</i> , <b>2019</b> , 4, 404-421	8.7	25
141	Overproduction of endothelin-1 impairs glucose tolerance but does not promote visceral adipose tissue inflammation or limit metabolic adaptations to exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E548-E558	6	4
140	Persistent insulin signaling coupled with restricted PI3K activation causes insulin-induced vasoconstriction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2019</b> , 317, H1166-H1172	5.2	10
139	Chronic Elevation of Endothelin-1 Alone May Not Be Sufficient to Impair Endothelium-Dependent Relaxation. <i>Hypertension</i> , <b>2019</b> , 74, 1409-1419	8.5	6
138	A thermogenic-like brown adipose tissue phenotype is dispensable for enhanced glucose tolerance in female mice. <i>FASEB Journal</i> , <b>2019</b> , 33, lb564	0.9	
137	ADAM17 Cleaves the Insulin Receptor $\beta$ Subunit on Endothelial Cells and Induces Vascular Insulin Resistance in Type 2 Diabetes. <i>FASEB Journal</i> , <b>2019</b> , 33, 685.7	0.9	1
136	Activation of protein kinase C impairs endothelium-dependent vasorelaxation in isolated human omental resistance arteries. <i>FASEB Journal</i> , <b>2019</b> , 33, 685.16	0.9	1

135	Omental Arteries from Diabetic Hypertensive Subjects are Larger and Stiffer than those from Non-Diabetic Normotensives. <i>FASEB Journal</i> , <b>2019</b> , 33, 517.10	0.9	
134	Endothelin A Receptor Blockade Improves Insulin-Stimulated Blood Flow in Patients with Type 2 Diabetes. <i>FASEB Journal</i> , <b>2019</b> , 33, 696.24	0.9	
133	LIM Kinase Inhibition Diminishes Hypertension and Vasoconstriction-Induced Inward Remodeling in Mouse and Human Resistance Arteries. <i>FASEB Journal</i> , <b>2019</b> , 33, 517.7	0.9	
132	Right Ventricular Hypertrophy is Associated with Increased MAPK8, Fibronectin, and Extracellular Matrix Regulatory Biomarker (MMP/TIMP) mRNA Levels in a Pre-Clinical Swine Model of HFpEF. <i>FASEB Journal</i> , <b>2019</b> , 33, 530.4	0.9	0
131	Increased Left Ventricular mRNA Levels of the Inflammatory Biomarkers Pentraxin-3 and Interleukin 1 Receptor-Like 1 are Correlated with Diastolic Dysfunction in a Pre-Clinical Swine Model of HFpEF. <i>FASEB Journal</i> , <b>2019</b> , 33, 532.13	0.9	
130	The Effect of Leg Fidgeting During Sitting on Glycemic Control in Obese Subjects [A Pilot Study]. <i>FASEB Journal</i> , <b>2019</b> , 33, lb447	0.9	
129	Age-Related Changes in Skeletal Muscle and Small Mesenteric Arterial Function in Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , <b>2019</b> , 33, lb456	0.9	
128	The targeted inhibition of neuraminidase reverses endothelial glycocalyx degradation and improves endothelial function in type 2 diabetes. <i>FASEB Journal</i> , <b>2019</b> , 33, 527.16	0.9	2
127	Sexual Dimorphism in Obesity-Associated Endothelial ENaC Activity and Stiffening in Mice. <i>Endocrinology</i> , <b>2019</b> , 160, 2918-2928	4.8	10
126	Exercise and Vascular Insulin Sensitivity in the Skeletal Muscle and Brain. <i>Exercise and Sport Sciences Reviews</i> , <b>2019</b> , 47, 66-74	6.7	7
125	Metabolic Implications of Diet and Energy Intake during Physical Inactivity. <i>Medicine and Science in Sports and Exercise</i> , <b>2019</b> , 51, 995-1005	1.2	7
124	Aerobic exercise training improves insulin-induced vasorelaxation in a vessel-specific manner in rats with insulin-treated experimental diabetes. <i>Diabetes and Vascular Disease Research</i> , <b>2019</b> , 16, 77-86	3.3	5
123	Increased endothelial shear stress improves insulin-stimulated vasodilatation in skeletal muscle. <i>Journal of Physiology</i> , <b>2019</b> , 597, 57-69	3.9	12
122	Estrogen receptor- $\beta$ signaling maintains immunometabolic function in males and is obligatory for exercise-induced amelioration of nonalcoholic fatty liver. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E156-E167	6	17
121	Voluntary wheel running improves adipose tissue immunometabolism in ovariectomized low-fit rats. <i>Adipocyte</i> , <b>2018</b> , 7, 20-34	3.2	6
120	TRAF3IP2 mediates high glucose-induced endothelin-1 production as well as endothelin-1-induced inflammation in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2018</b> , 314, H52-H64	5.2	23
119	Removal of interscapular brown adipose tissue increases aortic stiffness despite normal systemic glucose metabolism in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 314, R584-R597	3.2	16
118	Glycemic control by the SGLT2 inhibitor empagliflozin decreases aortic stiffness, renal resistivity index and kidney injury. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 108	8.7	72

117	Effect of carbohydrate restriction-induced weight loss on aortic pulse wave velocity in overweight men and women. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2018</b> , 43, 1247-1256	3	8
116	Increased susceptibility to OVX-associated metabolic dysfunction in UCP1-null mice. <i>Journal of Endocrinology</i> , <b>2018</b> ,	4.7	5
115	Brief periods of inactivity reduce leg microvascular, but not macrovascular, function in healthy young men. <i>Experimental Physiology</i> , <b>2018</b> , 103, 1425-1434	2.4	17
114	Alterations to Protein Level and Cellular Location of the BKCa $\beta$ Subunit in the Coronary Vasculature are Dependent on Sex Hormones, Metabolic Status, and Species: A Retrospective Study in Multiple Swine Models of Pressure Overload-Induced Heart Failure. <i>FASEB Journal</i> , <b>2018</b> , 32, 579.2	0.9	
113	The effects of localized heating on insulin-stimulated leg blood flow. <i>FASEB Journal</i> , <b>2018</b> , 32, lb331	0.9	
112	Endothelium-dependent vasorelaxation and blood pressure are preserved in mice with chronic hyperendothelinemia. <i>FASEB Journal</i> , <b>2018</b> , 32, lb327	0.9	
111	Regular exercise reduces adipose tissue inflammation and improves glycemic control in Western diet-fed mice despite hyperendothelinemia. <i>FASEB Journal</i> , <b>2018</b> , 32, lb570	0.9	
110	Weight maintenance diets prevent short-term physical inactivity-induced glycemic dysregulation in young healthy subjects. <i>FASEB Journal</i> , <b>2018</b> , 32, 724.10	0.9	
109	Induction of inward arterial remodeling is ameliorated in vivo by inhibition of actin polymerization dynamics in a mouse model of hypertension. <i>FASEB Journal</i> , <b>2018</b> , 32, lb278	0.9	
108	Evidence of Increased Prefrontal Cortex Inflammation and Amyloid Precursor Protein Processing in a Translational Swine Model of Heart Failure with Preserved Ejection Fraction. <i>FASEB Journal</i> , <b>2018</b> , 32, 545.4	0.9	
107	Endothelial dysfunction occurs independently of adipose tissue inflammation and insulin resistance in ovariectomized Yucatan miniature-swine. <i>Adipocyte</i> , <b>2018</b> , 7, 35-44	3.2	1
106	Microvascular insulin resistance in skeletal muscle and brain occurs early in the development of juvenile obesity in pigs. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 314, R252-R264	3.2	21
105	Young Ossabaw Pigs Fed a Western Diet Exhibit Early Signs of Diabetic Retinopathy <b>2018</b> , 59, 2325-2338		11
104	When gain is greater than loss: effects of physical activity on insulin sensitivity after short-term inactivity in older subjects. <i>Journal of Physiology</i> , <b>2018</b> , 596, 5071-5072	3.9	
103	Obesity, type 2 diabetes, and impaired insulin-stimulated blood flow: role of skeletal muscle NO synthase and endothelin-1. <i>Journal of Applied Physiology</i> , <b>2017</b> , 122, 38-47	3.7	38
102	Vascular Adaptation to Exercise in Humans: Role of Hemodynamic Stimuli. <i>Physiological Reviews</i> , <b>2017</b> , 97, 495-528	47.9	304
101	Loss of UCP1 exacerbates Western diet-induced glycemic dysregulation independent of changes in body weight in female mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2017</b> , 312, R74-R84	3.2	32
100	Transcriptomic effects of metformin in skeletal muscle arteries of obese insulin-resistant rats. <i>Experimental Biology and Medicine</i> , <b>2017</b> , 242, 617-624	3.7	3

99	Absence of Endothelial ER $\alpha$ Results in Arterial Remodeling and Decreased Stiffness in Western Diet-Fed Male Mice. <i>Endocrinology</i> , <b>2017</b> , 158, 1875-1885	4.8	6
98	Impaired popliteal artery flow-mediated dilation caused by reduced daily physical activity is prevented by increased shear stress. <i>Journal of Applied Physiology</i> , <b>2017</b> , 123, 49-54	3.7	25
97	Influence of sex on microvascular and macrovascular responses to prolonged sitting. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2017</b> , 312, H800-H805	5.2	55
96	Prior exercise and standing as strategies to circumvent sitting-induced leg endothelial dysfunction. <i>Clinical Science</i> , <b>2017</b> , 131, 1045-1053	6.5	45
95	Prolonged leg bending impairs endothelial function in the popliteal artery. <i>Physiological Reports</i> , <b>2017</b> , 5, e13478	2.6	25
94	Soy Improves Cardiometabolic Health and Cecal Microbiota in Female Low-Fit Rats. <i>Scientific Reports</i> , <b>2017</b> , 7, 9261	4.9	32
93	Prolonged sitting leg vasculopathy: contributing factors and clinical implications. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2017</b> , 313, H722-H728	5.2	48
92	Anti-inflammatory effects of exercise training in adipose tissue do not require FGF21. <i>Journal of Endocrinology</i> , <b>2017</b> , 235, 97-109	4.7	15
91	Deletion of UCP1 enhances ex vivo aortic vasomotor function in female but not male mice despite similar susceptibility to metabolic dysfunction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2017</b> , 313, E402-E412	6	12
90	Vascular cell transcriptomic changes to exercise training differ directionally along and between skeletal muscle arteriolar trees. <i>Microcirculation</i> , <b>2017</b> , 24, e12336	2.9	4
89	Increased monocyte-derived reactive oxygen species in type 2 diabetes: role of endoplasmic reticulum stress. <i>Experimental Physiology</i> , <b>2017</b> , 102, 139-153	2.4	10
88	Endothelial Estrogen Receptor- $\alpha$ Does Not Protect Against Vascular Stiffness Induced by Western Diet in Female Mice. <i>Endocrinology</i> , <b>2016</b> , 157, 1590-600	4.8	15
87	Effects of intrinsic aerobic capacity and ovariectomy on voluntary wheel running and nucleus accumbens dopamine receptor gene expression. <i>Physiology and Behavior</i> , <b>2016</b> , 164, 383-9	3.5	20
86	Effects of ovariectomy and intrinsic aerobic capacity on tissue-specific insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 310, E190-9	6	18
85	Endothelial dysfunction following prolonged sitting is mediated by a reduction in shear stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2016</b> , 310, H648-53	5.2	93
84	Loss of Nlrp3 Does Not Protect Mice from Western Diet-Induced Adipose Tissue Inflammation and Glucose Intolerance. <i>PLoS ONE</i> , <b>2016</b> , 11, e0161939	3.7	15
83	Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1259-69	1.2	8
82	Prolonged sitting-induced leg endothelial dysfunction is prevented by fidgeting. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2016</b> , 311, H177-82	5.2	89



81	Administration of tauroursodeoxycholic acid prevents endothelial dysfunction caused by an oral glucose load. <i>Clinical Science</i> , <b>2016</b> , 130, 1881-8	6.5	26
80	Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1688-98	1.2	65
79	Ablation of eNOS does not promote adipose tissue inflammation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2016</b> , 310, R744-51	3.2	7
78	Regular Exercise Reduces Endothelial Cortical Stiffness in Western Diet-Fed Female Mice. <i>Hypertension</i> , <b>2016</b> , 68, 1236-1244	8.5	25
77	Myogenic responses occur on a beat-to-beat basis in the resting human limb. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2015</b> , 308, H59-67	5.2	15
76	Mineralocorticoid receptor antagonism treats obesity-associated cardiac diastolic dysfunction. <i>Hypertension</i> , <b>2015</b> , 65, 1082-8	8.5	70
75	Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 308, R530-42	3.2	38
74	Myogenic responses occur on a beat-to-beat basis in the resting human limb. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2015</b> , 308, H554-5	5.2	1
73	Impact of prolonged sitting on lower and upper limb micro- and macrovascular dilator function. <i>Experimental Physiology</i> , <b>2015</b> , 100, 829-38	2.4	120
72	Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 309, R594-602	3.2	24
71	Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. <i>Physiological Reports</i> , <b>2015</b> , 3, e12459	2.6	5
70	Exercise-induced differential changes in gene expression among arterioles of skeletal muscles of obese rats. <i>Journal of Applied Physiology</i> , <b>2015</b> , 119, 583-603	3.7	18
69	Exercise training causes differential changes in gene expression in diaphragm arteries and 2A arterioles of obese rats. <i>Journal of Applied Physiology</i> , <b>2015</b> , 119, 604-16	3.7	10
68	Role of habitual physical activity in modulating vascular actions of insulin. <i>Experimental Physiology</i> , <b>2015</b> , 100, 759-71	2.4	19
67	Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. <i>Obesity</i> , <b>2015</b> , 23, 2421-9	8	26
66	Microvascular Dilator Function in Athletes: A Systematic Review and Meta-analysis. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 1485-94	1.2	25
65	Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats Selectively Bred for High and Low Aerobic Capacity. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136150	3.7	44
64	Role of perivascular adipose tissue on vascular reactive oxygen species in type 2 diabetes: a give-and-take relationship. <i>Diabetes</i> , <b>2015</b> , 64, 1904-6	0.9	11

63	Characterizing rapid-onset vasodilation to single muscle contractions in the human leg. <i>Journal of Applied Physiology</i> , <b>2015</b> , 118, 455-64	3.7	26
62	Chronic NOS inhibition accelerates NAFLD progression in an obese rat model. <i>American Journal of Physiology - Renal Physiology</i> , <b>2015</b> , 308, G540-9	5.1	20
61	Intermittent Physical Activity Produces a Leaner but Sedentary Obese White Adipose Tissue Phenotype. <i>FASEB Journal</i> , <b>2015</b> , 29, 1055.16	0.9	
60	Prolonged Sitting Impairs Forearm and Lower Leg Microvascular Reactivity. <i>FASEB Journal</i> , <b>2015</b> , 29, 994.11	0.9	
59	Plasma from Type 2 Diabetes Patients Increase Monocyte-Derived Superoxide Production via ER Stress-NADPH Oxidase Pathway. <i>FASEB Journal</i> , <b>2015</b> , 29, 805.6	0.9	
58	Transcriptome-wide RNA sequencing analysis of rat skeletal muscle feed arteries. II. Impact of exercise training in obesity. <i>Journal of Applied Physiology</i> , <b>2014</b> , 116, 1033-47	3.7	21
57	Transcriptome-wide RNA sequencing analysis of rat skeletal muscle feed arteries. I. Impact of obesity. <i>Journal of Applied Physiology</i> , <b>2014</b> , 116, 1017-32	3.7	22
56	Unique transcriptomic signature of omental adipose tissue in Ossabaw swine: a model of childhood obesity. <i>Physiological Genomics</i> , <b>2014</b> , 46, 362-75	3.6	32
55	Delayed vasodilation is associated with cardiovascular risk. <i>European Journal of Clinical Investigation</i> , <b>2014</b> , 44, 549-56	4.6	17
54	Identification of genes whose expression is altered by obesity throughout the arterial tree. <i>Physiological Genomics</i> , <b>2014</b> , 46, 821-32	3.6	17
53	Differential vasomotor effects of insulin on gastrocnemius and soleus feed arteries in the OLETF rat model: role of endothelin-1. <i>Experimental Physiology</i> , <b>2014</b> , 99, 262-71	2.4	17
52	Differential regulation of adipose tissue and vascular inflammatory gene expression by chronic systemic inhibition of NOS in lean and obese rats. <i>Physiological Reports</i> , <b>2014</b> , 2, e00225	2.6	14
51	Exercise training and vascular cell phenotype in a swine model of familial hypercholesterolaemia: conduit arteries and veins. <i>Experimental Physiology</i> , <b>2014</b> , 99, 454-65	2.4	9
50	Adipose tissue and vascular phenotypic modulation by voluntary physical activity and dietary restriction in obese insulin-resistant OLETF rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 306, R596-606	3.2	28
49	Flow-mediated dilation in athletes: influence of aging. <i>Medicine and Science in Sports and Exercise</i> , <b>2014</b> , 46, 2148-58	1.2	38
48	Blood pressure regulation VIII: resistance vessel tone and implications for a pro-atherogenic conduit artery endothelial cell phenotype. <i>European Journal of Applied Physiology</i> , <b>2014</b> , 114, 531-44	3.4	25
47	Low intrinsic aerobic fitness increases susceptibility to OVX-induced obesity and insulin resistance in the absence of adipose tissue inflammation (1028.3). <i>FASEB Journal</i> , <b>2014</b> , 28, 1028.3	0.9	
46	Differential changes in vascular mRNA levels between rat iliac and renal arteries produced by cessation of voluntary running. <i>Experimental Physiology</i> , <b>2013</b> , 98, 337-47	2.4	24



45	Exercise training does not increase muscle FNDC5 protein or mRNA expression in pigs. <i>Metabolism: Clinical and Experimental</i> , <b>2013</b> , 62, 1503-11	12.7	33
44	Divergent phenotype of rat thoracic and abdominal perivascular adipose tissues. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 304, R543-52	3.2	100
43	Elevated skeletal muscle irisin precursor FNDC5 mRNA in obese OLETF rats. <i>Metabolism: Clinical and Experimental</i> , <b>2013</b> , 62, 1052-6	12.7	57
42	Disturbed blood flow acutely induces activation and apoptosis of the human vascular endothelium. <i>Hypertension</i> , <b>2013</b> , 61, 615-21	8.5	104
41	Norepinephrine increases NADPH oxidase-derived superoxide in human peripheral blood mononuclear cells via $\beta$ adrenergic receptors. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 305, R1124-32	3.2	37
40	Influence of regular physical activity and caloric restriction on $\beta$ adrenergic and natriuretic peptide receptor expression in retroperitoneal adipose tissue of OLETF rats. <i>Experimental Physiology</i> , <b>2013</b> , 98, 1576-84	2.4	5
39	Vascular transcriptional alterations produced by juvenile obesity in Ossabaw swine. <i>Physiological Genomics</i> , <b>2013</b> , 45, 434-46	3.6	30
38	Impact of reduced daily physical activity on conduit artery flow-mediated dilation and circulating endothelial microparticles. <i>Journal of Applied Physiology</i> , <b>2013</b> , 115, 1519-25	3.7	85
37	Spontaneous bursts of muscle sympathetic nerve activity decrease leg vascular conductance in resting humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2013</b> , 304, H759-66	5.2	83
36	Influence of spontaneously occurring bursts of muscle sympathetic nerve activity on conduit artery diameter. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2013</b> , 305, H867-74	5.2	20
35	Induction of endoplasmic reticulum stress impairs insulin-stimulated vasomotor relaxation in rat aortic rings: role of endothelin-1. <i>Journal of Physiology and Pharmacology</i> , <b>2013</b> , 64, 557-64	2.1	20
34	The exercise dose affects oxidative stress and brachial artery flow-mediated dilation in trained men. <i>European Journal of Applied Physiology</i> , <b>2012</b> , 112, 33-42	3.4	80
33	Peripheral circulation. <i>Comprehensive Physiology</i> , <b>2012</b> , 2, 321-447	7.7	160
32	Effects of endurance exercise training, metformin, and their combination on adipose tissue leptin and IL-10 secretion in OLETF rats. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 1873-83	3.7	42
31	Heterogeneity of endothelial cell phenotype within and amongst conduit vessels of the swine vasculature. <i>Experimental Physiology</i> , <b>2012</b> , 97, 1074-82	2.4	23
30	Potential clinical translation of juvenile rodent inactivity models to study the onset of childhood obesity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2012</b> , 303, R247-58	3.2	11
29	Exercise-induced Signals for Vascular Endothelial Adaptations: Implications for Cardiovascular Disease. <i>Current Cardiovascular Risk Reports</i> , <b>2012</b> , 6, 331-346	0.9	32
28	$\beta$ adrenergic vasoconstriction contributes to the age-related increase in conduit artery retrograde and oscillatory shear. <i>Hypertension</i> , <b>2012</b> , 60, 1016-22	8.5	39

27	Functional adaptations in the skeletal muscle microvasculature to endurance and interval sprint training in the type 2 diabetic OLETF rat. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 1223-32	3.7	24
26	Relationship between upper and lower limb conduit artery vasodilator function in humans. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 244-50	3.7	46
25	Increased brachial artery retrograde shear rate at exercise onset is abolished during prolonged cycling: role of thermoregulatory vasodilation. <i>Journal of Applied Physiology</i> , <b>2011</b> , 110, 389-97	3.7	75
24	Brachial artery vasodilatation during prolonged lower limb exercise: role of shear rate. <i>Experimental Physiology</i> , <b>2011</b> , 96, 1019-27	2.4	60
23	Vascular consequences of a high-fat meal in physically active and inactive adults. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2011</b> , 36, 368-75	3	25
22	Impact of aging on conduit artery retrograde and oscillatory shear at rest and during exercise: role of nitric oxide. <i>Hypertension</i> , <b>2011</b> , 57, 484-9	8.5	53
21	Vascular effects of exercise: endothelial adaptations beyond active muscle beds. <i>Physiology</i> , <b>2011</b> , 26, 132-45	9.8	144
20	Impact of exercise training on endothelial transcriptional profiles in healthy swine: a genome-wide microarray analysis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2011</b> , 301, H555-64	5.2	15
19	Assessment of flow-mediated dilation in humans: a methodological and physiological guideline. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2011</b> , 300, H2-12	5.2	947
18	Relationship between brachial and femoral artery endothelial vasomotor function/phenotype in pigs. <i>Experimental Biology and Medicine</i> , <b>2010</b> , 235, 1287-91	3.7	8
17	Long-term exercise training does not alter brachial and femoral artery vasomotor function and endothelial phenotype in healthy pigs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2010</b> , 299, H379-85	5.2	19
16	Increased muscle sympathetic nerve activity acutely alters conduit artery shear rate patterns. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2010</b> , 298, H1128-35	5.2	93
15	Carotid artery occlusive disease and ocular manifestations: Importance of identifying patients at risk. <i>Optometry - Journal of the American Optometric Association</i> , <b>2010</b> , 81, 359-63		9
14	Pro-atherogenic shear rate patterns in the femoral artery of healthy older adults. <i>Atherosclerosis</i> , <b>2010</b> , 211, 390-2	3.1	37
13	Evaluating the Impact of Retrograde Shear Stress on Expression of Pro-inflammatory Genes in Rat Carotid Artery. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 302	1.2	1
12	Adjusting flow-mediated dilation for shear stress stimulus allows demonstration of endothelial dysfunction in a population with moderate cardiovascular risk. <i>Journal of Vascular Research</i> , <b>2009</b> , 46, 592-600	1.9	62
11	Impact of acute exposure to increased hydrostatic pressure and reduced shear rate on conduit artery endothelial function: a limb-specific response. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2009</b> , 297, H1103-8	5.2	69
10	Effect of acute and chronic whole-body vibration exercise on serum insulin-like growth factor-1 levels in women with fibromyalgia. <i>Journal of Alternative and Complementary Medicine</i> , <b>2009</b> , 15, 573-8	2.4	16

9	Six weeks of whole-body vibration exercise improves pain and fatigue in women with fibromyalgia. <i>Journal of Alternative and Complementary Medicine</i> , <b>2008</b> , 14, 975-81	2.4	76
8	Characterization of the brachial artery shear stress following walking exercise. <i>Vascular Medicine</i> , <b>2008</b> , 13, 105-11	3.3	33
7	Proper "normalization" of flow-mediated dilation for shear. <i>Journal of Applied Physiology</i> , <b>2007</b> , 103, 1108; author reply 1109	3.7	25
6	Reproducibility of the flow-mediated dilation response to acute exercise in overweight men. <i>Ultrasound in Medicine and Biology</i> , <b>2007</b> , 33, 1579-85	3.5	34
5	Can the measurement of brachial artery flow-mediated dilation be applied to the acute exercise model?. <i>Cardiovascular Ultrasound</i> , <b>2007</b> , 5, 45	2.4	28
4	Variability of flow-mediated dilation measurements with repetitive reactive hyperemia. <i>Vascular Medicine</i> , <b>2006</b> , 11, 1-6	3.3	58
3	A comparison between active- and reactive-hyperaemia-induced brachial artery vasodilation. <i>Clinical Science</i> , <b>2006</b> , 110, 387-92	6.5	23
2	The effect of acute exercise on endothelial function following a high-fat meal. <i>European Journal of Applied Physiology</i> , <b>2006</b> , 98, 256-62	3.4	72
1	Accumulation of physical activity reduces blood pressure in pre- and hypertension. <i>Medicine and Science in Sports and Exercise</i> , <b>2005</b> , 37, 1264-75	1.2	40