

Philipp B Gannibal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6197300/publications.pdf>

Version: 2024-02-01

32
papers

1,151
citations

840776

11
h-index

395702

33
g-index

39
all docs

39
docs citations

39
times ranked

1454
citing authors

#	ARTICLE	IF	CITATIONS
1	A new section for <i>Alternaria helianthii</i> found on sunflower and new asteraceous hosts in Russia. <i>Mycological Progress</i> , 2022, 21, .	1.4	7
2	Distinction of <i>Alternaria</i> Sect. <i>Pseudoalternaria</i> Strains among Other <i>Alternaria</i> Fungi from Cereals. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 423.	3.5	1
3	<i>Diaporthe</i> species infecting sunflower (<i>Helianthus annuus</i>) in Russia, with the description of two new species. <i>Mycologia</i> , 2022, 114, 556-574.	1.9	6
4	Leaf Rust Resistance Genes in Wheat Cultivars Registered in Russia and Their Influence on Adaptation Processes in Pathogen Populations. <i>Agriculture</i> (Switzerland), 2021, 11, 319.	3.1	22
6	Natural Occurrence of <i>Alternaria</i> Fungi and Associated Mycotoxins in Small-Grain Cereals from The Urals and West Siberia Regions of Russia. <i>Toxins</i> , 2021, 13, 681.	3.4	8
7	Analysis of Host-Specific Differentiation of <i>Puccinia striiformis</i> in the South and North-West of the European Part of Russia. <i>Plants</i> , 2021, 10, 2497.	3.5	4
8	<i>Paraphoma</i> species associated with Convolvulaceae. <i>Mycological Progress</i> , 2020, 19, 185-194.	1.4	7
9	<i>Diaporthe</i> species infecting sunflower in Russia. <i>BIO Web of Conferences</i> , 2020, 18, 00010.	0.2	4
10	Outline of Fungi and fungus-like taxa. <i>Mycosphere</i> , 2020, 11, 1060-1456.	6.1	405
11	New species and new findings of phoma-like fungi (<i>Didymellaceae</i>) associated with some <i>Asteraceae</i> in Russia. <i>Nova Hedwigia</i> , 2020, 111, 131-149.	0.4	4
12	IDENTIFICATION OF SUNFLOWER PATHOGENIC FUNGUS <i>PLENODOMUS LINDQUISTII</i> USING PCR WITH SPECIES-SPECIFIC OLIGONUCLEOTIDE PRIMERS. , 2020, 103, 207-210.	0.5	2
13	Fungal microbiome of barley grain revealed by NGS and mycological analysis. <i>Foods and Raw Materials</i> , 2020, , 286-297.	2.1	1
14	Taxonomic study on <i>Alternaria</i> sections <i>Infectoriae</i> and <i>Pseudoalternaria</i> associated with black (sooty) head mold of wheat and barley in Iran. <i>Mycological Progress</i> , 2018, 17, 343-356.	1.4	28
15	Distribution of <i>Alternaria</i> species among sections. 4. Species formerly assigned to genus <i>Nimbya</i> . <i>Mycotaxon</i> , 2018, 133, 37-43.	0.3	5
16	Distribution of <i>Alternaria</i> species among sections. 6. Species formerly assigned to genus <i>Ulocladium</i> . <i>Mycotaxon</i> , 2018, 133, 293-299.	0.3	5
17	Distribution of <i>Alternaria</i> species among sections. 5. Species producing conidia with many longitudinal septa. <i>Mycotaxon</i> , 2018, 133, 285-291.	0.3	6
18	Leaf Rust Resistance Genes in Wheat Cultivars Registered in Russia and Their Influence on Adaptation Processes in Pathogen Populations. <i>Agriculture</i> (Switzerland), 2021, 11, 319.	3.1	22

