

C U Blank

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6197793/publications.pdf>

Version: 2024-02-01

163
papers

28,670
citations

18436

62
h-index

6979

154
g-index

168
all docs

168
docs citations

168
times ranked

31547
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival of stage IV melanoma in Belgium and the Netherlands. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	1
2	The unfavorable effects of COVID-19 on Dutch advanced melanoma care. <i>International Journal of Cancer</i> , 2022, 150, 816-824.	2.3	18
3	Primary Renal Tumour Response in Patients Treated with Nivolumab and Ipilimumab for Metastatic Renal Cell Carcinoma: Real-world Data Assessment. <i>European Urology Open Science</i> , 2022, 35, 54-58.	0.2	15
4	Neoadjuvant Systemic Therapy (NAST) in Patients with Melanoma: Surgical Considerations by the International Neoadjuvant Melanoma Consortium (INMC). <i>Annals of Surgical Oncology</i> , 2022, 29, 3694-3708.	0.7	21
5	Multiomic profiling of checkpoint inhibitor-treated melanoma: Identifying predictors of response and resistance, and markers of biological discordance. <i>Cancer Cell</i> , 2022, 40, 88-102.e7.	7.7	64
6	Combining Hepatic Percutaneous Perfusion with Ipilimumab plus Nivolumab in advanced uveal melanoma (CHOPIN): study protocol for a phase Ib/randomized phase II trial. <i>Trials</i> , 2022, 23, 137.	0.7	10
7	Representativeness of the Index Lymph Node for Total Nodal Basin in Pathologic Response Assessment After Neoadjuvant Checkpoint Inhibitor Therapy in Patients With Stage III Melanoma. <i>JAMA Surgery</i> , 2022, 157, 335.	2.2	20
8	Clinical Models to Define Response and Survival With Anti-PD-1 Antibodies Alone or Combined With Ipilimumab in Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2022, 40, 1068-1080.	0.8	43
9	Response to immune checkpoint inhibitors in acral melanoma: A nationwide cohort study. <i>European Journal of Cancer</i> , 2022, 167, 70-80.	1.3	19
10	Addition of interleukin-2 overcomes resistance to neoadjuvant CTLA4 and PD1 blockade in ex vivo patient tumors. <i>Science Translational Medicine</i> , 2022, 14, eabj9779.	5.8	18
11	Personalized response-directed surgery and adjuvant therapy after neoadjuvant ipilimumab and nivolumab in high-risk stage III melanoma: the PRADO trial. <i>Nature Medicine</i> , 2022, 28, 1178-1188.	15.2	121
12	Diagnostic performance of early increase in S100B or LDH as outcome predictor for non-responsiveness to anti-PD-1 monotherapy in advanced melanoma. <i>Clinica Chimica Acta</i> , 2022, 533, 71-78.	0.5	4
13	Melanoma recurrence patterns and management after adjuvant targeted therapy: a multicentre analysis. <i>British Journal of Cancer</i> , 2021, 124, 574-580.	2.9	27
14	Neoadjuvant Therapy for Melanoma: A U.S. Food and Drug Administration Melanoma Research Alliance Public Workshop. <i>Clinical Cancer Research</i> , 2021, 27, 394-401.	3.2	5
15	Health-related quality of life of long-term advanced melanoma survivors treated with anti-CTLA-4 immune checkpoint inhibition compared to matched controls. <i>Acta Oncologica</i> , 2021, 60, 69-77.	0.8	19
16	First-line BRAF/MEK inhibitors versus anti-PD-1 monotherapy in BRAFV600-mutant advanced melanoma patients: a propensity-matched survival analysis. <i>British Journal of Cancer</i> , 2021, 124, 1222-1230.	2.9	16
17	COVID-19 vaccination: the VOICE for patients with cancer. <i>Nature Medicine</i> , 2021, 27, 568-569.	15.2	53
18	Pathological response and survival with neoadjuvant therapy in melanoma: a pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC). <i>Nature Medicine</i> , 2021, 27, 301-309.	15.2	218

#	ARTICLE	IF	CITATIONS
19	Metabolic profiles of regulatory T cells in the tumour microenvironment. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2417-2427.	2.0	12
20	Survival and biomarker analyses from the OpACIN-neo and OpACIN neoadjuvant immunotherapy trials in stage III melanoma. <i>Nature Medicine</i> , 2021, 27, 256-263.	15.2	190
21	Reply to E. Hindi. <i>Journal of Clinical Oncology</i> , 2021, 39, 944-946.	0.8	1
22	Neoadjuvant Cytoreductive Treatment With BRAF/MEK Inhibition of Prior Unresectable Regionally Advanced Melanoma to Allow Complete Surgical Resection, REDUCTOR. <i>Annals of Surgery</i> , 2021, 274, 383-389.	2.1	28
23	The prognostic value of the interferon-gamma (IFN γ) signature in patients with macroscopic stage III melanoma treated with and without adjuvant systemic therapy. <i>Journal of Clinical Oncology</i> , 2021, 39, 9579-9579.	0.8	5
24	Patterns and management of progression on first-line ipilimumab combined with anti-PD-1 (IPI+PD1) in metastatic melanoma (MM) patients. <i>Journal of Clinical Oncology</i> , 2021, 39, 9533-9533.	0.8	1
25	Is adjuvant treatment for melanoma in clinical practice comparable to trials? The first population-based results. <i>Journal of Clinical Oncology</i> , 2021, 39, e21523-e21523.	0.8	0
26	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 655-664.	5.1	37
27	Hospital variation in cancer treatments and survival outcomes of advanced melanoma patients: Nationwide quality assurance in the Netherlands. <i>Journal of Clinical Oncology</i> , 2021, 39, e18641-e18641.	0.8	0
28	Safety and Efficacy of Checkpoint Inhibition in Patients With Melanoma and Preexisting Autoimmune Disease. <i>Annals of Internal Medicine</i> , 2021, 174, 641-648.	2.0	46
29	Dynamic changes of the immune infiltrate after neoadjuvant avelumab/axitinib in patients (pts) with localized renal cell carcinoma (RCC) who are at high risk of relapse after nephrectomy (NeoAvAx). <i>Journal of Clinical Oncology</i> , 2021, 39, 4573-4573.	0.8	1
30	Neoadjuvant ipilimumab plus nivolumab in synchronous clinical stage III melanoma. <i>European Journal of Cancer</i> , 2021, 148, 51-57.	1.3	16
31	<i>BRAF</i> and <i>NRAS</i> mutation status and response to checkpoint inhibition in advanced melanoma. <i>Journal of Clinical Oncology</i> , 2021, 39, 9558-9558.	0.8	0
32	Toxicity, response, and survival in older adults with metastatic melanoma treated with checkpoint inhibitors. <i>Journal of Clinical Oncology</i> , 2021, 39, 9544-9544.	0.8	0
33	Dutch advanced melanoma care in times of COVID-19. <i>Journal of Clinical Oncology</i> , 2021, 39, e21502-e21502.	0.8	1
34	Efficacy of checkpoint inhibition in advanced acral melanoma. <i>Journal of Clinical Oncology</i> , 2021, 39, e21527-e21527.	0.8	0
35	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 643-654.	5.1	224
36	Ipilimumab alone or ipilimumab plus anti-PD-1 therapy in patients with metastatic melanoma resistant to anti-PD-(L)1 monotherapy: a multicentre, retrospective, cohort study. <i>Lancet Oncology</i> , The, 2021, 22, 836-847.	5.1	104

#	ARTICLE	IF	CITATIONS
37	Toxicity, Response and Survival in Older Patients with Metastatic Melanoma Treated with Checkpoint Inhibitors. <i>Cancers</i> , 2021, 13, 2826.	1.7	11
38	Pathological response and tumour bed histopathological features correlate with survival following neoadjuvant immunotherapy in stage III melanoma. <i>Annals of Oncology</i> , 2021, 32, 766-777.	0.6	22
39	Delayed immune-related adverse events with anti-PD-1-based immunotherapy in melanoma. <i>Annals of Oncology</i> , 2021, 32, 917-925.	0.6	76
40	Predictive Immune-Checkpoint Blockade Classifiers Identify Tumors Responding to Inhibition of PD-1 and/or CTLA-4. <i>Clinical Cancer Research</i> , 2021, 27, 5389-5400.	3.2	3
41	The role of local therapy in the treatment of solitary melanoma progression on immune checkpoint inhibition: A multicentre retrospective analysis. <i>European Journal of Cancer</i> , 2021, 151, 72-83.	1.3	12
42	An ex vivo tumor fragment platform to dissect response to PD-1 blockade in cancer. <i>Nature Medicine</i> , 2021, 27, 1250-1261.	15.2	159
43	Adjuvant treatment for melanoma in clinical practice – Trial versus reality. <i>European Journal of Cancer</i> , 2021, 158, 234-245.	1.3	12
44	Nationwide Outcomes of Advanced Melanoma According to BRAFV600 Status. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021, 44, 82-89.	0.6	2
45	Hospital Variation in Cancer Treatments and Survival Outcomes of Advanced Melanoma Patients: Nationwide Quality Assurance in The Netherlands. <i>Cancers</i> , 2021, 13, 5077.	1.7	1
46	mRNA-1273 COVID-19 vaccination in patients receiving chemotherapy, immunotherapy, or chemoimmunotherapy for solid tumours: a prospective, multicentre, non-inferiority trial. <i>Lancet Oncology</i> , The, 2021, 22, 1681-1691.	5.1	118
47	Neoadjuvant immunotherapy with nivolumab and ipilimumab induces major pathological responses in patients with head and neck squamous cell carcinoma. <i>Nature Communications</i> , 2021, 12, 7348.	5.8	96
48	Phase Ib Study of Atezolizumab Plus Interferon- γ with or without Bevacizumab in Patients with Metastatic Renal Cell Carcinoma and Other Solid Tumors. <i>Current Oncology</i> , 2021, 28, 5466-5479.	0.9	2
49	Switch to checkpoint inhibition after targeted therapy at time of progression or during ongoing response: A retrospective single-centre experience in patients with BRAF-mutated melanoma. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 498-506.	1.5	11
50	Phase Ib/II trial testing combined radiofrequency ablation and ipilimumab in uveal melanoma (SECIRA-UM). <i>Melanoma Research</i> , 2020, 30, 252-260.	0.6	37
51	Association Between Immune-Related Adverse Events and Recurrence-Free Survival Among Patients With Stage III Melanoma Randomized to Receive Pembrolizumab or Placebo. <i>JAMA Oncology</i> , 2020, 6, 519.	3.4	287
52	Modulating the wayward T cell: New horizons with immune checkpoint inhibitor treatments in autoimmunity, transplant, and cancer. <i>Journal of Autoimmunity</i> , 2020, 115, 102546.	3.0	13
53	ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , 2020, 31, 1435-1448.	0.6	132
54	Preoperative ipilimumab plus nivolumab in locoregionally advanced urothelial cancer: the NABUCCO trial. <i>Nature Medicine</i> , 2020, 26, 1839-1844.	15.2	245

#	ARTICLE	IF	CITATIONS
55	Comprehensive analysis of cutaneous and uveal melanoma liver metastases. , 2020, 8, e001501.		40
56	Lower risk of severe checkpoint inhibitor toxicity in more advanced disease. ESMO Open, 2020, 5, e000945.	2.0	14
57	Reversal of pre-existing NGFR-driven tumor and immune therapy resistance. Nature Communications, 2020, 11, 3946.	5.8	71
58	Tumor infiltrating lymphocytes (TIL) therapy in metastatic melanoma: boosting of neoantigen-specific T cell reactivity and long-term follow-up. , 2020, 8, e000848.		79
59	ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. Annals of Oncology, 2020, 31, 1449-1461.	0.6	69
60	Rationalizing the pathway to personalized neoadjuvant immunotherapy: the Lombard Street Approach. , 2020, 8, e001352.		12
61	Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. Journal of Clinical Oncology, 2020, 38, 3925-3936.	0.8	192
62	Management of early melanoma recurrence despite adjuvant anti-PD-1 antibody therapy. Annals of Oncology, 2020, 31, 1075-1082.	0.6	62
63	The human tumor microbiome is composed of tumor type-specific intracellular bacteria. Science, 2020, 368, 973-980.	6.0	1,077
64	B cells and tertiary lymphoid structures promote immunotherapy response. Nature, 2020, 577, 549-555.	13.7	1,421
65	Learning from clinical trials of neoadjuvant checkpoint blockade. Nature Medicine, 2020, 26, 475-484.	15.2	107
66	Association of Anti-TNF with Decreased Survival in Steroid Refractory Ipilimumab and Anti-PD1-Treated Patients in the Dutch Melanoma Treatment Registry. Clinical Cancer Research, 2020, 26, 2268-2274.	3.2	112
67	Pembrolizumab versus placebo after complete resection of high-risk stage III melanoma: New recurrence-free survival results from the EORTC 1325-MG/Keynote 054 double-blinded phase III trial at three-year median follow-up.. Journal of Clinical Oncology, 2020, 38, 10000-10000.	0.8	21
68	First safety and efficacy results of PRADO: A phase II study of personalized response-driven surgery and adjuvant therapy after neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in resectable stage III melanoma.. Journal of Clinical Oncology, 2020, 38, 10002-10002.	0.8	57
69	Ipilimumab (IPI) alone or in combination with anti-PD-1 (IPI+PD1) in patients (pts) with metastatic melanoma (MM) resistant to PD1 monotherapy.. Journal of Clinical Oncology, 2020, 38, 10005-10005.	0.8	26
70	Twenty-four months RFS and updated toxicity data from OpACIN-neo: A study to identify the optimal dosing schedule of neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in stage III melanoma.. Journal of Clinical Oncology, 2020, 38, 10015-10015.	0.8	18
71	Personalized combination of neoadjuvant domatinostat, nivolumab and ipilimumab in macroscopic stage III melanoma patients stratified according to the interferon-gamma signature: The DONIMI study.. Journal of Clinical Oncology, 2020, 38, TPS10087-TPS10087.	0.8	9
72	Prognostic and predictive role of the tumor immune landscape. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2020, 64, 143-151.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Human papillomavirus-negative epithelial proliferations resembling condylomata acuminata in a patient receiving vemurafenib for Stage IV melanoma. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 170.	0.3	0
74	Acrocyanosis after neoadjuvant ipilimumab plus nivolumab: a case report. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1031-1032.	0.4	2
75	Augmenting Immunotherapy Impact by Lowering Tumor TNF Cytotoxicity Threshold. <i>Cell</i> , 2019, 178, 585-599.e15.	13.5	162
76	Pembrolizumab versus ipilimumab in advanced melanoma (KEYNOTE-006): post-hoc 5-year results from an open-label, multicentre, randomised, controlled, phase 3 study. <i>Lancet Oncology</i> , The, 2019, 20, 1239-1251.	5.1	812
77	Metastatic Uveal Melanoma: Treatment Strategies and Survival—Results from the Dutch Melanoma Treatment Registry. <i>Cancers</i> , 2019, 11, 1007.	1.7	22
78	A user's perspective on GeoMx™ digital spatial profiling. <i>Immuno-Oncology Technology</i> , 2019, 1, 11-18.	0.2	38
79	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. <i>Lancet Oncology</i> , The, 2019, 20, e378-e389.	5.1	155
80	Susceptible loci associated with autoimmune disease as potential biomarkers for checkpoint inhibitor-induced immune-related adverse events. <i>ESMO Open</i> , 2019, 4, e000472.	2.0	26
81	Restricting Glycolysis Preserves T Cell Effector Functions and Augments Checkpoint Therapy. <i>Cell Reports</i> , 2019, 29, 135-150.e9.	2.9	189
82	Defining “T cell exhaustion”™. <i>Nature Reviews Immunology</i> , 2019, 19, 665-674.	10.6	879
83	Surgical Safety of Cytoreductive Nephrectomy Following Sunitinib: Results from the Multicentre, Randomised Controlled Trial of Immediate Versus Deferred Nephrectomy (SURTIME). <i>European Urology</i> , 2019, 76, 437-440.	0.9	29
84	Combining checkpoint inhibition and targeted therapy in melanoma. <i>Nature Medicine</i> , 2019, 25, 879-882.	15.2	15
85	Identification of the optimal combination dosing schedule of neoadjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma (OpACIN-neo): a multicentre, phase 2, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2019, 20, 948-960.	5.1	346
86	Long-Term Survival, Quality of Life, and Psychosocial Outcomes in Advanced Melanoma Patients Treated with Immune Checkpoint Inhibitors. <i>Journal of Oncology</i> , 2019, 2019, 1-17.	0.6	55
87	Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. <i>European Journal of Cancer</i> , 2019, 116, 148-157.	1.3	64
88	Biomarker results from a phase II study of MEK1/2 inhibitor binimetinib (MEK162) in patients with advanced <i>NRAS</i> - or <i>BRAF</i> -mutated melanoma. <i>Oncotarget</i> , 2019, 10, 1850-1859.	0.8	16
89	Immune induction strategies in metastatic triple-negative breast cancer to enhance the sensitivity to PD-1 blockade: the TONIC trial. <i>Nature Medicine</i> , 2019, 25, 920-928.	15.2	589
90	The Promise of Neoadjuvant Immunotherapy and Surgery for Cancer Treatment. <i>Clinical Cancer Research</i> , 2019, 25, 5743-5751.	3.2	129

#	ARTICLE	IF	CITATIONS
91	Predicting response to cancer immunotherapy using noninvasive radiomic biomarkers. <i>Annals of Oncology</i> , 2019, 30, 998-1004.	0.6	361
92	Surgical removal of the index node marked using magnetic seed localization to assess response to neoadjuvant immunotherapy in patients with stage III melanoma. <i>British Journal of Surgery</i> , 2019, 106, 519-522.	0.1	35
93	A large pooled analysis refines gene expression-based molecular subclasses in cutaneous melanoma. <i>Oncolmmunology</i> , 2019, 8, 1558664.	2.1	0
94	Discontinuation of anti-PD-1 antibody therapy in the absence of disease progression or treatment limiting toxicity: clinical outcomes in advanced melanoma. <i>Annals of Oncology</i> , 2019, 30, 1154-1161.	0.6	170
95	Integrative molecular and clinical modeling of clinical outcomes to PD1 blockade in patients with metastatic melanoma. <i>Nature Medicine</i> , 2019, 25, 1916-1927.	15.2	541
96	Dysfunctional CD8 T Cells Form a Proliferative, Dynamically Regulated Compartment within Human Melanoma. <i>Cell</i> , 2019, 176, 775-789.e18.	13.5	760
97	Batf3 ^{hi} DCs and type I IFN are critical for the efficacy of neoadjuvant cancer immunotherapy. <i>Oncolmmunology</i> , 2019, 8, e1546068.	2.1	42
98	Comparison of Immediate vs Deferred Cytoreductive Nephrectomy in Patients With Synchronous Metastatic Renal Cell Carcinoma Receiving Sunitinib. <i>JAMA Oncology</i> , 2019, 5, 164.	3.4	329
99	The Cancer Immunogram as a Framework for Personalized Immunotherapy in Urothelial Cancer. <i>European Urology</i> , 2019, 75, 435-444.	0.9	97
100	Pathological response and survival with neoadjuvant therapy in melanoma: A pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC).. <i>Journal of Clinical Oncology</i> , 2019, 37, 9503-9503.	0.8	34
101	Personalized response-driven adjuvant therapy after combination ipilimumab and nivolumab in high-risk resectable stage III melanoma: PRADO trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS9605-TPS9605.	0.8	16
102	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. <i>New England Journal of Medicine</i> , 2018, 378, 1789-1801.	13.9	1,441
103	Immune checkpoint inhibition-related colitis: symptoms, endoscopic features, histology and response to management. <i>ESMO Open</i> , 2018, 3, e000278.	2.0	197
104	Clinical and radiological response of BRAF inhibition and MEK inhibition in patients with brain metastases from BRAF-mutated melanoma. <i>Melanoma Research</i> , 2018, 28, 126-133.	0.6	31
105	Cooperative targeting of melanoma heterogeneity with an AXL antibody-drug conjugate and BRAF/MEK inhibitors. <i>Nature Medicine</i> , 2018, 24, 203-212.	15.2	178
106	Advanced Melanoma: Current Treatment Options, Biomarkers, and Future Perspectives. <i>American Journal of Clinical Dermatology</i> , 2018, 19, 303-317.	3.3	78
107	Neoadjuvant versus adjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma. <i>Nature Medicine</i> , 2018, 24, 1655-1661.	15.2	599
108	Targeting tumor-associated acidity in cancer immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 1331-1348.	2.0	55

#	ARTICLE	IF	CITATIONS
109	Pathological assessment of resection specimens after neoadjuvant therapy for metastatic melanoma. <i>Annals of Oncology</i> , 2018, 29, 1861-1868.	0.6	135
110	4-year survival and outcomes after cessation of pembrolizumab (pembro) after 2-years in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in KEYNOTE-006.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9503-9503.	0.8	71
111	Open-label, multicentre safety study of vemurafenib in 3219 patients with BRAF V600 mutation-positive metastatic melanoma: 2-year follow-up data and long-term responders' analysis. <i>European Journal of Cancer</i> , 2017, 79, 176-184.	1.3	31
112	Anti-PD1 treatment in metastatic uveal melanoma in the Netherlands. <i>Acta Oncologica</i> , 2017, 56, 101-103.	0.8	39
113	Cancer drug addiction is relayed by an ERK2-dependent phenotype switch. <i>Nature</i> , 2017, 550, 270-274.	13.7	138
114	Short-term CTLA-4 blockade directly followed by PD-1 blockade in advanced melanoma patients: a single-center experience. <i>Annals of Oncology</i> , 2017, 28, 862-867.	0.6	13
115	Observation After Cytoreductive Nephrectomy in Patients With Synchronous Not Completely Resected Metastases of Renal Cell Carcinoma. <i>Urology</i> , 2017, 109, 127-133.	0.5	8
116	Identification of CMTM6 and CMTM4 as PD-L1 protein regulators. <i>Nature</i> , 2017, 549, 106-110.	13.7	501
117	Long-term outcomes in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in the phase 3 KEYNOTE-006 study who completed pembrolizumab (pembro) treatment.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9504-9504.	0.8	53
118	Real life outcome of advanced melanoma patients who discontinue pembrolizumab (PEMBRO) in the absence of disease progression.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9539-9539.	0.8	4
119	Neoadjuvant ipilimumab + nivolumab (IPI+NIVO) in palpable stage III melanoma: Updated data from the OpACIN trial and first immunological analyses.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9586-9586.	0.8	23
120	Dermal Delivery of Constructs Encoding Cre Recombinase to Induce Skin Tumors in PtenLoxP/LoxP;BrafCA/+ Mice. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2149.	1.8	2
121	Proportions of blood-borne V γ 1+ and V γ 2+ T-cells are associated with overall survival of melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , 2016, 64, 116-126.	1.3	54
122	Systematic review of the use of granulocyte-macrophage colony-stimulating factor in patients with advanced melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 1015-1034.	2.0	49
123	BRAF V600E Kinase Domain Duplication Identified in Therapy-Refractory Melanoma Patient-Derived Xenografts. <i>Cell Reports</i> , 2016, 16, 263-277.	2.9	61
124	Biomarkers for outcome upon MAPK inhibition in melanoma. <i>Lancet Oncology</i> , The, 2016, 17, 1634-1636.	5.1	0
125	Concomitant targeting of programmed death-1 (PD-1) and CD137 improves the efficacy of radiotherapy in a mouse model of human BRAFV600-mutant melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 753-763.	2.0	32
126	The cancer immunogram. <i>Science</i> , 2016, 352, 658-660.	6.0	655

#	ARTICLE	IF	CITATIONS
127	Targeting the MAPK and PI3K pathways in combination with PD1 blockade in melanoma. <i>Oncolmmunology</i> , 2016, 5, e1238557.	2.1	113
128	Targeted treatment and immunotherapy in leptomenigeal metastases from melanoma. <i>Annals of Oncology</i> , 2016, 27, 1138-1142.	0.6	68
129	Effective Clinical Responses in Metastatic Melanoma Patients after Vaccination with Primary Myeloid Dendritic Cells. <i>Clinical Cancer Research</i> , 2016, 22, 2155-2166.	3.2	211
130	Intra- and inter-tumor heterogeneity in a vemurafenib-resistant melanoma patient and derived xenografts. <i>EMBO Molecular Medicine</i> , 2015, 7, 1104-1118.	3.3	129
131	Vemurafenib for BRAF V600 mutated advanced melanoma: Results of treatment beyond progression. <i>European Journal of Cancer</i> , 2015, 51, 642-652.	1.3	30
132	Sunitinib pretreatment improves tumor-infiltrating lymphocyte expansion by reduction in intratumoral content of myeloid-derived suppressor cells in human renal cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1241-1250.	2.0	98
133	Pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory melanoma (KEYNOTE-002): a randomised, controlled, phase 2 trial. <i>Lancet Oncology, The</i> , 2015, 16, 908-918.	5.1	1,419
134	Pembrolizumab versus Ipilimumab in Advanced Melanoma. <i>New England Journal of Medicine</i> , 2015, 372, 2521-2532.	13.9	4,838
135	Toxicity Patterns With Immunomodulating Antibodies and Their Combinations. <i>Seminars in Oncology</i> , 2015, 42, 423-428.	0.8	55
136	Case Report of a Fatal Serious Adverse Event Upon Administration of T Cells Transduced With a MART-1-specific T-cell Receptor. <i>Molecular Therapy</i> , 2015, 23, 1541-1550.	3.7	93
137	Therapeutic use of anti-CTLA-4 antibodies. <i>International Immunology</i> , 2015, 27, 3-10.	1.8	96
138	The perspective of immunotherapy. <i>Current Opinion in Oncology</i> , 2014, 26, 204-214.	1.1	64
139	Interferon-induced programmed death-ligand 1 (<sc>PD</sc>-L1/<sc>B7</sc>-H1) expression increases on human acute myeloid leukemia blast cells during treatment. <i>European Journal of Haematology</i> , 2014, 92, 195-203.	1.1	92
140	Lactate dehydrogenase as a selection criterion for ipilimumab treatment in metastatic melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 449-58.	2.0	253
141	Vemurafenib in patients with BRAFV600 mutated metastatic melanoma: an open-label, multicentre, safety study. <i>Lancet Oncology, The</i> , 2014, 15, 436-444.	5.1	242
142	Mimicking homeostatic proliferation in vitro generates T cells with high anti-tumor function in non-lymphopenic hosts. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 503-515.	2.0	10
143	High-throughput identification of antigen-specific TCRs by TCR gene capture. <i>Nature Medicine</i> , 2013, 19, 1534-1541.	15.2	166
144	The effect of seasonal variation and secretion of sunitinib in sweat on the development of hand-foot syndrome. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 2065-2072.	0.8	7

#	ARTICLE	IF	CITATIONS
145	Ipilimumab in pretreated metastatic uveal melanoma patients. Results of the Dutch Working group on Immunotherapy of Oncology (WIN-O). <i>Acta Oncologica</i> , 2013, 52, 1786-1788.	0.8	67
146	MEK162 for patients with advanced melanoma harbouring NRAS or Val600 BRAF mutations: a non-randomised, open-label phase 2 study. <i>Lancet Oncology</i> , The, 2013, 14, 249-256.	5.1	587
147	Neurological immune-related adverse events of ipilimumab. <i>Practical Neurology</i> , 2013, 13, 278-280.	0.5	120
148	Detection of Early Onset of Hypophysitis by 18F-FDG PET-CT in a Patient With Advanced Stage Melanoma Treated With Ipilimumab. <i>Clinical Nuclear Medicine</i> , 2013, 38, e182-e184.	0.7	38
149	Synchronous BRAFV600E and MEK inhibition leads to superior control of murine melanoma by limiting MEK inhibitor induced skin toxicity. <i>OncoTargets and Therapy</i> , 2013, 6, 1649.	1.0	11
150	Ipilimumab-Induced Sarcoidosis in a Patient With Metastatic Melanoma Undergoing Complete Remission. <i>Journal of Clinical Oncology</i> , 2012, 30, e7-e10.	0.8	119
151	Selective BRAF inhibition decreases tumor-resident lymphocyte frequencies in a mouse model of human melanoma. <i>Onc Immunology</i> , 2012, 1, 609-617.	2.1	67
152	Dabrafenib in BRAF-mutated metastatic melanoma: a multicentre, open-label, phase 3 randomised controlled trial. <i>Lancet</i> , The, 2012, 380, 358-365.	6.3	2,691
153	Clinical and radiological response of leptomeningeal melanoma after whole brain radiotherapy and ipilimumab. <i>Journal of Neurology</i> , 2012, 259, 1976-1978.	1.8	59
154	Targeting BRAF in an Inducible Murine Model of Melanoma. <i>American Journal of Pathology</i> , 2012, 181, 785-794.	1.9	58
155	Reduced tumor antigen density leads to PD-1/PD-L1-mediated impairment of partially exhausted CD8 ⁺ T cells. <i>European Journal of Immunology</i> , 2012, 42, 662-671.	1.6	17
156	Immunological Heterogeneity of the RCC Microenvironment: Do Targeted Therapies Influence Immune Response?. <i>Current Oncology Reports</i> , 2012, 14, 230-239.	1.8	11
157	Combination of targeted therapy and immunotherapy in melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1359-1371.	2.0	40
158	Non-Clear Cell Renal Cell Carcinoma: How New Biological Insight May Lead to New Therapeutic Modalities. <i>Current Oncology Reports</i> , 2011, 13, 240-248.	1.8	14
159	Overall survival and PD-L1 expression in metastasized malignant melanoma. <i>Cancer</i> , 2011, 117, 2192-2201.	2.0	204
160	Determination of Sunitinib and Its Active Metabolite N-Desethylsunitinib in Sweat of a Patient. <i>Journal of Analytical Toxicology</i> , 2011, 35, 558-565.	1.7	33
161	RNA interference targeting programmed death receptor-1 improves immune functions of tumor-specific T cells. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 1173-1183.	2.0	47
162	Nodal as a biomarker for melanoma progression and a new therapeutic target for clinical intervention. <i>Expert Review of Dermatology</i> , 2009, 4, 67-78.	0.3	61

#	ARTICLE	IF	CITATIONS
163	Homeostatic proliferation of na ⁺ ve CD8 ⁺ T cells depends on CD62L/L ⁺ selectin ⁺ mediated homing to peripheral LN. European Journal of Immunology, 2009, 39, 2981-2990.	1.6	16