

Wilbert S Aronow

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6197998/wilbert-s-aronow-publications-by-year.pdf>

Version: 2023-02-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

622
papers

19,483
citations

62
h-index

117
g-index

1,476
ext. papers

22,622
ext. citations

4.4
avg, IF

7
L-index

#	Paper	IF	Citations
622	Prevalence of comorbidities and symptoms stratified by severity of illness amongst adult patients with COVID-19: a systematic review.. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2022 , 7, e5-e23	9.9	0
621	Growing role of SGLT2i in heart failure: evidence from clinical trials.. <i>Expert Review of Clinical Pharmacology</i> , 2022 ,	3.7	1
620	Recent Advances and Future Prospects of Treatment of Pulmonary Hypertension.. <i>Current Problems in Cardiology</i> , 2022 , 101236	16.5	
619	Impact of pulmonary hypertension in patients with hypertrophic cardiomyopathy presented with cardiogenic shock/acute decompensated heart failure.. <i>Current Problems in Cardiology</i> , 2022 , 47, 101251	16.5	0
618	Bempedoic acid and its role in contemporary management of hyperlipidemia in atherosclerosis.. <i>Annals of Medicine</i> , 2022 , 54, 1287-1296	1.4	1
617	Obstructive sleep apnoea and cardiovascular disease: a literature review. <i>Archives of Medical Science</i> , 2021 , 17, 1200-1212	2.7	0
616	Epidemiology and Clinical Outcomes of Patients With Inflammatory Bowel Disease Presenting With Acute Coronary Syndrome. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1017-1025	2.8	1
615	Anticoagulation in Pulmonary Arterial Hypertension: Do We Know the Answer?. <i>Current Problems in Cardiology</i> , 2021 , 46, 100738	16.5	3
614	Acute myocardial infarction in the young with diabetes mellitus- national inpatient sample study with sex-based difference in outcomes. <i>International Journal of Cardiology</i> , 2021 , 326, 35-41	3	1
613	Challenges of Shared Decision Making in Older Patients with COVID-19. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 605-606	5.4	1
612	Perioperative pharmacotherapy to prevent cardiac complications in patients undergoing noncardiac surgery. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 755-767	3.9	2
611	Association of Smokeless Tobacco Use With the Use of Other Illicit Drugs in the United States. <i>American Journal of Medicine</i> , 2021 , 134, e15-e19	2.3	1
610	A review of diagnosis, etiology, assessment, and management of patients with myocardial infarction in the absence of obstructive coronary artery disease. <i>Hospital Practice (1995)</i> , 2021 , 49, 12-21	2.1	1
609	Trends of Cardiac Complications in Patients With Rheumatoid Arthritis: Analysis of the United States National Inpatient Sample; 2005-2014. <i>Current Problems in Cardiology</i> , 2021 , 46, 100455	16.5	11
608	The effect of cardiac geometry variation according to sex and race on outcomes in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2021 , 6, e152-e159	0.9	
607	Evidence-based management of arrhythmogenic right ventricular cardiomyopathy in pregnancy. <i>Future Cardiology</i> , 2021 , 17, 693-703	1.2	1
606	COVID-19, cardiovascular diseases and cardiac troponins. <i>Future Cardiology</i> , 2021 ,	1.2	1

605	Eccentric hypertrophy predicts adverse events in patients undergoing percutaneous coronary intervention for acute coronary syndrome. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2021 , 6, e21-e27	0.9	2
604	Pharmacotherapeutic principles of fluid management in heart failure. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 595-610	3.9	0
603	State-Level Temporal Trends in Smokeless Tobacco and Cigarette Use Among U.S. Adults. <i>American Journal of Cardiology</i> , 2021 , 142, 145-147	2.9	
602	Brugada syndrome clinical update. <i>Hospital Practice (1995)</i> , 2021 , 49, 255-261	2.1	
601	Continuing cancer care delivery during the peak of COVID-19 in the Bronx, New York: experience from a public teaching hospital. <i>Archives of Medical Science</i> , 2021 , 17, 1109-1113	2.7	
600	Temporal Trends in Characteristics and Outcomes Associated With In-Hospital Cardiac Arrest: A 20-Year Analysis (1999-2018). <i>Journal of the American Heart Association</i> , 2021 , 10, e021572	5.7	0
599	Anticoagulation in COVID-19: a review of current literature and guidelines. <i>Hospital Practice (1995)</i> , 2021 , 1-18	2.1	2
598	Statins and Higher Diabetes Mellitus Risk: Incidence, Proposed Mechanisms, and Clinical Implications. <i>Cardiology in Review</i> , 2021 , 29, 314-322	3.1	2
597	Primary and Secondary Prevention Strategies for Gastrointestinal Bleeding in Patients with Left Ventricular Assist Device: A Systematic Review and Network Meta-analysis. <i>Current Problems in Cardiology</i> , 2021 , 46, 100835	16.5	0
596	Stress (Takotsubo) Cardiomyopathy: A Review of Its Pathophysiology, Manifestations, and Factors That Affect Prognosis. <i>Cardiology in Review</i> , 2021 , 29, 205-209	3.1	1
595	Approaches for the Management of Resistant Hypertension in 2020. <i>Current Hypertension Reports</i> , 2020 , 22, 3	4.5	8
594	Treatment of Mild Aortic Stenosis With Statins. <i>American Journal of Cardiology</i> , 2020 , 125, 832-833	2.9	
593	Immune Checkpoint Inhibitors-Related Cardiotoxicity. <i>American Journal of Therapeutics</i> , 2020 , 27, e591-e598	4.9	7
592	Acute myocardial infarction in the young - National Trend Analysis with gender-based difference in outcomes. <i>International Journal of Cardiology</i> , 2020 , 301, 21-28	3	10
591	Cardiovascular Outcomes With the Use of Sodium-Glucose Cotransporter-2 Inhibitors in Patients With Type 2 Diabetes and Chronic Kidney Disease: An Updated Meta-Analysis of Randomized Controlled Trials. <i>Cardiology in Review</i> , 2020 , 28, 116-124	3.1	9
590	Severe Hypoglycemia and Risk of Subsequent Cardiovascular Events: Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Cardiology in Review</i> , 2020 , 28, 244-249	3.1	3
589	Sudden Cardiac Death in Brugada Syndrome. <i>Cardiology in Review</i> , 2020 , 28, 203-207	3.1	4
588	Advances in the Pharmacogenomics of Antiplatelet Therapy. <i>American Journal of Therapeutics</i> , 2020 , 27, e477-e484	0.9	3

587	Paralytic ileus in the United States: A cross-sectional study from the national inpatient sample. <i>SAGE Open Medicine</i> , 2020 , 8, 2050312120962636	2.3	1
586	Trends and outcomes of peptic ulcer disease in patients with cirrhosis. <i>Postgraduate Medicine</i> , 2020 , 132, 773-780	3.6	2
585	Cardiovascular Safety and Benefits of Noninsulin Antihyperglycemic Drugs for the Treatment of Type 2 Diabetes Mellitus: Part 2. <i>Cardiology in Review</i> , 2020 , 28, 219-235	3.1	5
584	Management of Thrombotic Complications in COVID-19: An Update. <i>Drugs</i> , 2020 , 80, 1553-1562	11.6	24
583	Impact of Sacubitril/Valsartan on Patient Outcomes in Heart Failure: Evidence to Date. <i>Therapeutics and Clinical Risk Management</i> , 2020 , 16, 681-688	2.8	5
582	Should elevated blood pressure be treated with antihypertensive drug therapy?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1635-1637	2.3	1
581	Managing Hypertension in the elderly: What's new?. <i>American Journal of Preventive Cardiology</i> , 2020 , 1, 100001	1.4	1
580	Role for risk factor treatment in the management of atrial fibrillation. <i>Hospital Practice (1995)</i> , 2020 , 48, 180-187	2.1	0
579	The relationship between atypical antipsychotics drugs, QT interval prolongation, and torsades de pointes: implications for clinical use. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 559-564	4	2
578	Wellens' syndrome: a rare presentation after an endoscopic retrograde cholangiopancreatography. <i>Future Cardiology</i> , 2020 , 16, 625-628	1.2	
577	Managing the elderly patient with hypertension: current strategies, challenges, and considerations. <i>Expert Review of Cardiovascular Therapy</i> , 2020 , 18, 117-125	2.4	1
576	Heightened risk of cardiac events following percutaneous coronary intervention for cocaine-associated myocardial infarction. <i>Archives of Medical Science</i> , 2020 , 16, 66-70	2.7	3
575	Current pharmacotherapeutic strategies for cardiac arrhythmias in heart failure. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 339-352	3.9	1
574	Precision medicine in cardiac electrophysiology: where we are and where we need to go. <i>Expert Review of Precision Medicine and Drug Development</i> , 2020 , 5, 165-180	1.5	
573	Impact of weight on the efficacy and safety of direct-acting oral anticoagulants in patients with non-valvular atrial fibrillation: a meta-analysis. <i>Europace</i> , 2020 , 22, 361-367	3.8	10
572	Impact of bedtime dosing of antihypertensives compared to morning therapy: A meta-analysis of randomised controlled trials. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320903611	3.8	15
571	Orthostatic Hypotension 2020 , 1-8		
570	Cardiac Disease in Older Adults 2020 , 229-249		

569 Cardiovascular Comorbidities in the Elderly Undergoing Surgery **2020**, 45-65

568 The left ventricular ejection fraction: new insights into an old parameter. *Hospital Practice (1995)*, **2019**, 47, 221-230 2.1 2

567 Statins and the potential for higher diabetes mellitus risk. *Expert Review of Clinical Pharmacology*, **2019**, 12, 825-830 3.7 16

566 Modifiable Risk Factors in Young Adults With First Myocardial Infarction. *Journal of the American College of Cardiology*, **2019**, 73, 573-584 4.6 51

565 Systolic Blood Pressure and Outcomes in Patients With Heart Failure With Reduced Ejection Fraction. *Journal of the American College of Cardiology*, **2019**, 73, 3054-3063 4.6 21

564 Oral anticoagulants in atrial fibrillation with valvular heart disease and bioprosthetic heart valves. *Heart*, **2019**, 105, 1432-1436 4.9 18

563 Clozapine-Associated Myocarditis: Is It Time to Start Monitoring?. *American Journal of Therapeutics*, **2019**, 26, e666-e667 0.9 2

562 Benefit-risk review of different drug classes used in chronic heart failure. *Expert Opinion on Drug Safety*, **2019**, 18, 37-49 4 5

561 Comparative Effectiveness and Safety of Rivaroxaban in Adults With Nonvalvular Atrial Fibrillation. *American Journal of Therapeutics*, **2019**, 26, e679-e703 0.9 3

560 Efficacy of Sacubitril/Valsartan in Hypertension. *American Journal of Therapeutics*, **2019**, 0.9 8

559 Investigational drugs for the treatment of acute myocardial infarction: focus on antiplatelet and anticoagulant agents. *Expert Opinion on Investigational Drugs*, **2019**, 28, 223-234 5.7 5

558 Drug Therapy of Dyslipidemia in the Elderly. *Drugs and Aging*, **2019**, 36, 321-340 4.5 13

557 Pulmonary hypertension in left heart disease. *Archives of Medical Science*, **2019**, 15, 262-273 2.7 10

556 Cardiotoxicity of cancer chemotherapy in clinical practice. *Hospital Practice (1995)*, **2019**, 47, 6-15 2.1 9

555 Starvation Ketoacidosis due to the Ketogenic Diet and Prolonged Fasting - A Possibly Dangerous Diet Trend. *American Journal of Case Reports*, **2019**, 20, 1728-1731 1.2 11

554 Can the echocardiographic LV mass equation reliably demonstrate stable LV mass following acute change in LV load?. *Annals of Translational Medicine*, **2019**, 7, 3 3.1 4

553 Implications of the New 2017 American College of Cardiology/American Heart Association Guidelines for Hypertension. *Minerva Cardioangiologica*, **2019**, 67, 399-410 1.1 5

552 Sputum culture for the diagnosis of tuberculous pleural effusion: analysis of absolute and incremental yields. *Advances in Respiratory Medicine*, **2019**, 87, 281-288 0.8 4

551	Variant Angina and Aborted Sudden Cardiac Death. <i>Current Cardiology Reports</i> , 2018 , 20, 26	4	10
550	Interventional therapies for relief of obstruction in hypertrophic cardiomyopathy: discussion and proposed clinical algorithm. <i>Hospital Practice (1995)</i> , 2018 , 46, 58-63	2.1	1
549	Oral Anticoagulation for Primary Prophylaxis of Venous Thromboembolism in Patients with Cancer. <i>American Journal of Medicine</i> , 2018 , 131, 902-907	2.3	
548	Digoxin use and lower risk of 30-day all-cause readmission in older patients with heart failure and reduced ejection fraction receiving β blockers. <i>Clinical Cardiology</i> , 2018 , 41, 406-412	3.2	8
547	Implications of the New National Guidelines for Hypertension. <i>Cardiology in Review</i> , 2018 , 26, 55-61	3.1	3
546	Systolic Blood Pressure and Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. <i>JAMA Cardiology</i> , 2018 , 3, 288-297	15.8	49
545	Contemporary Sex-Based Differences by Age in Presenting Characteristics, Use of an Early Invasive Strategy, and In-hospital Mortality in Patients With Non-ST-Segment-Elevation Myocardial Infarction in the United States. <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e005735	5.8	34
544	Dietary Sodium Interventions to Prevent Hospitalization and Readmission in Adults with Congestive Heart Failure. <i>American Journal of Medicine</i> , 2018 , 131, 365-370.e1	2.3	2
543	Drug treatment of hypertension in older patients with diabetes mellitus. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 633-642	3.9	2
542	Contemporary Drug Treatment of Hypertension: Focus on Recent Guidelines. <i>Drugs</i> , 2018 , 78, 567-576	11.6	6
541	Cardiovascular Abnormalities in Carbon Monoxide Poisoning. <i>American Journal of Therapeutics</i> , 2018 , 25, e339-e348	0.9	28
540	Relationship of Hospital Teaching Status with In-Hospital Outcomes for ST-Segment Elevation Myocardial Infarction. <i>American Journal of Medicine</i> , 2018 , 131, 260-268.e1	2.3	1
539	Pharmacological management of hypertension in the elderly and frail populations. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 805-817	3.7	3
538	Newer hormonal pharmacotherapies for heart failure. <i>Expert Review of Endocrinology and Metabolism</i> , 2018 , 13, 35-49	3.9	1
537	Pharmacological and non-pharmacological treatment of obstructive hypertrophic cardiomyopathy. <i>Expert Review of Cardiovascular Therapy</i> , 2018 , 16, 21-26	2.4	
536	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2018 , 138, e116-e185	4.6	476
535	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2018 , 138, e127-e184	4.6	2186
534	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Hypertension</i> , 2018 , 71, e13-e115	8	1613

533	Effects of atypical antipsychotic drugs on QT interval in patients with mental disorders. <i>Annals of Translational Medicine</i> , 2018 , 6, 147	3.1	33
532	Blood pressure targets for hypertension in patients with type 2 diabetes. <i>Annals of Translational Medicine</i> , 2018 , 6, 199	3.1	5
531	Downhill esophageal varices: a therapeutic dilemma. <i>Annals of Translational Medicine</i> , 2018 , 6, 463	3.1	6
530	Sacubitril/valsartan in cardiovascular disease: evidence to date and place in therapy. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2018 , 12, 217-231	3.3	13
529	Cardiac Disease in Older Adults 2018 , 1-21		
528	Correlation between electrocardiographic changes and coronary findings in patients with acute myocardial infarction and single-vessel disease. <i>Annals of Translational Medicine</i> , 2017 , 5, 347	3.1	6
527	Benefits and Harms of Sacubitril in Adults With Heart Failure and Reduced Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2017 , 120, 1166-1170	2.9	6
526	Cardiovascular benefits and safety of non-insulin medications used in the treatment of type 2 diabetes mellitus. <i>Postgraduate Medicine</i> , 2017 , 129, 811-821	3.6	32
525	Managing Hypertension in the Elderly: What is Different, What is the Same?. <i>Current Hypertension Reports</i> , 2017 , 19, 67	4.5	5
524	Echocardiography in the Evaluation of Pulmonary Embolism. <i>Cardiology in Review</i> , 2017 , 25, 309-314	3.1	4
523	Pulmonary sarcoidosis: an update. <i>Postgraduate Medicine</i> , 2017 , 129, 149-158	3.6	25
522	Lack of evidence of lower 30-day all-cause readmission in Medicare beneficiaries with heart failure and reduced ejection fraction discharged on spironolactone. <i>International Journal of Cardiology</i> , 2017 , 227, 462-466	3	13
521	Long-term cardiovascular mortality after radiotherapy for breast cancer: A systematic review and meta-analysis. <i>Clinical Cardiology</i> , 2017 , 40, 73-81	3.2	47
520	The evolution of natriuretic peptide augmentation in management of heart failure and the role of sacubitril/valsartan. <i>Archives of Medical Science</i> , 2017 , 13, 1207-1216	2.7	18
519	Lifestyle measures for treating hypertension. <i>Archives of Medical Science</i> , 2017 , 13, 1241-1243	2.7	17
518	Treatment of Hypercholesterolemia in 2015. <i>American Journal of Therapeutics</i> , 2017 , 24, e121-e129	0.9	2
517	Management and Outcomes of ST-Segment Elevation Myocardial Infarction in US Renal Transplant Recipients. <i>JAMA Cardiology</i> , 2017 , 2, 250-258	15.8	14
516	Are two drugs better than one? A review of combination therapies for hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 377-386	3.9	14

515	Association of Obesity With In-Hospital Mortality of Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017 , 119, 1548-1554	2.9	14
514	Advances in chemical pharmacotherapy for managing acute decompensated heart failure. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 471-485	3.9	3
513	Limitations of Sacubitril/Valsartan in the Management of Heart Failure. <i>American Journal of Therapeutics</i> , 2017 , 24, e234-e239	0.9	18
512	Association Between Hospital Volume and 30-Day Readmissions Following Transcatheter Aortic Valve Replacement. <i>JAMA Cardiology</i> , 2017 , 2, 732-741	15.8	56
511	The Role of Positive Inotropic Drugs in the Treatment of Older Adults with Heart Failure and Reduced Ejection Fraction. <i>Heart Failure Clinics</i> , 2017 , 13, 527-534	3.2	1
510	Treatment of Ventricular Arrhythmias and Use of Implantable Cardioverter-Defibrillators to Improve Survival in Older Adult Patients with Cardiac Disease. <i>Heart Failure Clinics</i> , 2017 , 13, 589-605	3.2	2
509	Digoxin and 30-Day All-Cause Readmission in Long-Term Care Residents Hospitalized for Heart Failure. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 761-765	4.7	4
508	Mechanical ventilation in the acute respiratory distress syndrome. <i>Hospital Practice (1995)</i> , 2017 , 45, 88-98	2.1	5
507	Heart Failure Complicating Acute Myocardial Infarction. <i>Heart Failure Clinics</i> , 2017 , 13, 513-525	3.2	3
506	Managing Hypertension in the Elderly: What is Different, What is the Same?. <i>Current Cardiovascular Risk Reports</i> , 2017 , 11, 1	0.9	1
505	Treatment of Heart Failure with Abnormal Left Ventricular Systolic Function in Older Adults. <i>Heart Failure Clinics</i> , 2017 , 13, 467-483	3.2	2
504	Left Ventricular Assist Device in Older Adults. <i>Heart Failure Clinics</i> , 2017 , 13, 619-632	3.2	2
503	Cardiac Complications of Cancer Therapy: Pathophysiology, Identification, Prevention, Treatment, and Future Directions. <i>Current Cardiology Reports</i> , 2017 , 19, 36	4	49
502	Echocardiographic evaluation of the right ventricle: Clinical implications. <i>Clinical Cardiology</i> , 2017 , 40, 542-548	3.2	32
501	Hydrophilic vs lipophilic statins in coronary artery disease: A meta-analysis of randomized controlled trials. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 624-637	2.8	21
500	Thirty-Day Readmissions After Transcatheter Aortic Valve Replacement in the United States: Insights From the Nationwide Readmissions Database. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	5.8	98
499	Heart Rate and Outcomes in Hospitalized Patients With Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1861-1871	4.6	24
498	Association of Chronic Kidney Disease With In-Hospital Outcomes of Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2050-2060	4.2	74

497	Managing Hypertension in Patients Aged 75 Years and Older. <i>Current Hypertension Reports</i> , 2017 , 19, 88	4.5	4
496	Ambulatory pulmonary artery pressure monitoring in advanced heart failure patients. <i>World Journal of Cardiology</i> , 2017 , 9, 21-26	2.1	8
495	Polypills for the prevention of Cardiovascular diseases. <i>Expert Opinion on Investigational Drugs</i> , 2016 , 25, 1255-1264	5.7	15
494	Effects of Quercetin on Blood Pressure: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of the American Heart Association</i> , 2016 , 5,	5.7	135
493	Association of 30-Day All-Cause Readmission with Long-Term Outcomes in Hospitalized Older Medicare Beneficiaries with Heart Failure. <i>American Journal of Medicine</i> , 2016 , 129, 1178-1184	2.3	37
492	Complex relationship of obesity and obesity paradox in heart failure - higher risk of developing heart failure and better outcomes in established heart failure. <i>Annals of Medicine</i> , 2016 , 48, 603-613	1.4	21
491	Renin-Angiotensin System Inhibition and Lower 30-Day All-Cause Readmission in Medicare Beneficiaries with Heart Failure. <i>American Journal of Medicine</i> , 2016 , 129, 1067-73	2.3	34
490	Advances in our understanding of the influence of gender on patient outcomes with peripheral arterial disease co-occurring with diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2016 , 11, 271-279	3.9	2
489	Relation of Obesity to Survival After In-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2016 , 118, 662-7	2.9	26
488	Etiology of Syncope in Patients Hospitalized With Syncope and Predictors of Mortality and Readmission for Syncope at 17-Month Follow-Up: A Prospective Study. <i>American Journal of Therapeutics</i> , 2016 , 23, e2-6	0.9	4
487	Promising new therapies for the treatment of hypercholesterolemia. <i>Expert Opinion on Biological Therapy</i> , 2016 , 16, 609-18	5.2	4
486	Role of extracorporeal membrane oxygenation in adult respiratory failure: an overview. <i>Hospital Practice (1995)</i> , 2016 , 44, 76-85	2.1	5
485	Trends in Coronary Angiography, Revascularization, and Outcomes of Cardiogenic Shock Complicating Non-ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2016 , 117, 1-9	2.9	61
484	Current treatment of hypertension in patients with coronary artery disease recommended by different guidelines. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 205-15	3.9	1
483	Outcomes After Cardioversion in Atrial Fibrillation Patients Treated with Non-Vitamin K Antagonist Oral Anticoagulants (NOACs): Insights from a Meta-Analysis. <i>American Journal of Cardiovascular Drugs</i> , 2016 , 16, 33-41	3.9	13
482	Association of chest pain versus dyspnea as presenting symptom for coronary angiography with demographics, coronary anatomy, and 2-year mortality. <i>Archives of Medical Science</i> , 2016 , 12, 742-6	2.7	1
481	What should the target blood pressure goals be?. <i>Archives of Medical Science</i> , 2016 , 12, 1377-1380	2.7	4
480	Drug Treatment of Stable Coronary Artery Disease 2016 , 167-177		0

479	Comparison of Efficacy and Tolerance of Automatic Continuous Positive Airway Pressure Devices With the Optimum Continuous Positive Airway Pressure. <i>American Journal of Therapeutics</i> , 2016 , 23, e1532-e1536	0.9	
478	Syncope: Approaches to Diagnosis and Management. <i>American Journal of Therapeutics</i> , 2016 , 23, e208-17.	0.9	5
477	Optimal Blood Pressure Goals in Patients With Hypertension at High Risk for Cardiovascular Events. <i>American Journal of Therapeutics</i> , 2016 , 23, e218-23	0.9	1
476	What should the systolic blood pressure be in older diabetics treated for hypertension?. <i>Cardiovascular Endocrinology</i> , 2016 , 5, 38-39		
475	Type B Lactic Acidosis Associated With Venlafaxine Overdose. <i>American Journal of Therapeutics</i> , 2016 , 23, e1082-4	0.9	5
474	Update on pulmonary arterial hypertension pharmacotherapy. <i>Postgraduate Medicine</i> , 2016 , 128, 460-73.	3.6	14
473	Smoker's Paradox in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2016 , 5,	5.7	43
472	Minimizing the Risk of Bleeding with NOACs in the Elderly. <i>Drugs and Aging</i> , 2016 , 33, 491-500	4.5	23
471	Current treatment of heart failure with reduction of left ventricular ejection fraction. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 1619-1631	3.7	6
470	Medical therapy to prevent recurrence of ventricular arrhythmia in normal and structural heart disease patients. <i>Expert Review of Cardiovascular Therapy</i> , 2016 , 14, 1251-1262	2.4	2
469	Hereditary Amyloidosis with Recurrent Lung Infiltrates. <i>American Journal of Case Reports</i> , 2016 , 17, 874-879	2.9	2
468	A rare presentation of acute heart failure secondary to aggressive uterine leiomyosarcoma metastatic to the myocardium initially diagnosed as hypertrophic obstructive cardiomyopathy. <i>Annals of Translational Medicine</i> , 2016 , 4, 374	3.1	3
467	Isolated idiopathic aortitis with an unusually thickened aortic wall: case report. <i>Annals of Translational Medicine</i> , 2016 , 4, 428	3.1	2
466	Update of treatment of heart failure with reduction of left ventricular ejection fraction. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2016 , 1, e106-e116	0.9	8
465	Antiarrhythmic properties of ranolazine: A review of the current evidence. <i>International Journal of Cardiology</i> , 2015 , 187, 66-74	3	40
464	Regional variation in the incidence and outcomes of in-hospital cardiac arrest in the United States. <i>Circulation</i> , 2015 , 131, 1415-25	16.3	90
463	Newer targets and therapies for hypertension and dyslipidemia in diabetic patients. <i>Cardiovascular Endocrinology</i> , 2015 , 4, 11-16		
462	Lipids, blood pressure and kidney update 2014. <i>Pharmacological Research</i> , 2015 , 95-96, 111-25	9.9	71

461	Trends in management and outcomes of ST-elevation myocardial infarction in patients with end-stage renal disease in the United States. <i>American Journal of Cardiology</i> , 2015 , 115, 1033-41	2.9	23
460	Treatment of Hypertension in Patients With Coronary Artery Disease: A Scientific Statement from the American Heart Association, American College of Cardiology, and American Society of Hypertension. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 1998-2038	4.6	105
459	Treatment of hypertension in patients with coronary artery disease: a scientific statement from the American Heart Association, American College of Cardiology, and American Society of Hypertension. <i>Circulation</i> , 2015 , 131, e435-70	16.3	76
458	Temporal Trends and Sex Differences in Revascularization and Outcomes of ST-Segment Elevation Myocardial Infarction in Younger Adults in the United States. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 1961-1972	4.6	146
457	Discharge Hospice Referral and Lower 30-Day All-Cause Readmission in Medicare Beneficiaries Hospitalized for Heart Failure. <i>Circulation: Heart Failure</i> , 2015 , 8, 733-40	7.2	26
456	Treating hypertension and prehypertension in older people: when, whom and how. <i>Maturitas</i> , 2015 , 80, 31-6	3.3	8
455	Use of Inotropic Agents in Treatment of Systolic Heart Failure. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 29060-8	6.1	63
454	Lipid-lowering therapy in older persons. <i>Archives of Medical Science</i> , 2015 , 11, 43-56	2.7	16
453	Management of ventricular arrhythmias in structural heart disease. <i>Postgraduate Medicine</i> , 2015 , 127, 549-59	3.6	1
452	Beta-blocker Use and 30-day All-cause Readmission in Medicare Beneficiaries with Systolic Heart Failure. <i>American Journal of Medicine</i> , 2015 , 128, 715-21	2.3	29
451	Multiple blood pressure medications and mortality among elderly individuals. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1362-3	26.8	6
450	Pretransplant coagulopathy and in-hospital outcomes among heart transplant recipients: a propensity-matched nationwide inpatient sample study. <i>Clinical Cardiology</i> , 2015 , 38, 300-8	3.2	6
449	Association of chronic renal insufficiency with in-hospital outcomes after percutaneous coronary intervention. <i>Journal of the American Heart Association</i> , 2015 , 4, e002069	5.7	37
448	Outcomes of acute myocardial infarction in patients with hypertrophic cardiomyopathy. <i>American Journal of Medicine</i> , 2015 , 128, 879-887.e1	2.3	13
447	Health resource variability in the achievement of optimal performance and clinical outcome in ischemic heart disease. <i>Current Cardiology Reports</i> , 2015 , 17, 1	4	13
446	Back from the brink: catastrophic antiphospholipid syndrome. <i>American Journal of Medicine</i> , 2015 , 128, 574-7	2.3	2
445	Risk of Heart Failure and Death After Prolonged Smoking Cessation: Role of Amount and Duration of Prior Smoking. <i>Circulation: Heart Failure</i> , 2015 , 8, 694-701	7.2	36
444	Blood Pressure Goals and Targets in the Elderly. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2015 , 17, 394	2	8

443	Management of Hypertension in the Elderly. <i>Current Cardiovascular Risk Reports</i> , 2015 , 9, 1	0.9	
442	Complete Heart Block Complicating ST-Segment Elevation Myocardial Infarction: Temporal Trends and Association With In-Hospital Outcomes. <i>JACC: Clinical Electrophysiology</i> , 2015 , 1, 529-538	4.4	12
441	Lipids, blood pressure and kidney update 2015. <i>Lipids in Health and Disease</i> , 2015 , 14, 167	4.3	46
440	Direct myocardial ischemia imaging: a new cardiovascular nuclear imaging paradigm. <i>Clinical Cardiology</i> , 2015 , 38, 124-30	3.2	9
439	Relationship of Physical Activity and Healthy Eating with Mortality and Incident Heart Failure among Community-Dwelling Older Adults with Normal Body Mass Index. <i>ESC Heart Failure</i> , 2015 , 2, 20-24	3.5	11
438	Lung cancer screening: history, current perspectives, and future directions. <i>Archives of Medical Science</i> , 2015 , 11, 1033-43	2.7	33
437	Eighth Joint National Committee guidelines. <i>Future Cardiology</i> , 2014 , 10, 461-3	1.2	2
436	Trends in incidence, management, and outcomes of cardiogenic shock complicating ST-elevation myocardial infarction in the United States. <i>Journal of the American Heart Association</i> , 2014 , 3, e000590	5.7	290
435	Non-ST-elevation myocardial infarction in the United States: contemporary trends in incidence, utilization of the early invasive strategy, and in-hospital outcomes. <i>Journal of the American Heart Association</i> , 2014 , 3,	5.7	64
434	A rare concurrence: nonischemic cardiomyopathy and multiple myeloma without amyloidosis. <i>American Journal of Medicine</i> , 2014 , 127, 1063-1066	2.3	1
433	Pulmonary nodule: a comprehensive review and update. <i>Hospital Practice (1995)</i> , 2014 , 42, 7-16	2.1	4
432	Effect of cardiovascular drugs on cardiovascular events in 1599 patients followed in an academic outpatient cardiology practice. <i>American Journal of Therapeutics</i> , 2014 , 21, 68-72	0.9	
431	Temporal trends in incidence and outcomes of peripartum cardiomyopathy in the United States: a nationwide population-based study. <i>Journal of the American Heart Association</i> , 2014 , 3, e001056	5.7	154
430	Meta-analysis of risk of stroke or transient ischemic attack with dabigatran for atrial fibrillation ablation. <i>American Journal of Cardiology</i> , 2014 , 113, 1173-7	2.9	36
429	Lipid, blood pressure and kidney update 2013. <i>International Urology and Nephrology</i> , 2014 , 46, 947-61	2.2	48
428	Catheter ablation of postinfarction ventricular tachycardia: ten-year trends in utilization, in-hospital complications, and in-hospital mortality in the United States. <i>Heart Rhythm</i> , 2014 , 11, 2056-63	6.5	85
427	Calcium channel blockers and outcomes in older patients with heart failure and preserved ejection fraction. <i>Circulation: Heart Failure</i> , 2014 , 7, 945-52	7.2	23
426	Association of systolic blood pressure levels with cardiovascular events and all-cause mortality among older adults taking antihypertensive medication. <i>International Journal of Cardiology</i> , 2014 , 176, 219-26	3	48

425	Racial differences in mortality in patients with advanced systolic heart failure: potential role of right ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2014 , 177, 255-60	3	1
424	Impact of atrial fibrillation and heart failure, independent of each other and in combination, on mortality in community-dwelling older adults. <i>American Journal of Cardiology</i> , 2014 , 114, 909-13	2.9	22
423	Permanent pacemaker utilization in older patients with syncope and carotid sinus syndrome. <i>International Journal of Cardiology</i> , 2014 , 176, 1137-8	3	
422	What Should the Systolic Blood Pressure Treatment Goal Be in Patients Aged 60 Years and Older with Hypertension?. <i>Current Geriatrics Reports</i> , 2014 , 3, 299-305	1.2	
421	Spironolactone use and higher hospital readmission for Medicare beneficiaries with heart failure, left ventricular ejection fraction . <i>American Journal of Cardiology</i> , 2014 , 114, 79-82	2.9	18
420	Relation of smoking status to outcomes after cardiopulmonary resuscitation for in-hospital cardiac arrest. <i>American Journal of Cardiology</i> , 2014 , 114, 169-74	2.9	28
419	Management and outcomes of ST-elevation myocardial infarction in nursing home versus community-dwelling older patients: a propensity matched study. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 593-9	4.7	11
418	Lipid Disorders in the Elderly 2014 , 719-722		
417	Commentary on recent guidelines for treating hypertension. <i>Archives of Medical Science</i> , 2014 , 10, 1069-72	10	
416	Can echocardiographically estimated pulmonary arterial elastance be a non-invasive predictor of pulmonary vascular resistance?. <i>Archives of Medical Science</i> , 2014 , 10, 692-700	2.7	7
415	Hypertension and Prevention of Diastolic Heart Failure in the Aging Population 2014 , 35-45		3
414	Hyperkalemia among hospitalized patients and association between duration of hyperkalemia and outcomes. <i>Archives of Medical Science</i> , 2014 , 10, 251-7	2.7	78
413	Abstract T MP99: What Are the Blood Pressure Levels Associated With the Lowest Stroke Rates in the Elderly? Findings From the Reasons for Geographic and Racial Differences in Stroke (regards) Cohort Study. <i>Stroke</i> , 2014 , 45,	6.5	1
412	ST-elevation myocardial infarction in the elderly--temporal trends in incidence, utilization of percutaneous coronary intervention and outcomes in the United States. <i>International Journal of Cardiology</i> , 2013 , 168, 3683-90	3	60
411	Diabetic Cardiomyopathy in the Elderly. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 490-494	0.9	1
410	Lack of evidence of increased mortality among patients with atrial fibrillation taking digoxin: findings from post hoc propensity-matched analysis of the AFFIRM trial. <i>European Heart Journal</i> , 2013 , 34, 1489-97	9	148
409	Hypertension-related stroke prevention in the elderly. <i>Current Hypertension Reports</i> , 2013 , 15, 582-9	4.5	11
408	Renin-angiotensin inhibition in diastolic heart failure and chronic kidney disease. <i>American Journal of Medicine</i> , 2013 , 126, 150-61	2.3	27

407	Treatment of hypertension in the elderly. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 847	4.7	7
406	A review of the pathophysiology, diagnosis, and treatment of aortic valve stenosis in elderly patients. <i>Hospital Practice (1995)</i> , 2013 , 41, 66-77	2.1	2
405	Antiplatelet drug use in patients with non-ST-segment elevation acute coronary syndromes. <i>Postgraduate Medicine</i> , 2013 , 125, 51-8	3.6	2
404	Medication management of chronic heart failure in older adults. <i>Drugs and Aging</i> , 2013 , 30, 765-82	4.5	15
403	Effect of carvedilol versus metoprolol CR/XL on mortality in patients with heart failure treated with cardiac resynchronization therapy: a COX multivariate regression analysis. <i>American Journal of Therapeutics</i> , 2013 , 20, 247-53	0.9	6
402	Current perspectives on treatment of hypertensive patients with chronic obstructive pulmonary disease. <i>Integrated Blood Pressure Control</i> , 2013 , 6, 101-9	3.2	14
401	Editorial on hemoglobin A1c, blood pressure, and low-density lipoprotein cholesterol goals in diabetics. <i>World Journal of Cardiology</i> , 2013 , 5, 119-23	2.1	2
400	Use of antiplatelet drugs in the treatment of acute coronary syndromes. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2013 , 13, 151-7	0.9	
399	Ischaemic Heart Disease 2012 , 437-447		
398	Atrial Fibrillation Management in Elderly. <i>Current Cardiovascular Risk Reports</i> , 2012 , 6, 431-442	0.9	1
397	Blood pressure j-curve: current concepts. <i>Current Hypertension Reports</i> , 2012 , 14, 556-66	4.5	80
396	Pharmacology of antiarrhythmic drugs in elderly patients. <i>Clinics in Geriatric Medicine</i> , 2012 , 28, 575-615	3.6	11
395	Ten most important things to learn from the ACCF/AHA 2011 expert consensus document on hypertension in the elderly. <i>Blood Pressure</i> , 2012 , 21, 3-5	1.6	39
394	Peripheral arterial disease of the lower extremities. <i>Archives of Medical Science</i> , 2012 , 8, 375-88	2.7	31
393	Editorial What should the optimal blood pressure goal be in patients with diabetes mellitus or chronic kidney disease?. <i>Archives of Medical Science</i> , 2012 , 3, 399-402	2.7	7
392	Rheumatoid arthritis: cardiovascular manifestations, pathogenesis, and therapy. <i>Current Pharmaceutical Design</i> , 2012 , 18, 1450-6	3.1	23
391	Effect of warfarin on outcomes in septuagenarian patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2012 , 109, 370-7	2.9	13
390	Newer anticoagulants for non-valvular atrial fibrillation. <i>Pharmaceuticals</i> , 2012 , 5, 469-80	5	3

389	What should the blood pressure goal be in patients with hypertension who are at high risk for cardiovascular disease?. <i>Hospital Practice (1995)</i> , 2012 , 40, 28-32	2.1	
388	Current approaches to the treatment of hypertension in older persons. <i>Postgraduate Medicine</i> , 2012 , 124, 50-9	3.6	3
387	Carcinoid heart disease. <i>Cardiology in Review</i> , 2012 , 20, 167-76	3.1	42
386	Treatment of hypercholesterolemia and hypertension in diabetics with coronary artery disease. <i>Clinical Lipidology</i> , 2012 , 7, 689-695		2
385	In-hospital cardiology consultation and evidence-based care for nursing home residents with heart failure. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 448-52	4.7	9
384	Ischaemic Heart Disease 2012 , 152-171		
383	What should the optimal blood pressure goal be in patients with diabetes mellitus or chronic kidney disease?. <i>Archives of Medical Science</i> , 2012 , 8, 399-402	2.7	14
382	Treatment of systemic hypertension. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 160-70	0.9	15
381	Risk factor reduction in progression of angiographic coronary artery disease. <i>Archives of Medical Science</i> , 2012 , 8, 444-8	2.7	14
380	Outcomes and survival with aortic valve replacement compared with medical therapy in patients with low-, moderate-, and severe-gradient severe aortic stenosis and normal left ventricular ejection fraction. <i>Echocardiography</i> , 2011 , 28, 378-87	1.4	27
379	Relation of baseline systolic blood pressure and long-term outcomes in ambulatory patients with chronic mild to moderate heart failure. <i>American Journal of Cardiology</i> , 2011 , 107, 1208-14	2.9	77
378	Etiology of syncope in patients hospitalized with syncope and predictors of mortality and rehospitalization for syncope at 27-month follow-up. <i>Clinical Cardiology</i> , 2011 , 34, 35-8	3.2	23
377	Isolated diastolic hypotension and incident heart failure in older adults. <i>Hypertension</i> , 2011 , 58, 895-901	8	37
376	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents. <i>Circulation</i> , 2011 , 123, 2434-506	16.3	252
375	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society of Nephrology, Association of Black Cardiologists, and European Society of Hypertension. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2037-114	4.6	351
374	Office management of hypertension in older persons. <i>American Journal of Medicine</i> , 2011 , 124, 498-500	2.3	3
373	Hydroxychloroquine in systemic lupus erythematosus and rheumatoid arthritis and its safety in pregnancy. <i>Expert Opinion on Drug Safety</i> , 2011 , 10, 705-14	4	61
372	Cardiovascular drug therapy in the elderly: benefits and challenges. <i>Nature Reviews Cardiology</i> , 2011 , 8, 13-28	14.3	110

371	Osteoporosis, osteopenia, and atherosclerotic vascular disease. <i>Archives of Medical Science</i> , 2011 , 7, 21-27	31
370	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society	102
369	Editorial on management of diabetes mellitus with coronary artery disease. <i>Archives of Medical Science</i> , 2011 , 7, 928-30 <i>Journal of Hypertension</i> , 2011 , 5, 259-352	2.7 7
368	Treatment of stable angina pectoris. <i>American Journal of Therapeutics</i> , 2011 , 18, e138-52	0.9 8
367	Should we have any doubts about hypertension therapy in elderly patients?: ACCF/AHA 2011 expert consensus document on hypertension in the elderly 2011 , 121, 253-8	12
366	Physiologic Changes in Cardiac Function with Aging 2011 , 621-633	
365	Cardiac Changes in the Elderly 2011 , 279-292	
364	Risk Factors for Atherosclerosis in the Elderly 2011 , 635-648	
363	Prognostic value of cardiac troponins and natriuretic peptides in hospitalized nursing home residents. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 386-8	4.7 1
362	Office management after myocardial infarction. <i>American Journal of Medicine</i> , 2010 , 123, 593-5	2.3 3
361	Office management of peripheral arterial disease. <i>American Journal of Medicine</i> , 2010 , 123, 790-2	2.3 18
360	Current role of beta-blockers in the treatment of hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2599-607	3.9 45
359	Risk factors for appropriate cardioverter-defibrillator shocks, inappropriate cardioverter-defibrillator shocks, and time to mortality in 549 patients with heart failure. <i>American Journal of Cardiology</i> , 2010 , 105, 1336-8	2.9 35
358	Association of warfarin use with CHADS(2) score in 441 patients with nonvalvular atrial fibrillation and no contraindications to warfarin. <i>Preventive Cardiology</i> , 2010 , 13, 172-4	2
357	Statin therapy in the elderly: a review. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 50, 114-8	3.8 41
356	Incidence of perioperative myocardial infarction and of 2-year mortality in 577 elderly patients undergoing noncardiac vascular surgery treated with and without statins. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 51, 149-51	3.8 45
355	Diagnosis and Management of Coronary Artery Disease 2010 , 286-294	
354	Effects of peripheral arterial disease on outcomes in advanced chronic systolic heart failure: a propensity-matched study. <i>Circulation: Heart Failure</i> , 2010 , 3, 118-24	7.2 25

353	Hypokalemia and outcomes in patients with chronic heart failure and chronic kidney disease: findings from propensity-matched studies. <i>Circulation: Heart Failure</i> , 2010 , 3, 253-60	7.2	111
352	Incidence of appropriate cardioverter-defibrillator shocks and mortality in patients with heart failure treated with combined cardiac resynchronization plus implantable cardioverter-defibrillator therapy versus implantable cardioverter-defibrillator therapy. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2010 , 15, 37-40	2.5	16
351	Prevalence of appropriate management of diabetes mellitus in an academic general medicine clinic. <i>American Journal of Therapeutics</i> , 2010 , 17, 42-5	0.9	8
350	Current place of beta-blockers in the treatment of hypertension. <i>Current Vascular Pharmacology</i> , 2010 , 8, 733-41	3.2	23
349	Why and how we should treat elderly patients with hypertension?. <i>Current Vascular Pharmacology</i> , 2010 , 8, 780-7	3.2	8
348	Management of hypercholesterolemia in older persons for the prevention of cardiovascular disease. <i>Cardiology in Review</i> , 2010 , 18, 132-40	3.1	16
347	Prevalence of complications during implantation and during 38-month follow-up of 1060 consecutive patients with implantable cardioverter-defibrillators. <i>American Journal of Therapeutics</i> , 2010 , 17, e8-10	0.9	7
346	Implantable cardioverter-defibrillators. <i>American Journal of Therapeutics</i> , 2010 , 17, e208-20	0.9	
345	Use of implantable cardioverter-defibrillators. <i>Future Cardiology</i> , 2010 , 6, 859-70	1.2	2
344	Risk factors for major bleeding and for minor bleeding after percutaneous coronary intervention in 634 consecutive patients with acute coronary syndromes. <i>American Journal of Therapeutics</i> , 2010 , 17, e74-7	0.9	5
343	Incidence of thromboembolic stroke and of major bleeding in patients with atrial fibrillation and chronic kidney disease treated with and without warfarin. <i>International Journal of Nephrology and Renovascular Disease</i> , 2009 , 2, 33-7	2.3	25
342	A history of atrial fibrillation and outcomes in chronic advanced systolic heart failure: a propensity-matched study. <i>European Heart Journal</i> , 2009 , 30, 2029-37	9	61
341	Statins reduce appropriate cardioverter-defibrillator shocks and mortality in patients with heart failure and combined cardiac resynchronization and implantable cardioverter-defibrillator therapy. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2009 , 14, 176-9	2.5	15
340	A propensity-matched study of the association of peripheral arterial disease with cardiovascular outcomes in community-dwelling older adults. <i>American Journal of Cardiology</i> , 2009 , 103, 130-5	2.9	67
339	Relation of bone mineral density to stress test-induced myocardial ischemia. <i>American Journal of Cardiology</i> , 2009 , 104, 199-201	2.9	11
338	Acute and chronic management of atrial fibrillation in patients with late-stage CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 701-10	7.2	16
337	Statins reduce cardiovascular events in primary and secondary prevention trials without causing an increase in carcinoma. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1942-3; author reply 1943-4	5.4	2
336	Data are needed on target blood pressure for elderly people. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2177; author reply 2177-8	5.4	

335	A propensity-matched study of outcomes of chronic heart failure (HF) in younger and older adults. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, 165-71	3.8	24
334	Effect of mitral regurgitation on cerebrovascular accidents in patients with atrial fibrillation and left atrial thrombus. <i>Clinical Cardiology</i> , 2009 , 32, E7-E10	3.2	8
333	Peripheral arterial disease in women. <i>Maturitas</i> , 2009 , 64, 204-11	3.3	16
332	Treating hypertension in older adults: safety considerations. <i>Drug Safety</i> , 2009 , 32, 111-8	5	22
331	Hypertension in the elderly. <i>Clinics in Geriatric Medicine</i> , 2009 , 25, 579-90, vii	3.6	4
330	Treatment of ventricular arrhythmias in the elderly. <i>Cardiology in Review</i> , 2009 , 17, 136-46	3.1	3
329	Prevalence of use of anticoagulants in 502 elderly hospitalized patients at increased risk for systemic embolism or venous thromboembolism without contraindications to anticoagulants in a university hospital. <i>American Journal of Therapeutics</i> , 2009 , 16, 235-8	0.9	
328	Thromboembolism in patients with atrial fibrillation with and without left atrial thrombus documented by transesophageal echocardiography. <i>American Journal of Therapeutics</i> , 2009 , 16, 385-92	0.9	7
327	Effects of increased dose of diuretics on symptoms, weight, 6-minute walk distance, and echocardiographic measurements of left ventricular systolic and diastolic function in 51 patients with symptomatic heart failure caused by reduced left ventricular ejection fraction treated with beta blockers and angiotensin-converting enzyme inhibitors or angiotensin receptor blockers. <i>American Journal of Therapeutics</i> , 2009 , 16, 3-7	0.9	3
326	Incidence of new stroke or new myocardial infarction or death at 39-month follow up in patients with diabetes mellitus, hypertension, or both treated with and without angiotensin-converting enzyme inhibitors or angiotensin receptor blockers. <i>American Journal of Therapeutics</i> , 2009 , 16, 2-4	0.9	4
325	Prevalence of appropriate cardioverter-defibrillator shocks in 1038 consecutive patients with implantable cardioverter-defibrillators. <i>American Journal of Therapeutics</i> , 2009 , 16, 323-5	0.9	4
324	Prevalence of inappropriate use of digoxin in 136 patients on digoxin and prevalence of use of warfarin or aspirin in 89 patients with persistent or paroxysmal atrial fibrillation. <i>American Journal of Therapeutics</i> , 2009 , 16, e41-3	0.9	4
323	Atrial Fibrillation: The New Epidemic of the Ageing World. <i>Journal of Atrial Fibrillation</i> , 2009 , 1, 154	0.7	15
322	Warfarin Use May Be Associated with Increase Prevalence of Valvular Calcification.. <i>Blood</i> , 2009 , 114, 3137-3137	2.1	
321	Comparison of sensitivity, specificity, positive predictive value, and negative predictive value of stress testing versus 64-multislice coronary computed tomography angiography in predicting obstructive coronary artery disease diagnosed by coronary angiography. <i>American Journal of Cardiology</i> , 2008 , 101, 774-5	2.9	34
320	Effect of statins on the development of renal dysfunction. <i>American Journal of Cardiology</i> , 2008 , 101, 975-9	2.9	36
319	Relation of bone mineral density to frequency of coronary heart disease. <i>American Journal of Cardiology</i> , 2008 , 101, 1103-4	2.9	38
318	Effect of beta blockers, angiotensin-converting enzyme inhibitors or angiotensin receptor blockers, and statins on mortality in patients with implantable cardioverter-defibrillators. <i>American Journal of Cardiology</i> , 2008 , 102, 77-8	2.9	20

317	Prevalence of moderate and severe renal insufficiency in older persons with hypertension, diabetes mellitus, coronary artery disease, peripheral arterial disease, ischemic stroke, or congestive heart failure in an academic nursing home. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 257-9	4.7	31
316	Secondary hypertension: current diagnosis and treatment. <i>International Journal of Cardiology</i> , 2008 , 124, 6-21	3	51
315	Prevalence of use of antiplatelet drugs, beta blockers, statins, and angiotensin-converting enzyme inhibitors or angiotensin receptor blockers in older patients with coronary artery disease in an academic nursing home. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 124-7	4.7	17
314	Prevalence of a hemoglobin A1c less than 7.0%, of a blood pressure less than 130/80 mm Hg, and of a serum low-density lipoprotein cholesterol less than 100 mg/dL in older patients with diabetes mellitus in an academic nursing home. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 51-4	4.7	37
313	Hypertension and the older diabetic. <i>Clinics in Geriatric Medicine</i> , 2008 , 24, 489-501, vi-vii	3.6	8
312	Hypertension in the nursing home. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 486-90	4.7	14
311	Incidence of new stroke or new myocardial infarction or death at 39-month follow-up in patients with diabetes mellitus, hypertension or both with and without microalbuminuria. <i>Cardiology</i> , 2008 , 109, 62-5	1.5	4
310	Older age should not be a barrier to the treatment of hypertension. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008 , 5, 514-5		5
309	PREVALENCE OF APPROPRIATE CARDIOVERTER-DEFIBRILLATOR SHOCKS IN 1,038 CONSECUTIVE PATIENTS WITH IMPLANTABLE CARDIOVERTER-DEFIBRILLATORS. <i>Chest</i> , 2008 , 134, 15	1.2	1
308	Treatment of high-risk older persons with lipid-lowering drug therapy. <i>American Journal of Therapeutics</i> , 2008 , 15, 102-7	0.9	16
307	Etiology, pathophysiology, and treatment of atrial fibrillation: part 1. <i>Cardiology in Review</i> , 2008 , 16, 181-8	3.1	18
306	Treatment of atrial fibrillation and atrial flutter: Part II. <i>Cardiology in Review</i> , 2008 , 16, 230-9	3.1	10
305	A focus on when and when not to use antiarrhythmic drugs in treating ventricular arrhythmias and indications for the use of automatic implantable cardioverter-defibrillators. <i>Geriatrics</i> , 2008 , 63, 20-8		
304	Prevention of venous thromboembolism in hospitalized patients. <i>Comprehensive Therapy</i> , 2008 , 34, 2-9		
303	Treatment of hypertension in the elderly. <i>Geriatrics</i> , 2008 , 63, 21-5		2
302	A cardiologist's experience undergoing quadruple coronary artery bypass surgery. <i>Comprehensive Therapy</i> , 2008 , 34, 65-7; discussion 68		
301	Management of ventricular arrhythmias. <i>Comprehensive Therapy</i> , 2008 , 34, 89-99		
300	Management of atrial fibrillation--Part 1. <i>Comprehensive Therapy</i> , 2008 , 34, 126-33		1

299	Management of atrial fibrillation--Part 2. <i>Comprehensive Therapy</i> , 2008 , 34, 134-42		
298	Treatment of hypertension in the elderly. <i>Comprehensive Therapy</i> , 2008 , 34, 171-6		3
297	Cardiovascular Drug Therapy in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 99-136		4
296	Angina in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 269-292		4
295	Management of the Older Patient After Myocardial Infarction. <i>Fundamental and Clinical Cardiology</i> , 2008 , 327-350		2
294	Ventricular Arrhythmias in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 605-626		3
293	Mitral Regurgitation, Mitral Stenosis, and Mitral Annular Calcification in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 445-480		
292	Aortic Valve Disease in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 419-444		
291	Diagnosis of Coronary Heart Disease in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 243-268		
290	Supraventricular Tachyarrhythmias in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 577-604		
289	Management of Peripheral Arterial Disease in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 749-768		
288	Treatment after myocardial infarction. <i>Comprehensive Therapy</i> , 2007 , 33, 39-47		3
287	Treatment of postmenopausal osteoporosis. <i>Comprehensive Therapy</i> , 2007 , 33, 114-9		2
286	Cardiovascular manifestations seen in obstructive sleep apnea. <i>Comprehensive Therapy</i> , 2007 , 33, 82-6		4
285	Peripheral arterial disease in the elderly. <i>Clinical Interventions in Aging</i> , 2007 , 2, 645-54	3.8	36
284	Cardiovascular drug therapy in the elderly. <i>Cardiology in Review</i> , 2007 , 15, 195-215	3.1	25
283	Valvular aortic stenosis in the elderly. <i>Cardiology in Review</i> , 2007 , 15, 217-25	3.1	18
282	Mortality, left ventricular ejection fraction, and prevalence of new left ventricular wall motion abnormality at long-term follow-up in patients with implantable cardioverter defibrillators treated with biventricular pacing versus right ventricular pacing. <i>American Journal of Therapeutics</i> , 2007 , 14, 328-30	0.9	7

281	Incidence of in-hospital mortality or nonfatal myocardial infarction or nonfatal stroke in 216 diabetics and 552 nondiabetics undergoing percutaneous coronary intervention with stenting. <i>American Journal of Therapeutics</i> , 2007 , 14, 435-7	0.9	4
280	Use of antiplatelet drugs in secondary prevention in older persons with atherothrombotic disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 518-24	6.2	3
279	Intensive statin treatment or combination therapy in high-risk patients. <i>Preventive Cardiology</i> , 2007 , 10, 7-8		
278	Heart-failure-complicating acute myocardial infarction. <i>Clinics in Geriatric Medicine</i> , 2007 , 23, 123-39	3.6	1
277	Treatment of heart failure with abnormal left ventricular systolic function in the elderly. <i>Heart Failure Clinics</i> , 2007 , 3, 423-36	3.2	1
276	Prevalence of adequate and of optimal control of serum low-density lipoprotein cholesterol in an academic nursing home. <i>Journal of the American Medical Directors Association</i> , 2007 , 8, 604-6	4.7	15
275	Treatment of heart failure with abnormal left ventricular systolic function in the elderly. <i>Clinics in Geriatric Medicine</i> , 2007 , 23, 61-81	3.6	2
274	Adequacy of control of hypertension in an academic nursing home. <i>Journal of the American Medical Directors Association</i> , 2007 , 8, 538-40	4.7	29
273	Heart failure-complicating acute myocardial infarction. <i>Heart Failure Clinics</i> , 2007 , 3, 465-75	3.2	2
272	Hospitalizations due to unstable angina pectoris in diastolic and systolic heart failure. <i>American Journal of Cardiology</i> , 2007 , 99, 460-4	2.9	26
271	Relation of increased hemoglobin A(1c) levels to severity of peripheral arterial disease in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2007 , 99, 1468-9	2.9	28
270	Management of peripheral arterial disease of the lower extremities. <i>Comprehensive Therapy</i> , 2007 , 33, 247-56		7
269	Treatment of heart failure with normal left ventricular ejection fraction. <i>Comprehensive Therapy</i> , 2007 , 33, 223-30		2
268	Aortic stenosis. <i>Comprehensive Therapy</i> , 2007 , 33, 174-83		1
267	Peripheral arterial disease. <i>Geriatrics</i> , 2007 , 62, 19-25		2
266	Management of hyperlipidemia with statins in the older patient. <i>Clinical Interventions in Aging</i> , 2006 , 1, 433-8	3.8	5
265	Association of diet alone, insulin, sulfonylureas, metformin, and thiazolidinediones with the severity of coronary artery disease in patients with diabetes mellitus. <i>American Journal of Therapeutics</i> , 2006 , 13, 400-3	0.9	7
264	Efficacy of radiofrequency catheter ablation in treatment of elderly patients with supraventricular tachyarrhythmias and ventricular tachycardia. <i>American Journal of Therapeutics</i> , 2006 , 13, 513-5	0.9	10

263	Epidemiology, pathophysiology, prognosis, and treatment of systolic and diastolic heart failure. <i>Cardiology in Review</i> , 2006 , 14, 108-24	3.1	91
262	Atherosclerotic vascular disease may be associated with osteoporosis or osteopenia in postmenopausal women: a preliminary study. <i>Archives of Gerontology and Geriatrics</i> , 2006 , 43, 285-8	3.8	13
261	Lipid-lowering therapy in high-risk persons. <i>Comprehensive Therapy</i> , 2006 , 32, 68-73		2
260	Use of antiplatelet drugs in secondary prevention in patients with atherothrombotic disease. <i>Comprehensive Therapy</i> , 2006 , 32, 182-8		1
259	Treatment of heart failure with decreased left ventricular ejection fraction. <i>Comprehensive Therapy</i> , 2006 , 32, 218-25		
258	Management of lipid disorders. <i>Geriatric Nursing</i> , 2006 , 27, 142-8	2	
257	Mortality and size of abdominal aortic aneurysm at long-term follow-up of patients not treated surgically and treated with and without statins. <i>American Journal of Cardiology</i> , 2006 , 97, 279-80	2.9	157
256	Association of hemoglobin A(1c) level with the severity of coronary artery disease in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2006 , 97, 968-9	2.9	62
255	Comparison of prevalence of atherosclerotic vascular disease in postmenopausal women with osteoporosis or osteopenia versus without osteoporosis or osteopenia. <i>American Journal of Cardiology</i> , 2006 , 97, 1427-8	2.9	47
254	Relation of microalbuminuria and coronary artery disease in patients with and without diabetes mellitus. <i>American Journal of Cardiology</i> , 2006 , 98, 279-81	2.9	42
253	Comparison of prevalence of unrecognized myocardial infarction and of silent myocardial ischemia detected by a treadmill exercise sestamibi stress test in patients with versus without diabetes mellitus. <i>American Journal of Cardiology</i> , 2006 , 98, 1045-6	2.9	36
252	Incidence of new stroke or new myocardial infarction or death in patients with severe carotid arterial disease treated with and without statins. <i>American Journal of Cardiology</i> , 2006 , 98, 1170-1	2.9	22
251	Serum digoxin concentration and outcomes in women with heart failure: A bi-directional effect and a possible effect modification by ejection fraction. <i>European Journal of Heart Failure</i> , 2006 , 8, 409-19	12	24
250	Effects of digoxin on morbidity and mortality in diastolic heart failure: the ancillary digitalis investigation group trial. <i>Circulation</i> , 2006 , 114, 397-403	16.3	444
249	Managing hyperlipidaemia in the elderly: special considerations for a population at high risk. <i>Drugs and Aging</i> , 2006 , 23, 181-9	4.5	12
248	Drug treatment of peripheral arterial disease in the elderly. <i>Drugs and Aging</i> , 2006 , 23, 1-12	4.5	8
247	Reply to Letter to the Editor from Dr Cheng entitled Barriers for Underuse of Antihypertensive Drug Therapy for Nursing Home Residents With Hypertension. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 406	4.7	
246	Heart disease and aging. <i>Medical Clinics of North America</i> , 2006 , 90, 849-62	6.9	43

245	The application of evidence-based principles of care in older persons (issue 2): management of lipid disorders. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 173-9	4.7	7
244	Treatment of systolic and diastolic heart failure in the elderly. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 29-36	4.7	16
243	Appropriate use of digoxin in treating older nursing home patients with heart failure. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 604-6	4.7	5
242	Higher New York Heart Association classes and increased mortality and hospitalization in patients with heart failure and preserved left ventricular function. <i>American Heart Journal</i> , 2006 , 151, 444-50	4.7	128
241	Increased prevalence of coronary artery disease, silent myocardial ischemia, complex ventricular arrhythmias, atrial fibrillation, left ventricular hypertrophy, mitral annular calcium, and aortic valve calcium in patients with chronic renal insufficiency. <i>Cardiology in Review</i> , 2006 , 14, 14-7	3.1	54
240	Intraoperative radiofrequency maze procedure for treating atrial fibrillation at the time of valve surgery or coronary artery bypass grafting. <i>American Journal of Therapeutics</i> , 2006 , 13, 298-9	0.9	6
239	Predictors of mortality and hospitalization in women with heart failure in the Digitalis Investigation Group trial. <i>American Journal of Therapeutics</i> , 2006 , 13, 325-31	0.9	17
238	Prevalence of left ventricular hypertrophy in persons with and without obstructive sleep apnea. <i>Cardiology in Review</i> , 2006 , 14, 170-2	3.1	22
237	ACC/AHA guideline update: treatment of heart failure with reduced left ventricular ejection fraction. <i>Geriatrics</i> , 2006 , 61, 22-9		1
236	Use of Antiplatelet Drugs in Secondary Prevention in Patients With Atherothrombotic Disease. <i>Comprehensive Therapy</i> , 2006 , 32, 182-188		
235	Indications for and long-term survival in patients with automatic implantable cardioverter-defibrillators. <i>Cardiology in Review</i> , 2005 , 13, 50-1	3.1	3
234	Patients, mean age 70 years, with automatic implantable cardioverter-defibrillators treated with dual-chamber rate responsive pacing (DDDR-70) have a higher mortality than patients with backup ventricular pacing (VVI-40) at 3.7-year follow-up. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 602-4	6.2	8
233	Drug treatment of systolic and of diastolic heart failure in elderly persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 1597-605	6.2	7
232	Prevalence of symptomatic peripheral arterial disease, modifiable risk factors, and appropriate use of drugs in the treatment of peripheral arterial disease in older persons seen in a university general medicine clinic. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 255-7	6.2	49
231	Should the NCEP III guidelines be changed in elderly and younger persons at high risk for cardiovascular events?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 591-2	6.2	9
230	Association of ankle-brachial index with severity of angiographic coronary artery disease in patients with peripheral arterial disease and coronary artery disease. <i>Cardiology</i> , 2005 , 103, 158-60	1.5	37
229	Prevalence of moderate or severe left ventricular diastolic dysfunction in obese persons with obstructive sleep apnea. <i>Cardiology</i> , 2005 , 104, 107-9	1.5	29
228	Clinical characteristics, risk factors, and medical treatment of 561 patients with peripheral arterial disease followed in an academic vascular surgery clinic. <i>Cardiology in Review</i> , 2005 , 13, 108-10	3.1	18

227	Management of peripheral arterial disease. <i>Cardiology in Review</i> , 2005 , 13, 61-8	3.1	54
226	Effect of an ongoing educational program on the use of antiplatelet drugs, beta-blockers, angiotensin-converting enzyme inhibitors, and lipid-lowering drugs in patients with coronary artery disease seen in an academic cardiology clinic. <i>Cardiology in Review</i> , 2005 , 13, 95-7	3.1	8
225	Clinical geriatrics. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1064-5	5.4	
224	Prevalence of adequate control of increased serum low-density lipoprotein cholesterol in self-pay or Medicare patients versus Medicaid or private insurance patients followed in a University General Medicine Clinic. <i>American Journal of Cardiology</i> , 2005 , 95, 269-70	2.9	4
223	Relation of decreased ankle-brachial index to prevalence of atherosclerotic risk factors, coronary artery disease, aortic valve calcium, and mitral annular calcium. <i>American Journal of Cardiology</i> , 2005 , 95, 1005-6	2.9	10
222	Prevalence of silent myocardial ischemia in persons with diabetes mellitus or impaired glucose tolerance and association of hemoglobin A1c with prevalence of silent myocardial ischemia. <i>American Journal of Cardiology</i> , 2005 , 95, 1472-4	2.9	27
221	Prevalence of left ventricular diastolic dysfunction in obese persons with and without diabetes mellitus. <i>American Journal of Cardiology</i> , 2005 , 95, 1527-8	2.9	17
220	Left ventricular ejection fraction and prevalence of new left ventricular wall motion abnormality at long-term follow-up in patients with automatic implantable cardioverter-defibrillators treated with dual-chamber rate-responsive pacing at a rate of 70/minute versus backup ventricular pacing at a rate of 40/minute. <i>Journal of Intensive Care Medicine</i> , 2005 , 20, 118-22	2.9	11
219	CRT plus ICD in congestive heart failure. Use of cardiac resynchronization therapy and an implantable cardioverter-defibrillator in heart failure patients with abnormal left ventricular dysfunction. <i>Geriatrics</i> , 2005 , 60, 24, 26-8		2
218	Antiplatelet therapy in peripheral arterial disease. <i>Current Drug Targets Cardiovascular & Haematological Disorders</i> , 2004 , 4, 265-7		8
217	The prevention of venous thromboembolism in older adults: guidelines. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 42-7	6.2	8
216	Management of the elderly person after myocardial infarction. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 1173-85	6.2	8
215	Elderly nursing home patients with congestive heart failure after myocardial infarction living in New York City have a higher prevalence of mortality in cold weather and warm weather months. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 146-7	6.2	21
214	Prevalence of adequate blood pressure control in self-pay or Medicare patients versus Medicaid or private insurance patients with systemic hypertension followed in a university cardiology or general medicine clinic. <i>American Journal of Cardiology</i> , 2004 , 94, 815-6	2.9	34
213	Lipids and the elderly. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2004 , 5, 359-64	10.2	7
212	Treatment of hypertension and prevention of ischemic stroke. <i>Current Cardiology Reports</i> , 2004 , 6, 124-94		30
211	Should the National Cholesterol Education Program guidelines be changed for persons at high risk for cardiovascular events?. <i>Preventive Cardiology</i> , 2004 , 7, 71-2		1
210	Simultaneous measurements of blood pressures in right and left brachial arteries. <i>Cardiology in Review</i> , 2004 , 12, 276-8	3.1	17

209	Management of peripheral arterial disease of the lower extremities in elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 172-7	6.2	38
208	Oral sulfonylureas and CV mortality. <i>Geriatrics</i> , 2004 , 59, 45-6, 49		
207	Lipid Disorders in the Elderly 2004 , 178-181		0
206	Might losartan reduce sudden cardiac death in diabetic patients with hypertension?. <i>Lancet, The</i> , 2003 , 362, 591-2	36.2	33
205	Commentary on "Embracing complexity: A consideration of hypertension in the very old". <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, 659-60; discussion 669-70	6.2	11
204	Thrombolytic therapy is indicated for patients over 75 years of age with st-elevation acute myocardial infarction: antagonist viewpoint. <i>The American Journal of Geriatric Cardiology</i> , 2003 , 12, 348-50		2
203	Association of abnormal serum lipids in elderly persons with atherosclerotic vascular disease and dementia, atherosclerotic vascular disease without dementia, dementia without atherosclerotic vascular disease, and no dementia or atherosclerotic vascular disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, M859-61	6.2	20
202	Elderly diabetics with peripheral arterial disease and no coronary artery disease have a higher incidence of new coronary events than elderly nondiabetics with peripheral arterial disease and prior myocardial infarction treated with statins and with no lipid-lowering drug. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, M787-9	6.2	23
201	Effect of an educational program on the prevalence of use of antiplatelet drugs, beta blockers, angiotensin-converting enzyme inhibitors, lipid-lowering drugs, and calcium channel blockers prescribed during hospitalization and at hospital discharge in patients with coronary artery disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, 1046-8	6.2	18
200	Increased prevalence of peripheral arterial disease in older men and women with subclinical hypothyroidism. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, 68-9	6.2	24
199	Utilization of lipid-lowering drugs in elderly persons with increased serum low-density lipoprotein cholesterol associated with coronary artery disease, symptomatic peripheral arterial disease, prior stroke, or diabetes mellitus before and after an educational program on dyslipidemia treatment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, M432-5	6.2	23
198	Treatment of unstable angina pectoris/non-ST-segment elevation myocardial infarction in elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, M927-33	6.2	5
197	Epidemiology, pathophysiology, prognosis, and treatment of systolic and diastolic heart failure in elderly patients. <i>Heart Disease (Hagerstown, Md)</i> , 2003 , 5, 279-94		22
196	Circadian variation of death from congestive heart failure after prior myocardial infarction in patients >60 years of age. <i>American Journal of Cardiology</i> , 2003 , 92, 1354-5	2.9	9
195	Prevalence of left main coronary artery disease, of three- or four-vessel coronary artery disease, and of obstructive coronary artery disease in patients with and without peripheral arterial disease undergoing coronary angiography for suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 92, 304-5	2.9	51
194	Effect of simvastatin versus placebo on treadmill exercise time until the onset of intermittent claudication in older patients with peripheral arterial disease at six months and at one year after treatment. <i>American Journal of Cardiology</i> , 2003 , 92, 711-2	2.9	145
193	Treatment of heart failure in older persons. Dilemmas with coexisting conditions: diabetes mellitus, chronic obstructive pulmonary disease, and arthritis. <i>Congestive Heart Failure</i> , 2003 , 9, 142-7		17
192	Effect of statins on mortality and cardiovascular events in elderly high-risk persons. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 717-8	5.4	3

191	Mortality in Nursing Home Patients with Congestive Heart Failure. <i>Journal of the American Medical Directors Association</i> , 2003 , 4, 220-221	4-7	8
190	Use of Antihypertensive Drug Therapy in Older Persons in an Academic Nursing Home. <i>Journal of the American Medical Directors Association</i> , 2003 , 4, S20-S22	4-7	3
189	Underuse of Procedures for Diagnosing Osteoporosis and of Therapies for Osteoporosis in Older Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2003 , 4, 200-202	4-7	35
188	Silent MI. Prevalence and prognosis in older patients diagnosed by routine electrocardiograms. <i>Geriatrics</i> , 2003 , 58, 24-6, 36-8, 40		9
187	C-reactive protein. Should it be considered a coronary risk factor?. <i>Geriatrics</i> , 2003 , 58, 19-22, 25		2
186	Hypercholesterolemia. The evidence supports use of statins. <i>Geriatrics</i> , 2003 , 58, 18-20, 26-8, 31-2		2
185	Homocysteine. The association with atherosclerotic vascular disease in older persons. <i>Geriatrics</i> , 2003 , 58, 22-4, 27-8		5
184	Atrial fibrillation. <i>Heart Disease (Hagerstown, Md)</i> , 2002 , 4, 91-101		11
183	Cardiovascular medications taken by patients aged ≥ 70 years hospitalized for acute coronary syndromes before hospitalization and at hospital discharge. <i>Preventive Cardiology</i> , 2002 , 5, 173-6		3
182	Myocardial infarction in the elderly: benefits and risks of thrombolytics. <i>Drug Safety</i> , 2002 , 25, 753-8	5	3
181	What is the appropriate treatment of hypertension in elders?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M483-6	6.2	33
180	Should Hypercholesterolemia Be Treated in Frail Elders?. <i>Journal of the American Medical Directors Association</i> , 2002 , 3, 66-70	4-7	1
179	Use of Antihypertensive Drug Therapy in Older Persons in an Academic Nursing Home. <i>Journal of the American Medical Directors Association</i> , 2002 , 3, 243-245	4-7	9
178	Incidence of new coronary events in older persons with prior myocardial infarction and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002 , 89, 67-9	2.9	94
177	Incidence of new coronary events in older persons with prior myocardial infarction and systemic hypertension treated with beta blockers, angiotensin-converting enzyme inhibitors, diuretics, calcium antagonists, and alpha blockers. <i>American Journal of Cardiology</i> , 2002 , 89, 1207-9	2.9	33
176	Frequency of congestive heart failure in older persons with prior myocardial infarction and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002 , 90, 147-9	2.9	74
175	Frequency of new coronary events in older persons with peripheral arterial disease and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002 , 90, 789-91	2.9	62
174	Comparison of acute coronary syndromes in men versus women ≥ 70 years of age. <i>American Journal of Cardiology</i> , 2002 , 90, 1145-7	2.9	8

173	Prevalence of and association between silent myocardial ischemia and new coronary events in older men and women with and without cardiovascular disease. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1075-8	5.4	21
172	Quality of care of nursing home residents hospitalized with heart failure. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1831-6	5.4	37
171	Pharmacologic therapy of lipid disorders in the elderly. <i>The American Journal of Geriatric Cardiology</i> , 2002 , 11, 247-56		5
170	Reduction of new coronary events and new atherothrombotic brain infarction in older persons with diabetes mellitus, prior myocardial infarction, and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M747-50	6.2	38
169	Management of the older person with atrial fibrillation. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M352-63	6.2	36
168	Subclinical hypothyroidism is associated with coronary artery disease in older persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M658-9	6.2	35
167	Risk factors for new atherothrombotic brain infarction in older Hispanic men and women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M61-3	6.2	10
166	Prevalence and association of ventricular tachycardia and complex ventricular arrhythmias with new coronary events in older men and women with and without cardiovascular disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M178-80	6.2	27
165	Incidence of new atherothrombotic brain infarction in older persons with prior myocardial infarction and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins versus no lipid-lowering drug. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M633-5	6.2	38
164	Underutilization of aspirin, beta blockers, angiotensin-converting enzyme inhibitors, and lipid-lowering drugs and overutilization of calcium channel blockers in older persons with coronary artery disease in an academic nursing home. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M366-70	6.2	29
163	Prevalence and incidence of cardiovascular disease in 1160 older men and 2464 older women in a long-term health care facility. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M45-6	6.2	70
162	Comparison of acute coronary syndromes among elderly African Americans, elderly whites, and elderly patients of other races. <i>Heart Disease (Hagerstown, Md)</i> , 2002 , 4, 282-4		2
161	Reduction of coronary events with aspirin in older patients with prior myocardial infarction treated with and without statins. <i>Heart Disease (Hagerstown, Md)</i> , 2002 , 4, 159-61		30
160	Approach to symptomatic coronary disease in the elderly: TIME to change?. <i>Lancet, The</i> , 2001 , 358, 945-6	6.2	23
159	Effect of beta blockers on mortality and morbidity in persons treated for congestive heart failure. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 331-3	5.4	5
158	Special Considerations for the Elderly Patient with Atrial Fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2001 , 5, 243-253		
157	Commentary on treatment of hypertension in the elderly. <i>Cardiovascular Drugs and Therapy</i> , 2001 , 15, 281-2	3.8	4
156	Prognosis of congestive heart failure after prior myocardial infarction in older persons with atrial fibrillation versus sinus rhythm. <i>American Journal of Cardiology</i> , 2001 , 87, 224-5, A8-9	2.9	56

155	Effect of beta blockers on incidence of new coronary events in older persons with prior myocardial infarction and diabetes mellitus. <i>American Journal of Cardiology</i> , 2001 , 87, 780-1, A8	2.9	35
154	Rate of progression of valvular aortic stenosis in patients > or = 60 years of age. <i>American Journal of Cardiology</i> , 2001 , 87, 807-9, A9	2.9	33
153	Comparison of echocardiographic abnormalities in African-American, Hispanic, and white men and women aged >60 years. <i>American Journal of Cardiology</i> , 2001 , 87, 1131-3, A10	2.9	36
152	Effect of beta blockers on incidence of new coronary events in older persons with prior myocardial infarction and symptomatic peripheral arterial disease. <i>American Journal of Cardiology</i> , 2001 , 87, 1284-6	2.9	71
151	Association of coronary risk factors with progression of valvular aortic stenosis in older persons. <i>American Journal of Cardiology</i> , 2001 , 87, 1313-4	2.9	58
150	Association of mitral annular calcium with symptomatic peripheral arterial disease in older persons. <i>American Journal of Cardiology</i> , 2001 , 88, 333-4	2.9	23
149	Incidence of new coronary events in older persons with diabetes mellitus and prior myocardial infarction treated with sulfonylureas, insulin, metformin, and diet alone. <i>American Journal of Cardiology</i> , 2001 , 88, 556-7	2.9	26
148	Association of coronary risk factors and use of statins with progression of mild valvular aortic stenosis in older persons. <i>American Journal of Cardiology</i> , 2001 , 88, 693-5	2.9	247
147	Risk factors for new coronary events in older Hispanic men and women. <i>American Journal of Cardiology</i> , 2001 , 88, 901-3, A8	2.9	
146	Association of valvular aortic stenosis with symptomatic peripheral arterial disease in older persons. <i>American Journal of Cardiology</i> , 2001 , 88, 1046-7	2.9	37
145	Effect of beta blockers alone, of angiotensin-converting enzyme inhibitors alone, and of beta blockers plus angiotensin-converting enzyme inhibitors on new coronary events and on congestive heart failure in older persons with healed myocardial infarcts and asymptomatic left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , 2001 , 88, 1298-300	2.9	76
144	Left ventricular diastolic heart failure with normal left ventricular systolic function in older persons. <i>Translational Research</i> , 2001 , 137, 316-23		15
143	Exercise therapy for older persons with cardiovascular disease. <i>The American Journal of Geriatric Cardiology</i> , 2001 , 10, 245-9; quiz 250-2		37
142	Treatment of the elderly post-myocardial infarction patient. <i>The American Journal of Geriatric Cardiology</i> , 2001 , 10, 316-22, 376		2
141	Levosimendan. <i>Drugs</i> , 2001 , 61, 628-629	11.6	1
140	Drug treatment of elderly patients with acute myocardial infarction: practical recommendations. <i>Drugs and Aging</i> , 2001 , 18, 807-18	4.5	7
139	Risk factors for symptomatic peripheral arterial disease in older persons in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 312-4	5.4	59
138	Effect of warfarin versus aspirin on the incidence of new thromboembolic stroke in older persons with chronic atrial fibrillation and abnormal and normal left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2000 , 85, 1033-5	2.9	15

137	Prognosis of congestive heart failure after prior myocardial infarction in older men and women with abnormal versus normal left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2000 , 85, 1382-4	2.9	42
136	Increased plasma homocysteine is an independent predictor of new atherothrombotic brain infarction in older persons. <i>American Journal of Cardiology</i> , 2000 , 86, 585-6, A10	2.9	23
135	Prevalence of coronary artery disease, complex ventricular arrhythmias, and silent myocardial ischemia and incidence of new coronary events in older persons with chronic renal insufficiency and with normal renal function. <i>American Journal of Cardiology</i> , 2000 , 86, 1142-3, A9	2.9	39
134	Treatment of Hypertension in the Institutionalized Elderly. <i>The American Journal of Geriatric Cardiology</i> , 2000 , 9, 34-41		
133	Association between plasma homocysteine and vascular atherosclerotic disease in older persons. <i>Preventive Cardiology</i> , 2000 , 3, 89-91		2
132	Risk factors for ischemic stroke in older persons in an academic hospital based geriatrics practice. <i>Preventive Cardiology</i> , 2000 , 3, 118-120		1
131	Prevalence of coronary artery disease, ischemic stroke, and symptomatic peripheral arterial disease and of associated risk factors in older men and women with and without diabetes mellitus. <i>Preventive Cardiology</i> , 2000 , 3, 160-162		7
130	Incidence of heart failure in 2,737 older persons with and without diabetes mellitus. <i>Chest</i> , 1999 , 115, 867-8	1.2	109
129	Drug treatment of hypertension in older persons in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 597-9	5.4	22
128	Management of the older person with ventricular arrhythmias. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 886-95	5.4	6
127	Prevalence of coexistence of coronary artery disease, ischemic stroke, and peripheral arterial disease in older persons, mean age 80 years, in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 1255-6	5.4	163
126	Diabetes mellitus in older African-Americans, Hispanics, and whites in an academic hospital-based geriatrics practice. <i>Coronary Artery Disease</i> , 1999 , 10, 343-6	1.3	37
125	Incidence of new thromboembolic stroke in persons 62 years and older with chronic atrial fibrillation treated with warfarin versus aspirin. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 366-8	5.4	29
124	Comparison of frequency of new coronary events in older subjects with and without valvular aortic sclerosis. <i>American Journal of Cardiology</i> , 1999 , 83, 599-600, A8	2.9	83
123	Risk factors for new atherothrombotic brain infarction in older African-American men and women. <i>American Journal of Cardiology</i> , 1999 , 83, 1144-5, A10	2.9	4
122	Association of extracranial carotid arterial disease and chronic atrial fibrillation with the incidence of new thromboembolic stroke in 1,846 older persons. <i>American Journal of Cardiology</i> , 1999 , 83, 1403-4, A8	2.9	18
121	Association of left ventricular hypertrophy and chronic atrial fibrillation with the incidence of new thromboembolic stroke in 2,384 older persons. <i>American Journal of Cardiology</i> , 1999 , 84, 468-9, A9	2.9	17
120	Comparison of incidences of congestive heart failure in older African-Americans, Hispanics, and whites. <i>American Journal of Cardiology</i> , 1999 , 84, 611-2, A9	2.9	89

119	Association of mitral annular calcium and of aortic cuspal calcium with coronary artery disease in older patients. <i>American Journal of Cardiology</i> , 1999 , 84, 1084-5, A9	2.9	46
118	Antiplatelet agents in the prevention of cardiovascular morbidity and mortality in older patients with vascular disease. <i>Drugs and Aging</i> , 1999 , 15, 91-101	4.5	10
117	Triflusal : A Viewpoint by Wilbert S. Aronow. <i>Drugs</i> , 1998 , 55, 834-5	11.6	
116	Telmisartan. <i>Drugs</i> , 1998 , 56, 1045-1046	11.6	
115	Underutilization of measurement of serum low-density lipoprotein cholesterol levels and of lipid-lowering therapy in older patients with manifest atherosclerotic disease. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1128-31	5.4	28
114	Normal left ventricular ejection fraction in older persons with congestive heart failure. <i>Chest</i> , 1998 , 113, 867-9	1.2	75
113	Underutilization of warfarin in older persons with chronic nonvalvular atrial fibrillation at high risk for developing stroke. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1423-4	5.4	60
112	Management of older persons after myocardial infarction. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1459-68	5.4	10
111	Underutilization of aspirin in older patients with prior myocardial infarction at the time of admission to a nursing home. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 615-6	5.4	23
110	Association between plasma homocysteine and peripheral arterial disease in older persons. <i>Coronary Artery Disease</i> , 1998 , 9, 49-50	1.3	35
109	Prevalence of coronary artery disease, atherothrombotic brain infarction, and peripheral arterial disease: associated risk factors in older Hispanics in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 481-3	5.4	18
108	Association of electrocardiographic left ventricular hypertrophy with the incidence of new congestive heart failure. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1280-1	5.4	22
107	Underutilization of angiotensin-converting enzyme inhibitors in older patients with Q-wave anterior myocardial infarction in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 751-2	5.4	19
106	Association of mitral annular calcium with new thromboembolic stroke at 44-month follow-up of 2,148 persons, mean age 81 years. <i>American Journal of Cardiology</i> , 1998 , 81, 105-6	2.9	32
105	Comparison of frequency of new coronary events in older persons with mild, moderate, and severe valvular aortic stenosis with those without aortic stenosis. <i>American Journal of Cardiology</i> , 1998 , 81, 647-9 ⁹	2.9	45
104	Risk factors for new thromboembolic stroke in patients > or = 62 years of age with chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 1998 , 82, 119-21	2.9	60
103	Underutilization of lipid-lowering drugs in older persons with prior myocardial infarction and a serum low-density lipoprotein cholesterol > 125 mg/dl. <i>American Journal of Cardiology</i> , 1998 , 82, 668-9, A6, A8	2.9	42
102	Treatment of Older Patients With CHF Associated With Normal LVEF. <i>The American Journal of Geriatric Cardiology</i> , 1998 , 7, 27-31		2

101	Treatment of congestive heart failure in older persons. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1252-7	5.4	19
100	Association of postprandial hypotension with incidence of falls, syncope, coronary events, stroke, and total mortality at 29-month follow-up in 499 older nursing home residents. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1051-3	5.4	114
99	Use of digoxin, diuretics, beta blockers, angiotensin-converting enzyme inhibitors, and calcium channel blockers in older patients in an academic hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 809-12	5.4	21
98	Underutilization of beta-blockers in older patients with prior myocardial infarction or coronary artery disease in an academic, hospital-based geriatrics practice. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1360-1	5.4	24
97	Postinfarction use of beta-blockers in elderly patients. <i>Drugs and Aging</i> , 1997 , 11, 424-32	4.5	12
96	Association of extracranial carotid arterial disease, prior atherothrombotic brain infarction, systemic hypertension, and left ventricular hypertrophy with the incidence of new atherothrombotic brain infarction at 45-month follow-up in 1,482 older patients. <i>American Journal of Geriatrics</i> , 1997 , 45, 601-8	2.9	12
95	Effect of propranolol versus no propranolol on total mortality plus nonfatal myocardial infarction in older patients with prior myocardial infarction, congestive heart failure, and left ventricular ejection fraction > or = 40% treated with diuretics plus angiotensin-converting enzyme inhibitors. <i>American Journal of Cardiology</i> , 1997 , 80, 207-9	2.9	226
94	Prevalence of appropriate and inappropriate indications for use of digoxin in older patients at the time of admission to a nursing home. <i>Journal of the American Geriatrics Society</i> , 1996 , 44, 588-90	5.4	25
93	Prevalence of atrial fibrillation and association of atrial fibrillation with prior and new thromboembolic stroke in older patients. <i>Journal of the American Geriatrics Society</i> , 1996 , 44, 521-3	5.4	65
92	Prevalence of use of beta blockers and of calcium channel blockers in older patients with prior myocardial infarction at the time of admission to a nursing home. <i>Journal of the American Geriatrics Society</i> , 1996 , 44, 1075-7	5.4	16
91	Risk factors for new coronary events in a large cohort of very elderly patients with and without coronary artery disease. <i>American Journal of Cardiology</i> , 1996 , 77, 864-6	2.9	94
90	Risk factors for new atherothrombotic brain infarction in 664 older men and 1,488 older women. <i>American Journal of Cardiology</i> , 1996 , 77, 1381-3	2.9	40
89	Management of Heart Failure Attributable to Ischemic Heart Disease and Other Dilated Cardiomyopathies. <i>The American Journal of Geriatric Cardiology</i> , 1996 , 5, 56-59		
88	Prevalence of extracranial carotid arterial disease and of valvular aortic stenosis and their association in the elderly. <i>American Journal of Cardiology</i> , 1995 , 75, 304-5	2.9	16
87	The Heart and Thyroid Disease. <i>Clinics in Geriatric Medicine</i> , 1995 , 11, 219-229	3.6	29
86	The management of ventricular arrhythmias in older patients after CAST. <i>Drugs and Aging</i> , 1995 , 6, 112-24	5	5
85	Treatment of ventricular arrhythmias in older adults. <i>Journal of the American Geriatrics Society</i> , 1995 , 43, 688-95	5.4	9
84	Correlation of atrial fibrillation, paroxysmal supraventricular tachycardia, and sinus rhythm with incidences of new coronary events in 1,359 patients, mean age 81 years, with heart disease. <i>American Journal of Cardiology</i> , 1995 , 75, 182-4	2.9	28

83	Echocardiographic findings associated with atrial fibrillation in 1,699 patients aged > 60 years. <i>American Journal of Cardiology</i> , 1995 , 76, 1191-2	2.9	26
82	Effect of propranolol on circadian variation of myocardial ischemia in elderly patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1995 , 75, 837-9	2.9	20
81	Effect of propranolol on circadian variation of ventricular arrhythmias in elderly patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1995 , 75, 514-6	2.9	14
80	Correlation of serum lipids with the presence or absence of atherothrombotic brain infarction and peripheral arterial disease in 1,834 men and women aged > or = 62 years. <i>American Journal of Cardiology</i> , 1994 , 73, 995-7	2.9	29
79	Effect of propranolol versus no antiarrhythmic drug on sudden cardiac death, total cardiac death, and total death in patients > or = 62 years of age with heart disease, complex ventricular arrhythmias, and left ventricular ejection fraction > or = 40%. <i>American Journal of Cardiology</i> , 1994 , 74, 267-70	2.9	86
78	Prognosis of patients with heart failure and unoperated severe aortic valvular regurgitation and relation to ejection fraction. <i>American Journal of Cardiology</i> , 1994 , 74, 286-8	2.9	42
77	Circadian variation of sudden cardiac death or fatal myocardial infarction is abolished by propranolol in patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1994 , 74, 819-21	2.9	38
76	Prevalence of coexistence of coronary artery disease, peripheral arterial disease, and atherothrombotic brain infarction in men and women > or = 62 years of age. <i>American Journal of Cardiology</i> , 1994 , 74, 64-5	2.9	221
75	Decrease in mortality by propranolol in patients with heart disease and complex ventricular arrhythmias is more an anti-ischemic than an antiarrhythmic effect. <i>American Journal of Cardiology</i> , 1994 , 74, 613-5	2.9	41
74	Correlation of serum lipids with the presence or absence of coronary artery disease in 1,793 men and women aged > or = 62 years. <i>American Journal of Cardiology</i> , 1994 , 73, 702-3	2.9	40
73	Optimal management of older patients with atrial fibrillation. <i>Drugs and Aging</i> , 1994 , 4, 184-93	4.5	10
72	Echocardiography should be performed in all elderly patients with congestive heart failure. <i>Journal of the American Geriatrics Society</i> , 1994 , 42, 1300-2	5.4	38
71	Postprandial hypotension in 499 elderly persons in a long-term health care facility. <i>Journal of the American Geriatrics Society</i> , 1994 , 42, 930-2	5.4	92
70	Effect of enalapril on congestive heart failure treated with diuretics in elderly patients with prior myocardial infarction and normal left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 1993 , 71, 602-4	2.9	168
69	Circadian variation of primary cardiac arrest or sudden cardiac death in patients aged 62 to 100 years (mean 82). <i>American Journal of Cardiology</i> , 1993 , 71, 1455-6	2.9	53
68	Prognosis of congestive heart failure in patients aged > or = 62 years with unoperated severe valvular aortic stenosis. <i>American Journal of Cardiology</i> , 1993 , 72, 846-8	2.9	56
67	Prevalence of atherothrombotic brain infarction, coronary artery disease and peripheral arterial disease in elderly blacks, Hispanics and whites. <i>American Journal of Cardiology</i> , 1992 , 70, 1212-3	2.9	25
66	Prevalence of arrhythmias detected by 24-hour ambulatory electrocardiography and value of antiarrhythmic therapy in elderly patients with unexplained syncope. <i>American Journal of Cardiology</i> , 1992 , 70, 408-10	2.9	21

65	Prognostic significance of silent ischemia in elderly patients with peripheral arterial disease with and without previous myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 69, 137-9	2.9	38
64	Frequency of thromboembolic stroke in persons greater than or equal to 60 years of age with extracranial carotid arterial disease and/or mitral annular calcium. <i>American Journal of Cardiology</i> , 1992 , 70, 123-4	2.9	19
63	Digoxin or angiotensin converting enzyme inhibitors for congestive heart failure in geriatric patients. Which is the preferred treatment?. <i>Drugs and Aging</i> , 1991 , 1, 98-103	4.5	46
62	Correlation of Arrhythmias and Conduction Defects on the Resting Electrocardiogram with New Cardiac Events in 1,153 Elderly Patients. <i>American Journal of Noninvasive Cardiology</i> , 1991 , 5, 88-90		9
61	Prevalence and severity of valvular aortic stenosis determined by Doppler echocardiography and its association with echocardiographic and electrocardiographic left ventricular hypertrophy and physical signs of aortic stenosis in elderly patients. <i>American Journal of Cardiology</i> , 1991 , 67, 776-7	2.9	89
60	Congestive heart failure, coronary events and atherothrombotic brain infarction in elderly blacks and whites with systemic hypertension and with and without echocardiographic and electrocardiographic evidence of left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1991 , 67, 887-9	2.9	127
59	Effect of quinidine or procainamide versus no antiarrhythmic drug on sudden cardiac death, total cardiac death, and total death in elderly patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1990 , 66, 423-8	2.9	47
58	Usefulness of silent ischemia, ventricular tachycardia, and complex ventricular arrhythmias in predicting new coronary events in elderly patients with coronary artery disease or systemic hypertension. <i>American Journal of Cardiology</i> , 1990 , 65, 511-2	2.9	24
57	Association of mitral annular calcium with new thromboembolic stroke and cardiac events at 39-month follow-up in elderly patients. <i>American Journal of Cardiology</i> , 1990 , 65, 1511-2	2.9	66
56	Prognosis of congestive heart failure in elderly patients with normal versus abnormal left ventricular systolic function associated with coronary artery disease. <i>American Journal of Cardiology</i> , 1990 , 66, 1257-9	2.9	131
55	Usefulness of Echocardiographic and Electrocardiographic Left Ventricular Hypertrophy in Predicting New Cardiac Events and Atherothrombotic Brain Infarction in Elderly Patients with Systemic Hypertension or Coronary Artery Disease. <i>American Journal of Noninvasive Cardiology</i> , 1989 , 3, 367-370		13
54	Risk factors for thromboembolic stroke in elderly patients with chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 1989 , 63, 366-7	2.9	92
53	New coronary events at four-year follow-up in elderly patients with recognized or unrecognized myocardial infarction. <i>American Journal of Cardiology</i> , 1989 , 63, 621-2	2.9	17
52	Correlation of prevalence and severity of aortic regurgitation detected by pulsed Doppler echocardiography with the murmur of aortic regurgitation in elderly patients in a long-term health care facility. <i>American Journal of Cardiology</i> , 1989 , 63, 128-9	2.9	31
51	Prevalence of postural hypotension in elderly patients in a long-term health care facility. <i>American Journal of Cardiology</i> , 1988 , 62, 336	2.9	39
50	Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients. <i>American Journal of Cardiology</i> , 1988 , 62, 1124-5	2.9	86
49	Prevalence of peripheral arterial disease and its correlation with risk factors for peripheral arterial disease in elderly patients in a long-term health care facility. <i>American Journal of Cardiology</i> , 1988 , 62, 644-6	2.9	52
48	Usefulness of echocardiographic abnormal left ventricular ejection fraction, paroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age. <i>American Journal of Cardiology</i> , 1988 , 61, 1349-51	2.9	32

47	Prevalence of hypertrophic cardiomyopathy and its association with mitral anular calcium in elderly patients. <i>Chest</i> , 1988 , 94, 1295-6	1.2	18
46	Correlation of prevalence and severity of valvular aortic stenosis determined by continuous-wave Doppler echocardiography with physical signs of aortic stenosis in patients aged 62 to 100 years with aortic systolic ejection murmurs. <i>American Journal of Cardiology</i> , 1987 , 60, 399-401	2.9	38
45	Correlation of complex ventricular arrhythmias detected by ambulatory electrocardiographic monitoring with echocardiographic left ventricular hypertrophy in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1987 , 60, 730-2	2.9	48
44	Prevalence of presenting symptoms of recognized acute myocardial infarction and of unrecognized healed myocardial infarction in elderly patients. <i>American Journal of Cardiology</i> , 1987 , 60, 1182	2.9	75
43	Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral anular calcium. <i>American Journal of Cardiology</i> , 1987 , 60, 1189-90	2.9	31
42	Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1987 , 59, 368-9	2.9	23
41	Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1987 , 59, 381-2	2.9	61
40	Correlation of atrial fibrillation with presence or absence of mitral anular calcium in 604 persons older than 60 years. <i>American Journal of Cardiology</i> , 1987 , 59, 1213-4	2.9	25
39	Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients. <i>American Journal of Cardiology</i> , 1987 , 59, 998-9	2.9	165
38	Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1987 , 59, 181-2	2.9	17
37	Lack of efficacy of digoxin in treatment of compensated congestive heart failure with third heart sound and sinus rhythm in elderly patients receiving diuretic therapy. <i>American Journal of Cardiology</i> , 1986 , 58, 168-9	2.9	23
36	Correlation of aortic cuspal and aortic root disease with aortic systolic ejection murmurs and with mitral anular calcium in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1986 , 58, 651-2	2.9	31
35	Unrecognized Q-wave myocardial infarction in patients older than 64 years in a long-term health-care facility. <i>American Journal of Cardiology</i> , 1985 , 56, 483	2.9	22
34	Clinical characteristics of patients younger than 60 years with mitral anular calcium: comparison with age- and sex-matched control subjects. <i>American Journal of Cardiology</i> , 1984 , 54, 1286-7	2.9	63
33	Cardiac conduction defects in patients older than 60 years with aortic stenosis with and without mitral anular calcium. <i>American Journal of Cardiology</i> , 1984 , 53, 169-72	2.9	37
32	Cardiac muscle mass during vasodilation therapy of hypertension. <i>Clinical Pharmacology and Therapeutics</i> , 1983 , 33, 727-32	5.9	67
31	Changes in ventricular septal thickness during diuretic therapy. <i>Clinical Pharmacology and Therapeutics</i> , 1982 , 32, 283-8	5.9	85
30	Remote right ventricular myocardial infarction mimicking chronic pericardial constriction. <i>American Heart Journal</i> , 1982 , 103, 912-4	4.7	13

29	Stress myocardial imaging in patients with mitral valve prolapse: evidence of a perfusion abnormality. <i>Catheterization and Cardiovascular Diagnosis</i> , 1982 , 8, 243-52		19
28	A vasodilator that avoids renin stimulation and fluid retention: antihypertensive treatment with trimazosin. <i>Clinical Pharmacology and Therapeutics</i> , 1982 , 31, 572-8	5.9	12
27	Exercise duration to angina at two and twelve hours after timolol. <i>Clinical Pharmacology and Therapeutics</i> , 1981 , 29, 155-9	5.9	3
26	Cardiotoxicity of amitriptyline and doxepin. <i>Clinical Pharmacology and Therapeutics</i> , 1981 , 29, 359-64	5.9	14
25	Effect of tocainide and quinidine on premature ventricular contractions. <i>Clinical Pharmacology and Therapeutics</i> , 1980 , 28, 431-5	5.9	22
24	Effect of amitriptyline antidotes on repetitive extrasystole threshold. <i>Clinical Pharmacology and Therapeutics</i> , 1980 , 27, 602-6	5.9	9
23	Verapamil in atrial fibrillation and atrial flutter. <i>Clinical Pharmacology and Therapeutics</i> , 1979 , 26, 578-83	5.9	52
22	Effects of isosorbide dinitrate on pulmonary hypertension in chronic obstructive pulmonary disease. <i>Clinical Pharmacology and Therapeutics</i> , 1979 , 25, 541-8	5.9	22
21	Acebutolol in supraventricular arrhythmias. <i>Clinical Pharmacology and Therapeutics</i> , 1979 , 25, 149-53	5.9	18
20	Effects of oxprenolol and propranolol on systolic time intervals. <i>Clinical Pharmacology and Therapeutics</i> , 1978 , 24, 678-82	5.9	8
19	Propranolol and lidocaine. Clinical use as antiarrhythmic agents. <i>Postgraduate Medicine</i> , 1977 , 61, 113-7	3.6	6
18	High reversion of atrial flutter to sinus rhythm after atrial pacing in patients with pulmonary disease. <i>Chest</i> , 1977 , 71, 580-2	1.2	22
17	Reliability of echocardiography in quantitating pericardial effusion: a prospective study. <i>Journal of Clinical Ultrasound</i> , 1977 , 5, 398-402	1	19
16	Clinical implications of left ventricular function in patients with acute myocardial infarction. <i>Journal of the American Geriatrics Society</i> , 1976 , 24, 433-9	5.4	1
15	Treadmill exercise testing of mass screening for coronary risk factors. <i>Catheterization and Cardiovascular Diagnosis</i> , 1976 , 2, 39-48		7
14	First heart sound: a phono-echocardiographic correlation with mitral, tricuspid, and aortic valvular events. <i>Catheterization and Cardiovascular Diagnosis</i> , 1976 , 2, 381-7		10
13	Effect of tolamolol and propranolol on exercise heart rate and angina. <i>Clinical Pharmacology and Therapeutics</i> , 1975 , 17, 379-84	5.9	2
12	Effect of smoking marihuana and of a high-nicotine cigarette on angina pectoris. <i>Clinical Pharmacology and Therapeutics</i> , 1975 , 17, 549-54	5.9	66

11	Left ventricular filling pressures in cardiac patients. <i>Journal of the American Geriatrics Society</i> , 1975 , 23, 289-94	5.4	1
10	Mass screening for coronary risk factors in 2,524 asymptomatic adults. <i>Journal of the American Geriatrics Society</i> , 1975 , 23, 121-6	5.4	4
9	Effects of marihuana and placebo marihuana smoking on hemodynamics in coronary disease. <i>Clinical Pharmacology and Therapeutics</i> , 1975 , 18, 90-5	5.9	33
8	Halofenate, serum lipids, and exercise performance in coronary heart disease. <i>Clinical Pharmacology and Therapeutics</i> , 1974 , 15, 67-72	5.9	4
7	Effect of smoking cigarettes on cardiovascular hemodynamics. <i>Archives of Environmental Health</i> , 1974 , 28, 330-2		20
6	Serum lipids, serum uric acid and glucose tolerance in coronary heart disease. <i>Journal of the American Geriatrics Society</i> , 1973 , 21, 58-62	5.4	9
5	Effect of halofenate on exercise performance in coronary heart disease. <i>Clinical Pharmacology and Therapeutics</i> , 1973 , 14, 366-70	5.9	2
4	Effect of halofenate on serum uric acid. <i>Clinical Pharmacology and Therapeutics</i> , 1973 , 14, 371-3	5.9	14
3	Effect of halofenate on serum lipids. <i>Clinical Pharmacology and Therapeutics</i> , 1973 , 14, 358-65	5.9	13
2	Treatment of arrhythmias with tolamidol. <i>Clinical Pharmacology and Therapeutics</i> , 1972 , 13, 856-60	5.9	9
1	Treatment of arrhythmias with pindolol. <i>Clinical Pharmacology and Therapeutics</i> , 1972 , 13, 15-22	5.9	33