

Dirk Maes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6198616/dirk-maes-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

2,647
citations

27
h-index

51
g-index

68
ext. papers

3,177
ext. citations

4.8
avg, IF

4.85
L-index

#	Paper	IF	Citations
63	Behavioral Strategies and the Spatial Pattern Formation of Nesting.. <i>American Naturalist</i> , 2022 , 199, E15-E27	3.7	1
62	Species profiles support recommendations for quality filtering of opportunistic citizen science data. <i>Ecological Modelling</i> , 2022 , 467, 109910	3	
61	The impact of data quality filtering of opportunistic citizen science data on species distribution model performance. <i>Ecological Modelling</i> , 2021 , 444, 109453	3	10
60	The decline of butterflies in Europe: Problems, significance, and possible solutions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	51
59	Abundant Citizen Science Data Reveal That the Peacock Butterfly Recently Became Bivoltine in Belgium. <i>Insects</i> , 2021 , 12,	2.8	1
58	Occasional long-distance dispersal may not prevent inbreeding in a threatened butterfly.. <i>Bmc Ecology and Evolution</i> , 2021 , 21, 224	2.1	1
57	Solutions for humanity on how to conserve insects. <i>Biological Conservation</i> , 2020 , 242, 108427	6.2	90
56	The neglected impact of tracking devices on terrestrial arthropods. <i>Methods in Ecology and Evolution</i> , 2020 , 11, 350-361	7.7	13
55	Comment on "Meta-analysis reveals declines in terrestrial but increases in freshwater insect abundances". <i>Science</i> , 2020 , 370,	33.3	14
54	A database of threat statuses and life-history traits of Red List species in Flanders (northern Belgium). <i>Biodiversity Data Journal</i> , 2019 , 7, e34089	1.8	3
53	Integrating national Red Lists for prioritising conservation actions for European butterflies. <i>Journal of Insect Conservation</i> , 2019 , 23, 301-330	2.1	18
52	Celebrating 50 years of Butterfly Conservation: a special issue on the ecology and conservation of butterflies and moths. <i>Journal of Insect Conservation</i> , 2019 , 23, 199-200	2.1	1
51	The potential of species distribution modelling for reintroduction projects: the case study of the Chequered Skipper in England. <i>Journal of Insect Conservation</i> , 2019 , 23, 419-431	2.1	7
50	Patterns of host use by brood parasitic Maculeina butterflies across Europe. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20180202	5.8	26
49	Gene flow and effective population sizes of the butterfly Maculeina alcon in a highly fragmented, anthropogenic landscape. <i>Biological Conservation</i> , 2017 , 209, 89-97	6.2	19
48	Intensified habitat management to mitigate negative effects of nitrogen pollution can be detrimental for faunal diversity: A comment on Jones et al. (2017). <i>Biological Conservation</i> , 2017 , 212, 493-494	6.2	2
47	The need for large-scale distribution data to estimate regional changes in species richness under future climate change. <i>Diversity and Distributions</i> , 2017 , 23, 1393-1407	5	25

46	Quality of citizen science data and its consequences for the conservation of skipper butterflies (Hesperiidae) in Flanders (northern Belgium). <i>Journal of Insect Conservation</i> , 2017 , 21, 451-463	2.1	16
45	Assessing the ecological risk posed by a recently established invasive alien predator: <i>Harmonia axyridis</i> as a case study. <i>BioControl</i> , 2017 , 62, 341-354	2.3	21
44	Retirement of John Dover as Editor-in-Chief of <i>Journal of Insect Conservation</i> . <i>Journal of Insect Conservation</i> , 2017 , 21, 751-751	2.1	
43	A database on the distribution of butterflies (Lepidoptera) in northern Belgium (Flanders and the Brussels Capital Region). <i>ZooKeys</i> , 2016 , 143-56	1.2	3
42	The harlequin ladybird, <i>Harmonia axyridis</i> : global perspectives on invasion history and ecology. <i>Biological Invasions</i> , 2016 , 18, 997-1044	2.7	188
41	Testing the applicability of regional IUCN Red List criteria on ladybirds (Coleoptera, Coccinellidae) in Flanders (north Belgium): opportunities for conservation. <i>Insect Conservation and Diversity</i> , 2015 , 8, 404-417	3.8	17
40	The use of opportunistic data for IUCN Red List assessments. <i>Biological Journal of the Linnean Society</i> , 2015 , 115, 690-706	1.9	72
39	The lost generation hypothesis: could climate change drive ectotherms into a developmental trap?. <i>Oikos</i> , 2015 , 124, 54-61	4	119
38	Importance of core and linear marsh elements for wetland arthropod diversity in an agricultural landscape. <i>Insect Conservation and Diversity</i> , 2015 , 8, 289-301	3.8	5
37	Contribution to the knowledge of the butterfly fauna of Albania. <i>Nota Lepidopterologica</i> , 2015 , 38, 29-45		3
36	Wanted! Dead or alive: the tale of the Brown Grayling (<i>Pseudochazara amymone</i>). <i>Journal of Insect Conservation</i> , 2014 , 18, 675-682	2.1	9
35	A resource-based conservation approach for an endangered ecotone species: the Ilex Hairstreak (<i>Satyrrium ilicis</i>) in Flanders (north Belgium). <i>Journal of Insect Conservation</i> , 2014 , 18, 939-950	2.1	12
34	Conserving Europe's most endangered butterfly: the Macedonian Grayling (<i>Pseudochazara cingovskii</i>). <i>Journal of Insect Conservation</i> , 2013 , 17, 941-947	2.1	9
33	Not the Right Time to Amend the Annexes of the European Habitats Directive. <i>Conservation Letters</i> , 2013 , 6, 468-469	6.9	26
32	Species richness declines and biotic homogenisation have slowed down for NW-European pollinators and plants. <i>Ecology Letters</i> , 2013 , 16, 870-8	10	245
31	Invasive alien predator causes rapid declines of native European ladybirds. <i>Diversity and Distributions</i> , 2012 , 18, 717-725	5	187
30	Applying IUCN Red List criteria at a small regional level: A test case with butterflies in Flanders (north Belgium). <i>Biological Conservation</i> , 2012 , 145, 258-266	6.2	38
29	Applying IUCN criteria to invertebrates: How red is the Red List of European butterflies?. <i>Biological Conservation</i> , 2011 , 144, 470-478	6.2	63

28	Species- and sex-specific adjustments of movement behavior to landscape heterogeneity in butterflies. <i>Behavioral Ecology</i> , 2011 , 22, 967-975	2.3	27
27	BioScore: Most-effective assessment of policy impact on biodiversity using species sensitivity scores. <i>Journal for Nature Conservation</i> , 2010 , 18, 142-148	2.3	27
26	Changes in the distribution of carabid beetles in Belgium revisited: Have we halted the diversity loss?. <i>Biological Conservation</i> , 2010 , 143, 1549-1557	6.2	28
25	Predicted insect diversity declines under climate change in an already impoverished region. <i>Journal of Insect Conservation</i> , 2010 , 14, 485-498	2.1	38
24	Can we predict the distribution of heathland butterflies with heathland bird data?. <i>Animal Biology</i> , 2009 , 59, 335-349	0.7	
23	Inclusion of soil data improves the performance of bioclimatic envelope models for insect species distributions in temperate Europe. <i>Journal of Biogeography</i> , 2009 , 36, 1459-1473	4.1	34
22	Declines in common, widespread butterflies in a landscape under intense human use. <i>Conservation Biology</i> , 2009 , 23, 957-65	6	177
21	Is biofuel policy harming biodiversity in Europe?. <i>GCB Bioenergy</i> , 2009 , 1, 18-34	5.6	65
20	Trampling affects the distribution of specialised coastal dune arthropods. <i>Basic and Applied Ecology</i> , 2008 , 9, 726-734	3.2	23
19	Restoration of woodpasture on former agricultural land: The importance of safe sites and time gaps before grazing for tree seedlings. <i>Biological Conservation</i> , 2008 , 141, 78-88	6.2	53
18	Applying species distribution modelling for the conservation of the threatened saproxylic Stag Beetle (<i>Lucanus cervus</i>). <i>Biological Conservation</i> , 2008 , 141, 1400-1410	6.2	61
17	Invasion history, habitat preferences and phenology of the invasive ladybird <i>Harmonia axyridis</i> in Belgium. <i>BioControl</i> , 2008 , 53, 69-88	2.3	76
16	Transferability of species distribution models: a functional habitat approach for two regionally threatened butterflies. <i>Conservation Biology</i> , 2007 , 21, 201-12	6	82
15	Invasion history, habitat preferences and phenology of the invasive ladybird <i>Harmonia axyridis</i> in Belgium 2007 , 69-88		11
14	Using distribution patterns of five threatened invertebrates in a highly fragmented dune landscape to develop a multispecies conservation approach. <i>Biological Conservation</i> , 2006 , 133, 490-499	6.2	38
13	Habitat Use and Mobility of Two Threatened Coastal Dune Insects: Implications for Conservation. <i>Journal of Insect Conservation</i> , 2006 , 10, 105-115	2.1	44
12	Habitat quality and biodiversity indicator performances of a threatened butterfly versus a multispecies group for wet heathlands in Belgium. <i>Biological Conservation</i> , 2005 , 123, 177-187	6.2	71
11	Species richness coincidence: conservation strategies based on predictive modelling. <i>Biodiversity and Conservation</i> , 2005 , 14, 1345-1364	3.4	44

10	Functional conservation units for the endangered Alcon Blue butterfly <i>Maculinea alcon</i> in Belgium (Lepidoptera: Lycaenidae). <i>Biological Conservation</i> , 2004 , 120, 229-241	6.2	67
9	Prediction of butterfly diversity hotspots in Belgium: a comparison of statistically focused and land use-focused models. <i>Journal of Biogeography</i> , 2003 , 30, 1907-1920	4.1	33
8	Ant communities (Hymenoptera: Formicidae) of Flemish (north Belgium) wet heathlands, a declining habitat in Europe. <i>European Journal of Entomology</i> , 2003 , 100, 545-555		13
7	A Red Data Book of Empidid Flies of Flanders (northern Belgium) (Diptera, Empididae S.l.): Constraints and Possible Use in Nature Conservation. <i>Journal of Insect Conservation</i> , 2001 , 5, 117-129	2.1	4
6	Butterfly diversity loss in Flanders (north Belgium): Europe's worst case scenario?. <i>Biological Conservation</i> , 2001 , 99, 263-276	6.2	221
5	Monitoring butterflies in the Netherlands and Flanders: the first results. <i>Journal of Insect Conservation</i> , 1997 , 1, 81-87	2.1	23
4	A new methodology for compiling national Red Lists applied to butterflies (Lepidoptera, Rhopalocera) in Flanders (N-Belgium) and the Netherlands. <i>Journal of Insect Conservation</i> , 1997 , 1, 113-124	2.1	18
3	Dos and Don'ts for butterflies of the Habitats Directive of the European Union. <i>Nature Conservation</i> , 1 , 73-153		43
2	Rapid conservation evidence for the impact of sheep grazing on a threatened digger wasp. <i>Insect Conservation and Diversity</i> ,	3.8	0
1	A Red List of terrestrial isopods (Isopoda: Oniscidea) in Flanders (northern Belgium) and its implications for conservation. <i>Journal of Insect Conservation</i> , 1	2.1	